



FCC
Federal Communications Commission

Carsten Steinroeder
07 February 2012
Phone +49 (0) 2102 749 331
Fax +49 (0) 2102 749 350
Email: Carsten.steinroeder@7Layers.de

request for a limited modular approval - FCC ID: NT8-12NBTD1

Dear Application Examiner,

the module "VBTDC1.0" is seeking FCC authorization as a modular transmitter. The requirement of the FCC part 15.212 are met.

The following requirements are fulfilled:

1. The modular transmitter must have its own RF shielding

The radio portion of the module has its own RF shielding.

2. The modular transmitter must have buffered modulation/data inputs

The module has a memory management unit inside of the IC. It buffers the data inputs.

3. The modular transmitter must have its own power supply regulation

The IC contains an own voltage regulation. In case of changes in the supply voltage VCC (for example caused by temperature changes or other effects), the internal voltage will be stabilized.

4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204c

The transmitter has been tested with dedicated antenna (see VBTDC1.0_Clarion_Antenna_Info.pdf).

The module is equipped with an UFL antenna connector (unique coupling).

5. The modular transmitter must be tested in a stand-alone configuration

The EUT was tested in a stand-alone configuration placed on a test board with dedicated antenna.

6. The modular transmitter must be labelled with its own FCC ID number

The Module is labelled with its own FCC ID (please see Integration Manual).

7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements.

The EUT is compliant with all applicable FCC rules. The EUT is only allowed to be connected to batteries. Direct or indirect connection to AC mains is not allowed.

8. The modular transmitter must comply with any applicable RF exposure requirements.

The EUT is exempted from RF exposure requirements due to low output power (below RF exposure limit).

Please contact us if you have any additional questions.

Best Regards,



Carsten Steinroeder
Project Manager
7layers AG