


Frequency MHz = 5310.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS9)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5407.250000	-60.3	33.3	-27.0	PASS
5367.750000	-60.4	33.4	-27.0	PASS
5366.750000	-60.5	33.5	-27.0	PASS
5407.750000	-60.5	33.5	-27.0	PASS
5367.250000	-60.7	33.7	-27.0	PASS
5366.250000	-61.1	34.1	-27.0	PASS
5368.250000	-61.3	34.3	-27.0	PASS
5406.750000	-61.5	34.5	-27.0	PASS
5408.250000	-62.1	35.1	-27.0	PASS
5368.750000	-62.9	35.9	-27.0	PASS
5358.250000	-63.0	36.0	-27.0	PASS
5374.250000	-63.3	36.3	-27.0	PASS
5373.750000	-63.3	36.3	-27.0	PASS
5388.250000	-63.6	36.6	-27.0	PASS
5355.250000	-63.7	36.7	-27.0	PASS

Frequency MHz = 5510.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS9)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5144.250000	-38.4	11.4	-27.0	PASS
5143.750000	-38.6	11.6	-27.0	PASS
5144.750000	-38.7	11.7	-27.0	PASS
5142.250000	-38.9	11.9	-27.0	PASS
5142.750000	-38.9	11.9	-27.0	PASS
5143.250000	-39.0	12.0	-27.0	PASS
5141.250000	-39.1	12.1	-27.0	PASS
5141.750000	-39.2	12.2	-27.0	PASS
5140.250000	-39.3	12.3	-27.0	PASS
5139.750000	-39.5	12.5	-27.0	PASS
5145.750000	-39.5	12.5	-27.0	PASS
5140.750000	-39.6	12.6	-27.0	PASS
5145.250000	-39.6	12.6	-27.0	PASS
5146.250000	-39.7	12.7	-27.0	PASS
5139.250000	-40.1	13.1	-27.0	PASS

Frequency MHz = 5670.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS9)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5407.250000	-60.3	33.3	-27.0	PASS
5367.750000	-60.4	33.4	-27.0	PASS
5366.750000	-60.5	33.5	-27.0	PASS
5407.750000	-60.5	33.5	-27.0	PASS
5367.250000	-60.7	33.7	-27.0	PASS
5366.250000	-61.1	34.1	-27.0	PASS
5368.250000	-61.3	34.3	-27.0	PASS
5406.750000	-61.5	34.5	-27.0	PASS
5408.250000	-62.1	35.1	-27.0	PASS
5368.750000	-62.9	35.9	-27.0	PASS
5358.250000	-63.0	36.0	-27.0	PASS
5374.250000	-63.3	36.3	-27.0	PASS
5373.750000	-63.3	36.3	-27.0	PASS
5388.250000	-63.6	36.6	-27.0	PASS
5355.250000	-63.7	36.7	-27.0	PASS

Frequency MHz = 5755.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS9)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5144.250000	-38.4	11.4	-27.0	PASS
5143.750000	-38.6	11.6	-27.0	PASS
5144.750000	-38.7	11.7	-27.0	PASS
5142.250000	-38.9	11.9	-27.0	PASS
5142.750000	-38.9	11.9	-27.0	PASS
5143.250000	-39.0	12.0	-27.0	PASS
5141.250000	-39.1	12.1	-27.0	PASS
5141.750000	-39.2	12.2	-27.0	PASS
5140.250000	-39.3	12.3	-27.0	PASS
5139.750000	-39.5	12.5	-27.0	PASS
5145.750000	-39.5	12.5	-27.0	PASS
5140.750000	-39.6	12.6	-27.0	PASS
5145.250000	-39.6	12.6	-27.0	PASS
5146.250000	-39.7	12.7	-27.0	PASS
5139.250000	-40.1	13.1	-27.0	PASS

Frequency MHz = 5795.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS9)  
 Mode = SISO Measurement Point = 1

**Images:**



**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5407.250000	-60.3	33.3	-27.0	PASS
5367.750000	-60.4	33.4	-27.0	PASS
5366.750000	-60.5	33.5	-27.0	PASS
5407.750000	-60.5	33.5	-27.0	PASS
5367.250000	-60.7	33.7	-27.0	PASS
5366.250000	-61.1	34.1	-27.0	PASS
5368.250000	-61.3	34.3	-27.0	PASS
5406.750000	-61.5	34.5	-27.0	PASS
5408.250000	-62.1	35.1	-27.0	PASS
5368.750000	-62.9	35.9	-27.0	PASS
5358.250000	-63.0	36.0	-27.0	PASS
5374.250000	-63.3	36.3	-27.0	PASS
5373.750000	-63.3	36.3	-27.0	PASS
5388.250000	-63.6	36.6	-27.0	PASS
5355.250000	-63.7	36.7	-27.0	PASS

**Table:**  
 Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Span	Please see the plots	
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	~ 2000	~ 2000
Sweep time	130.000 ms	AUTO
Reference Level	-20.000 dBm	-20.000 dBm
Attenuation	0.000 dB	AUTO
Detector	MaxPeak	MaxPeak
Sweep Count	100	100
Filter	Channel	Channel
Trace Mode	Max Hold	Max Hold
Sweep type	Sweep	AUTO
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.50 dB	0.50 dB
Run	4 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.00 dB	0.50 dB

Mode: SISO

Modulation: 802.11ax HE80 SS1 (OFDMA MCS11) – Full RU

**Results**


**Verdict**

Pass

**Attachments**

Frequency MHz = 5210.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**



**Tables:**


Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5149.750000	-47.8	20.8	-27.0	PASS
5148.750000	-48.3	21.3	-27.0	PASS
5149.250000	-48.7	21.7	-27.0	PASS
5148.250000	-48.8	21.8	-27.0	PASS
5147.750000	-49.3	22.3	-27.0	PASS
5146.250000	-49.4	22.4	-27.0	PASS
5146.750000	-49.9	22.9	-27.0	PASS
5147.250000	-50.0	23.0	-27.0	PASS
5145.750000	-50.0	23.0	-27.0	PASS
5144.250000	-50.3	23.3	-27.0	PASS
5145.250000	-50.4	23.4	-27.0	PASS
5143.750000	-51.1	24.1	-27.0	PASS
5143.250000	-51.1	24.1	-27.0	PASS
5144.750000	-51.3	24.3	-27.0	PASS
5142.750000	-51.4	24.4	-27.0	PASS



Frequency MHz = 5290.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5361.750000	-47.4	20.4	-27.0	PASS
5363.750000	-48.1	21.1	-27.0	PASS
5364.250000	-48.1	21.1	-27.0	PASS
5364.750000	-48.2	21.2	-27.0	PASS
5365.250000	-48.3	21.3	-27.0	PASS
5365.750000	-48.8	21.8	-27.0	PASS
5363.250000	-49.0	22.0	-27.0	PASS
5369.250000	-49.1	22.1	-27.0	PASS
5361.250000	-49.1	22.1	-27.0	PASS
5368.750000	-49.2	22.2	-27.0	PASS
5362.250000	-49.5	22.5	-27.0	PASS
5362.750000	-49.7	22.7	-27.0	PASS
5368.250000	-49.8	22.8	-27.0	PASS
5369.750000	-50.1	23.1	-27.0	PASS
5367.250000	-50.2	23.2	-27.0	PASS

Frequency MHz = 5530.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5149.750000	-47.8	20.8	-27.0	PASS
5148.750000	-48.3	21.3	-27.0	PASS
5149.250000	-48.7	21.7	-27.0	PASS
5148.250000	-48.8	21.8	-27.0	PASS
5147.750000	-49.3	22.3	-27.0	PASS
5146.250000	-49.4	22.4	-27.0	PASS
5146.750000	-49.9	22.9	-27.0	PASS
5147.250000	-50.0	23.0	-27.0	PASS
5145.750000	-50.0	23.0	-27.0	PASS
5144.250000	-50.3	23.3	-27.0	PASS
5145.250000	-50.4	23.4	-27.0	PASS
5143.750000	-51.1	24.1	-27.0	PASS
5143.250000	-51.1	24.1	-27.0	PASS
5144.750000	-51.3	24.3	-27.0	PASS
5142.750000	-51.4	24.4	-27.0	PASS

Frequency MHz = 5610.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5361.750000	-47.4	20.4	-27.0	PASS
5363.750000	-48.1	21.1	-27.0	PASS
5364.250000	-48.1	21.1	-27.0	PASS
5364.750000	-48.2	21.2	-27.0	PASS
5365.250000	-48.3	21.3	-27.0	PASS
5365.750000	-48.8	21.8	-27.0	PASS
5363.250000	-49.0	22.0	-27.0	PASS
5369.250000	-49.1	22.1	-27.0	PASS
5361.250000	-49.1	22.1	-27.0	PASS
5368.750000	-49.2	22.2	-27.0	PASS
5362.250000	-49.5	22.5	-27.0	PASS
5362.750000	-49.7	22.7	-27.0	PASS
5368.250000	-49.8	22.8	-27.0	PASS
5369.750000	-50.1	23.1	-27.0	PASS
5367.250000	-50.2	23.2	-27.0	PASS

Frequency MHz = 5775.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5149.750000	-47.8	20.8	-27.0	PASS
5148.750000	-48.3	21.3	-27.0	PASS
5149.250000	-48.7	21.7	-27.0	PASS
5148.250000	-48.8	21.8	-27.0	PASS
5147.750000	-49.3	22.3	-27.0	PASS
5146.250000	-49.4	22.4	-27.0	PASS
5146.750000	-49.9	22.9	-27.0	PASS
5147.250000	-50.0	23.0	-27.0	PASS
5145.750000	-50.0	23.0	-27.0	PASS
5144.250000	-50.3	23.3	-27.0	PASS
5145.250000	-50.4	23.4	-27.0	PASS
5143.750000	-51.1	24.1	-27.0	PASS
5143.250000	-51.1	24.1	-27.0	PASS
5144.750000	-51.3	24.3	-27.0	PASS
5142.750000	-51.4	24.4	-27.0	PASS

Frequency MHz = 5775.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**



**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5361.750000	-47.4	20.4	-27.0	PASS
5363.750000	-48.1	21.1	-27.0	PASS
5364.250000	-48.1	21.1	-27.0	PASS
5364.750000	-48.2	21.2	-27.0	PASS
5365.250000	-48.3	21.3	-27.0	PASS
5365.750000	-48.8	21.8	-27.0	PASS
5363.250000	-49.0	22.0	-27.0	PASS
5369.250000	-49.1	22.1	-27.0	PASS
5361.250000	-49.1	22.1	-27.0	PASS
5368.750000	-49.2	22.2	-27.0	PASS
5362.250000	-49.5	22.5	-27.0	PASS
5362.750000	-49.7	22.7	-27.0	PASS
5368.250000	-49.8	22.8	-27.0	PASS
5369.750000	-50.1	23.1	-27.0	PASS
5367.250000	-50.2	23.2	-27.0	PASS

Mode: SISO

Modulation: 802.11ax HE80 SS1 (OFDMA MCS11) – Partial RU


**Results**

**Attachments**

Frequency MHz = 5210.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)

Mode = SISO Measurement Point = 1

**Images:**



**Tables:**


Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5146.250000	-40.8	13.8	-27.0	PASS
5146.750000	-41.0	14.0	-27.0	PASS
5147.750000	-41.0	14.0	-27.0	PASS
5147.250000	-41.1	14.1	-27.0	PASS
5149.750000	-41.2	14.2	-27.0	PASS
5143.750000	-41.3	14.3	-27.0	PASS
5148.250000	-41.4	14.4	-27.0	PASS
5142.250000	-41.5	14.5	-27.0	PASS
5144.750000	-41.5	14.5	-27.0	PASS
5145.250000	-41.6	14.6	-27.0	PASS
5142.750000	-41.7	14.7	-27.0	PASS
5144.250000	-41.7	14.7	-27.0	PASS
5148.750000	-41.7	14.7	-27.0	PASS
5149.250000	-41.7	14.7	-27.0	PASS
5137.250000	-42.0	15.0	-27.0	PASS



Frequency MHz = 5290.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**



**Tables:**


Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5365.250000	-50.1	23.1	-27.0	PASS
5364.750000	-50.1	23.1	-27.0	PASS
5363.750000	-50.3	23.3	-27.0	PASS
5363.250000	-50.7	23.7	-27.0	PASS
5362.250000	-50.8	23.8	-27.0	PASS
5372.750000	-50.8	23.8	-27.0	PASS
5373.750000	-50.8	23.8	-27.0	PASS
5373.250000	-51.0	24.0	-27.0	PASS
5368.250000	-51.0	24.0	-27.0	PASS
5372.250000	-51.1	24.1	-27.0	PASS
5367.250000	-51.2	24.2	-27.0	PASS
5367.750000	-51.2	24.2	-27.0	PASS
5364.250000	-51.3	24.3	-27.0	PASS
5365.750000	-51.4	24.4	-27.0	PASS
5361.750000	-51.5	24.5	-27.0	PASS



Frequency MHz = 5530.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5146.250000	-40.8	13.8	-27.0	PASS
5146.750000	-41.0	14.0	-27.0	PASS
5147.750000	-41.0	14.0	-27.0	PASS
5147.250000	-41.1	14.1	-27.0	PASS
5149.750000	-41.2	14.2	-27.0	PASS
5143.750000	-41.3	14.3	-27.0	PASS
5148.250000	-41.4	14.4	-27.0	PASS
5142.250000	-41.5	14.5	-27.0	PASS
5144.750000	-41.5	14.5	-27.0	PASS
5145.250000	-41.6	14.6	-27.0	PASS
5142.750000	-41.7	14.7	-27.0	PASS
5144.250000	-41.7	14.7	-27.0	PASS
5148.750000	-41.7	14.7	-27.0	PASS
5149.250000	-41.7	14.7	-27.0	PASS
5137.250000	-42.0	15.0	-27.0	PASS

Frequency MHz = 5610.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5365.250000	-50.1	23.1	-27.0	PASS
5364.750000	-50.1	23.1	-27.0	PASS
5363.750000	-50.3	23.3	-27.0	PASS
5363.250000	-50.7	23.7	-27.0	PASS
5362.250000	-50.8	23.8	-27.0	PASS
5372.750000	-50.8	23.8	-27.0	PASS
5373.750000	-50.8	23.8	-27.0	PASS
5373.250000	-51.0	24.0	-27.0	PASS
5368.250000	-51.0	24.0	-27.0	PASS
5372.250000	-51.1	24.1	-27.0	PASS
5367.250000	-51.2	24.2	-27.0	PASS
5367.750000	-51.2	24.2	-27.0	PASS
5364.250000	-51.3	24.3	-27.0	PASS
5365.750000	-51.4	24.4	-27.0	PASS
5361.750000	-51.5	24.5	-27.0	PASS

Frequency MHz = 5775.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**




**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5365.250000	-50.1	23.1	-27.0	PASS
5364.750000	-50.1	23.1	-27.0	PASS
5363.750000	-50.3	23.3	-27.0	PASS
5363.250000	-50.7	23.7	-27.0	PASS
5362.250000	-50.8	23.8	-27.0	PASS
5372.750000	-50.8	23.8	-27.0	PASS
5373.750000	-50.8	23.8	-27.0	PASS
5373.250000	-51.0	24.0	-27.0	PASS
5368.250000	-51.0	24.0	-27.0	PASS
5372.250000	-51.1	24.1	-27.0	PASS
5367.250000	-51.2	24.2	-27.0	PASS
5367.750000	-51.2	24.2	-27.0	PASS
5364.250000	-51.3	24.3	-27.0	PASS
5365.750000	-51.4	24.4	-27.0	PASS
5361.750000	-51.5	24.5	-27.0	PASS

Frequency MHz = 5775.00000 Modulation = 802.11ax HE80 SS1 (OFDMA MCS11)  
 Mode = SISO Measurement Point = 1

**Images:**



**Tables:**

Spectrum Analyzer Parameters

Frequency(MHz)	Level(dBm)	Margin(dB)	Limit(dBm)	Result
5146.250000	-40.8	13.8	-27.0	PASS
5146.750000	-41.0	14.0	-27.0	PASS
5147.750000	-41.0	14.0	-27.0	PASS
5147.250000	-41.1	14.1	-27.0	PASS
5149.750000	-41.2	14.2	-27.0	PASS
5143.750000	-41.3	14.3	-27.0	PASS
5148.250000	-41.4	14.4	-27.0	PASS
5142.250000	-41.5	14.5	-27.0	PASS
5144.750000	-41.5	14.5	-27.0	PASS
5145.250000	-41.6	14.6	-27.0	PASS
5142.750000	-41.7	14.7	-27.0	PASS
5144.250000	-41.7	14.7	-27.0	PASS
5148.750000	-41.7	14.7	-27.0	PASS
5149.250000	-41.7	14.7	-27.0	PASS
5137.250000	-42.0	15.0	-27.0	PASS

**Table:**  
 Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Span	Please see the plots	
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	~ 2000	~ 2000
Sweep time	130.000 ms	AUTO
Reference Level	-20.000 dBm	-20.000 dBm
Attenuation	0.000 dB	AUTO
Detector	MaxPeak	MaxPeak
Sweep Count	100	100
Filter	Channel	Channel
Trace Mode	Max Hold	Max Hold
Sweep type	Sweep	AUTO
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.50 dB	0.50 dB
Run	4 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.00 dB	0.50 dB

FCC 15.407 (e) / RSS 247 6.2.4.1 6 dB Emission Bandwidth

**Limits**

For equipment operating in the band 5725-5850 MHz, the minimum 6 dB bandwidth shall be at least 500 kHz.

Mode: SISO

Modulation: 802.11a (OFDM 24 Mbit/s)

**Results**

Freq (MHz)	6dBw (MHz)
5745.00000	16.550
5785.00000	16.550
5825.00000	16.550

**Verdict**



Pass

**Attachments**

Frequency MHz = 5745.00000 Modulation = 802.11a (OFDM 24 Mbit/s)  
Mode = SISO Number of Transmission Chains = 1

**Images:**



6 dB Bandwidth



20:53:21 09.01.2023

Frequency MHz = 5785.00000 Modulation = 802.11a (OFDM 24 Mbit/s)  
Mode = SISO Number of Transmission Chains = 1

Images:





21:07:58 09.01.2023



Frequency MHz = 5825.00000 Modulation = 802.11a (OFDM 24 Mbit/s)  
Mode = SISO Number of Transmission Chains = 1

Images:



21:13:48 09.01.2023

Mode: SISO

Modulation: 802.11n HT20 (OFDM MCS7)

**Results**

Freq (MHz)	6dBw (MHz)
5745.00000	17.450
5785.00000	17.800
5825.00000	17.750



**Verdict**

Pass

**Attachments**


Frequency MHz = 5745.00000 Modulation = 802.11n HT20 (OFDM MCS7)  
Mode = SISO Number of Transmission Chains = 1

**Images:**




Frequency MHz = 5785.00000 Modulation = 802.11n HT20 (OFDM MCS7)  
Mode = SISO Number of Transmission Chains = 1

Images:




13:20:21 10.01.2023

6 dB Bandwidth




Frequency MHz = 5825.00000 Modulation = 802.11n HT20 (OFDM MCS7)  
Mode = SISO Number of Transmission Chains = 1

Images:



13:43:06 10.01.2023

6 dB Bandwidth



Mode: SISO

Modulation: 802.11n HT40 (OFDM MCS7)

**Results**

Freq (MHz)	6dBw (MHz)
5755.00000	35.800
5795.00000	36.500

**Verdict**



Pass

### Attachments

Frequency MHz = 5755.00000 Modulation = 802.11n HT40 (OFDM MCS7)  
Mode = SISO Number of Transmission Chains = 1

### Images:



6 dB Bandwidth



10:22:06 11.01.2023

Frequency MHz = 5795.00000 Modulation = 802.11n HT40 (OFDM MCS7)  
Mode = SISO Number of Transmission Chains = 1

Images:



11:04:50 11.01.2023



Mode: SISO

Modulation: 802.11ac VHT20 SS1 (OFDM MCS8)

**Results**

Freq (MHz)	6dBw (MHz)
5745.00000	17.400
5785.00000	17.750
5825.00000	17.750

**Verdict**



Pass

### Attachments

Frequency MHz = 5745.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)  
Mode = SISO Number of Transmission Chains = 1

### Images:


6 dB Bandwidth




17:49:27 10.01.2023

Frequency MHz = 5785.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)  
Mode = SISO Number of Transmission Chains = 1

Images:




18:14:54 10.01.2023




Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)  
Mode = SISO Number of Transmission Chains = 1

Images:



18:53:30 10.01.2023

6 dB Bandwidth



Mode: SISO

Modulation: 802.11ac VHT40 SS1 (OFDM MCS9)

**Results**

Freq (MHz)	6dBw (MHz)
5755.00000	35.850
5795.00000	36.500


**Verdict**

Pass

### Attachments


Frequency MHz = 5755.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)  
Mode = SISO Number of Transmission Chains = 1

### Images:





14:46:28 11.01.2023

6 dB Bandwidth



Frequency MHz = 5795.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)  
Mode = SISO Number of Transmission Chains = 1

Images:



15:25:30 11.01.2023

Mode: SISO

Modulation: 802.11ac VHT80 SS1 (OFDM MCS9)

**Results**

Freq (MHz)	6dBw (MHz)
5775.00000	76.400

**Verdict**


Pass



### Attachments


Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS9)  
Mode = SISO Number of Transmission Chains = 1

### Images:



17:26:24 11.01.2023

6 dB Bandwidth



Mode: SISO

Modulation: 802.11ax HE20 (OFDMA MCS8) – Full RU

**Results**

Freq (MHz)	6dBw (MHz)
5745.00000	19.100
5785.00000	18.900
5825.00000	19.400



**Verdict**

Pass

Frequency MHz = 5745.00000 Modulation = 802.11ax HE20 (OFDMA MCS8)  
Mode = SISO Number of Transmission Chains = 1

Images:

6 dB Bandwidth





17:30:08 24.01.2023

Frequency MHz = 5785.00000 Modulation = 802.11ax HE20 (OFDMA MCS8)  
Mode = SISO Number of Transmission Chains = 1

Images:



6 dB Bandwidth



18:12:02 24.01.2023

Frequency MHz = 5825.00000 Modulation = 802.11ax HE20 (OFDMA MCS8)  
Mode = SISO Number of Transmission Chains = 1

Images:



18:41:34 24.01.2023

Mode: SISO

Modulation: 802.11ax HE20 (OFDMA MCS8) – Partial RU

**Results**

Freq (MHz)	6dBw (MHz)
5745.00000	3.000
5785.00000	3.000
5825.00000	2.650

**Verdict**



Pass

### Attachments

Frequency MHz = 5745.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS8)  
Mode = SISO Number of Transmission Chains = 1

### Images:


6 dB Bandwidth



20:52:59 23.01.2023


Frequency MHz = 5785.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS8)  
Mode = SISO Number of Transmission Chains = 1

Images:



21:35:58 23.01.2023


6 dB Bandwidth






Frequency MHz = 5825.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS8)  
Mode = SISO Number of Transmission Chains = 1

Images:



21:56:24 23.01.2023

6 dB Bandwidth



Mode: SISO

Modulation: 802.11ax HE40 SS1 (OFDMA MCS9) – Full RU

**Results**

Freq (MHz)	6dBw (MHz)
5755.00000	37.350
5795.00000	38.300

**Verdict**



Pass

**Attachments**

Frequency MHz = 5755.00000 Modulation = 802.11ax HE40 (OFDMA MCS9)  
Mode = SISO Number of Transmission Chains = 1

**Images:**


6 dB Bandwidth



13:42:51 25.01.2023


Frequency MHz = 5795.00000 Modulation = 802.11ax HE40 (OFDMA MCS9)  
Mode = SISO Number of Transmission Chains = 1

Images:



14:58:05 25.01.2023

6 dB Bandwidth



Mode: SISO

Modulation: 802.11ax HE40 SS1 (OFDMA MCS9) – Partial RU

**Results**

Freq (MHz)	6dBw (MHz)
5755.00000	2.800
5795.00000	2.100

**Verdict**


Pass

**Attachments**

Frequency MHz = 5755.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS9)  
Mode = SISO Number of Transmission Chains = 1

**Images:**


6 dB Bandwidth



19:10:21 25.01.2023

Frequency MHz = 5795.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS9)  
Mode = SISO Number of Transmission Chains = 1

Images:



19:48:07 25.01.2023

6 dB Bandwidth

