



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:09:54

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4881.764	52.55	peak	-1.09	51.46	74.00	150	84	-22.54	
	5563.126	43.17	peak	0.97	44.14	74.00	150	136	-29.86	
	6492.986	56.71	peak	3.10	59.81	74.00	150	18	-14.19	
*	6492.986	39.18	AVG	3.10	42.28	54.00	150	18	-11.72	
	7323.000	39.91	peak	3.95	43.86	74.00	150	203	-30.14	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:07:33

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9764.000	34.60	peak	7.49	42.09	74.00	150	163	-31.91	
*	12205.000	32.32	peak	12.94	45.26	74.00	150	82	-28.74	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:10:37

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9764.000	34.37	peak	7.49	41.86	74.00	150	23	-32.14	
*	12205.000	32.94	peak	12.94	45.88	74.00	150	186	-28.12	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:07:47

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #9


Date: 2024/4/23

Temperature: 25.8 °C

90.0 dBuV/m

Time: 下午 04:10:51

Humidity: 67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:07:57

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:11:01

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #1


Date: 2024/4/23

Temperature: 25.8 °C

90.0 dBuV/m

Time: 下午 05:14:28

Humidity: 67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.190	55.25	peak	-9.15	46.10	74.00	150	164	-27.90	
	1853.707	59.16	peak	-6.85	52.31	74.00	150	203	-21.69	
	2785.571	46.74	peak	-4.58	42.16	74.00	150	86	-31.84	
	3711.423	58.16	peak	-2.45	55.71	74.00	150	52	-18.29	
*	3711.423	44.87	AVG	-2.45	42.42	54.00	150	52	-11.58	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:17:09

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1589.178	61.59	peak	-9.12	52.47	74.00	150	303	-21.53	
	1853.707	58.87	peak	-6.85	52.02	74.00	150	276	-21.98	
	2785.571	46.54	peak	-4.58	41.96	74.00	150	81	-32.04	
	3711.423	52.90	peak	-2.45	50.45	74.00	150	136	-23.55	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:15:11

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4953.908	52.53	peak	-0.74	51.79	74.00	150	193	-22.21	
	6492.986	55.46	peak	3.10	58.56	74.00	150	256	-15.44	
*	6492.986	38.16	AVG	3.10	41.26	54.00	150	256	-12.74	
	7440.000	39.63	peak	4.21	43.84	74.00	150	82	-30.16	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:17:52

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4953.908	52.38	peak	-0.74	51.64	74.00	150	271	-22.36	
	5218.437	46.61	peak	0.46	47.07	74.00	150	38	-26.93	
	6492.986	56.72	peak	3.10	59.82	74.00	150	20	-14.18	
*	6492.986	38.49	AVG	3.10	41.59	54.00	150	20	-12.41	
	7440.000	40.34	peak	4.21	44.55	74.00	150	196	-29.45	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:16:01

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9920.000	34.60	peak	7.79	42.39	74.00	150	163	-31.61	
*	12400.000	34.23	peak	13.47	47.70	74.00	150	83	-26.30	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:18:37

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9920.000	34.98	peak	7.79	42.77	74.00	150	207	-31.23	
*	12400.000	33.85	peak	13.47	47.32	74.00	150	136	-26.68	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4

Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:16:15

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:18:51

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:16:24

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 05:19:01

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File: BandEdge

Data: #1


Date: 2024/4/23

Temperature: 25.8 °C

120.0 dBuV/m

Time: 下午 04:50:42

Humidity: 67.7 %



Site: 966A Chamber

Condition: FCC 15.247 PK (Bandedge)

EUT: W6M22402-23278

M/N:

Test Mode: TX 2480MHz

Note:

Polarization: Horizontal

Power: 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2483.500	11.45	peak	37.59	49.04	74.00	150	190	-24.96	
*	2483.500	2.75	AVG	37.59	40.34	54.00	150	190	-13.66	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :BandEdge

Data :#2


Date: 2024/4/23

Temperature:25.8 °C

120.0 dBuV/m

Time: 下午 04:56:38

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2483.500	9.45	peak	37.59	47.04	74.00	150	84	-26.96	
*	2483.500	2.66	AVG	37.59	40.25	54.00	150	84	-13.75	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1_BT_TX 2402MHz

Data :#1


Date: 2024/4/24

Temperature:26.1 °C

80.0 dBuV/m

Time: 下午 12:16:39

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	407.1142	46.26	peak	-4.19	42.07	46.00	100	207	-3.93	
	799.7796	32.93	peak	3.76	36.69	46.00	100	134	-9.31	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1_BT_TX 2402MHz

Data :#2


Date: 2024/4/24

Temperature:26.1 °C

80.0 dBuV/m

Time: 下午 12:17:22

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	432.3848	42.77	peak	-3.41	39.36	46.00	100	173	-6.64	
	799.7796	33.14	peak	3.76	36.90	46.00	100	86	-9.10	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:39:21

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.190	57.01	peak	-9.15	47.86	74.00	150	193	-26.14	
	1853.707	59.11	peak	-6.85	52.26	74.00	150	82	-21.74	
	2785.571	45.17	peak	-4.58	40.59	74.00	150	207	-33.41	
*	3711.423	55.43	peak	-2.45	52.98	74.00	150	136	-21.02	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:42:13

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.190	58.85	peak	-9.15	49.70	74.00	150	207	-24.30	
	1853.707	63.92	peak	-6.85	57.07	74.00	150	142	-16.93	
*	1853.707	49.13	AVG	-6.85	42.28	54.00	150	142	-11.72	
	2785.571	46.78	peak	-4.58	42.20	74.00	150	134	-31.80	
	3711.423	52.31	peak	-2.45	49.86	74.00	150	82	-24.14	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:40:06

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4801.603	50.56	peak	-1.54	49.02	74.00	150	37	-24.98	
*	6492.986	48.85	peak	3.10	51.95	74.00	150	134	-22.05	
	7206.000	41.32	peak	4.49	45.81	74.00	150	216	-28.19	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:42:59

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4801.603	49.16	peak	-1.54	47.62	74.00	150	213	-26.38	
	5563.126	43.74	peak	0.97	44.71	74.00	150	83	-29.29	
*	6492.986	49.39	peak	3.10	52.49	74.00	150	165	-21.51	
	7206.000	41.21	peak	4.49	45.70	74.00	150	291	-28.30	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:40:59

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9608.000	36.08	peak	7.32	43.40	74.00	150	143	-30.60	
*	12010.000	33.62	peak	12.40	46.02	74.00	150	28	-27.98	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:44:25

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9608.000	35.57	peak	7.32	42.89	74.00	150	163	-31.11	
*	12010.000	34.27	peak	12.40	46.67	74.00	150	83	-27.33	

*:Maximum data x:Over limit !:over margin