

Measurement Data(20%worst points removed) Test Data 15 247(e)(Annex K)

Offset□□□Freque ncy□□ (kHz)	Processing Gain (dB)											
	ch1				ch6				ch11			
	Gp(dB)	(S/N) _o	M _j =J/S	L _{sys}	Gp(dB)	(S/N) _o	M _j =J/S	L _{sys}	Gp(dB)	(S/N) _o	M _j =J/S	L _{sys}
-8500	31.1	16.4	12.7	2.0	30.7	16.4	12.3	2.0	31.3	16.4	12.9	2.0
-8450	31.0	16.4	12.6	2.0	30.6	16.4	12.2	2.0	31.2	16.4	12.8	2.0
-8400	30.9	16.4	12.5	2.0	30.6	16.4	12.2	2.0	31.1	16.4	12.7	2.0
-8350	30.2	16.4	11.8	2.0	29.8	16.4	11.4	2.0	30.4	16.4	12.0	2.0
-8300	29.1	16.4	10.7	2.0	28.6	16.4	10.2	2.0	29.2	16.4	10.8	2.0
-8250	28.4	16.4	10.0	2.0	27.9	16.4	9.5	2.0	28.5	16.4	10.1	2.0
-8200	28.2	16.4	9.8	2.0	27.7	16.4	9.3	2.0	28.3	16.4	9.9	2.0
-8150	28.5	16.4	10.1	2.0	28.0	16.4	9.6	2.0	28.6	16.4	10.2	2.0
-8100	29.5	16.4	11.1	2.0	29.0	16.4	10.6	2.0	29.6	16.4	11.2	2.0
-8050	29.1	16.4	10.7	2.0	28.6	16.4	10.2	2.0	29.2	16.4	10.8	2.0
-8000	29.3	16.4	10.9	2.0	28.8	16.4	10.4	2.0	29.4	16.4	11.0	2.0
-7950	29.7	16.4	11.3	2.0	29.1	16.4	10.7	2.0	29.7	16.4	11.3	2.0
-7900	28.7	16.4	10.3	2.0	28.2	16.4	9.8	2.0	28.7	16.4	10.3	2.0
-7850	29.0	16.4	10.6	2.0	29.8	16.4	11.4	2.0	28.5	16.4	10.1	2.0
-7800	27.9	16.4	9.5	2.0	28.2	16.4	9.8	2.0	28.4	16.4	10.0	2.0
-7750	28.4	16.4	10.0	2.0	28.8	16.4	10.4	2.0	28.8	16.4	10.4	2.0
-7700	28.8	16.4	10.4	2.0	29.4	16.4	11.0	2.0	29.4	16.4	11.0	2.0
-7650	28.5	16.4	10.1	2.0	29.0	16.4	10.6	2.0	29.1	16.4	10.7	2.0
-7600	27.7	16.4	9.3	2.0	28.2	16.4	9.8	2.0	28.4	16.4	10.0	2.0
-7550	27.4	16.4	9.0	2.0	27.9	16.4	9.5	2.0	28.0	16.4	9.6	2.0
-7500	26.9	16.4	8.5	2.0	27.6	16.4	9.2	2.0	27.5	16.4	9.1	2.0
-7450	27.3	16.4	8.9	2.0	27.5	16.4	9.1	2.0	27.6	16.4	9.2	2.0
-7400	27.1	16.4	8.7	2.0	27.3	16.4	8.9	2.0	27.5	16.4	9.1	2.0
-7350	26.0	16.4	7.6	2.0	26.2	16.4	7.8	2.0	26.2	16.4	7.8	2.0
-7300	25.6	16.4	7.2	2.0	25.9	16.4	7.5	2.0	25.8	16.4	7.4	2.0
-7250	24.8	16.4	6.4	2.0	25.1	16.4	6.7	2.0	25.0	16.4	6.6	2.0
-7200	24.7	16.4	6.3	2.0	25.0	16.4	6.6	2.0	25.0	16.4	6.6	2.0
-7150	24.7	16.4	6.3	2.0	24.9	16.4	6.5	2.0	24.9	16.4	6.5	2.0
-7100	24.6	16.4	6.2	2.0	24.8	16.4	6.4	2.0	24.8	16.4	6.4	2.0
-7050	24.0	16.4	5.6	2.0	24.2	16.4	5.8	2.0	24.3	16.4	5.9	2.0
-7000	23.8	16.4	5.4	2.0	24.4	16.4	6.0	2.0	24.1	16.4	5.7	2.0
-6950	23.5	16.4	5.1	2.0	23.9	16.4	5.5	2.0	23.9	16.4	5.5	2.0
-6900	23.3	16.4	4.9	2.0	23.9	16.4	5.5	2.0	23.6	16.4	5.2	2.0
-6850	22.9	16.4	4.5	2.0	23.4	16.4	5.0	2.0	23.4	16.4	5.0	2.0
-6800	22.7	16.4	4.3	2.0	23.1	16.4	4.7	2.0	23.1	16.4	4.7	2.0
-6750	22.6	16.4	4.2	2.0	23.0	16.4	4.6	2.0	22.9	16.4	4.5	2.0
-6700	22.4	16.4	4.0	2.0	22.8	16.4	4.4	2.0	22.8	16.4	4.4	2.0
-6650	22.2	16.4	3.8	2.0	22.6	16.4	4.2	2.0	22.6	16.4	4.2	2.0
-6600	22.1	16.4	3.7	2.0	22.3	16.4	3.9	2.0	22.4	16.4	4.0	2.0
-6550	21.8	16.4	3.4	2.0	22.1	16.4	3.7	2.0	21.9	16.4	3.5	2.0
-6500	21.9	16.4	3.5	2.0	21.5	16.4	3.1	2.0	21.6	16.4	3.2	2.0

Test Data 15.247(e) (Annex K)

-6450	22.0	16.4	3.6	2.0	21.7	16.4	3.3	2.0	21.9	16.4	3.5	2.0
-6400	21.7	16.4	3.3	2.0	21.6	16.4	3.2	2.0	21.6	16.4	3.2	2.0
-6350	21.3	16.4	2.9	2.0	21.1	16.4	2.7	2.0	21.3	16.4	2.9	2.0
-6300	21.0	16.4	2.6	2.0	20.7	16.4	2.3	2.0	21.0	16.4	2.6	2.0
-6250	20.7	16.4	2.3	2.0	20.5	16.4	2.1	2.0	20.8	16.4	2.4	2.0
-6200	20.5	16.4	2.1	2.0	20.3	16.4	1.9	2.0	20.5	16.4	2.1	2.0
-6150	20.6	16.4	2.2	2.0	20.3	16.4	1.9	2.0	20.5	16.4	2.1	2.0
-6100	20.6	16.4	2.2	2.0	20.5	16.4	2.1	2.0	20.5	16.4	2.1	2.0
-6050	20.2	16.4	1.8	2.0	20.1	16.4	1.7	2.0	20.2	16.4	1.8	2.0
-6000	19.8	16.4	1.4	2.0	19.6	16.4	1.2	2.0	19.7	16.4	1.3	2.0
-5950	19.9	16.4	1.5	2.0	19.7	16.4	1.3	2.0	20.0	16.4	1.6	2.0
-5900	19.9	16.4	1.5	2.0	19.9	16.4	1.5	2.0	19.9	16.4	1.5	2.0
-5850	19.9	16.4	1.5	2.0	19.8	16.4	1.4	2.0	19.8	16.4	1.4	2.0
-5800	19.8	16.4	1.4	2.0	19.8	16.4	1.4	2.0	19.6	16.4	1.2	2.0
-5750	19.4	16.4	1.0	2.0	19.3	16.4	0.9	2.0	19.3	16.4	0.9	2.0
-5700	19.4	16.4	1.0	2.0	19.4	16.4	1.0	2.0	19.3	16.4	0.9	2.0
-5650	19.2	16.4	0.8	2.0	19.2	16.4	0.8	2.0	19.1	16.4	0.7	2.0
-5600	19.5	16.4	1.1	2.0	19.1	16.4	0.7	2.0	19.1	16.4	0.7	2.0
-5550	19.0	16.4	0.6	2.0	18.7	16.4	0.3	2.0	18.8	16.4	0.4	2.0
-5500	18.8	16.4	0.4	2.0	18.5	16.4	0.1	2.0	18.5	16.4	0.1	2.0
-5450	18.9	16.4	0.5	2.0	18.6	16.4	0.2	2.0	18.6	16.4	0.2	2.0
-5400	19.0	16.4	0.6	2.0	18.7	16.4	0.3	2.0	18.6	16.4	0.2	2.0
-5350	18.9	16.4	0.5	2.0	18.5	16.4	0.1	2.0	18.5	16.4	0.1	2.0
-5300	18.7	16.4	0.3	2.0	18.3	16.4	-0.1	2.0	18.4	16.4	0.0	2.0
-5250	18.6	16.4	0.2	2.0	18.2	16.4	-0.2	2.0	18.3	16.4	-0.1	2.0
-5200	18.9	16.4	0.5	2.0	18.5	16.4	0.1	2.0	18.4	16.4	0.0	2.0
-5150	18.7	16.4	0.3	2.0	18.4	16.4	0.0	2.0	18.2	16.4	-0.2	2.0
-5100	18.6	16.4	0.2	2.0	18.5	16.4	0.1	2.0	18.3	16.4	-0.1	2.0
-5050	18.6	16.4	0.2	2.0	18.5	16.4	0.1	2.0	18.1	16.4	-0.3	2.0
-5000	18.4	16.4	0.0	2.0	18.3	16.4	-0.1	2.0	18.1	16.4	-0.3	2.0
-4950	18.2	16.4	-0.2	2.0	17.9	16.4	-0.5	2.0	17.9	16.4	-0.5	2.0
-4900	18.1	16.4	-0.3	2.0	18.1	16.4	-0.3	2.0	17.8	16.4	-0.6	2.0
-4850	17.8	16.4	-0.6	2.0	17.7	16.4	-0.7	2.0	17.5	16.4	-0.9	2.0
-4800	17.8	16.4	-0.6	2.0	17.7	16.4	-0.7	2.0	17.6	16.4	-0.8	2.0
-4750	17.8	16.4	-0.6	2.0	17.7	16.4	-0.7	2.0	17.6	16.4	-0.8	2.0
-4700	18.0	16.4	-0.4	2.0	17.7	16.4	-0.7	2.0	17.7	16.4	-0.7	2.0
-4650	18.0	16.4	-0.4	2.0	17.7	16.4	-0.7	2.0	17.6	16.4	-0.8	2.0
-4600	17.9	16.4	-0.5	2.0	17.8	16.4	-0.6	2.0	17.7	16.4	-0.7	2.0
-4550	17.8	16.4	-0.6	2.0	17.7	16.4	-0.7	2.0	17.7	16.4	-0.7	2.0
-4500	17.7	16.4	-0.7	2.0	17.7	16.4	-0.7	2.0	17.6	16.4	-0.8	2.0
-4450	17.8	16.4	-0.6	2.0	17.6	16.4	-0.8	2.0	17.6	16.4	-0.8	2.0
-4400	17.9	16.4	-0.5	2.0	17.9	16.4	-0.5	2.0	17.6	16.4	-0.8	2.0
-4350	17.9	16.4	-0.5	2.0	17.5	16.4	-0.9	2.0	17.5	16.4	-0.9	2.0
-4300	17.7	16.4	-0.7	2.0	17.4	16.4	-1.0	2.0	17.4	16.4	-1.0	2.0
-4250	17.7	16.4	-0.7	2.0	17.4	16.4	-1.0	2.0	17.2	16.4	-1.2	2.0
-4200	17.5	16.4	-0.9	2.0	17.3	16.4	-1.1	2.0	17.1	16.4	-1.3	2.0
-4150	17.6	16.4	-0.8	2.0	17.3	16.4	-1.1	2.0	17.1	16.4	-1.3	2.0

Test Data 15.247(e)(Annex K)

600	15.0	16.4	-3.4	2.0	15.1	16.4	-3.3	2.0	15.1	16.4	-3.3	2.0
650												
700	15.1	16.4	-3.3	2.0	15.1	16.4	-3.3	2.0	15.1	16.4	-3.3	2.0
750	15.0	16.4	-3.4	2.0	15.0	16.4	-3.4	2.0	15.1	16.4	-3.3	2.0
800	15.2	16.4	-3.2	2.0	15.1	16.4	-3.3	2.0				
850	15.3	16.4	-3.1	2.0	15.1	16.4	-3.3	2.0	15.2	16.4	-3.2	2.0
900	15.4	16.4	-3.0	2.0	15.2	16.4	-3.2	2.0	15.3	16.4	-3.1	2.0
950	15.4	16.4	-3.0	2.0	15.1	16.4	-3.3	2.0	15.3	16.4	-3.1	2.0
1000	15.4	16.4	-3.0	2.0	15.2	16.4	-3.2	2.0	15.2	16.4	-3.2	2.0
1050	15.5	16.4	-2.9	2.0	15.2	16.4	-3.2	2.0	15.3	16.4	-3.1	2.0
1100	15.5	16.4	-2.9	2.0	15.4	16.4	-3.0	2.0	15.4	16.4	-3.0	2.0
1150	15.3	16.4	-3.1	2.0	15.2	16.4	-3.2	2.0	15.3	16.4	-3.1	2.0
1200	15.5	16.4	-2.9	2.0	15.1	16.4	-3.3	2.0	15.4	16.4	-3.0	2.0
1250	15.4	16.4	-3.0	2.0	15.2	16.4	-3.2	2.0	15.3	16.4	-3.1	2.0
1300	15.2	16.4	-3.2	2.0	15.1	16.4	-3.3	2.0	15.3	16.4	-3.1	2.0
1350	15.1	16.4	-3.3	2.0	15.2	16.4	-3.2	2.0	15.2	16.4	-3.2	2.0
1400	15.0	16.4	-3.4	2.0	15.0	16.4	-3.4	2.0	15.2	16.4	-3.2	2.0
1450												
1500												
1550									15.1	16.4	-3.3	2.0
1600	15.0	16.4	-3.4	2.0	15.0	16.4	-3.4	2.0	15.2	16.4	-3.2	2.0
1650									15.1	16.4	-3.3	2.0
1700									15.2	16.4	-3.2	2.0
1750									15.0	16.4	-3.4	2.0
1800									15.1	16.4	-3.3	2.0
1850									15.0	16.4	-3.4	2.0
1900												
1950												
2000												
2050												
2100												
2150												
2200												
2250												
2300												
2350												
2400	15.1	16.4	-3.3	2.0	15.0	16.4	-3.4	2.0	15.0	16.4	-3.4	2.0
2450	15.0	16.4	-3.4	2.0								
2500	15.0	16.4	-3.4	2.0	15.1	16.4	-3.3	2.0				
2550					15.0	16.4	-3.4	2.0				
2600												
2650												
2700												
2750	15.0	16.4	-3.4	2.0								
2800	15.1	16.4	-3.3	2.0	15.0	16.4	-3.4	2.0	15.0	16.4	-3.4	2.0
2850	15.1	16.4	-3.3	2.0	15.1	16.4	-3.3	2.0	15.0	16.4	-3.4	2.0
2900	15.4	16.4	-3.0	2.0	15.4	16.4	-3.0	2.0	15.3	16.4	-3.1	2.0

Test Data 15.247(e) (Annex K)

2950	15.5	16.4	-2.9	2.0	15.4	16.4	-2.9	2.0	15.3	16.4	-3.1	2.0
3000	15.9	16.4	-2.5	2.0	15.6	16.4	-2.8	2.0	15.7	16.4	-2.7	2.0
3050	16.0	16.4	-2.4	2.0	15.9	16.4	-2.5	2.0	15.8	16.4	-2.6	2.0
3100	16.0	16.4	-2.4	2.0	15.6	16.4	-2.8	2.0	15.7	16.4	-2.7	2.0
3150	15.9	16.4	-2.5	2.0	15.5	16.4	-2.9	2.0	15.4	16.4	-3.0	2.0
3200	16.3	16.4	-2.1	2.0	15.8	16.4	-2.6	2.0	15.7	16.4	-2.7	2.0
3250	16.2	16.4	-2.2	2.0	15.9	16.4	-2.5	2.0	15.7	16.4	-2.7	2.0
3300	16.1	16.4	-2.3	2.0	15.9	16.4	-2.5	2.0	15.7	16.4	-2.7	2.0
3350	16.1	16.4	-2.3	2.0	15.9	16.4	-2.5	2.0	15.7	16.4	-2.7	2.0
3400	15.9	16.4	-2.5	2.0	15.7	16.4	-2.7	2.0	15.6	16.4	-2.8	2.0
3450	15.8	16.4	-2.6	2.0	15.6	16.4	-2.8	2.0	15.5	16.4	-2.9	2.0
3500	15.9	16.4	-2.5	2.0	15.4	16.4	-3.0	2.0	15.5	16.4	-2.9	2.0
3550	16.1	16.4	-2.3	2.0	15.6	16.4	-2.8	2.0	15.7	16.4	-2.7	2.0
3600	16.2	16.4	-2.2	2.0	15.9	16.4	-2.5	2.0	15.7	16.4	-2.7	2.0
3650	16.3	16.4	-2.1	2.0	15.7	16.4	-2.7	2.0	15.6	16.4	-2.8	2.0
3700	16.1	16.4	-2.3	2.0	15.7	16.4	-2.7	2.0	15.6	16.4	-2.8	2.0
3750	16.1	16.4	-2.3	2.0	15.6	16.4	-2.8	2.0	15.5	16.4	-2.9	2.0
3800	16.1	16.4	-2.3	2.0	15.6	16.4	-2.8	2.0	15.5	16.4	-2.9	2.0
3850	15.9	16.4	-2.5	2.0	15.4	16.4	-3.0	2.0	15.3	16.4	-3.1	2.0
3900	15.8	16.4	-2.6	2.0	15.4	16.4	-3.0	2.0	15.3	16.4	-3.1	2.0
3950	15.6	16.4	-2.8	2.0	15.2	16.4	-3.2	2.0	15.2	16.4	-3.2	2.0
4000	15.6	16.4	-2.8	2.0	15.1	16.4	-3.3	2.0	15.1	16.4	-3.3	2.0
4050	15.6	16.4	-2.8	2.0	15.3	16.4	-3.1	2.0	15.1	16.4	-3.3	2.0
4100	15.5	16.4	-2.9	2.0	15.2	16.4	-3.2	2.0	15.0	16.4	-3.4	2.0
4150	15.5	16.4	-2.9	2.0	15.2	16.4	-3.2	2.0	15.0	16.4	-3.4	2.0
4200	15.5	16.4	-2.9	2.0	15.1	16.4	-3.3	2.0	15.0	16.4	-3.4	2.0
4250	15.6	16.4	-2.8	2.0	15.1	16.4	-3.3	2.0	15.0	16.4	-3.4	2.0
4300	15.8	16.4	-2.6	2.0	15.3	16.4	-3.1	2.0	15.1	16.4	-3.3	2.0
4350	15.7	16.4	-2.7	2.0	15.4	16.4	-3.0	2.0	15.1	16.4	-3.3	2.0
4400	15.6	16.4	-2.8	2.0	15.4	16.4	-3.0	2.0	15.1	16.4	-3.3	2.0
4450	15.8	16.4	-2.6	2.0	15.4	16.4	-3.0	2.0	15.2	16.4	-3.2	2.0
4500	15.8	16.4	-2.6	2.0	15.4	16.4	-3.0	2.0	15.2	16.4	-3.2	2.0
4550	15.8	16.4	-2.6	2.0	15.6	16.4	-2.8	2.0	15.3	16.4	-3.1	2.0
4600	15.9	16.4	-2.5	2.0	15.6	16.4	-2.8	2.0	15.4	16.4	-3.0	2.0
4650	15.9	16.4	-2.5	2.0	15.5	16.4	-2.9	2.0	15.4	16.4	-3.0	2.0
4700	16.1	16.4	-2.3	2.0	15.6	16.4	-2.8	2.0	15.6	16.4	-2.8	2.0
4750	16.3	16.4	-2.1	2.0	15.8	16.4	-2.6	2.0	15.6	16.4	-2.8	2.0
4800	16.2	16.4	-2.2	2.0	15.7	16.4	-2.7	2.0	15.5	16.4	-2.9	2.0
4850	16.3	16.4	-2.1	2.0	15.9	16.4	-2.5	2.0	15.6	16.4	-2.8	2.0
4900	16.6	16.4	-1.8	2.0	16.2	16.4	-2.2	2.0	15.9	16.4	-2.5	2.0
4950	16.8	16.4	-1.6	2.0	16.4	16.4	-2.0	2.0	16.0	16.4	-2.4	2.0
5000	16.9	16.4	-1.5	2.0	16.5	16.4	-1.9	2.0	16.1	16.4	-2.3	2.0
5050	16.7	16.4	-1.7	2.0	16.3	16.4	-2.1	2.0	15.9	16.4	-2.5	2.0
5100	17.2	16.4	-1.2	2.0	16.6	16.4	-1.8	2.0	16.4	16.4	-2.0	2.0
5150	17.2	16.4	-1.2	2.0	16.8	16.4	-1.6	2.0	16.4	16.4	-2.0	2.0
5200	17.2	16.4	-1.2	2.0	16.9	16.4	-1.5	2.0	16.5	16.4	-1.9	2.0
5250	17.6	16.4	-0.8	2.0	17.2	16.4	-1.2	2.0	16.8	16.4	-1.6	2.0

Test Data J5.247(e)(Annex K)

5300	17.5	16.4	-0.9	2.0	16.9	16.4	-1.3	2.0	16.6	16.4	-1.8	2.0
5350	17.6	16.4	-0.8	2.0	17.1	16.4	-1.3	2.0	16.7	16.4	-1.7	2.0
5400	17.7	16.4	-0.7	2.0	17.3	16.4	-1.1	2.0	16.9	16.4	-1.5	2.0
5450	17.6	16.4	-0.8	2.0	17.2	16.4	-1.2	2.0	16.8	16.4	-1.6	2.0
5500	17.5	16.4	-0.9	2.0	17.1	16.4	-1.3	2.0	16.8	16.4	-1.6	2.0
5550	17.4	16.4	-1.0	2.0	17.0	16.4	-1.4	2.0	16.7	16.4	-1.7	2.0
5600	17.8	16.4	-0.6	2.0	17.2	16.4	-1.2	2.0	17.0	16.4	-1.4	2.0
5650	17.9	16.4	-0.5	2.0	17.6	16.4	-0.8	2.0	17.2	16.4	-1.2	2.0
5700	18.2	16.4	-0.2	2.0	17.7	16.4	-0.7	2.0	17.4	16.4	-1.0	2.0
5750	18.1	16.4	-0.3	2.0	17.6	16.4	-0.8	2.0	17.3	16.4	-1.1	2.0
5800	18.5	16.4	0.1	2.0	17.9	16.4	-0.5	2.0	17.5	16.4	-0.9	2.0
5850	18.6	16.4	0.2	2.0	18.2	16.4	-0.2	2.0	17.8	16.4	-0.6	2.0
5900	18.7	16.4	0.3	2.0	18.3	16.4	-0.1	2.0	17.9	16.4	-0.5	2.0
5950	19.0	16.4	0.6	2.0	18.5	16.4	0.1	2.0	18.1	16.4	-0.3	2.0
6000	19.1	16.4	0.7	2.0	18.6	16.4	0.2	2.0	18.3	16.4	-0.1	2.0
6050	19.4	16.4	1.0	2.0	19.0	16.4	0.6	2.0	18.4	16.4	0.0	2.0
6100	19.3	16.4	0.9	2.0	18.8	16.4	0.4	2.0	18.4	16.4	0.0	2.0
6150	19.3	16.4	0.9	2.0	18.9	16.4	0.5	2.0	18.4	16.4	0.0	2.0
6200	19.4	16.4	1.0	2.0	19.0	16.4	0.6	2.0	18.5	16.4	0.1	2.0
6250	19.8	16.4	1.4	2.0	19.2	16.4	0.8	2.0	18.9	16.4	0.5	2.0
6300	20.0	16.4	1.6	2.0	19.3	16.4	0.9	2.0	19.1	16.4	0.7	2.0
6350	20.5	16.4	2.1	2.0	19.9	16.4	1.5	2.0	19.4	16.4	1.0	2.0
6400	20.5	16.4	2.1	2.0	20.0	16.4	1.6	2.0	19.7	16.4	1.3	2.0
6450	20.8	16.4	2.4	2.0	20.5	16.4	2.1	2.0	19.9	16.4	1.5	2.0
6500	20.8	16.4	2.4	2.0	20.4	16.4	2.0	2.0	19.9	16.4	1.5	2.0
6550	21.3	16.4	2.9	2.0	20.5	16.4	2.1	2.0	20.3	16.4	1.9	2.0
6600	21.7	16.4	3.3	2.0	21.0	16.4	2.6	2.0	20.8	16.4	2.4	2.0
6650	22.3	16.4	3.9	2.0	21.8	16.4	3.4	2.0	21.3	16.4	2.9	2.0
6700	22.5	16.4	4.1	2.0	22.1	16.4	3.7	2.0	21.5	16.4	3.1	2.0
6750	22.6	16.4	4.2	2.0	22.1	16.4	3.7	2.0	21.7	16.4	3.3	2.0
6800	22.6	16.4	4.2	2.0	22.3	16.4	3.9	2.0	21.9	16.4	3.5	2.0
6850	23.2	16.4	4.8	2.0	22.9	16.4	4.5	2.0	22.1	16.4	3.7	2.0
6900	23.4	16.4	5.0	2.0	23.0	16.4	4.6	2.0	22.3	16.4	3.9	2.0
6950	23.7	16.4	5.3	2.0	23.4	16.4	5.0	2.0	22.6	16.4	4.2	2.0
7000	23.9	16.4	5.5	2.0	23.5	16.4	5.1	2.0	23.0	16.4	4.6	2.0
7050	24.2	16.4	5.8	2.0	23.8	16.4	5.4	2.0	23.3	16.4	4.9	2.0
7100	24.5	16.4	6.1	2.0	24.1	16.4	5.7	2.0	23.6	16.4	5.2	2.0
7150	24.8	16.4	6.4	2.0	24.8	16.4	6.4	2.0	24.0	16.4	5.6	2.0
7200	24.8	16.4	6.4	2.0	24.7	16.4	6.3	2.0	24.1	16.4	5.7	2.0
7250	25.0	16.4	6.6	2.0	24.8	16.4	6.4	2.0	24.3	16.4	5.9	2.0
7300	25.1	16.4	6.7	2.0	24.9	16.4	6.5	2.0	24.5	16.4	6.1	2.0
7350	25.5	16.4	7.1	2.0	25.4	16.4	7.0	2.0	24.6	16.4	6.2	2.0
7400	25.6	16.4	7.2	2.0	25.4	16.4	7.0	2.0	24.8	16.4	6.4	2.0
7450	25.4	16.4	7.0	2.0	25.6	16.4	7.2	2.0	25.0	16.4	6.6	2.0
7500	25.5	16.4	7.1	2.0	25.8	16.4	7.4	2.0	25.0	16.4	6.6	2.0
7550	26.0	16.4	7.6	2.0	26.0	16.4	7.6	2.0	25.4	16.4	7.0	2.0
7600	27.0	16.4	8.6	2.0	27.0	16.4	8.6	2.0	25.9	16.4	7.5	2.0

Test Data 15.247(e)(Annex K)

7650	27.2	16.4	8.8	2.0	27.2	16.4	8.8	2.0	26.4	16.4	8.0	2.0
7700	27.4	16.4	9.0	2.0	27.3	16.4	8.9	2.0	26.7	16.4	8.3	2.0
7750	27.5	16.4	9.1	2.0	27.4	16.4	9.0	2.0	26.6	16.4	8.2	2.0
7800	27.4	16.4	9.0	2.0	26.8	16.4	8.4	2.0	26.3	16.4	7.9	2.0
7850	27.4	16.4	9.0	2.0	27.1	16.4	8.7	2.0	26.3	16.4	7.9	2.0
7900	27.9	16.4	9.5	2.0	27.4	16.4	9.0	2.0	26.7	16.4	8.3	2.0
7950	29.7	16.4	11.3	2.0	29.3	16.4	10.9	2.0	28.7	16.4	10.3	2.0
8000	29.2	16.4	10.8	2.0	29.2	16.4	10.8	2.0	28.4	16.4	10.0	2.0
8050	29.4	16.4	11.0	2.0	29.2	16.4	10.8	2.0	28.4	16.4	10.0	2.0
8100	29.5	16.4	11.1	2.0	29.2	16.4	10.8	2.0	28.7	16.4	10.3	2.0
8150	28.6	16.4	10.2	2.0	28.5	16.4	10.1	2.0	28.0	16.4	9.6	2.0
8200	28.2	16.4	9.8	2.0	28.2	16.4	9.8	2.0	27.8	16.4	9.4	2.0
8250	28.0	16.4	9.6	2.0	28.1	16.4	9.7	2.0	27.9	16.4	9.5	2.0
8300	28.3	16.4	9.9	2.0	28.4	16.4	10.0	2.0	28.4	16.4	10.0	2.0
8350	29.6	16.4	11.2	2.0	29.7	16.4	11.3	2.0	29.6	16.4	11.2	2.0
8400	30.1	16.4	11.7	2.0	30.1	16.4	11.7	2.0	30.1	16.4	11.7	2.0
8450	30.2	16.4	11.8	2.0	30.2	16.4	11.8	2.0	30.2	16.4	11.8	2.0
8500	30.4	16.4	12.0	2.0	30.5	16.4	12.1	2.0	30.4	16.4	12.0	2.0