

TUV SUD BABT TCB  
 Octagon House,  
 Segensworth Road,  
 Fareham,  
 Hampshire,  
 PO15 5RL

Villingen-Schwenningen, 17.05.2017

Classification: Confidential

**Modular Approval Request FCC ID: NVI-LEGMRD**

The following attestation addresses the requirements to support modular approval:

Modular approval requirement	Yes (provide brief statement)	No *
(a) The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly		No, because the module is always fix installed in an inaccessible Housing
(b) The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal	Yes, the module contains buffers	
(c) The module must contain power supply regulation on the module		The power supply regulation is realized at the parent system
(d) The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b)	Yes, the module has a permanently attached antenna	
(e) The module must demonstrate compliance in a stand-alone configuration	Yes, the module is compliant. See test report	
(f) The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements)	Yes, the modul has a permanently affixed FCC ID label	
(g) The module must comply with all specific rules applicable to the transmitter. The grantee must provide comprehensive instructions to explain compliance requirements	Yes, the module is compliant. See test report	
(h) The module must comply with RF exposure requirements	Yes, the module is compliant. See test report	

\* Please provide a detailed explanation if the answer is "No."

Best regards / Mit freundlichen Grüßen  
 Kaba GmbH  
**Dipl.-Inform. (FH) Markus Jäckle**  
 Developer Controller & Reader