

Report No.: SZEM150500277701

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan

District, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594

Email: ee.shenzhen@sgs.com Page: 1 of 109

FCC REPORT

Application No: SZEM1505002777CR

Applicant: World Wide Licenses Limited World Wide Licenses Limited

Factory: SKY LIGHT Electronic (ShenZhen)Limited

Product Name: Dash Cam Wi-Fi IN-CAR Camera, iON Car Dash Cam with Wi-Fi

Model No.: 1041

Add Model No.: 1056, 1057, 1058, 1059

Trade Mark: iON

FCC ID: NW71041

Standards: 47 CFR Part 15, Subpart C (2014)

Date of Receipt: 2014-10-21

Date of Test: 2014-10-22 to 2014-11-17

Date of Issue: 2015-05-25

Test Result: PASS *

Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.

^{. *} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SZEM150500277701

Page: 2 of 109

2 Version

	Revision Record				
Version	Chapter	Date	Modifier	Remark	
00		2015-05-25		Original	

Authorized for issue by:		
Tested By	Exic Fu (Eric Fu) /Project Engineer	2014-11-17 Date
Prepared By	Jade Chen /Clerk	2015-05-25 Date
	Quen 2hou	
Checked By	(Owen Zhou) /Reviewer	2015-05-25 Date



Report No.: SZEM150500277701

Page: 3 of 109

3 Test Summary

Test Item	Test Requirement	Test method	Result
Antonno Poquiroment	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	PASS
Antenna Requirement	15.203/15.247 (c)	ANSI 065.10 2009	
Conducted Peak Output	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	D.1.00
Power	15.247 (b)(3)	ANSI C63.10 2009	PASS
6dB Occupied	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	DACC
Bandwidth	15.247 (a)(2)	ANSI C63.10 2009	PASS
Power Spectral Density	47 CFR Part 15, Subpart C Section 15.247 (e)	ANSI C63.10 2009	PASS
Band-edge for RF	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	PASS
Conducted Emissions	15.247(d)	ANSI C63.10 2009	
RF Conducted Spurious	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	PASS
Emissions	15.247(d)	ANSI C63.10 2009	FASS
Radiated Spurious	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	DAGO
Emissions	15.205/15.209	ANSI C63.10 2009	PASS
Restricted bands around	47 CFR Part 15, Subpart C Section	11101 000 10 0000	D.4.0.0
fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2009	PASS

Remark:

Model No.: 1041, 1056, 1057, 1058, 1059

Only the Model 1041 was tested, since the electrical circuit design, layout, components used and internal wiring were identical for all above models. Only different on No. and color.



Report No.: SZEM150500277701

Page: 4 of 109

4 Contents

			Page
1	COV	ER PAGE	1
2	VER	SION	2
3	TES	Γ SUMMARY	3
4	CON	TENTS	4
5	GEN	ERAL INFORMATION	5
	5.1	CLIENT INFORMATION	5
	5.2	GENERAL DESCRIPTION OF EUT	
	5.3	TEST ENVIRONMENT AND MODE	_
	5.4	DESCRIPTION OF SUPPORT UNITS	
	5.5	TEST LOCATION	
	5.6	TEST FACILITY	8
	5.7	DEVIATION FROM STANDARDS	8
	5.8	ABNORMALITIES FROM STANDARD CONDITIONS	8
	5.9	OTHER INFORMATION REQUESTED BY THE CUSTOMER	8
	5.10	EQUIPMENT LIST	9
6	TES	Γ RESULTS AND MEASUREMENT DATA	12
	6.1	ANTENNA REQUIREMENT	12
	6.2	CONDUCTED PEAK OUTPUT POWER	
	6.3	6DB Occupy Bandwidth	
	6.4	Power Spectral Density	
	6.5	BAND-EDGE FOR RF CONDUCTED EMISSIONS	34
	6.6	RF CONDUCTED SPURIOUS EMISSIONS	38
	6.7	RADIATED SPURIOUS EMISSIONS	58
	6.7.1	Radiated emission below 1GHz	61
	6.7.2	P Transmitter emission above 1GHz	63
	6.8	RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	68
7	PHO	TOGRAPHS - EUT TEST SETUP	94
	7.1	RADIATED SPURIOUS EMISSION	94
8	PHO	TOGRAPHS - EUT CONSTRUCTIONAL DETAILS	96-109



Report No.: SZEM150500277701

Page: 5 of 109

5 General Information

5.1 Client Information

Applicant:	World Wide Licenses Limited		
Address of Applicant:	Suite D, 16/F, On Hing Building, No.1, On Hing Terrace, Central, Hong Kong.		
Manufacturer:	World Wide Licenses Limited		
Address of Manufacturer:	Suite D, 16/F, On Hing Building, No.1, On Hing Terrace, Central, Hong Kong.		
Factory: SKY LIGHT Electronic (ShenZhen) Limited			
Address of Factory:	Address of Factory: No.1, No.5 and 6 Building, JinBi Industrial Area, HuangTian, BaoAn, Shenzhen, China		

5.2 General Description of EUT

D 1 1 1 1	Doob Com Wi Fi IN CAR Comore iON Car Doob Com with W. Fi
Product Name:	Dash Cam Wi-Fi IN-CAR Camera, iON Car Dash Cam with Wi-Fi
Model No.:	1041
Trade Mark:	ion
Operation Frequency:	IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz
Channel Numbers:	IEEE 802.11b/g, IEEE 802.11n HT20: 11 Channels
Channel Separation:	5MHz
Type of Modulation:	IEEE for 802.11b: DSSS(CCK,DQPSK,DBPSK)
	IEEE for 802.11g : OFDM(64QAM, 16QAM, QPSK, BPSK)
	IEEE for 802.11n(HT20): OFDM (64QAM, 16QAM,
	QPSK,BPSK)
Sample Type:	Fixed production
Test Power Grade:	15 (manufacturer declare)
Test Software of EUT:	art.exe (manufacturer declare)
Antenna Type and Gain:	Type: Integral
	Gain:-1.31dBi
Battery:	185mAh Li-ion polymer
EUT power supply:	DC in
Test Voltage:	DC 12V~24V
DC IN Cable:	500cm
USB Cable:	100cm



Report No.: SZEM150500277701

Page: 6 of 109

Operation F	Operation Frequency each of channel(802.11b/g/n HT20)						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
1	2412MHz	4	2427MHz	7	2442MHz	10	2457MHz
2	2417MHz	5	2432MHz	8	2447MHz	11	2462MHz
3	2422MHz	6	2437MHz	9	2452MHz		

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11b/g/n (HT20):

Channel	Frequency
The Lowest channel	2412MHz
The Middle channel	2437MHz
The Highest channel	2462MHz



Report No.: SZEM150500277701

Page: 7 of 109

5.3 Test Environment and Mode

Operating Environment:	Operating Environment:		
Temperature:	25.0 °C		
Humidity:	50 % RH		
Atmospheric Pressure:	1010 mbar		
Test mode:			
TX mode:	Keep the EUT transmitting with modulation		

5.4 Description of Support Units

The EUT has been tested independent unit.

5.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM150500277701

Page: 8 of 109

5.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

VCCI

The 10m Semi-anechoic chamber and Shielded Room (7.5m x 4.0m x 3.0m) of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

• FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

Industry Canada (IC)

Two 3m Semi-anechoic chambers of SGS-CSTC Standards Technical Services Co., Ltd. have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1 & 4620C-2.

5.7 Deviation from Standards

None.

5.8 Abnormalities from Standard Conditions

None.

5.9 Other Information Requested by the Customer

None.



Report No.: SZEM150500277701

Page: 9 of 109

5.10 Equipment List



Report No.: SZEM150500277701

Page: 10 of 109

	RE in Chamber				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEL0017	2016-05-13
2	EMI Test Receiver	Agilent Technologies	N9038A	SEL0312	2015-09-16
3	EMI Test software	AUDIX	E3	SEL0050	N/A
4	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEL0015	2015-10-24
5	Double-ridged horn (1-18GHz)	ETS-LINDGREN	3117	SEL0006	2015-10-24
6	Horn Antenna (18-26GHz)	ETS-LINDGREN	3160	SEL0076	2015-10-24
7	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEL0053	2016-05-13
8	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEL0168	2015-10-24
9	Coaxial cable	SGS	N/A	SEL0027	2016-05-13
10	Coaxial cable	SGS	N/A	SEL0189	2016-05-13
11	Coaxial cable	SGS	N/A	SEL0121	2016-05-13
12	Coaxial cable	SGS	N/A	SEL0178	2016-05-13
13	Band filter	Amindeon	82346	SEL0094	2016-05-13
14	Barometer	Chang Chun	DYM3	SEL0088	2016-05-13
15	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2015-10-24
16	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2015-10-24
17	Signal Generator (10M-27GHz)	Rohde & Schwarz	SMR27	SEL0067	2016-05-13
18	Signal Generator	Rohde & Schwarz	SMY01	SEL0155	2015-10-24
19	Loop Antenna	Beijing Daze	ZN30401	SEL0203	2016-05-13



Report No.: SZEM150500277701

Page: 11 of 109

	RF connected test				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2015-10-24
2	Humidity/ Temperature Indicator	HYGRO	ZJ1-2B	SEL0033	2015-10-24
3	Spectrum Analyzer	Rohde & Schwarz	FSP	SEL0154	2015-10-24
4	Coaxial cable	SGS	N/A	SEL0178	2016-05-13
5	Coaxial cable	SGS	N/A	SEL0179	2016-05-13
6	Barometer	ChangChun	DYM3	SEL0088	2016-05-13
7	Signal Generator	Rohde & Schwarz	SML03	SEL0068	2016-04-25
8	Band filter	amideon	82346	SEL0094	2016-05-13
9	POWER METER	R&S	NRVS	SEL0144	2015-10-24
10	Attenuator	Beijin feihang taida	TST-2-6dB	SEL0205	2016-04-25
11	Power Divider(splitter)	Agilent Technologies	11636B	SEL0130	2015-10-24

Note: The calibration interval is one year, all the instruments are valid.



Report No.: SZEM150500277701

Page: 12 of 109

6 Test results and Measurement Data

6.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:


An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -1.31dBi.





Report No.: SZEM150500277701

Page: 13 of 109

6.2 Conducted Peak Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(3)	
Test Method:	ANSI C63.10 2009	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane	
	Remark: Officet the High Frequency cable loss 1 EdP in the spectrum analyzer	
Took looks we sake	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.	
Test Instruments:	Refer to section 5.10 for details	
Exploratory Test Mode:	de: Transmitting mode	
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;	
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20).	
Limit:	30dBm	
Test Results:	Pass	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 14 of 109

Measurement Data


802.11b mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	18.92	30.00	Pass	
Middle	19.59	30.00	Pass	
Highest	19.42	30.00	Pass	
	802.11g mode			
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	18.66	30.00	Pass	
Middle	19.83	30.00	Pass	
Highest	19.37	30.00	Pass	
	802.11n(HT20)mode			
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	17.26	30.00	Pass	
Middle	17.24	30.00	Pass	
Highest	16.71	30.00	Pass	





Report No.: SZEM150500277701

Page: 15 of 109

Test plot as follows:












Report No.: SZEM150500277701

Page: 16 of 109

Test mode: 802.11b Test channel: Highest







Report No.: SZEM150500277701

Page: 17 of 109

Test mode: 802.11g Test channel: Lowest



Test mode: 802.11g Test channel: Middle




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 18 of 109

Test mode: 802.11g Test channel: Highest











Report No.: SZEM150500277701

Page: 19 of 109

Test mode: 802.11n(HT20) Test channel: Middle








[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 20 of 109

6.3 6dB Occupy Bandwidth



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 21 of 109

Measurement Data

802.11b mode				
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result	
Lowest	10.048	≥500	Pass	
Middle	10.000	≥500	Pass	
Highest	10.048	≥500	Pass	
	802.11g mode			
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result	
Lowest	16.538	≥500	Pass	
Middle	16.538	≥500	Pass	
Highest	16.538	≥500	Pass	
802.11n(HT20) mode				
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result	
Lowest	17.644	≥500	Pass	
Middle	17.644	≥500	Pass	
Highest	17.644	≥500	Pass	




Report No.: SZEM150500277701


Page: 22 of 109

Test plot as follows:





Test mode: 802.11b Test channel: Middle







Report No.: SZEM150500277701

Page: 23 of 109

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 24 of 109

Test mode: 802.11g Test channel: Middle



Test mode: 802.11g Test channel: Highest







Report No.: SZEM150500277701

Page: 25 of 109

Test mode: 802.11n(HT20) Test channel: Lowest



Test mode: 802.11n(HT20) Test channel: Middle






Report No.: SZEM150500277701

Page: 26 of 109

Test mode: 802.11n(HT20) Test channel: Highest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 27 of 109

6.4 Power Spectral Density

Test Requirement:	47 CFR Part 15C Section 15.247 (e)	
Test Method:	ANSI C63.10 2009	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark:	
	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.	
Test Instruments:	Refer to section 5.10 for details	
Exploratory Test Mode:	Transmitting mode	
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;	
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n (HT20)	
Limit:	≤8.00dBm	
Test Results:	Pass	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 28 of 109

Measurement Data

802.11b mode				
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result	
Lowest	-10.84	≤8.00	Pass	
Middle	-10.16	≤8.00	Pass	
Highest	-10.32	≤8.00	Pass	
	802.11g mode			
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result	
Lowest	-15.94	≤8.00	Pass	
Middle	-15.27	≤8.00	Pass	
Highest	-15.95	≤8.00	Pass	
	802.11n(HT20) mode			
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result	
Lowest	-17.27	≤8.00	Pass	
Middle	-16.21	≤8.00	Pass	
Highest	-16.90	≤8.00	Pass	




Report No.: SZEM150500277701


Page: 29 of 109

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle







Report No.: SZEM150500277701

Page: 30 of 109

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest







Report No.: SZEM150500277701

Page: 31 of 109

Test mode: 802.11g Test channel: Middle











Report No.: SZEM150500277701

Page: 32 of 109

Test mode: 802.11n(HT20) Test channel: Lowest



Test mode: 802.11n(HT20) Test channel: Middle




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 33 of 109

Test mode: 802.11n(HT20) Test channel: Highest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 34 of 109

6.5 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)	
Test Method:	ANSI C63.10 2009	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.	
Exploratory Test Mode:	Transmitting mode	
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;	
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20).	
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.	
Instruments Used:	Refer to section 5.10 for details	
Test Results:	Pass	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701


Page: 35 of 109

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Highest







Report No.: SZEM150500277701

Page: 36 of 109

Test mode: 802.11g Test channel: Lowest











Report No.: SZEM150500277701

Page: 37 of 109

Test mode: 802.11n(HT20) Test channel: Lowest



Test mode: 802.11n(HT20) Test channel: Highest





Report No.: SZEM150500277701

Page: 38 of 109

6.6 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)					
Test Method:	ANSI C63.10 2009					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.					
Exploratory Test Mode:	Transmitting mode					
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;					
	6Mbps of rate is the worst case of 802.11g ; 6.5Mbps of rate is the worst case of 802.11n(HT20)					
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.					
Instruments Used:	Refer to section 5.10 for details					
Test Results:	Pass					

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."





Report No.: SZEM150500277701

Page: 39 of 109

Test plot as follows:

Test mode: 802.11b Test channel: Lowest









Report No.: SZEM150500277701

Page: 40 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 41 of 109

Test mode: 802.11b Test channel: Middle









Report No.: SZEM150500277701

Page: 42 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 43 of 109

Test mode: 802.11b Test channel: Highest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 44 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 45 of 109

Test mode: 802.11g Test channel: Lowest









Report No.: SZEM150500277701

Page: 46 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 47 of 109

Test mode: 802.11g Test channel: Middle









Report No.: SZEM150500277701

Page: 48 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 49 of 109

Test mode: 802.11g Test channel: Highest









Report No.: SZEM150500277701

Page: 50 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 51 of 109

Test mode: 802.11n(HT20) Test channel: Lowest









Report No.: SZEM150500277701

Page: 52 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 53 of 109

Test mode: 802.11n(HT20) Test channel: Middle







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 54 of 109






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 55 of 109

Test mode: 802.11n(HT20) Test channel: Highest









Report No.: SZEM150500277701

Page: 56 of 109





[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 57 of 109

Remark:

Pretest 9kHz to 25GHz, find the highest point when testing, so only the worst data were shown in the test report. Per FCC Part 15.33 (a) and 15.31 (o) ,The amplitude of spurious emissions from intentional radiators which are attenuated more than 20 dB below the permissible value need not be reported unless specifically required elsewhere in this part.



Report No.: SZEM150500277701

Page: 58 of 109

6.7 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205									
Test Method:	ANSI C63.10 2009									
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)									
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark					
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak					
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average					
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak					
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak					
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average					
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak					
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak					
	Above 1GHz	Peak	1MHz	3MHz	Peak					
	Above IGHZ	Peak	1MHz	10Hz	Average					
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)					
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300					
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30					
	1.705MHz-30MHz	30	-	-	30					
	30MHz-88MHz	100	40.0	Quasi-peak	3					
	88MHz-216MHz	150	43.5	Quasi-peak	3					
	216MHz-960MHz	200	46.0	Quasi-peak	3					
	960MHz-1GHz	500	54.0	Quasi-peak	3					
	Above 1GHz	500	54.0	Average	3					
	Note: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.									


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 59 of 109

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average



Report No.: SZEM150500277701

Page: 60 of 109

	method as specified and then reported in a data sheet.
	g. Test the EUT in the lowest channel ,the middle channel ,the Highest channel
	h. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting mode
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20).
	For below 1GHz, through Pre-scan, find the 1Mbps of rate of 802.11b at lowest channel is the worst case.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Report No.: SZEM150500277701

Page: 61 of 109

6.7.1 Radiated emission below 1GHz

30MHz~1GHz (QP)		
Test mode:	Transmitting	Vertical





Condition: 47 CFR PART 15.209 3m 3142C Vertical

Job No. : 5724CR Test mode: TX mode

	Freq			Preamp Factor			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	52.39	0.80	8.34	27.28	41.09	22.95	40.00	-17.05
2	155.91	1.33	9.35	26.88	42.24	26.04	43.50	-17.46
3	155.91	1.33	9.35	26.88	45.24	29.04	43.50	-14.46
4	312.18	1.94	14.34	26.50	38.93	28.71	46.00	-17.29
5	468.88	2.49	17.58	27.54	39.32	31.85	46.00	-14.15
6	675.21	2.85	21.40	27.44	34.82	31.63	46.00	-14.37




Report No.: SZEM150500277701

Page: 62 of 109

Test mode: Transmitting	Horizontal
-------------------------	------------

Data: 53



Condition: 47 CFR PART 15.209 3m 3142C Horizontal

Job No. : 5724CR Test mode: TX mode

	Frea			Preamp Factor				Over Limit
	MHz	dB		dB				
1	91.17	1.11	8.75	27.21	38.14	20.79	43.50	-22.71
2	155.91	1.33	9.36	26.88	45.49	29.30	43.50	-14.20
3	195.82	1.39	10.16	26.71	43.58	28.42	43.50	-15.08
4	312.18	1.94	14.35	26.50	41.07	30.86	46.00	-15.14
5	468.88	2.49	17.58	27.54	39.23	31.76	46.00	-14.24
6	989.54	3.69	23.88	26.37	29.78	30.98	54.00	-23.02



Report No.: SZEM150500277701

Page: 63 of 109

6.7.2 Transmitter emission above 1GHz

Test mode:	802	.11b	Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3855.338	6.77	33.25	38.89	44.73	45.86	74	-28.14	Vertical
4824.000	6.46	34.72	39.24	45.95	47.89	74	-26.11	Vertical
6220.550	8.03	36.05	39.16	47.03	51.95	74	-22.05	Vertical
7236.000	8.96	35.60	39.06	45.95	51.45	74	-22.55	Vertical
9648.000	9.97	37.45	37.91	43.11	52.62	74	-21.38	Vertical
11708.900	10.48	38.41	38.57	43.50	53.82	74	-20.18	Vertical
3773.328	6.81	33.13	38.86	46.07	47.15	74	-26.85	Horizontal
4824.000	6.46	34.72	39.24	47.05	48.99	74	-25.01	Horizontal
6310.358	8.01	35.94	39.15	46.77	51.57	74	-22.43	Horizontal
7236.000	8.96	35.60	39.06	46.51	52.01	74	-21.99	Horizontal
9648.000	9.97	37.45	37.91	43.33	52.84	74	-21.16	Horizontal
12578.890	11.03	39.25	39.19	41.90	52.99	74	-21.01	Horizontal

Test mode:	802	.11b	Test ch	annel:	Middle	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3996.000	6.69	33.49	38.95	45.81	47.04	74	-26.96	Vertical
4874.000	6.57	34.77	39.26	47.10	49.18	74	-24.82	Vertical
6265.293	8.02	36.00	39.16	47.02	51.88	74	-22.12	Vertical
7311.000	9.06	35.52	39.06	46.25	51.77	74	-22.23	Vertical
9748.000	9.91	37.76	37.85	42.18	52.00	74	-22.00	Vertical
12179.670	10.88	38.93	38.85	42.06	53.02	74	-20.98	Vertical
3910.999	6.74	33.35	38.92	45.07	46.24	74	-27.76	Horizontal
4874.000	6.57	34.77	39.26	46.09	48.17	74	-25.83	Horizontal
6198.299	8.04	36.08	39.16	46.48	51.44	74	-22.56	Horizontal
7311.000	9.06	35.52	39.06	46.00	51.52	74	-22.48	Horizontal
9748.000	9.91	37.76	37.85	41.98	51.80	74	-22.20	Horizontal
12578.890	11.03	39.25	39.19	42.00	53.09	74	-20.91	Horizontal



Report No.: SZEM150500277701

Page: 64 of 109

Test mode:	802	.11b	Test ch	annel:	Highest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3897.008	6.74	33.32	38.91	45.88	47.03	74	-26.97	Vertical
4924.000	6.68	34.82	39.28	46.30	48.52	74	-25.48	Vertical
6242.882	8.03	36.03	39.16	46.95	51.85	74	-22.15	Vertical
7386.000	9.16	35.44	39.05	46.13	51.68	74	-22.32	Vertical
9848.000	9.85	38.06	37.79	41.84	51.96	74	-22.04	Vertical
12444.380	11.28	39.21	39.07	41.88	53.30	74	-20.70	Vertical
4010.345	6.67	33.53	38.95	45.72	46.97	74	-27.03	Horizontal
4924.000	6.68	34.82	39.28	46.83	49.05	74	-24.95	Horizontal
6023.128	8.07	36.27	39.18	46.28	51.44	74	-22.56	Horizontal
7386.000	9.16	35.44	39.05	46.40	51.95	74	-22.05	Horizontal
9848.000	9.85	38.06	37.79	42.65	52.77	74	-21.23	Horizontal
12489.060	11.34	39.22	39.11	42.13	53.58	74	-20.42	Horizontal

Test mode:	802	.11g	Test ch	annel:	Lowest	Remark		Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3666.690	6.87	33.05	38.81	45.35	46.46	74	-27.54	Vertical
4824.000	6.46	34.72	39.24	46.50	48.44	74	-25.56	Vertical
5916.169	7.95	36.14	39.19	46.70	51.60	74	-22.40	Vertical
7236.000	8.96	35.60	39.06	46.24	51.74	74	-22.26	Vertical
9648.000	9.97	37.45	37.91	42.06	51.57	74	-22.43	Vertical
12444.380	11.28	39.21	39.07	41.64	53.06	74	-20.94	Vertical
3855.338	6.77	33.25	38.89	45.27	46.40	74	-27.60	Horizontal
4824.000	6.46	34.72	39.24	45.86	47.80	74	-26.20	Horizontal
6132.021	8.05	36.15	39.17	46.75	51.78	74	-22.22	Horizontal
7236.000	8.96	35.60	39.06	45.81	51.31	74	-22.69	Horizontal
9648.000	9.97	37.45	37.91	42.42	51.93	74	-22.07	Horizontal
12399.870	11.21	39.20	39.04	42.14	53.51	74	-20.49	Horizontal



Report No.: SZEM150500277701

Page: 65 of 109

Test mode:	802	.11g	Test ch	annel:	Middle	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3897.008	6.74	33.32	38.91	45.46	46.61	74	-27.39	Vertical
4874.000	6.57	34.77	39.26	46.45	48.53	74	-25.47	Vertical
6088.229	8.06	36.20	39.17	46.71	51.80	74	-22.20	Vertical
7311.000	9.06	35.52	39.06	46.13	51.65	74	-22.35	Vertical
9748.000	9.91	37.76	37.85	42.47	52.29	74	-21.71	Vertical
12489.060	11.34	39.22	39.11	41.79	53.24	74	-20.76	Vertical
3910.999	6.74	33.35	38.92	45.10	46.27	74	-27.73	Horizontal
4874.000	6.57	34.77	39.26	46.46	48.54	74	-25.46	Horizontal
6023.128	8.07	36.27	39.18	46.97	52.13	74	-21.87	Horizontal
7311.000	9.06	35.52	39.06	45.83	51.35	74	-22.65	Horizontal
9748.000	9.91	37.76	37.85	42.00	51.82	74	-22.18	Horizontal
12179.670	10.88	38.93	38.85	42.83	53.79	74	-20.21	Horizontal

Test mode:	802	2.11g	Test ch	annel:	Highest	Remark		Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3814.113	6.79	33.18	38.88	45.51	46.60	74	-27.40	Vertical
4924.000	6.68	34.82	39.28	46.34	48.56	74	-25.44	Vertical
5958.723	8.02	36.22	39.19	46.38	51.43	74	-22.57	Vertical
7386.000	9.16	35.44	39.05	45.97	51.52	74	-22.48	Vertical
9848.000	9.85	38.06	37.79	42.32	52.44	74	-21.56	Vertical
12223.390	10.95	38.98	38.89	42.17	53.21	74	-20.79	Vertical
3910.999	6.74	33.35	38.92	45.90	47.07	74	-26.93	Horizontal
4924.000	6.68	34.82	39.28	46.70	48.92	74	-25.08	Horizontal
6198.299	8.04	36.08	39.16	46.65	51.61	74	-22.39	Horizontal
7386.000	9.16	35.44	39.05	45.47	51.02	74	-22.98	Horizontal
9848.000	9.85	38.06	37.79	42.75	52.87	74	-21.13	Horizontal
12399.870	11.21	39.20	39.04	41.87	53.24	74	-20.76	Horizontal



Report No.: SZEM150500277701

Page: 66 of 109

Test mode:	802	.11n(H20)	Test ch	annel:	Lowest	Remark:		Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3800.469	6.80	33.15	38.87	46.08	47.16	74	-26.84	Vertical
4824.000	6.46	34.72	39.24	46.58	48.52	74	-25.48	Vertical
6088.229	8.06	36.20	39.17	46.89	51.98	74	-22.02	Vertical
7236.000	8.96	35.60	39.06	46.54	52.04	74	-21.96	Vertical
9648.000	9.97	37.45	37.91	42.33	51.84	74	-22.16	Vertical
12223.390	10.95	38.98	38.89	42.21	53.25	74	-20.75	Vertical
3413.093	7.13	32.79	38.70	45.77	46.99	74	-27.01	Horizontal
4824.000	6.46	34.72	39.24	46.58	48.52	74	-25.48	Horizontal
5811.109	7.79	35.93	39.20	46.84	51.36	74	-22.64	Horizontal
7236.000	8.96	35.60	39.06	46.42	51.92	74	-22.08	Horizontal
9648.000	9.97	37.45	37.91	42.49	52.00	74	-22.00	Horizontal
12179.670	10.88	38.93	38.85	42.70	53.66	74	-20.34	Horizontal

Test mode:	802	.11n(H20)	Test ch	annel:	Middle	ddle Remark:		Peak	
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	
3614.506	6.90	33.01	38.79	45.32	46.44	74	-27.56	Vertical	
4874.000	6.57	34.77	39.26	46.52	48.60	74	-25.40	Vertical	
5937.408	7.98	36.18	39.19	47.55	52.52	74	-21.48	Vertical	
7311.000	9.06	35.52	39.06	46.63	52.15	74	-21.85	Vertical	
9748.000	9.91	37.76	37.85	42.73	52.55	74	-21.45	Vertical	
12444.380	11.28	39.21	39.07	42.47	53.89	74	-20.11	Vertical	
3437.643	7.09	32.82	38.71	45.34	46.54	74	-27.46	Horizontal	
4874.000	6.57	34.77	39.26	46.50	48.58	74	-25.42	Horizontal	
6333.012	8.01	35.91	39.15	46.71	51.48	74	-22.52	Horizontal	
7311.000	9.06	35.52	39.06	46.16	51.68	74	-22.32	Horizontal	
9748.000	9.91	37.76	37.85	42.44	52.26	74	-21.74	Horizontal	
12489.060	11.34	39.22	39.11	41.65	53.10	74	-20.90	Horizontal	



Report No.: SZEM150500277701

Page: 67 of 109

Test mode:	802	2.11n(H20)	Test ch	annel:	Highest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3910.999	6.74	33.35	38.92	45.60	46.77	74	-27.23	Vertical
4924.000	6.68	34.82	39.28	46.31	48.53	74	-25.47	Vertical
5811.109	7.79	35.93	39.20	47.29	51.81	74	-22.19	Vertical
7386.000	9.16	35.44	39.05	45.68	51.23	74	-22.77	Vertical
9848.000	9.85	38.06	37.79	42.86	52.98	74	-21.02	Vertical
11317.000	10.35	38.14	38.38	43.74	53.85	74	-20.15	Vertical
3786.875	6.80	33.14	38.86	45.10	46.18	74	-27.82	Horizontal
4924.000	6.68	34.82	39.28	47.02	49.24	74	-24.76	Horizontal
6176.127	8.04	36.11	39.17	46.33	51.31	74	-22.69	Horizontal
7386.000	9.16	35.44	39.05	45.86	51.41	74	-22.59	Horizontal
9848.000	9.85	38.06	37.79	42.10	52.22	74	-21.78	Horizontal
12444.380	11.28	39.21	39.07	41.61	53.03	74	-20.97	Horizontal

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
 - Final Test Level = Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz,The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.




Report No.: SZEM150500277701

Page: 68 of 109

6.8 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10 2009	ANSI C63.10 2009							
Test Site:	Measurement Distance: 3m	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Limit:	Frequency	Limit (dBuV/m @3m)	Remark						
	30MHz-88MHz	40.0	Quasi-peak Value						
	88MHz-216MHz	43.5	Quasi-peak Value						
	216MHz-960MHz	46.0	Quasi-peak Value						
	960MHz-1GHz	54.0	Quasi-peak Value						
	Above 1CUz	54.0	Average Value						
	Above 1GHz	74.0	Peak Value						
Test Setup:									






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 69 of 109

antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the lowest channel , the Highest channel h. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting mode Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20). Only the worst case is recorded in the report.	Test Procedure:	the ground at a 3 meter semi-anechoic camber. The table was rotated
ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the lowest channel , the Highest channel h. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting mode Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) .Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		antenna, which was mounted on the top of a variable-height antenna
and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the lowest channel , the Highest channel h. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting mode Final Test Mode: Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) .Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the
Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the lowest channel, the Highest channel h. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting mode Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20). Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to
frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the lowest channel, the Highest channel h. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting mode Final Test Mode: Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20). Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		
h. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting mode Final Test Mode: Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20). Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each
complete. Exploratory Test Mode: Transmitting mode Final Test Mode: Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20). Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		g. Test the EUT in the lowest channel, the Highest channel
Final Test Mode: Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) .Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		
6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) .Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details	Exploratory Test Mode:	Transmitting mode
	Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20) .Only the worst case is recorded in the report.
Test Results: Pass	Instruments Used:	Refer to section 5.10 for details
	Test Results:	Pass




Report No.: SZEM150500277701

Page: 70 of 109

Test plot as follows:

802.11b

Vorse case mode:	Test channel:	Lowest	Remark:	Peak	Vertical
------------------	---------------	--------	---------	------	----------



Site : chamber

Condition: FCC PART C 247 PK 3m Vertical

eut : 5724CR

mode : b 2412 Bandedge


Cable Ant Preamp Read Limit 0∨er Freq Loss Factor Factor Le∨el Level Limit Line dBuV dBuV/m dBuV/m MHz dΒ dB/m dB 2390.00 4.90 32.35 38.46 47.62 46.41 74.00 -27.59 2413.37 4.93 32.41 38.46 97.83 96.71 74.00 22.71



Report No.: SZEM150500277701

Page: 71 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Peak	Horizontal



Site : chamber

Condition: FCC PART C 247 PK 3m Horizontal

eut : 5724CR

mode : b 2412 Bandedge


	Freq			Preamp Factor				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 pp	2390.00 2413.37							



Report No.: SZEM150500277701

Page: 72 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Average	Vertical



Site : chamber

Condition: FCC PART C 247 AV 3m Vertical

eut : 5724CR

mode : b 2412 Bandedge


	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 pp	2390.00 2413.59							



Report No.: SZEM150500277701

Page: 73 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Average	Horizontal



Site : chamber

Condition: FCC PART C 247 AV 3m Horizontal

eut : 5724CR

mode : b 2412 Bandedge

	Freq			Preamp Factor				
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 pp	2390.00 2413.59							


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 74 of 109

Worse case mode:	Test channel:	Highest	Remark:	Peak	Vertical
		1 9			



Site : chamber

Condition: FCC PART C 247 PK 3m Vertical

eut : 5724CR

mode : b 2462 Bandedge


Ant Preamp 0ver Cable Read limit Loss Factor Factor Limit Freq Level Level Line MHz dΒ dBuV dBuV/m dBuV/m dB/m 2463.31 5.00 32.43 38.46 97.89 96.86 74.00 22.86 2483.50 5.03 32.44 38.47 54.80 53.80 74.00 -20.20



Report No.: SZEM150500277701

Page: 75 of 109

Worse case mode:	Test channel:	Highest	Remark:	Peak	Horizontal
		1 9			



Site : chamber

Condition: FCC PART C 247 PK 3m Horizontal

eut : 5724CR

mode : b 2462 Bandedge

Cable Ant Preamp Limit 0ver Read Loss Factor Factor Limit Level Level MHz dBuV dBuV/m dBuV/m dΒ dB/m 2463.40 5.00 32.43 38.46 95.79 94.76 74.00 20.76 2483.50 5.03 32.44 38.47 51.67 50.67 74.00 -23.33






Report No.: SZEM150500277701

Page: 76 of 109

Worse case mode:	Test channel:	Highest	Remark:	Average	Vertical
		1			



Site : chamber

Condition: FCC PART C 247 AV 3m Vertical

eut : 5724CR

mode : b 2462 Bandedge

Ant Preamp 0∨er Cable Read limit Loss Factor Factor Limit Freq Level Level Line MHz dBuV dBuV/m dBuV/m dB dB/m 2460.40 5.00 32.43 38.46 88.90 87.87 54.00 33.87 5.03 32.44 38.47 34.99 33.99 54.00 -20.01 2483.50


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 77 of 109

Worse case mode:	Test channel:	Highest	Remark:	Average	Horizontal



Site : chamber

Condition: FCC PART C 247 AV 3m Horizontal

eut : 5724CR

mode : b 2462 Bandedge

Ant Preamp 0∨er Cable Read Limit Loss Factor Factor Limit Freq Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dΒ 2460.40 86.37 85.34 54.00 31.34 5.00 32.43 38.46 2483.50 5.03 32.44 38.47 34.40 33.40 54.00 -20.60

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500277701

Page: 78 of 109

802.11g

Worse case mode:	Test channel:	Lowest	Remark:	Peak	Vertical
Worse dase mode.	i cot oriaririor.	LOWCSI	riomant.	i can	v Ci tioai



Site : chamber

Condition: FCC PART C 247 PK 3m Vertical

eut : 5724CR

mode : g 2412 Bandedge


	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 pp	2390.00 2413.82							



Report No.: SZEM150500277701

Page: 79 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Peak	Horizontal



Site : chamber

Condition: FCC PART C 247 PK 3m Horizontal

eut : 5724CR

mode : g 2412 Bandedge


Ant Preamp Cable Read limit Over Loss Factor Factor Freq Level Level Line Limit MHz dBuV dBuV/m dBuV/m dB dB/m 38.46 49.91 48.70 74.00 -25.30 1 2390.00 4.90 32.35 2 pp 2413.82 4.93 32.42 38.46 93.02 91.91 74.00 17.91



Report No.: SZEM150500277701

Page: 80 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Average	Vertical



Site : chamber

Condition: FCC PART C 247 AV 3m Vertical

eut : 5724CR

mode : g 2412 Bandedge

Cable Ant Preamp Read Limit 0∨er Loss Factor Factor Level Level Limit MHz dBuV dBuV/m dBuV/m dΒ dB/m 2390.00 4.90 32.35 38.46 34.44 33.23 54.00 -20.77 2415.84 4.94 32.42 38.46 76.43 75.33 54.00 21.33

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 81 of 109

	Worse case mode:		Test channel:	Lowest	Remark:	Average	Horizontal
--	------------------	--	---------------	--------	---------	---------	------------



Site : chamber

Condition: FCC PART C 247 AV 3m Horizontal

eut : 5724CR

mode : g 2412 Bandedge


	Freq			Preamp Factor				
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 pp	2390.00 2406.98							



Report No.: SZEM150500277701

Page: 82 of 109

Worse case mode:	Test channel:	Highest	Remark:	Peak	Vertical
		1 9			



Site : chamber

Condition: FCC PART C 247 PK 3m Vertical

eut : 5724CR

mode : g 2462 Bandedge


Ant Preamp Over Cable Read Limit Freq Loss Factor Factor Level Level Line Limit MHz dBuV dBuV/m dBuV/m dΒ dB/m 2456.78 4.99 32.43 38.46 96.18 95.14 74.00 21.14 2483.50 5.03 32.44 38.47 52.38 51.38 74.00 -22.62



Report No.: SZEM150500277701

Page: 83 of 109

Worse case mode:	Test channel:	Highest	Remark:	Peak	Horizontal



Site : chamber

Condition: FCC PART C 247 PK 3m Horizontal

eut : 5724CR

mode : g 2462 Bandedge

Cable Ant Preamp Limit 0∨er Read Loss Factor Factor Level Limit Level MHz dBuV dBuV/m dBuV/m dΒ dB/m 2456.34 4.99 32.43 38.46 93.78 92.74 74.00 18.74 5.03 32.44 38.47 47.80 46.80 74.00 -27.20


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 84 of 109

Worse case mode: Test channel: Highest Remark: Average Vertic



Site : chamber

Condition: FCC PART C 247 AV 3m Vertical

eut : 5724CR

mode : g 2462 Bandedge

Ant Preamp Limit 0∨er Cable Read Loss Factor Factor Limit Level Level Line MHz dBuV dBuV/m dBuV/m dΒ dB/m 2456.87 4.99 32.43 38.46 78.70 77.66 54.00 23.66 2483.50 5.03 32.44 38.47 35.50 34.50 54.00 -19.50


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500277701

Page: 85 of 109

Worse case mode:	Test channel:	Highest	Remark:	Average	Horizontal
		9			



Site : chamber

Condition: FCC PART C 247 AV 3m Horizontal

eut : 5724CR

mode : g 2462 Bandedge

Ant Preamp Limit 0ver Cable Read Loss Factor Factor Limit Level Level Line MHz dBuV dBuV/m dBuV/m dΒ dB/m 2456.96 4.99 32.43 38.46 77.86 76.82 54.00 22.82 2483.50 5.03 32.44 38.47 34.78 33.78 54.00 -20.22






Report No.: SZEM150500277701

Page: 86 of 109

802.11n(H20)

Worse case mode:	Test channel:	Lowest	Remark:	Peak	Vertical
money date induct	1 001 0110111011	_000.	i tomanti	· oait	· Oi tioai



Site : chamber

Condition: FCC PART C 247 PK 3m Vertical

eut : 5724CR

mode : n(HT20) 2412 Bandedge


	Freq			Preamp Factor				
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 pp	2390.00 2416.29							



Report No.: SZEM150500277701

Page: 87 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Peak	Horizontal
Worse dase mode.	i cot oriaririor.	LOWCSI	riomant.	i can	1 IOTIZOTILAI



Site : chamber

Condition: FCC PART C 247 PK 3m Horizontal

eut : 5724CR

mode : n(HT20) 2412 Bandedge


Cable Ant Preamp Read limit Over Loss Factor Factor Freq Level Level Line Limit MHz dBuV dBuV/m dBuV/m dB dB/m 4.90 32.35 38.46 50.94 49.73 74.00 -24.27 1 2390.00 4.93 32.41 38.46 90.12 89.00 74.00 15.00 2 pp 2407.65



Report No.: SZEM150500277701

Page: 88 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Average	Vertical



Site : chamber

Condition: FCC PART C 247 AV 3m Vertical

eut : 5724CR

mode : n(HT20) 2412 Bandedge


	Freq			Preamp Factor				
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 pp	2390.00 2416.96							



Report No.: SZEM150500277701

Page: 89 of 109

Worse case mode:	Test channel:	Lowest	Remark:	Average	Horizontal



Site : chamber

Condition: FCC PART C 247 AV 3m Horizontal

eut : 5724CR

mode : n(HT20) 2412 Bandedge


Cable Ant Preamp Over Read limit Loss Factor Factor Freq Level Level Line Limit MHz dBuV dBuV/m dBuV/m dΒ dB/m 1 2390.00 4.90 32.35 38.46 34.34 33.13 54.00 -20.87 4.93 32.41 38.46 73.79 72.67 54.00 18.67 2 pp 2408.32



Report No.: SZEM150500277701

Page: 90 of 109

Worse case mode:	Test channel:	Highest	Remark:	Peak	Vertical
		1			



Site : chamber

Condition: FCC PART C 247 PK 3m Vertical

eut : 5724CR

mode : n(HT20) 2462 Bandedge


Ant Preamp Cable 0ver Read limit Loss Factor Factor Limit Freq Level Level Line MHz dBuV dBuV/m dBuV/m dB dB/m 2457.37 4.99 32.43 38.46 93.42 92.38 74.00 18.38 5.03 32.44 38.47 50.07 49.07 74.00 -24.93 2483.50



Report No.: SZEM150500277701

Page: 91 of 109

Worse case mode:	Test channel:	Highest	Remark:	Peak	Horizontal
		1			



Site : chamber

Condition: FCC PART C 247 PK 3m Horizontal

eut : 5724CR

mode : n(HT20) 2462 Bandedge


Cable Ant Preamp Over Read limit Loss Factor Factor Freq Level Level Line Limit MHz dBuV dBuV/m dBuV/m dΒ dB/m 5.00 32.43 38.46 90.40 89.37 2466.08 74.00 15.37 2483.50 5.03 32.44 38.47 47.63 46.63 74.00 -27.37



Report No.: SZEM150500277701

Page: 92 of 109

Worse case mode:	Test channel:	Highest	Remark:	Average	Vertical



Site : chamber

Condition: FCC PART C 247 AV 3m Vertical

eut : 5724CR

mode : n(HT20) 2462 Bandedge


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Limit MHz dBuV dBuV/m dBuV/m dΒ dB/m 2458.17 4.99 32.43 38.46 76.85 75.81 54.00 21.81 5.03 32.44 38.47 34.93 33.93 54.00 -20.07



Report No.: SZEM150500277701

Page: 93 of 109

Worse case mode:	Test channel:	Highest	Remark:	Average	Horizontal



Site : chamber

Condition: FCC PART C 247 AV 3m Horizontal

eut : 5724CR

mode : n(HT20) 2462 Bandedge

Cable. Ant Preamp Over Read limit Freq Loss Factor Factor Level Level Line Limit MHz dBuV dBuV/m dBuV/m dΒ dB/m 2456.78 4.99 32.43 38.46 75.29 74.25 54.00 20.25 2483.50 5.03 32.44 38.47 34.04 33.04 54.00 -20.96

Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."





Report No.: SZEM150500277701

Page: 94 of 109

7 Photographs - EUT Test Setup

7.1 Radiated Spurious Emission







Report No.: SZEM150500277701

Page: 95 of 109







Report No.: SZEM150500277701

Page: 96 of 109

8 Photographs - EUT Constructional Details







Report No.: SZEM150500277701

Page: 97 of 109








Report No.: SZEM150500277701

Page: 98 of 109







Report No.: SZEM150500277701

Page: 99 of 109








Report No.: SZEM150500277701

Page: 100 of 109









Report No.: SZEM150500277701

Page: 101 of 109









Report No.: SZEM150500277701

Page: 102 of 109









Report No.: SZEM150500277701

Page: 103 of 109









Report No.: SZEM150500277701

Page: 104 of 109









Report No.: SZEM150500277701

Page: 105 of 109










Report No.: SZEM150500277701

Page: 106 of 109







Report No.: SZEM150500277701

Page: 107 of 109









Report No.: SZEM150500277701

Page: 108 of 109







Report No.: SZEM150500277701

Page: 109 of 109

