

PANASONIC FCC ID:NWJ10A002A -- TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 1.31 mW/g, SAR (10g): 0.881 mW/g

Panasonic Tri-mode Model:EBTX-210


TDMA Mode, Ch.0991 [824MHz]

Conducted Power = 28.5dBm [Level: PL2]; S/N: P8.2-1, standard battery

Test Date - 10/26/2000



SAR_{Tot} [mW/g]



PANASONIC FCC ID: NWJ10A002A -- TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 1.40 mW/g, SAR (10g): 0.944 mW/g

Panasonic Tri-mode Model: EBTX-210


TDMA Mode, Ch.0380 [836MHz]

Conducted Power = 28.5dBm [Level: PL2]; S/N: P8.2-1, standard battery

Test Date - 10/26/2000



SAR_{Tot} [mW/g]



PANASONIC FCC ID:NWJ10A002A -- TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 1.34 mW/g, SAR (10g): 0.908 mW/g

Panasonic Tri-mode Model:EBTX-210

TDMA Mode, Ch.0799 [848MHz]

Conducted Power = 28.5dBm [Level: PL2]; S/N: P8.2-1, standard battery

Test Date - 10/26/2000



PANASONIC FCC ID: NWJ10A002A -- TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 1.29 mW/g, SAR (10g): 0.877 mW/g

Panasonic Tri-mode Model: EBTX-210

TDMA Mode, Ch.0991 [824MHz]

Conducted Power = 28.5dBm [Level: PL2]; S/N: P8.2-1, extended battery

Test Date - 10/26/2000



PANASONIC FCC ID: NWJ10A002A -- TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 1.48 mW/g, SAR (10g): 0.998 mW/g

Panasonic Tri-mode Model: EBTX-210

TDMA Mode, Ch.0380 [835MHz]

Conducted Power = 28.5dBm [Level: PL2]; S/N: P8.2-1, extended battery

Test Date - 10/26/2000



PANASONIC FCC ID:NWJ10A002A -- TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0

SAR (1g): 1.34 mW/g, SAR (10g): 0.910 mW/g

Panasonic Tri-mode Model:EBTX-210

TDMA Mode, Ch.0799 [848MHz]

Conducted Power = 28.5dBm [Level: PL2]; S/N: P8.2-1, extended battery

Test Date - 10/26/2000

