

PANASONIC FCC ID:NWJ10A002A -- PCS TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 1.01 mW/g, SAR (10g): 0.577 mW/g

Panasonic Tri-mode Model:EBTX-220


TDMA PCS Mode, Ch.0002 [1851MHz]

Conducted Power = 26.2dBm [Level: PL2]; S/N: 8.2-4, standard battery

Test Date - 10/26/2000



SAR_{Tot} [mW/g]



PANASONIC FCC ID:NWJ10A002A -- PCS TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 0.934 mW/g, SAR (10g): 0.528 mW/g

Panasonic Tri-mode Model:EBTX-220


TDMA PCS Mode, Ch.1000 [1880MHz]

Conducted Power = 26.2dBm [Level: PL2]; S/N: 8.2-4, standard battery

Test Date - 10/26/2000



SAR_{Tot} [mW/g]



PANASONIC FCC ID:NWJ10A002A -- PCS TDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 3.0


SAR (1g): 0.886 mW/g, SAR (10g): 0.499 mW/g

Panasonic Tri-mode Model:EBTX-220

TDMA PCS Mode, Ch.1998 [1910MHz]

Conducted Power = 26.2dBm [Level: PL2]; S/N: 8.2-4, standard battery

Test Date - 10/26/2000



SAR_{Tot} [mW/g]

