


# Test Setup for Spectrum and Emissions Measurements Data Measured at 5560 MHz

---



Spurious measurements data taken from transmitter directional coupler.

Waveguide filter included in test setup is normally located in the waveguide assembly at the equipment rack. Center frequency is 5550 MHz.

---


ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -76.67dBm  
2.600GHz

T

MKR  
2.600 GHz  
-76.67 dBm



START 0HZ

STOP 5.000GHz

\*RBW 100kHz


\*VBW 100kHz

\*SWP 10.0sec

ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -32.67dBm  
5.567GHz



START 5.000GHz

STOP 10.000GHz

\*RBW 100kHz

\*VBW 100kHz

\*SWP 10.0sec


ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -71.00dBm  
13.433GHz

DT

MKR  
13.433 GHz  
-71.00 dBm



START 10.000GHz

STOP 15.000GHz

\*RBW 100kHz

\*VBW 100kHz

\*SWP 10.0sec


ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -71.50dBm  
16.950GHz

T  
D

MKR  
16.950 GHz  
-71.50 dBm



START 15.000GHz

STOP 20.000GHz

\*RBW 100kHz

\*VBW 100kHz


\*SWP 10.0sec

ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -65.67dBm  
23.967GHz

T




START 20.000GHz                      STOP 25.000GHz  
\*RBW 100kHz      \*VBW 100kHz      \*SWP 10.0sec

ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -66.83dBm  
25.083GHz

T



MKR  
25.083 GHz  
-66.83 dBm


START 25.000GHz                      STOP 30.000GHz  
\*RBW 100kHz      \*VBW 100kHz      \*SWP 10.0sec

ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -65.50dBm  
34.908GHz

T



START 30.000GHz

STOP 35.000GHz

\*RBW 100kHz

\*VBW 100kHz

\*SWP 10.0sec




ATTEN 10dB  
RL -10.0dBm

10dB/

MKR -58.33dBm  
37.383GHz

T  
D



START 35.000GHz

STOP 40.000GHz

\*RBW 100kHz

\*VBW 100kHz

\*SWP 10.0sec