



**PHOTOGRAPHS OF THE TESTSETUP OF A
LOW POWER COMMUNICATION DEVICE
TRANSMITTER
BRAND MYLAPS
MODEL Flex Cradle**

FCC listed : 90828
Industry Canada : 2932G-1
VCCI Registered : R-1518, C-1598
R&TTE, LVD, EMC Notified Body : 1856

TÜV Rheinland EPS B.V.
P.O. Box 15
9822 ZG Niekerk (NL)
Smidshornerweg 18
9822 TL Niekerk (NL)

Telephone: +31 594 505005
Telefax: +31 594 504804

Internet: www.tuv-eps.com
E-mail: info@tuv-eps.com



Description of test item

Test item	:	Low Power Communications Device Transmitter
Manufacturer	:	AMB-it B.V.
Brand	:	MYLAPS
Model(s)	:	Flex Cradle
Serial number(s)	:	--
Revision	:	Not applicable

Applicant information

Applicant's representative	:	Mr. B. van Rens & Mr. J. Willemse
Company	:	AMB-it BV
Address	:	Zuiderhoutlaan 4
Postal code	:	2012PJ
City	:	Haarlem
Country	:	The Netherlands
Telephone number	:	+31 23 5291893
Telefax number	:	+31 23 5290156
Email	:	Jeroen.Willemse@mylaps.com



Table of contents

1	PHOTOGRAPHS OF THE TESTSETUP.	4
1.1	RADIATED EMISSIONS.....	4
1.1.1	<i>Radiated emissions H-field @ 3m</i>	4
1.1.2	<i>Radiated emissions E-field @3m</i>	5
1.1.3	<i>Photograph showing EUT setup for Radiated emission testing</i>	6
1.2	SETUP FOR CONDUCTED EMISSIONS.....	7
1.3	6 DB BANDWIDTH AND 20 DB (OCCUPIED) BANDWIDTH MEASUREMENT	8



1 Photographs of the testsetup.

1.1 Radiated emissions.

1.1.1 Radiated emissions H-field @ 3m



Photograph of the EUT in the position that generates the highest emissions

1.1.2 Radiated emissions E-field @3m





1.1.3 Photograph showing EUT setup for Radiated emission testing



Photograph showing setup EUT in combination with Aux2 and AUX3



Photograph showing setup EUT in combination with Aux1 and AUX3



1.2 Setup for Conducted emissions



Photograph showing setup EUT in combination with Aux2 and AUX3



Photograph showing setup EUT in combination with Aux1 and AUX3



1.3 6 dB bandwidth and 20 dB (occupied) bandwidth measurement

