



## A.3. LTE Occupied Bandwidth

# 1. GSM\_GSM850


## 1.1. GSM Occupied Bandwidth(NTNV)(Channel:128)



## 1.2. GSM Occupied Bandwidth(NTNV)(Channel:190)




### 1.3. GSM Occupied Bandwidth(NTNV)(Channel:251)




## 2. GSM\_PCS


### 2.1. GSM Occupied Bandwidth(NTNV)(Channel:512)



## 2.2. GSM Occupied Bandwidth(NTNV)(Channel:661)




### 2.3. GSM Occupied Bandwidth(NTNV)(Channel:810)




### 3. EGPRS\_GSM850

#### 3.1. EGPRS Occupied Bandwidth(NTNV)(Channel:128)






### 3.2. EGPRS Occupied Bandwidth(NTNV)(Channel:190)




### 3.3. EGPRS Occupied Bandwidth(NTNV)(Channel:251)




## 4. EGPRS\_PCS


### 4.1. EGPRS Occupied Bandwidth(NTNV)(Channel:512)



#### 4.2. EGPRS Occupied Bandwidth(NTNV)(Channel:661)



### 4.3. EGPRS Occupied Bandwidth(NTNV)(Channel:810)




## 5. WCDMA\_Band2

### 5.1. WCDMA Occupied Bandwidth(NTNV)(Channel:9262)



## 5.2. WCDMA Occupied Bandwidth(NTNV)(Channel:9400)



### 5.3. WCDMA Occupied Bandwidth(NTNV)(Channel:9538)






## 6. WCDMA\_Band5


### 6.1. WCDMA Occupied Bandwidth(NTNV)(Channel:4132)



## 6.2. WCDMA Occupied Bandwidth(NTNV)(Channel:4182)




### 6.3. WCDMA Occupied Bandwidth(NTNV)(Channel:4233)




## 7. LTE\_Band2

### 7.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




**7.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.09	1.3	1.4	Pass




**7.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.09	1.3	1.4	Pass



**7.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.09	1.28	1.4	Pass



**7.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.09	1.27	1.4	Pass

**Agilent**

Ch Freq 1.9093 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.41 dBm #Atten 30 dB



Center 1.909 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

1.0913 MHz

x dB -26.00 dB

Transmit Freq Error -1.129 kHz

x dB Bandwidth 1.271 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 1.90930000 GHz

Start Freq 1.90790000 GHz

Stop Freq 1.91070000 GHz

CF Step 280.000000 kHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off




**7.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.09	1.29	1.4	Pass



**7.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.7	3	3	Pass



**7.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.69	2.99	3	Pass

**Agilent**

Ch Freq 1.8515 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.37 dBm #Atten 30 dB



Center 1.851 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

**Freq/Channel**

Center Freq 1.85150000 GHz

Start Freq 1.84850000 GHz

Stop Freq 1.85450000 GHz

CF Step 600.000000 kHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

2.6940 MHz x dB -26.00 dB


Transmit Freq Error -491.839 Hz

x dB Bandwidth 2.993 MHz

Copyright 2000–2012 Agilent Technologies


**7.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.7	3	3	Pass




**7.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.7	2.98	3	Pass




**7.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.7	2.98	3	Pass



**7.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.7	3	3	Pass



**7.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	5.02	5	Pass

**Agilent**

Ch Freq 1.8525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.37 dBm #Atten 30 dB



Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 1.85250000 GHz

Start Freq 1.84750000 GHz

Stop Freq 1.85750000 GHz

CF Step 1.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

4.5015 MHz

x dB -26.00 dB

Transmit Freq Error -3.367 kHz

x dB Bandwidth 5.021 MHz

Copyright 2000–2012 Agilent Technologies



**7.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.49	4.96	5	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 1.8525 GHz
**Trig** Free

Occupied Bandwidth
Averages: 2

Ref 29.37 dBm    #Atten 30 dB

#Peak

Log


10

dB/

Offst

9.37

dB



Center 1.852 500 GHz    Span 10 MHz

#Res BW 100 kHz    #VBW 300 kHz    #Sweep 1 s (500 pts)

**Occupied Bandwidth**    **Occ BW % Pwr**    99.00 %

**4.4906 MHz**

**x dB**    -26.00 dB

**Transmit Freq Error**    -2.056 kHz

**x dB Bandwidth**    4.961 MHz

**Signal Track**

On    Off

**Freq Offset**

0.00000000 Hz

**CF Step**

1.00000000 MHz

Auto    Man

**Stop Freq**

1.85750000 GHz

**Start Freq**

1.84750000 GHz


**Center Freq**

1.85250000 GHz

Copyright 2000–2012 Agilent Technologies


**7.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.49	5	5	Pass



**7.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.5	5	5	Pass



**7.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.49	5	5	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 1.9075 GHz **Trig** Free

Occupied Bandwidth Averages: 2

**Center Freq**  
1.90750000 GHz

**Start Freq**  
1.90250000 GHz


**Stop Freq**  
1.91250000 GHz

**CF Step**  
1.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 29.41 dBm #Atten 30 dB



Center 1.907 500 GHz Span 10 MHz  
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**4.4928 MHz** **x dB** -26.00 dB


**Transmit Freq Error** -6.298 kHz

**x dB Bandwidth** 4.999 MHz

Copyright 2000–2012 Agilent Technologies

**7.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.5	5.02	5	Pass



**7.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.95	9.96	10	Pass

**Agilent**

Ch Freq 1.855 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.38 dBm #Atten 30 dB



Center 1.855 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 1.85500000 GHz

Start Freq 1.84500000 GHz

Stop Freq 1.86500000 GHz

CF Step 2.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

8.9531 MHz x dB -26.00 dB


Transmit Freq Error -1.179 kHz

x dB Bandwidth 9.957 MHz

Copyright 2000–2012 Agilent Technologies

**7.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.95	9.88	10	Pass



**7.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.92	9.83	10	Pass

**Agilent**

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.41 dBm #Atten 30 dB



Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**8.9170 MHz** x dB -26.00 dB

Transmit Freq Error -12.205 kHz

x dB Bandwidth 9.833 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 1.88000000 GHz

Start Freq 1.87000000 GHz

Stop Freq 1.89000000 GHz

CF Step 2.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off



**7.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detecto r	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdic t
1880	99	26	0.2	Peak	8.94	9.87	10	Pass



**Agilent**

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.41 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.41 dB

Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** 8.9442 MHz

Occ BW % Pwr 99.00 % x dB -26.00 dB

Transmit Freq Error -13.626 kHz

x dB Bandwidth 9.874 MHz

**Copyright 2000–2012 Agilent Technologies**

**Freq/Channel**

Center Freq 1.88000000 GHz

Start Freq 1.87000000 GHz

Stop Freq 1.89000000 GHz


CF Step 2.00000000 MHz Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


**7.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.92	9.83	10	Pass




**7.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.93	9.85	10	Pass




**7.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.42	14.79	15	Pass




**7.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.41	14.68	15	Pass




**7.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.36	14.63	15	Pass




**7.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.37	14.62	15	Pass



**7.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.31	14.66	15	Pass






**7.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.35	14.56	15	Pass




**7.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.87	19.34	20	Pass




**7.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.92	19.49	20	Pass




**7.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.85	19.33	20	Pass




**7.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.82	19.3	20	Pass



**7.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.81	19.52	20	Pass



**7.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.78	19.28	20	Pass

**Agilent**

Ch Freq 1.9 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.39 dBm #Atten 30 dB



Center 1.900 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

17.7796 MHz x dB -26.00 dB

Transmit Freq Error 177.985 Hz

x dB Bandwidth 19.279 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 1.90000000 GHz

Start Freq 1.88000000 GHz

Stop Freq 1.92000000 GHz


CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

## 8. LTE\_Band4


### 8.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)






**8.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.3	1.4	Pass




**8.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.09	1.3	1.4	Pass




**8.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.09	1.29	1.4	Pass




**8.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.09	1.27	1.4	Pass



**8.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.09	1.29	1.4	Pass



**8.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	2.99	3	Pass

**Agilent**

Ch Freq 1.7115 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.2 dBm #Atten 30 dB



Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

**Freq/Channel**

Center Freq 1.71150000 GHz

Start Freq 1.70850000 GHz

Stop Freq 1.71450000 GHz

CF Step 600.000000 kHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

2.7031 MHz

x dB -26.00 dB


Transmit Freq Error -1.706 kHz

x dB Bandwidth 2.989 MHz

Copyright 2000–2012 Agilent Technologies


**8.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	2.97	3	Pass



**8.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.7	2.98	3	Pass





**8.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.7	2.99	3	Pass


**Agilent**

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.22 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.22 dB



Center 1.732 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

2.6964 MHz x dB -26.00 dB

Transmit Freq Error -1.880 kHz

x dB Bandwidth 2.990 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 1.73250000 GHz

Start Freq 1.72950000 GHz

Stop Freq 1.73550000 GHz


CF Step 600.000000 kHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


**8.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.7	2.99	3	Pass




8.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.7	3	3	Pass




**8.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	5.03	5	Pass




**8.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	4.99	5	Pass




**8.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.49	4.98	5	Pass




**8.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.51	5.03	5	Pass



**8.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.49	4.99	5	Pass





**8.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.5	5	5	Pass






**8.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.94	9.84	10	Pass




**8.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.92	9.84	10	Pass




**8.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.94	9.82	10	Pass




**8.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.95	9.84	10	Pass




**8.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.95	9.91	10	Pass



8.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.4	14.78	15	Pass






**8.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.41	14.62	15	Pass




8.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.38	14.66	15	Pass



**8.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.41	14.65	15	Pass



**8.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.37	14.72	15	Pass


**Agilent**

**Ch Freq** 1.7475 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.24 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.24 dB



Center 1.747 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

<b>Occupied Bandwidth</b>	<b>Occ BW % Pwr</b>	99.00 %
<b>13.3665 MHz</b>	<b>x dB</b>	-26.00 dB
<b>Transmit Freq Error</b>	-12.123 kHz	
<b>x dB Bandwidth</b>	14.720 MHz	

**Copyright 2000–2012 Agilent Technologies**

**Freq/Channel**

**Center Freq**  
1.74750000 GHz

**Start Freq**  
1.73250000 GHz

**Stop Freq**  
1.76250000 GHz


**CF Step**  
3.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off


**8.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.42	14.69	15	Pass




**8.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.9	19.28	20	Pass



**8.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.9	19.51	20	Pass



**8.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.86	19.39	20	Pass

**Agilent**

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.22 dBm #Atten 30 dB



Center 1.732 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

**Freq/Channel**

Center Freq 1.73250000 GHz

Start Freq 1.71250000 GHz

Stop Freq 1.75250000 GHz

CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

17.8578 MHz

x dB -26.00 dB

Transmit Freq Error 49.173 kHz


x dB Bandwidth 19.393 MHz

Copyright 2000–2012 Agilent Technologies




**8.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.88	19.48	20	Pass




**8.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.85	19.44	20	Pass



**8.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.87	19.38	20	Pass




## 9. LTE\_Band5

### 9.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




**9.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.09	1.27	1.4	Pass




**9.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.09	1.29	1.4	Pass




**9.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.09	1.27	1.4	Pass



**9.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.27	1.4	Pass






**9.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.28	1.4	Pass




**9.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.7	2.98	3	Pass



**9.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.7	3	3	Pass



**9.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.71	2.98	3	Pass

**Agilent**

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.08 dBm #Atten 30 dB



Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

**Occupied Bandwidth** 2.7075 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -1.446 kHz

x dB Bandwidth 2.976 MHz

**Freq/Channel**

Center Freq 836.500000 MHz

Start Freq 833.500000 MHz

Stop Freq 839.500000 MHz

CF Step 600.000000 kHz

Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000-2012 Agilent Technologies

**9.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.7	2.98	3	Pass

**Agilent**

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.08 dBm #Atten 30 dB



Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

**Freq/Channel**

Center Freq 836.500000 MHz

Start Freq 833.500000 MHz

Stop Freq 839.500000 MHz

CF Step 600.000000 kHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

2.6989 MHz x dB -26.00 dB


Transmit Freq Error -1.883 kHz

x dB Bandwidth 2.980 MHz

Copyright 2000-2012 Agilent Technologies


**9.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.71	3	3	Pass




**9.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.69	2.99	3	Pass



**9.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.02	5	Pass





9.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.95	5	Pass



**9.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	5.01	5	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 836.5 MHz
**Trig** Free

Occupied Bandwidth Averages: 2

Ref 28.08 dBm    #Atten 30 dB

#Peak

Log


10

dB/

Offst

8.08

dB



Center 836.500 MHz    Span 10 MHz

#Res BW 100 kHz    #VBW 300 kHz    #Sweep 1 s (500 pts)

**Occupied Bandwidth**    **Occ BW % Pwr**    99.00 %

4.4853 MHz

x dB    -26.00 dB

**Transmit Freq Error**    -3.190 kHz

**x dB Bandwidth**    5.012 MHz

**Signal Track**

On    Off

Copyright 2000–2012 Agilent Technologies

**9.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	5	5	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

**Center Freq**  
836.500000 MHz

**Start Freq**  
831.500000 MHz


**Stop Freq**  
841.500000 MHz

**CF Step**  
1.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 28.08 dBm #Atten 30 dB



Center 836.500 MHz Span 10 MHz  
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**4.4936 MHz** **x dB** -26.00 dB

**Transmit Freq Error** -3.986 kHz

**x dB Bandwidth** 5.005 MHz

Copyright 2000–2012 Agilent Technologies

**9.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	4.97	5	Pass

**Agilent**

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.08 dBm #Atten 30 dB



Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**4.4892 MHz** x dB -26.00 dB

Transmit Freq Error 3.702 kHz

x dB Bandwidth 4.965 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 846.500000 MHz

Start Freq 841.500000 MHz

Stop Freq 851.500000 MHz


CF Step 1.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**9.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.5	5.02	5	Pass



**9.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.96	9.92	10	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 829 MHz
**Trig** Free

Occupied Bandwidth
Averages: 2

Ref 28.07 dBm    #Atten 30 dB

#Peak

Log


10

dB/

Offst

8.07

dB



Center 829.00 MHz    Span 20 MHz

#Res BW 200 kHz    #VBW 620 kHz    #Sweep 1 s (500 pts)

**Occupied Bandwidth**    Occ BW % Pwr    99.00 %

8.9574 MHz

x dB    -26.00 dB

Transmit Freq Error    3.273 kHz


x dB Bandwidth    9.921 MHz

**Signal Track**
On    Off

**Copyright 2000–2012 Agilent Technologies**


**9.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.96	9.84	10	Pass



**9.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.94	9.87	10	Pass






**9.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.94	9.8	10	Pass




**9.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.94	9.89	10	Pass




**9.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.95	9.89	10	Pass




## 10. LTE\_Band7

### 10.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




**10.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.49	4.96	5	Pass




**10.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.49	4.97	5	Pass




**10.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	5	5	Pass



**10.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.49	4.98	5	Pass






**10.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.5	5.01	5	Pass

**Agilent**

Ch Freq 2.5675 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 2.567 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**4.4973 MHz** x dB -26.00 dB

Transmit Freq Error 8.627 kHz

x dB Bandwidth 5.009 MHz

**Freq/Channel**

Center Freq 2.56750000 GHz

Start Freq 2.56250000 GHz

Stop Freq 2.57250000 GHz

CF Step 1.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000–2012 Agilent Technologies


**10.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.96	9.92	10	Pass




**10.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.96	9.89	10	Pass




**10.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.94	9.86	10	Pass



**10.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.94	9.78	10	Pass



**10.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.95	9.88	10	Pass

**Agilent**

Ch Freq 2.565 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB



Center 2.565 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 2.56500000 GHz

Start Freq 2.55500000 GHz

Stop Freq 2.57500000 GHz

CF Step 2.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

8.9501 MHz x dB -26.00 dB


Transmit Freq Error -5.957 kHz

x dB Bandwidth 9.878 MHz

Copyright 2000–2012 Agilent Technologies

**10.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.95	9.8	10	Pass



**10.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.42	14.75	15	Pass

**Agilent**

Ch Freq 2.5075 GHz      Trig Free

Occupied Bandwidth      Averages: 2

Ref 30 dBm      #Atten 30 dB

#Peak

Log


10

dB/

Offst

10.9

dB



Center 2.507 50 GHz      Span 30 MHz

#Res BW 300 kHz      #VBW 1 MHz      #Sweep 1 s (500 pts)

<b>Occupied Bandwidth</b>	<b>Occ BW % Pwr</b>	99.00 %
<b>13.4236 MHz</b>	<b>x dB</b>	-26.00 dB
<b>Transmit Freq Error</b>	-936.819 Hz	
<b>x dB Bandwidth</b>	14.753 MHz	

**Copyright 2000–2012 Agilent Technologies**

**Freq/Channel**

**Center Freq**  
2.50750000 GHz

**Start Freq**  
2.49250000 GHz

**Stop Freq**  
2.52250000 GHz

**CF Step**  
3.00000000 MHz  
Auto      Man


**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On      Off




**10.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.44	14.67	15	Pass




**10.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.38	14.62	15	Pass




**10.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.41	14.69	15	Pass



**10.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.41	14.67	15	Pass




**10.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.42	14.72	15	Pass

**Agilent**

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**13.4244 MHz** x dB -26.00 dB

Transmit Freq Error 4.102 kHz

x dB Bandwidth 14.721 MHz

**Freq/Channel**

Center Freq 2.56250000 GHz

Start Freq 2.54750000 GHz

Stop Freq 2.57750000 GHz

CF Step 3.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000–2012 Agilent Technologies

**10.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.89	19.33	20	Pass

**Agilent**

Ch Freq 2.51 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB



Center 2.510 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

**Freq/Channel**

Center Freq 2.51000000 GHz

Start Freq 2.49000000 GHz

Stop Freq 2.53000000 GHz

CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

17.8948 MHz

x dB -26.00 dB


Transmit Freq Error 1.667 kHz

x dB Bandwidth 19.335 MHz

Copyright 2000–2012 Agilent Technologies


**10.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.94	19.54	20	Pass



**10.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.88	19.37	20	Pass






**10.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.85	19.43	20	Pass




**10.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.92	19.53	20	Pass




**10.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.9	19.38	20	Pass




## 11. LTE\_Band12

11.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




**11.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
699.7	99	26	0.027	Peak	1.1	1.29	1.4	Pass




**11.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.09	1.3	1.4	Pass




**11.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.08	1.28	1.4	Pass



**11.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.09	1.27	1.4	Pass






**11.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.09	1.29	1.4	Pass




**11.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.7	2.98	3	Pass




**11.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.7	3	3	Pass




**11.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.7	2.99	3	Pass



**11.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.7	2.99	3	Pass



11.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.7	2.98	3	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 714.5 MHz
**Trig** Free

Occupied Bandwidth
Averages: 2

Ref 27.87 dBm    #Atten 30 dB

#Peak

Log


10

dB/

Offst

7.87

dB



Center 714.500 MHz    Span 6 MHz

#Res BW 62 kHz    #VBW 200 kHz    #Sweep 1 s (483 pts)

**Occupied Bandwidth**    Occ BW % Pwr    99.00 %

2.6964 MHz

x dB    -26.00 dB

Transmit Freq Error    -2.323 kHz

x dB Bandwidth    2.982 MHz


**Signal Track**

On    Off

**Copyright 2000–2012 Agilent Technologies**

**11.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.69	2.98	3	Pass



**11.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.5	4.99	5	Pass

**Agilent**

Ch Freq 701.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.84 dBm #Atten 30 dB



Center 701.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**4.4965 MHz** x dB -26.00 dB

Transmit Freq Error 4.654 kHz

x dB Bandwidth 4.990 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 701.500000 MHz

Start Freq 696.500000 MHz

Stop Freq 706.500000 MHz

CF Step 1.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off



11.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.49	4.97	5	Pass



**11.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.49	4.98	5	Pass


**Agilent**

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.85 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 7.86 dB



Center 707.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**4.4893 MHz** x dB -26.00 dB

Transmit Freq Error -2.627 kHz

x dB Bandwidth 4.981 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 707.500000 MHz

Start Freq 702.500000 MHz

Stop Freq 712.500000 MHz

CF Step 1.00000000 MHz


Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


**11.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.51	5	5	Pass




**11.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.48	4.96	5	Pass



**11.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.01	5	Pass



**11.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.96	9.93	10	Pass

**Agilent**

Ch Freq 704 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.85 dBm #Atten 30 dB



Center 704.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq  
704.000000 MHz

Start Freq  
694.000000 MHz

Stop Freq  
714.000000 MHz

CF Step  
2.00000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

8.9563 MHz

x dB -26.00 dB


Transmit Freq Error 15.621 kHz

x dB Bandwidth 9.930 MHz

Copyright 2000–2012 Agilent Technologies

**11.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.94	9.87	10	Pass



11.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.94	9.86	10	Pass


**Agilent**

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.85 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 7.86 dB



Center 707.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**8.9358 MHz** x dB -26.00 dB

Transmit Freq Error 5.925 kHz

x dB Bandwidth 9.855 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 707.500000 MHz

Start Freq 697.500000 MHz

Stop Freq 717.500000 MHz

CF Step 2.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off



**11.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.93	9.9	10	Pass



**11.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.96	9.93	10	Pass

**Agilent**

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.86 dBm #Atten 30 dB



Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz

Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**8.9597 MHz** x dB -26.00 dB


Transmit Freq Error -15.605 kHz

x dB Bandwidth 9.927 MHz

Copyright 2000-2012 Agilent Technologies

**11.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.96	9.88	10	Pass




## 12. LTE\_Band13

### 12.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




12.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.49	4.97	5	Pass




**12.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.49	5	5	Pass



12.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.5	5	5	Pass




12.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.49	4.95	5	Pass

**Agilent**

Ch Freq 784.5 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 28 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8 dB

Center 784.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 784.500000 MHz

Start Freq 779.500000 MHz

Stop Freq 789.500000 MHz

CF Step 1.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

4.4938 MHz x dB -26.00 dB

Transmit Freq Error 325.153 Hz


x dB Bandwidth 4.948 MHz

Copyright 2000–2012 Agilent Technologies



**12.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.5	5.03	5	Pass



12.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.94	9.87	10	Pass

**Agilent**

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.99 dBm #Atten 30 dB



Center 782.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**8.9379 MHz** x dB -26.00 dB

Transmit Freq Error -2.884 kHz

x dB Bandwidth 9.867 MHz

**Freq/Channel**

Center Freq 782.000000 MHz

Start Freq 772.000000 MHz

Stop Freq 792.000000 MHz

CF Step 2.00000000 MHz

Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000-2012 Agilent Technologies

**12.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.95	9.81	10	Pass

**Agilent**

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.99 dBm #Atten 30 dB



Center 782.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**8.9486 MHz** x dB -26.00 dB

Transmit Freq Error 3.739 kHz

x dB Bandwidth 9.814 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 782.000000 MHz

Start Freq 772.000000 MHz

Stop Freq 792.000000 MHz

CF Step 2.00000000 MHz


Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

### 13. LTE\_Band17

13.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



**13.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.1	Peak	4.49	4.95	5	Pass

**Agilent**

Ch Freq 706.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.85 dBm #Atten 30 dB



Center 706.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**4.4873 MHz** x dB -26.00 dB

Transmit Freq Error 882.583 Hz

x dB Bandwidth 4.950 MHz

**Freq/Channel**

Center Freq 706.500000 MHz

Start Freq 701.500000 MHz

Stop Freq 711.500000 MHz

CF Step 1.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000–2012 Agilent Technologies


**13.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	4.49	5	5	Pass




**13.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	4.51	5	5	Pass



**13.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.49	4.96	5	Pass





**13.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.49	5.03	5	Pass



**13.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.2	Peak	8.95	9.9	10	Pass

**Agilent**

Ch Freq 709 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.86 dBm #Atten 30 dB



Center 709.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**8.9531 MHz** x dB -26.00 dB

Transmit Freq Error 1.665 kHz

x dB Bandwidth 9.901 MHz

**Freq/Channel**

Center Freq 709.000000 MHz

Start Freq 699.000000 MHz

Stop Freq 719.000000 MHz

CF Step 2.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000–2012 Agilent Technologies


**13.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.2	Peak	8.96	9.85	10	Pass




**13.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.94	9.84	10	Pass



**13.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.94	9.81	10	Pass



**13.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.95	9.92	10	Pass

**Agilent**

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.86 dBm #Atten 30 dB



Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**8.9533 MHz** x dB -26.00 dB

Transmit Freq Error -13.806 kHz

x dB Bandwidth 9.922 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz

Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**13.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.94	9.9	10	Pass


**Agilent**

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.86 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 7.86 dB



Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

<b>Occupied Bandwidth</b>	<b>Occ BW % Pwr</b>	99.00 %
<b>8.9431 MHz</b>	<b>x dB</b>	-26.00 dB
<b>Transmit Freq Error</b>	-9.707 kHz	
<b>x dB Bandwidth</b>	9.897 MHz	

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz


CF Step 2.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

## 14. LTE\_Band25


14.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)






**14.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.1	1.3	1.4	Pass




**14.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.027	Peak	1.09	1.29	1.4	Pass




**14.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.027	Peak	1.09	1.28	1.4	Pass




**14.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1914.3	99	26	0.027	Peak	1.09	1.28	1.4	Pass




**14.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1914.3	99	26	0.027	Peak	1.09	1.3	1.4	Pass




14.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.7	2.98	3	Pass




**14.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.7	2.98	3	Pass



**14.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.062	Peak	2.7	2.99	3	Pass






14.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.062	Peak	2.7	3	3	Pass




14.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1913.5	99	26	0.062	Peak	2.71	3	3	Pass




14.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1913.5	99	26	0.062	Peak	2.69	2.99	3	Pass



**14.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.49	5	5	Pass



14.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.49	4.98	5	Pass

**Agilent**

Ch Freq 1.8525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.37 dBm #Atten 30 dB



Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 1.85250000 GHz

Start Freq 1.84750000 GHz

Stop Freq 1.85750000 GHz

CF Step 1.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

4.4915 MHz

x dB -26.00 dB


Transmit Freq Error -3.451 kHz

x dB Bandwidth 4.981 MHz

Copyright 2000-2012 Agilent Technologies

**14.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.49	5.02	5	Pass



**14.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.5	4.99	5	Pass

**Agilent**

Ch Freq 1.8825 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.4 dBm #Atten 30 dB



Center 1.882 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**4.5037 MHz** x dB -26.00 dB

Transmit Freq Error -2.506 kHz

x dB Bandwidth 4.992 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 1.88250000 GHz

Start Freq 1.87750000 GHz

Stop Freq 1.88750000 GHz


CF Step 1.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

14.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.5	4.98	5	Pass





**14.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.5	5.04	5	Pass



**14.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.96	9.98	10	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 1.855 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

**Center Freq**  
1.85500000 GHz

**Start Freq**  
1.84500000 GHz


**Stop Freq**  
1.86500000 GHz

**CF Step**  
2.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 29.38 dBm #Atten 30 dB



Center 1.855 00 GHz Span 20 MHz  
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**8.9606 MHz** **x dB** -26.00 dB

**Transmit Freq Error** 8.657 kHz

**x dB Bandwidth** 9.978 MHz

Copyright 2000–2012 Agilent Technologies

14.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.95	9.85	10	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 1.855 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

**Center Freq**  
1.85500000 GHz

**Start Freq**  
1.84500000 GHz


**Stop Freq**  
1.86500000 GHz

**CF Step**  
2.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 29.38 dBm #Atten 30 dB



Center 1.855 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**8.9477 MHz** **x dB** -26.00 dB


**Transmit Freq Error** 5.440 kHz

**x dB Bandwidth** 9.846 MHz

Copyright 2000–2012 Agilent Technologies

14.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.2	Peak	8.93	9.85	10	Pass



**14.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.2	Peak	8.94	9.83	10	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 1.8825 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

**Center Freq**  
1.88250000 GHz

**Start Freq**  
1.87250000 GHz


**Stop Freq**  
1.89250000 GHz

**CF Step**  
2.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 29.4 dBm #Atten 30 dB



Center 1.882 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**8.9381 MHz** **x dB** -26.00 dB

**Transmit Freq Error** -10.734 kHz

**x dB Bandwidth** 9.832 MHz

Copyright 2000–2012 Agilent Technologies

**14.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.2	Peak	8.96	9.93	10	Pass

**Agilent**

Ch Freq 1.91 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.41 dBm #Atten 30 dB



Center 1.910 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 1.91000000 GHz

Start Freq 1.90000000 GHz

Stop Freq 1.92000000 GHz

CF Step 2.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

8.9634 MHz x dB -26.00 dB


Transmit Freq Error -26.703 kHz

x dB Bandwidth 9.929 MHz

Copyright 2000–2012 Agilent Technologies

**14.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.2	Peak	8.97	9.89	10	Pass



14.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.44	14.77	15	Pass

**Agilent**

Ch Freq 1.8575 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.4 dBm #Atten 30 dB



Center 1.857 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**13.4444 MHz** x dB -26.00 dB

Transmit Freq Error 21.745 kHz

x dB Bandwidth 14.769 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 1.85750000 GHz

Start Freq 1.84250000 GHz

Stop Freq 1.87250000 GHz

CF Step 3.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off



14.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.43	14.72	15	Pass



**14.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.3	Peak	13.37	14.69	15	Pass

**Agilent**

Ch Freq 1.8825 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.4 dBm #Atten 30 dB



Center 1.882 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 1.88250000 GHz

Start Freq 1.86750000 GHz

Stop Freq 1.89750000 GHz

CF Step 3.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

13.3699 MHz x dB -26.00 dB


Transmit Freq Error -21.838 kHz

x dB Bandwidth 14.685 MHz

Copyright 2000-2012 Agilent Technologies

**14.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.3	Peak	13.4	14.67	15	Pass



**14.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.3	Peak	13.37	14.63	15	Pass

**Agilent**

Ch Freq 1.9075 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.41 dBm #Atten 30 dB



Center 1.907 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

**Freq/Channel**

Center Freq 1.90750000 GHz

Start Freq 1.89250000 GHz

Stop Freq 1.92250000 GHz

CF Step 3.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**13.3712 MHz** x dB -26.00 dB


Transmit Freq Error -34.773 kHz

x dB Bandwidth 14.628 MHz

Copyright 2000–2012 Agilent Technologies


**14.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.3	Peak	13.39	14.72	15	Pass




**14.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.9	19.32	20	Pass



**14.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.87	19.51	20	Pass



**14.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.39	Peak	17.86	19.35	20	Pass

**Agilent**

Ch Freq 1.8825 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.4 dBm #Atten 30 dB



Center 1.882 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

**Freq/Channel**

Center Freq 1.88250000 GHz

Start Freq 1.86250000 GHz

Stop Freq 1.90250000 GHz

CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

17.8591 MHz x dB -26.00 dB

Transmit Freq Error -17.042 kHz

x dB Bandwidth 19.346 MHz

Copyright 2000–2012 Agilent Technologies



**14.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.39	Peak	17.86	19.43	20	Pass

**Agilent**

Ch Freq 1.8825 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.4 dBm #Atten 30 dB



Center 1.882 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

**Freq/Channel**

Center Freq 1.88250000 GHz

Start Freq 1.86250000 GHz

Stop Freq 1.90250000 GHz

CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

17.8596 MHz x dB -26.00 dB

Transmit Freq Error -43.796 kHz

x dB Bandwidth 19.428 MHz

Copyright 2000–2012 Agilent Technologies

**14.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.39	Peak	17.79	19.36	20	Pass

**Agilent**

Ch Freq 1.905 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.4 dBm #Atten 30 dB



Center 1.905 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**17.7933 MHz** x dB -26.00 dB

Transmit Freq Error -45.039 kHz

x dB Bandwidth 19.362 MHz

Copyright 2000-2012 Agilent Technologies

**Freq/Channel**

Center Freq 1.90500000 GHz

Start Freq 1.88500000 GHz

Stop Freq 1.92500000 GHz


CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**14.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.39	Peak	17.79	19.33	20	Pass




## 15. LTE\_Band41 100M

15.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




**15.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2557.5	99	26	0.1	Peak	4.5	5.14	5	Pass




**15.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.1	Peak	4.5	4.97	5	Pass




**15.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.1	Peak	4.49	5.02	5	Pass



**15.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.49	5	5	Pass






**15.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.49	5.03	5	Pass




**15.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.2	Peak	8.99	11.12	10	Pass




**15.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.2	Peak	8.98	9.85	10	Pass



**15.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.2	Peak	8.97	10.05	10	Pass



**15.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.2	Peak	8.94	9.82	10	Pass

**Agilent**
**Freq/Channel**

**Ch Freq** 2.605 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

**Center Freq**  
2.60500000 GHz

**Start Freq**  
2.59500000 GHz


**Stop Freq**  
2.61500000 GHz

**CF Step**  
2.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 30 dBm #Atten 30 dB



Center 2.605 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**8.9399 MHz** **x dB** -26.00 dB

**Transmit Freq Error** -2.668 kHz

**x dB Bandwidth** 9.823 MHz

Copyright 2000–2012 Agilent Technologies

**15.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	8.99	9.97	10	Pass

**Agilent**

Ch Freq 2.65 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB



Center 2.650 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

**Freq/Channel**

Center Freq 2.65000000 GHz

Start Freq 2.64000000 GHz

Stop Freq 2.66000000 GHz

CF Step 2.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

8.9866 MHz

x dB -26.00 dB


Transmit Freq Error -7.143 kHz

x dB Bandwidth 9.973 MHz

Copyright 2000–2012 Agilent Technologies

**15.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	8.97	9.92	10	Pass




**15.13. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.44	15.95	15	Pass

**Agilent**

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2



Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

**Freq/Channel**

Center Freq 2.56250000 GHz

Start Freq 2.54750000 GHz

Stop Freq 2.57750000 GHz

CF Step 3.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**13.4377 MHz** x dB -26.00 dB

Transmit Freq Error -3.807 kHz

x dB Bandwidth 15.955 MHz

Copyright 2000–2012 Agilent Technologies



**15.14. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.46	16.09	15	Pass

**Agilent**

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB



Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**13.4624 MHz** x dB -26.00 dB

Transmit Freq Error -18.629 kHz

x dB Bandwidth 16.089 MHz

**Freq/Channel**

Center Freq 2.56250000 GHz

Start Freq 2.54750000 GHz

Stop Freq 2.57750000 GHz

CF Step 3.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000–2012 Agilent Technologies


**15.15. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.3	Peak	13.4	14.8	15	Pass

**Agilent**

Ch Freq 2.605 GHz Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 2.605 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

**13.4017 MHz** x dB -26.00 dB

Transmit Freq Error 19.558 kHz

x dB Bandwidth 14.797 MHz

**Freq/Channel**

Center Freq 2.60500000 GHz

Start Freq 2.59000000 GHz

Stop Freq 2.62000000 GHz

CF Step 3.00000000 MHz  
Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000–2012 Agilent Technologies


**15.16. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.3	Peak	13.49	15.08	15	Pass




**15.17. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.44	15.88	15	Pass



**15.18. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.49	14.92	15	Pass




**15.19. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.39	Peak	17.91	19.41	20	Pass

**Agilent**

Ch Freq 2.565 GHz Trig Free

Occupied Bandwidth Averages: 2



Center 2.565 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

**Freq/Channel**

Center Freq 2.56500000 GHz

Start Freq 2.54500000 GHz

Stop Freq 2.58500000 GHz

CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

17.9086 MHz x dB -26.00 dB

Transmit Freq Error -39.543 kHz

x dB Bandwidth 19.407 MHz

Copyright 2000-2012 Agilent Technologies


**15.20. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.39	Peak	17.87	19.97	20	Pass

**Agilent**

Ch Freq 2.565 GHz      Trig Free

Occupied Bandwidth      Averages: 2



Ref 30 dBm      #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 2.565 00 GHz      Span 40 MHz

#Res BW 390 kHz      #VBW 1.2 MHz      #Sweep 10 s (512 pts)

**Occupied Bandwidth**      Occ BW % Pwr      99.00 %

**17.8713 MHz**      x dB      -26.00 dB

Transmit Freq Error      -60.237 kHz

x dB Bandwidth      19.969 MHz

**Freq/Channel**

Center Freq 2.56500000 GHz

Start Freq 2.54500000 GHz

Stop Freq 2.58500000 GHz

CF Step 4.00000000 MHz  
Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off

Copyright 2000–2012 Agilent Technologies

**15.21. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.39	Peak	17.91	20.8	20	Pass





**15.22. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.39	Peak	17.94	21.54	20	Pass

**Agilent**

Ch Freq 2.605 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB



Center 2.605 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

**Freq/Channel**

Center Freq 2.60500000 GHz

Start Freq 2.58500000 GHz

Stop Freq 2.62500000 GHz

CF Step 4.00000000 MHz  
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

**Occupied Bandwidth** Occ BW % Pwr 99.00 %

17.9421 MHz x dB -26.00 dB


Transmit Freq Error 15.091 kHz

x dB Bandwidth 21.541 MHz

Copyright 2000–2012 Agilent Technologies


**15.23. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.95	20.04	20	Pass



**15.24. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.89	19.92	20	Pass



END