


EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →
 30M-1G
 BLE-Horizontal-TX

Test result

Project Number: E20100017		Test Engineer: Xiang Cheng Jie	
Test Time: 2021-03-11_13.49.08		Test Standard: FCC	
EUT Name: N.A		Work Addition: Normal	
Manufacturer: N.A		Load: Full load	
Model: N.A		Remark: DR-RSE01-E20100017-01#01	
Temp.(oC): 20.1			
Hum.: 54%			



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.455	27.45	-23.98	40.0	-12.55	Peak	360.00	200	Horizontal	Pass
2	43.577	20.09	-19.64	40.0	-19.91	Peak	112.60	200	Horizontal	Pass
3	81.155	15.30	-25.85	40.0	-24.70	Peak	72.40	200	Horizontal	Pass
4	125.036	28.79	-23.27	43.5	-14.71	Peak	41.50	200	Horizontal	Pass
5	159.948	15.52	-23.71	43.5	-27.98	Peak	277.20	100	Horizontal	Pass
6	352.929	21.69	-15.66	46.0	-24.31	Peak	0.00	100	Horizontal	Pass

BLE-Vertical-TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_13.51.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	32.909	33.97	-23.65	40.0	-6.03	Peak	296.60	100	Vertical	Pass
2	69.033	26.00	-23.02	40.0	-14.00	Peak	360.00	200	Vertical	Pass
3	125.036	32.50	-23.27	43.5	-11.00	Peak	314.80	100	Vertical	Pass
4	159.948	18.12	-23.71	43.5	-25.38	Peak	360.00	200	Vertical	Pass
5	241.650	18.04	-19.10	46.0	-27.96	Peak	301.00	100	Vertical	Pass
6	428.328	23.96	-14.13	46.0	-22.04	Peak	134.00	100	Vertical	Pass

1-18G

BLE-Low channel-Horizontal-TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_10.51.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.726	41.49	-12.97	74.0	-32.51	Peak	234.10	100	Horizontal	Pass
1**	1195.726	31.20	-12.97	54.0	-22.80	AV	234.10	100	Horizontal	Pass
2	1626.172	41.69	-13.05	74.0	-32.31	Peak	177.20	100	Horizontal	Pass
2**	1626.172	31.30	-13.05	54.0	-22.70	AV	177.20	100	Horizontal	Pass
3	2159.605	45.93	-8.85	74.0	-28.07	Peak	230.00	100	Horizontal	Pass
3**	2159.605	35.21	-8.85	54.0	-18.79	AV	230.00	100	Horizontal	Pass
4	2475.066	51.68	-2.69	74.0	-22.32	Peak	84.10	100	Horizontal	Pass
4**	2475.066	42.01	-2.69	54.0	-11.99	AV	84.10	100	Horizontal	Pass
5	2982.502	49.36	-3.22	74.0	-24.64	Peak	333.80	100	Horizontal	Pass
5**	2982.502	39.56	-3.22	54.0	-14.44	AV	333.80	100	Horizontal	Pass
6	4736.283	52.18	-1.22	74.0	-21.82	Peak	48.20	100	Horizontal	Pass
6**	4736.283	41.51	-1.22	54.0	-12.49	AV	48.20	100	Horizontal	Pass

Test result

Project Number: E20100017

Test Time: 2021-03-09_18.27.06

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8039.500	37.15	8.26	74.0	-36.85	Peak	58.30	100	Horizontal	Pass
1**	8039.500	29.01	8.26	54.0	-24.99	AV	58.30	100	Horizontal	Pass
2	9398.000	41.10	11.52	74.0	-32.90	Peak	136.10	100	Horizontal	Pass
2**	9398.000	32.79	11.52	54.0	-21.21	AV	136.10	100	Horizontal	Pass
3	10264.250	43.36	13.11	74.0	-30.64	Peak	276.10	100	Horizontal	Pass
3**	10264.250	33.88	13.11	54.0	-20.12	AV	276.10	100	Horizontal	Pass
4	11614.500	46.25	14.90	74.0	-27.75	Peak	287.90	100	Horizontal	Pass
4**	11614.500	37.13	14.90	54.0	-16.87	AV	287.90	100	Horizontal	Pass
5	12431.250	49.11	17.06	74.0	-24.89	Peak	151.60	100	Horizontal	Pass
5**	12431.250	40.17	17.06	54.0	-13.83	AV	151.60	100	Horizontal	Pass
6	14188.500	52.45	22.35	74.0	-21.55	Peak	190.60	100	Horizontal	Pass
6**	14188.500	44.17	22.35	54.0	-9.83	AV	190.60	100	Horizontal	Pass

BLE-Low channel-Vertical-TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_10.54.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1265.217	40.89	-13.04	74.0	-33.11	Peak	360.00	100	Vertical	Pass
1**	1265.217	31.10	-13.04	54.0	-22.90	AV	360.00	100	Vertical	Pass
2	1904.887	43.83	-11.70	74.0	-30.17	Peak	314.80	100	Vertical	Pass
2**	1904.887	33.00	-11.70	54.0	-21.00	AV	314.80	100	Vertical	Pass
3	2246.094	46.92	-8.18	74.0	-27.08	Peak	323.70	100	Vertical	Pass
3**	2246.094	36.33	-8.18	54.0	-17.67	AV	323.70	100	Vertical	Pass
4	2487.814	52.12	-2.43	74.0	-21.88	Peak	83.80	100	Vertical	Pass
4**	2487.814	41.47	-2.43	54.0	-12.53	AV	83.80	100	Vertical	Pass
5	2984.752	49.39	-3.20	74.0	-24.61	Peak	215.80	100	Vertical	Pass
5**	2984.752	39.35	-3.20	54.0	-14.65	AV	215.80	100	Vertical	Pass
6	5116.235	53.02	0.34	74.0	-20.98	Peak	360.20	100	Vertical	Pass
6**	5116.235	42.87	0.34	54.0	-11.13	AV	360.20	100	Vertical	Pass

Test result

Project Number: E20100017

Test Time: 2021-03-09_18.22.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8009.250	37.43	7.77	74.0	-36.57	Peak	64.60	100	Vertical	Pass
1**	8009.250	27.80	7.77	54.0	-26.20	AV	64.60	100	Vertical	Pass
2	9436.500	40.80	11.48	74.0	-33.20	Peak	37.70	100	Vertical	Pass
2**	9436.500	31.85	11.48	54.0	-22.15	AV	37.70	100	Vertical	Pass
3	10143.250	43.04	13.13	74.0	-30.96	Peak	45.40	100	Vertical	Pass
3**	10143.250	34.52	13.13	54.0	-19.48	AV	45.40	100	Vertical	Pass
4	11584.250	45.69	15.09	74.0	-28.31	Peak	41.40	100	Vertical	Pass
4**	11584.250	36.56	15.09	54.0	-17.44	AV	41.40	100	Vertical	Pass
5	13129.750	49.40	18.54	74.0	-24.60	Peak	302.10	100	Vertical	Pass
5**	13129.750	41.11	18.54	54.0	-12.89	AV	302.10	100	Vertical	Pass
6	14183.000	53.66	22.21	74.0	-20.34	Peak	262.90	100	Vertical	Pass
6**	14183.000	44.30	22.21	54.0	-9.70	AV	262.90	100	Vertical	Pass

BLE-Middle channel-Horizontal-TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_10.58.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.973	42.03	-13.04	74.0	-31.97	Peak	104.30	100	Horizontal	Pass
1**	1218.973	31.05	-13.04	54.0	-22.95	AV	104.30	100	Horizontal	Pass
2	1689.414	41.87	-13.19	74.0	-32.13	Peak	140.40	100	Horizontal	Pass
2**	1689.414	31.46	-13.19	54.0	-22.54	AV	140.40	100	Horizontal	Pass
3	2401.575	49.48	-4.42	74.0	-24.52	Peak	311.90	100	Horizontal	Pass
3**	2401.575	39.67	-4.42	54.0	-14.33	AV	311.90	100	Horizontal	Pass
4	2998.500	49.90	-3.09	74.0	-24.10	Peak	158.20	100	Horizontal	Pass
4**	2998.500	39.46	-3.09	54.0	-14.54	AV	158.20	100	Horizontal	Pass
5	3608.924	49.97	-2.73	74.0	-24.03	Peak	242.10	100	Horizontal	Pass
5**	3608.924	38.70	-2.73	54.0	-15.30	AV	242.10	100	Horizontal	Pass
6	5845.144	54.83	1.22	74.0	-19.17	Peak	153.90	100	Horizontal	Pass
6**	5845.144	43.84	1.22	54.0	-10.16	AV	153.90	100	Horizontal	Pass

Test result

Project Number: E20100017

Test Time: 2021-03-09_18.24.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7979.000	36.99	7.42	74.0	-37.01	Peak	359.40	100	Horizontal	Pass
1**	7979.000	28.46	7.42	54.0	-25.54	AV	359.40	100	Horizontal	Pass
2	9167.000	40.11	10.81	74.0	-33.89	Peak	333.80	100	Horizontal	Pass
2**	9167.000	31.41	10.81	54.0	-22.59	AV	333.80	100	Horizontal	Pass
3	9997.500	42.51	13.03	74.0	-31.49	Peak	263.40	100	Horizontal	Pass
3**	9997.500	34.15	13.03	54.0	-19.85	AV	263.40	100	Horizontal	Pass
4	11290.000	45.63	15.66	74.0	-28.37	Peak	247.60	100	Horizontal	Pass
4**	11290.000	36.51	15.66	54.0	-17.49	AV	247.60	100	Horizontal	Pass
5	13234.250	49.85	18.54	74.0	-24.15	Peak	50.20	100	Horizontal	Pass
5**	13234.250	40.63	18.54	54.0	-13.37	AV	50.20	100	Horizontal	Pass
6	14172.000	52.46	21.88	74.0	-21.54	Peak	30.70	100	Horizontal	Pass
6**	14172.000	43.78	21.88	54.0	-10.22	AV	30.70	100	Horizontal	Pass

BLE-Middle channel-Vertical-TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_10.56.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.727	41.56	-13.11	74.0	-32.44	Peak	141.20	100	Vertical	Pass
1**	1187.727	31.06	-13.11	54.0	-22.94	AV	141.20	100	Vertical	Pass
2	1632.171	42.00	-13.03	74.0	-32.00	Peak	261.70	100	Vertical	Pass
2**	1632.171	31.45	-13.03	54.0	-22.55	AV	261.70	100	Vertical	Pass
3	2474.066	51.03	-2.71	74.0	-22.97	Peak	358.30	100	Vertical	Pass
3**	2474.066	41.56	-2.71	54.0	-12.44	AV	358.30	100	Vertical	Pass
4	2851.019	49.42	-4.17	74.0	-24.58	Peak	64.80	100	Vertical	Pass
4**	2851.019	38.86	-4.17	54.0	-15.14	AV	64.80	100	Vertical	Pass
5	3600.425	49.70	-2.89	74.0	-24.30	Peak	264.80	100	Vertical	Pass
5**	3600.425	38.27	-2.89	54.0	-15.73	AV	264.80	100	Vertical	Pass
6	5117.235	52.98	0.34	74.0	-21.02	Peak	173.20	100	Vertical	Pass
6**	5117.235	42.66	0.34	54.0	-11.34	AV	173.20	100	Vertical	Pass

Test result

Project Number: E20100017

Test Time: 2021-03-09_18.20.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8042.250	36.94	8.30	74.0	-37.06	Peak	121.20	100	Vertical	Pass
1**	8042.250	28.44	8.30	54.0	-25.56	AV	121.20	100	Vertical	Pass
2	10247.750	43.82	13.05	74.0	-30.18	Peak	219.10	100	Vertical	Pass
2**	10247.750	35.07	13.05	54.0	-18.93	AV	219.10	100	Vertical	Pass
3	11862.000	46.23	15.95	74.0	-27.77	Peak	358.00	100	Vertical	Pass
3**	11862.000	37.73	15.95	54.0	-16.27	AV	358.00	100	Vertical	Pass
4	13138.000	49.59	18.53	74.0	-24.41	Peak	113.40	100	Vertical	Pass
4**	13138.000	40.70	18.53	54.0	-13.30	AV	113.40	100	Vertical	Pass
5	14188.500	52.79	22.35	74.0	-21.21	Peak	4.20	100	Vertical	Pass
5**	14188.500	45.15	22.35	54.0	-8.85	AV	4.20	100	Vertical	Pass
6	17496.750	56.64	24.80	74.0	-17.36	Peak	129.20	100	Vertical	Pass
6**	17496.750	48.11	24.80	54.0	-5.89	AV	129.20	100	Vertical	Pass

BLE-High channel-Horizontal-TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_11.01.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.475	41.75	-13.00	74.0	-32.25	Peak	257.20	100	Horizontal	Pass
1**	1198.475	30.95	-13.00	54.0	-23.05	AV	257.20	100	Horizontal	Pass
2	1560.930	41.34	-13.15	74.0	-32.66	Peak	70.40	100	Horizontal	Pass
2**	1560.930	30.97	-13.15	54.0	-23.03	AV	70.40	100	Horizontal	Pass
3	2475.566	51.06	-2.68	74.0	-22.94	Peak	359.40	100	Horizontal	Pass
3**	2475.566	41.74	-2.68	54.0	-12.26	AV	359.40	100	Horizontal	Pass
4	2968.504	50.02	-3.35	74.0	-23.98	Peak	124.00	100	Horizontal	Pass
4**	2968.504	38.98	-3.35	54.0	-15.02	AV	124.00	100	Horizontal	Pass
5	3685.914	49.89	-2.73	74.0	-24.11	Peak	279.70	100	Horizontal	Pass
5**	3685.914	39.64	-2.73	54.0	-14.36	AV	279.70	100	Horizontal	Pass
6	5285.214	53.23	-0.09	74.0	-20.77	Peak	174.00	100	Horizontal	Pass
6**	5285.214	43.03	-0.09	54.0	-10.97	AV	174.00	100	Horizontal	Pass

Test result

Project Number: E20100017

Test Time: 2021-03-09_18.25.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9293.500	41.03	10.40	74.0	-32.97	Peak	152.70	100	Horizontal	Pass
1**	9293.500	31.69	10.40	54.0	-22.31	AV	152.70	100	Horizontal	Pass
2	10192.750	43.29	12.92	74.0	-30.71	Peak	270.70	100	Horizontal	Pass
2**	10192.750	33.74	12.92	54.0	-20.26	AV	270.70	100	Horizontal	Pass
3	10836.250	44.91	14.53	74.0	-29.09	Peak	333.10	100	Horizontal	Pass
3**	10836.250	36.20	14.53	54.0	-17.80	AV	333.10	100	Horizontal	Pass
4	12472.500	48.43	17.05	74.0	-25.57	Peak	180.80	100	Horizontal	Pass
4**	12472.500	39.70	17.05	54.0	-14.30	AV	180.80	100	Horizontal	Pass
5	13173.750	50.37	18.52	74.0	-23.63	Peak	325.40	100	Horizontal	Pass
5**	13173.750	40.89	18.52	54.0	-13.11	AV	325.40	100	Horizontal	Pass
6	14177.500	52.75	22.05	74.0	-21.25	Peak	227.80	100	Horizontal	Pass
6**	14177.500	43.58	22.05	54.0	-10.42	AV	227.80	100	Horizontal	Pass

BLE-High channel-Vertical-TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_11.04.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.475	43.35	-12.98	74.0	-30.65	Peak	237.10	100	Vertical	Pass
1**	1196.475	31.49	-12.98	54.0	-22.51	AV	237.10	100	Vertical	Pass
2	1439.445	43.35	-13.02	74.0	-30.65	Peak	237.10	100	Vertical	Pass
2**	1439.445	31.38	-13.02	54.0	-22.62	AV	237.10	100	Vertical	Pass
3	2456.318	50.69	-3.16	74.0	-23.31	Peak	286.20	100	Vertical	Pass
3**	2456.318	41.61	-3.16	54.0	-12.39	AV	286.20	100	Vertical	Pass
4	2906.012	49.86	-4.11	74.0	-24.14	Peak	17.50	100	Vertical	Pass
4**	2906.012	38.75	-4.11	54.0	-15.25	AV	17.50	100	Vertical	Pass
5	3990.376	50.76	-1.84	74.0	-23.24	Peak	121.90	100	Vertical	Pass
5**	3990.376	39.52	-1.84	54.0	-14.48	AV	121.90	100	Vertical	Pass
6	5777.653	54.89	1.51	74.0	-19.11	Peak	62.40	100	Vertical	Pass
6**	5777.653	44.29	1.51	54.0	-9.71	AV	62.40	100	Vertical	Pass

Test result

Project Number: E20100017

Test Time: 2021-03-09_18.18.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7970.750	37.33	7.33	74.0	-36.67	Peak	177.40	100	Vertical	Pass
1**	7970.750	28.38	7.33	54.0	-25.62	AV	177.40	100	Vertical	Pass
2	9417.250	41.38	11.50	74.0	-32.62	Peak	243.20	100	Vertical	Pass
2**	9417.250	32.25	11.50	54.0	-21.75	AV	243.20	100	Vertical	Pass
3	9928.750	43.16	13.48	74.0	-30.84	Peak	63.80	100	Vertical	Pass
3**	9928.750	33.96	13.48	54.0	-20.04	AV	63.80	100	Vertical	Pass
4	11224.001	45.58	14.87	74.0	-28.42	Peak	286.50	100	Vertical	Pass
4**	11224.001	36.47	14.87	54.0	-17.53	AV	286.50	100	Vertical	Pass
5	12442.250	48.67	17.10	74.0	-25.33	Peak	173.40	100	Vertical	Pass
5**	12442.250	40.38	17.10	54.0	-13.62	AV	173.40	100	Vertical	Pass
6	14510.250	53.05	19.96	74.0	-20.95	Peak	44.30	100	Vertical	Pass
6**	14510.250	43.48	19.96	54.0	-10.52	AV	44.30	100	Vertical	Pass

BLE-Band edge -Low channel- Horizontal –TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_10.49.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	48.68	-10.41	74.0	-25.32	Peak	215.83	100	Horizontal	Pass
1**	2390.000	39.39	-10.41	54.0	-14.61	AV	215.83	100	Horizontal	Pass

BLE-Band edge -Low channel- Vertical -TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_10.48.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.60	-10.41	74.0	-24.40	Peak	144.24	100	Vertical	Pass
1**	2390.000	39.55	-10.41	54.0	-14.45	AV	144.24	100	Vertical	Pass

BLE-Band edge -High channel- Horizontal –TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_11.09.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.44	-10.08	74.0	-21.56	Peak	352.61	100	Horizontal	Pass
1**	2483.500	41.78	-10.08	54.0	-12.22	AV	352.61	100	Horizontal	Pass

BLE-Band edge -High channel- Vertical –TX

Test result

Project Number: E20100017

Test Time: 2021-03-11_11.08.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	49.90	-10.08	74.0	-24.10	Peak	2.39	100	Vertical	Pass
1**	2483.500	41.04	-10.08	54.0	-12.96	AV	2.39	100	Vertical	Pass