


# Annex C. Spurious Emission at Antenna Terminals

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.65	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.09	-13	Pass	2985
30	500	0.1	Peak	437.187	-42.83	-13	Pass	4700
500	1000	0.1	Peak	824.165	33.88	-13	N/A	5000
1000	10000	1	Peak	9906.99	-22.46	-13	Pass	9000




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.42	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.16	-13	Pass	2985
30	500	0.1	Peak	413.982	-42.46	-13	Pass	4700
500	1000	0.1	Peak	836.567	33.97	-13	N/A	5000
1000	10000	1	Peak	9803.978	-22.06	-13	Pass	9000



## 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.49	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.1	-13	Pass	2985
30	500	0.1	Peak	460.192	-42.52	-13	Pass	4700
500	1000	0.1	Peak	848.77	34.36	-13	N/A	5000
1000	10000	1	Peak	9744.972	-22.52	-13	Pass	9000



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.95	-13	Pass	601
0.15	30	0.01	Peak	0.15	-42.35	-13	Pass	2985
30	1000	0.1	Peak	775.277	-46.67	-13	Pass	9700
1000	3000	1	Peak	1850.425	26.84	-13	N/A	2000
3000	20000	1	Peak	18979.94	-16.19	-13	Pass	17000




## 2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.86	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.9	-13	Pass	2985
30	1000	0.1	Peak	872.587	-46.65	-13	Pass	9700
1000	3000	1	Peak	1879.44	30.36	-13	N/A	2000
3000	20000	1	Peak	18907.936	-16.3	-13	Pass	17000



## 2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.86	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.03	-13	Pass	2985
30	1000	0.1	Peak	925.592	-46.93	-13	Pass	9700
1000	3000	1	Peak	1909.455	30.74	-13	N/A	2000
3000	20000	1	Peak	18939.938	-15.77	-13	Pass*	17000



## 3. GPRS\_GSM850


### 3.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.15	-52.79	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.78	-13	Pass	2985
30	500	0.1	Peak	391.277	-42.99	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.59	-13	N/A	5000
1000	10000	1	Peak	6139.571	-25.18	-13	Pass	9000



## 3.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.043	-53.07	-13	Pass	601
0.15	30	0.01	Peak	0.16	-46.15	-13	Pass	2985
30	500	0.1	Peak	481.496	-43.36	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.44	-13	N/A	5000
1000	10000	1	Peak	6063.563	-24.67	-13	Pass	9000





### 3.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.081	-52.99	-13	Pass	601
0.15	30	0.01	Peak	0.16	-45.78	-13	Pass	2985
30	500	0.1	Peak	319.262	-42.48	-13	Pass	4700
500	1000	0.1	Peak	848.97	29.22	-13	N/A	5000
1000	10000	1	Peak	6119.569	-25.51	-13	Pass	9000



## 4. GPRS\_PCS


### 4.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.88	-13	Pass	601
0.15	30	0.01	Peak	0.16	-42.49	-13	Pass	2985
30	1000	0.1	Peak	937.494	-46.79	-13	Pass	9700
1000	3000	1	Peak	1850.425	20.38	-13	N/A	2000
3000	20000	1	Peak	18892.935	-16.33	-13	Pass	17000




## 4.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.54	-13	Pass	601
0.15	30	0.01	Peak	0.15	-42.69	-13	Pass	2985
30	1000	0.1	Peak	946.695	-45.96	-13	Pass	9700
1000	3000	1	Peak	1880.44	19.89	-13	N/A	2000
3000	20000	1	Peak	18912.936	-15.31	-13	Pass*	17000



### 4.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.33	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.47	-13	Pass	2985
30	1000	0.1	Peak	971.497	-46.52	-13	Pass	9700
1000	3000	1	Peak	1909.455	19.8	-13	N/A	2000
3000	20000	1	Peak	18993.941	-15.93	-13	Pass*	17000



## 5. EGPRS\_GSM850


### 5.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.28	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.96	-13	Pass	2985
30	500	0.1	Peak	412.181	-42.72	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.96	-13	N/A	5000
1000	10000	1	Peak	9810.979	-21.85	-13	Pass	9000




## 5.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.58	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.58	-13	Pass	2985
30	500	0.1	Peak	400.179	-41.99	-13	Pass	4700
500	1000	0.1	Peak	836.667	28.95	-13	N/A	5000
1000	10000	1	Peak	9794.977	-21.68	-13	Pass	9000



## 5.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.06	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.14	-13	Pass	2985
30	500	0.1	Peak	426.584	-42.33	-13	Pass	4700
500	1000	0.1	Peak	848.87	27.8	-13	N/A	5000
1000	10000	1	Peak	9773.975	-21.69	-13	Pass	9000



## 6. EGPRS\_PCS

### 6.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.06	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.68	-13	Pass	2985
30	1000	0.1	Peak	921.192	-47.06	-13	Pass	9700
1000	3000	1	Peak	1850.425	28.57	-13	N/A	2000
3000	20000	1	Peak	18895.935	-16.6	-13	Pass	17000






## 6.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.85	-13	Pass	601
0.15	30	0.01	Peak	0.15	-42.82	-13	Pass	2985
30	1000	0.1	Peak	907.19	-46.9	-13	Pass	9700
1000	3000	1	Peak	1880.44	28.08	-13	N/A	2000
3000	20000	1	Peak	18743.926	-16.16	-13	Pass	17000



## 6.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.95	-13	Pass	601
0.15	30	0.01	Peak	0.16	-43.59	-13	Pass	2985
30	1000	0.1	Peak	893.789	-46.88	-13	Pass	9700
1000	3000	1	Peak	1910.455	26.17	-13	N/A	2000
3000	20000	1	Peak	18885.934	-14.97	-13	Pass*	17000



## 7. WCDMA\_Band2


### 7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.07	-13	Pass	601
0.15	30	0.01	Peak	0.15	-46.33	-13	Pass	2985
30	1000	0.1	Peak	951.995	-51.38	-13	Pass	9700
1000	3000	1	Peak	1853.427	22.31	-13	N/A	2000
3000	20000	1	Peak	18962.939	-20.02	-13	Pass	17000




## 7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-48.47	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.39	-13	Pass	2985
30	1000	0.1	Peak	958.396	-50.52	-13	Pass	9700
1000	3000	1	Peak	1881.441	22.22	-13	N/A	2000
3000	20000	1	Peak	18937.938	-20.07	-13	Pass	17000



## 7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-48.21	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.3	-13	Pass	2985
30	1000	0.1	Peak	820.381	-50.95	-13	Pass	9700
1000	3000	1	Peak	1908.454	22.37	-13	N/A	2000
3000	20000	1	Peak	19041.944	-19.64	-13	Pass	17000



## 8. WCDMA\_Band5


### 8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.18	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.67	-13	Pass	2985
30	500	0.1	Peak	406.28	-52.46	-13	Pass	4700
500	1000	0.1	Peak	825.565	18.26	-13	N/A	5000
1000	10000	1	Peak	9885.987	-32.33	-13	Pass	9000




## 8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-47.65	-13	Pass	601
0.15	30	0.01	Peak	0.16	-50.17	-13	Pass	2985
30	500	0.1	Peak	429.785	-52.12	-13	Pass	4700
500	1000	0.1	Peak	836.167	17.37	-13	N/A	5000
1000	10000	1	Peak	9713.968	-32.8	-13	Pass	9000



## 8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.31	-13	Pass	601
0.15	30	0.01	Peak	0.16	-49.49	-13	Pass	2985
30	500	0.1	Peak	473.494	-52.42	-13	Pass	4700
500	1000	0.1	Peak	847.269	17.25	-13	N/A	5000
1000	10000	1	Peak	9810.979	-32.15	-13	Pass	9000






## 9. LTE\_Band2


### 9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2985
30	1000	0.1	RMS	989.199	-62.1	-13	Pass	9700
1000	1840	1	RMS	1840	-50.78	-13	Pass	840
1840	1920	1	RMS	1850.267	22.9	60	Pass	601
1920	3000	1	RMS	2679.703	-47.72	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.74	-13	Pass	8000




## 9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-13	Pass	2985
30	1000	0.1	RMS	942.194	-61.98	-13	Pass	9700
1000	1840	1	RMS	1840	-50.86	-13	Pass	840
1840	1920	1	RMS	1850.267	22.03	60	Pass	601
1920	3000	1	RMS	2678.703	-47.75	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.26	-13	Pass	9000
12000	20000	1	RMS	18943.868	-31.84	-13	Pass	8000




### 9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	929.193	-62.2	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.12	-13	Pass	840
1840	1920	1	RMS	1879.6	23.16	60	Pass	601
1920	3000	1	RMS	2676.701	-47.74	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.31	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.72	-13	Pass	8000




## 9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2985
30	1000	0.1	RMS	935.093	-62.19	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51	-13	Pass	840
1840	1920	1	RMS	1879.467	22.09	60	Pass	601
1920	3000	1	RMS	2676.701	-47.66	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.3	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.81	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2985
30	1000	0.1	RMS	921.892	-62.1	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.08	-13	Pass	840
1840	1920	1	RMS	1908.8	23.07	60	Pass	601
1920	3000	1	RMS	2675.7	-47.66	-13	Pass	1080
3000	12000	1	RMS	11994.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.79	-13	Pass	8000




## 9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	1000	0.1	RMS	926.692	-62.04	-13	Pass	9700
1000	1840	1	RMS	1840	-51.08	-13	Pass	840
1840	1920	1	RMS	1908.8	22.25	60	Pass	601
1920	3000	1	RMS	2672.697	-47.66	-13	Pass	1080
3000	12000	1	RMS	11998	-41.19	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.79	-13	Pass	8000




## 9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2985
30	1000	0.1	RMS	932.193	-62.16	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.72	-13	Pass	840
1840	1920	1	RMS	1850.267	23.05	60	Pass	601
1920	3000	1	RMS	2677.702	-47.59	-13	Pass	1080
3000	12000	1	RMS	11997	-41.27	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.84	-13	Pass	8000



## 9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	911.791	-62.14	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.87	-13	Pass	840
1840	1920	1	RMS	1850.267	21.7	60	Pass	601
1920	3000	1	RMS	2664.69	-47.69	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.26	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.85	-13	Pass	8000






## 9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2985
30	1000	0.1	RMS	945.694	-62.12	-13	Pass	9700
1000	1840	1	RMS	1833.993	-51.05	-13	Pass	840
1840	1920	1	RMS	1878.667	23.13	60	Pass	601
1920	3000	1	RMS	2670.695	-47.71	-13	Pass	1080
3000	12000	1	RMS	11996	-41.3	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.86	-13	Pass	8000




## 9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2985
30	1000	0.1	RMS	919.992	-62.17	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.12	-13	Pass	840
1840	1920	1	RMS	1878.8	21.97	60	Pass	601
1920	3000	1	RMS	2678.703	-47.67	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.27	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.81	-13	Pass	8000




## 9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2985
30	1000	0.1	RMS	937.894	-62.01	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.03	-13	Pass	840
1840	1920	1	RMS	1907.2	23.22	60	Pass	601
1920	3000	1	RMS	2667.692	-47.69	-13	Pass	1080
3000	12000	1	RMS	11973.997	-41.3	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.77	-13	Pass	8000




## 9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2985
30	1000	0.1	RMS	950.295	-62.14	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.09	-13	Pass	840
1840	1920	1	RMS	1907.2	22.28	60	Pass	601
1920	3000	1	RMS	2679.703	-47.67	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.81	-13	Pass	8000




## 9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2985
30	1000	0.1	RMS	914.491	-62.14	-13	Pass	9700
1000	1840	1	RMS	1840	-50.79	-13	Pass	840
1840	1920	1	RMS	1850.267	22.97	60	Pass	601
1920	3000	1	RMS	2674.699	-47.65	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.3	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.82	-13	Pass	8000




## 9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	1000	0.1	RMS	965.796	-62.22	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.9	-13	Pass	840
1840	1920	1	RMS	1850.4	21.31	60	Pass	601
1920	3000	1	RMS	2679.703	-47.7	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.3	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.82	-13	Pass	8000




## 9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2985
30	1000	0.1	RMS	978.298	-62.2	-13	Pass	9700
1000	1840	1	RMS	1840	-51	-13	Pass	840
1840	1920	1	RMS	1877.867	22.87	60	Pass	601
1920	3000	1	RMS	2682.706	-47.67	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.25	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.8	-13	Pass	8000



## 9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.56	-13	Pass	2985
30	1000	0.1	RMS	937.894	-62.12	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.02	-13	Pass	840
1840	1920	1	RMS	1877.867	22.5	60	Pass	601
1920	3000	1	RMS	2671.696	-47.68	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.18	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.87	-13	Pass	8000






## 9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2985
30	1000	0.1	RMS	931.293	-62.09	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.1	-13	Pass	840
1840	1920	1	RMS	1905.333	23.08	60	Pass	601
1920	3000	1	RMS	2663.689	-47.69	-13	Pass	1080
3000	12000	1	RMS	11996	-41.33	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.83	-13	Pass	8000




## 9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2985
30	1000	0.1	RMS	938.994	-62.17	-13	Pass	9700
1000	1840	1	RMS	1840	-51.11	-13	Pass	840
1840	1920	1	RMS	1905.333	21.63	60	Pass	601
1920	3000	1	RMS	2669.694	-47.72	-13	Pass	1080
3000	12000	1	RMS	11999	-41.29	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.83	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	1000	0.1	RMS	917.391	-62.16	-13	Pass	9700
1000	1840	1	RMS	1840	-50.68	-13	Pass	840
1840	1920	1	RMS	1850.533	23.02	60	Pass	601
1920	3000	1	RMS	2678.703	-47.69	-13	Pass	1080
3000	12000	1	RMS	11998	-41.32	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.88	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2985
30	1000	0.1	RMS	911.791	-62.08	-13	Pass	9700
1000	1840	1	RMS	1832.992	-50.67	-13	Pass	840
1840	1920	1	RMS	1850.533	22.05	60	Pass	601
1920	3000	1	RMS	2676.701	-47.67	-13	Pass	1080
3000	12000	1	RMS	11997	-41.3	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.83	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2985
30	1000	0.1	RMS	915.291	-62.17	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.06	-13	Pass	840
1840	1920	1	RMS	1875.6	22.77	60	Pass	601
1920	3000	1	RMS	2677.702	-47.65	-13	Pass	1080
3000	12000	1	RMS	11997	-41.31	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.86	-13	Pass	8000




## 9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2985
30	1000	0.1	RMS	918.692	-62.17	-13	Pass	9700
1000	1840	1	RMS	1840	-50.98	-13	Pass	840
1840	1920	1	RMS	1875.6	21.9	60	Pass	601
1920	3000	1	RMS	2669.694	-47.7	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.85	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.57	-13	Pass	2985
30	1000	0.1	RMS	946.795	-62.14	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.06	-13	Pass	840
1840	1920	1	RMS	1900.533	22.81	60	Pass	601
1920	3000	1	RMS	2663.689	-47.71	-13	Pass	1080
3000	12000	1	RMS	11997	-41.35	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.85	-13	Pass	8000



## 9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2985
30	1000	0.1	RMS	902.09	-62.12	-13	Pass	9700
1000	1840	1	RMS	1834.994	-51.09	-13	Pass	840
1840	1920	1	RMS	1900.533	21.63	60	Pass	601
1920	3000	1	RMS	2676.701	-47.71	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.86	-13	Pass	8000






**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	1000	0.1	RMS	915.591	-62.04	-13	Pass	9700
1000	1840	1	RMS	1837.998	-47.59	-13	Pass	840
1840	1920	1	RMS	1850.8	23.12	60	Pass	601
1920	3000	1	RMS	2668.693	-47.65	-13	Pass	1080
3000	12000	1	RMS	11997	-41.18	-13	Pass	9000
12000	20000	1	RMS	18905.863	-31.82	-13	Pass	8000




## 9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.5	-13	Pass	2985
30	1000	0.1	RMS	896.089	-62.08	-13	Pass	9700
1000	1840	1	RMS	1836.996	-47.99	-13	Pass	840
1840	1920	1	RMS	1850.8	22.17	60	Pass	601
1920	3000	1	RMS	2667.692	-47.6	-13	Pass	1080
3000	12000	1	RMS	11997	-41.27	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.78	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	1000	0.1	RMS	976.298	-61.96	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.84	-13	Pass	840
1840	1920	1	RMS	1873.333	22.66	60	Pass	601
1920	3000	1	RMS	2669.694	-47.54	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.19	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.69	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.4	-13	Pass	2985
30	1000	0.1	RMS	927.493	-61.91	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.87	-13	Pass	840
1840	1920	1	RMS	1873.333	21.78	60	Pass	601
1920	3000	1	RMS	2663.689	-47.59	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.18	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.74	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2985
30	1000	0.1	RMS	930.593	-61.85	-13	Pass	9700
1000	1840	1	RMS	1840	-50.95	-13	Pass	840
1840	1920	1	RMS	1895.867	23.19	60	Pass	601
1920	3000	1	RMS	1922.002	-47.1	-13	Pass	1080
3000	12000	1	RMS	11978.998	-41.19	-13	Pass	9000
12000	20000	1	RMS	18908.864	-31.74	-13	Pass	8000




## 9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2985
30	1000	0.1	RMS	933.393	-62	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.94	-13	Pass	840
1840	1920	1	RMS	1895.867	22.43	60	Pass	601
1920	3000	1	RMS	2677.702	-47.52	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.2	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.73	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.17	-55.93	-13	Pass	2985
30	1000	0.1	RMS	943.594	-62.08	-13	Pass	9700
1000	1840	1	RMS	1832.992	-46.99	-13	Pass	840
1840	1920	1	RMS	1851.067	22.89	60	Pass	601
1920	3000	1	RMS	2680.704	-47.57	-13	Pass	1080
3000	12000	1	RMS	11993.999	-41.15	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.69	-13	Pass	8000



## 9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2985
30	1000	0.1	RMS	932.193	-62.11	-13	Pass	9700
1000	1840	1	RMS	1832.992	-47.22	-13	Pass	840
1840	1920	1	RMS	1851.067	22.34	60	Pass	601
1920	3000	1	RMS	2673.698	-47.58	-13	Pass	1080
3000	12000	1	RMS	11985.998	-41.13	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.74	-13	Pass	8000






**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2985
30	1000	0.1	RMS	919.092	-61.97	-13	Pass	9700
1000	1840	1	RMS	1834.994	-49.11	-13	Pass	840
1840	1920	1	RMS	1871.067	22.36	60	Pass	601
1920	3000	1	RMS	2676.701	-47.52	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.18	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.67	-13	Pass	8000




## 9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.91	-13	Pass	2985
30	1000	0.1	RMS	947.895	-62.1	-13	Pass	9700
1000	1840	1	RMS	1834.994	-49.64	-13	Pass	840
1840	1920	1	RMS	1871.067	21.46	60	Pass	601
1920	3000	1	RMS	2676.701	-47.51	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.18	-13	Pass	9000
12000	20000	1	RMS	18936.867	-31.71	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2985
30	1000	0.1	RMS	931.093	-61.9	-13	Pass	9700
1000	1840	1	RMS	1830.989	-50.92	-13	Pass	840
1840	1920	1	RMS	1891.067	22.96	60	Pass	601
1920	3000	1	RMS	2676.701	-47.56	-13	Pass	1080
3000	12000	1	RMS	11998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.7	-13	Pass	8000



## 9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2985
30	1000	0.1	RMS	942.094	-62.03	-13	Pass	9700
1000	1840	1	RMS	1840	-50.93	-13	Pass	840
1840	1920	1	RMS	1891.067	22.04	60	Pass	601
1920	3000	1	RMS	2679.703	-47.57	-13	Pass	1080
3000	12000	1	RMS	11980.998	-41.12	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.74	-13	Pass	8000



## 10. LTE\_Band4


**10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.29	-13	Pass	2985
30	1000	0.1	RMS	910.491	-62.02	-13	Pass	9700
1000	1700	1	RMS	1700	-51.18	-13	Pass	700
1700	1765	1	RMS	1710.292	23.15	60	Pass	601
1765	3000	1	RMS	2680.741	-47.54	-13	Pass	1235
3000	12000	1	RMS	11985.998	-41.16	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.66	-13	Pass	8000




## 10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2985
30	1000	0.1	RMS	950.795	-62.05	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.2	-13	Pass	700
1700	1765	1	RMS	1710.292	22.39	60	Pass	601
1765	3000	1	RMS	2673.736	-47.5	-13	Pass	1235
3000	12000	1	RMS	11976.997	-41.14	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.68	-13	Pass	8000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2985
30	1000	0.1	RMS	899.89	-62.07	-13	Pass	9700
1000	1700	1	RMS	1700	-51.27	-13	Pass	700
1700	1765	1	RMS	1732.067	22.77	60	Pass	601
1765	3000	1	RMS	2670.733	-47.55	-13	Pass	1235
3000	12000	1	RMS	11994.999	-41.15	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.72	-13	Pass	8000



## 10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.36	-13	Pass	2985
30	1000	0.1	RMS	899.59	-62	-13	Pass	9700
1000	1700	1	RMS	1644.921	-51.37	-13	Pass	700
1700	1765	1	RMS	1732.067	22.42	60	Pass	601
1765	3000	1	RMS	2672.735	-47.56	-13	Pass	1235
3000	12000	1	RMS	11988.999	-41.05	-13	Pass	9000
12000	20000	1	RMS	18914.864	-31.71	-13	Pass	8000






**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2985
30	1000	0.1	RMS	933.893	-61.96	-13	Pass	9700
1000	1700	1	RMS	1615.88	-51.4	-13	Pass	700
1700	1765	1	RMS	1753.842	22.47	60	Pass	601
1765	3000	1	RMS	2670.733	-47.54	-13	Pass	1235
3000	12000	1	RMS	11993.999	-41.17	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.73	-13	Pass	8000




## 10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2985
30	1000	0.1	RMS	915.391	-61.97	-13	Pass	9700
1000	1700	1	RMS	1625.894	-51.41	-13	Pass	700
1700	1765	1	RMS	1753.842	21.02	60	Pass	601
1765	3000	1	RMS	2684.745	-47.54	-13	Pass	1235
3000	12000	1	RMS	11990.999	-41.17	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.67	-13	Pass	8000




## 10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2985
30	1000	0.1	RMS	920.592	-61.91	-13	Pass	9700
1000	1700	1	RMS	1700	-51.12	-13	Pass	700
1700	1765	1	RMS	1710.183	23.21	60	Pass	601
1765	3000	1	RMS	2669.733	-47.59	-13	Pass	1235
3000	12000	1	RMS	11997	-41.14	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.7	-13	Pass	8000




## 10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.64	-13	Pass	2985
30	1000	0.1	RMS	905.19	-61.95	-13	Pass	9700
1000	1700	1	RMS	1700	-51.3	-13	Pass	700
1700	1765	1	RMS	1710.183	21.93	60	Pass	601
1765	3000	1	RMS	2676.738	-47.55	-13	Pass	1235
3000	12000	1	RMS	11988.999	-41.21	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.71	-13	Pass	8000




## 10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2985
30	1000	0.1	RMS	964.496	-62.01	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.27	-13	Pass	700
1700	1765	1	RMS	1731.2	22.98	60	Pass	601
1765	3000	1	RMS	2673.736	-47.57	-13	Pass	1235
3000	12000	1	RMS	12000	-41.08	-13	Pass	9000
12000	20000	1	RMS	18939.867	-31.72	-13	Pass	8000




## 10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	916.291	-61.9	-13	Pass	9700
1000	1700	1	RMS	1639.914	-51.37	-13	Pass	700
1700	1765	1	RMS	1731.308	21.92	60	Pass	601
1765	3000	1	RMS	2676.738	-47.52	-13	Pass	1235
3000	12000	1	RMS	11996	-41.2	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.74	-13	Pass	8000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.26	-13	Pass	2985
30	1000	0.1	RMS	940.694	-62.01	-13	Pass	9700
1000	1700	1	RMS	1628.898	-51.4	-13	Pass	700
1700	1765	1	RMS	1752.217	22.41	60	Pass	601
1765	3000	1	RMS	2663.728	-47.55	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.21	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.68	-13	Pass	8000



## 10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2985
30	1000	0.1	RMS	938.494	-62.01	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.4	-13	Pass	700
1700	1765	1	RMS	1752.217	21.11	60	Pass	601
1765	3000	1	RMS	2674.737	-47.56	-13	Pass	1235
3000	12000	1	RMS	11989.999	-41.08	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.71	-13	Pass	8000






**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2985
30	1000	0.1	RMS	937.294	-62.06	-13	Pass	9700
1000	1700	1	RMS	1700	-51.14	-13	Pass	700
1700	1765	1	RMS	1710.292	23.01	60	Pass	601
1765	3000	1	RMS	2662.727	-47.56	-13	Pass	1235
3000	12000	1	RMS	11992.999	-41.17	-13	Pass	9000
12000	20000	1	RMS	18941.868	-31.72	-13	Pass	8000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.56	-13	Pass	2985
30	1000	0.1	RMS	920.092	-62.08	-13	Pass	9700
1000	1700	1	RMS	1700	-51.28	-13	Pass	700
1700	1765	1	RMS	1710.292	21.73	60	Pass	601
1765	3000	1	RMS	2673.736	-47.55	-13	Pass	1235
3000	12000	1	RMS	11971.997	-41.22	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.67	-13	Pass	8000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2985
30	1000	0.1	RMS	947.895	-62.02	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.3	-13	Pass	700
1700	1765	1	RMS	1730.333	22.39	60	Pass	601
1765	3000	1	RMS	2671.734	-47.6	-13	Pass	1235
3000	12000	1	RMS	11987.999	-41.27	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.82	-13	Pass	8000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2985
30	1000	0.1	RMS	941.594	-61.98	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.32	-13	Pass	700
1700	1765	1	RMS	1730.333	21.95	60	Pass	601
1765	3000	1	RMS	2675.737	-47.53	-13	Pass	1235
3000	12000	1	RMS	11996	-41.24	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.76	-13	Pass	8000




## 10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2985
30	1000	0.1	RMS	938.594	-62.05	-13	Pass	9700
1000	1700	1	RMS	1619.886	-51.42	-13	Pass	700
1700	1765	1	RMS	1750.375	22.26	60	Pass	601
1765	3000	1	RMS	2663.728	-47.64	-13	Pass	1235
3000	12000	1	RMS	11978.998	-41.22	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.76	-13	Pass	8000




## 10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2985
30	1000	0.1	RMS	904.99	-62.15	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.4	-13	Pass	700
1700	1765	1	RMS	1750.375	21.22	60	Pass	601
1765	3000	1	RMS	2667.731	-47.62	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.24	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.77	-13	Pass	8000




**10.19 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2985
30	1000	0.1	RMS	929.293	-62.05	-13	Pass	9700
1000	1700	1	RMS	1700	-51.19	-13	Pass	700
1700	1765	1	RMS	1710.617	23.05	60	Pass	601
1765	3000	1	RMS	2673.736	-47.56	-13	Pass	1235
3000	12000	1	RMS	11999	-41.23	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.77	-13	Pass	8000



**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2985
30	1000	0.1	RMS	871.487	-62.15	-13	Pass	9700
1000	1700	1	RMS	1692.99	-51.14	-13	Pass	700
1700	1765	1	RMS	1710.508	21.84	60	Pass	601
1765	3000	1	RMS	2680.741	-47.55	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.16	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.78	-13	Pass	8000






**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2985
30	1000	0.1	RMS	926.492	-61.98	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.31	-13	Pass	700
1700	1765	1	RMS	1728.058	22.88	60	Pass	601
1765	3000	1	RMS	2671.734	-47.57	-13	Pass	1235
3000	12000	1	RMS	11992.999	-41.22	-13	Pass	9000
12000	20000	1	RMS	18916.865	-31.75	-13	Pass	8000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2985
30	1000	0.1	RMS	955.395	-62.07	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.35	-13	Pass	700
1700	1765	1	RMS	1728.058	22.13	60	Pass	601
1765	3000	1	RMS	2671.734	-47.55	-13	Pass	1235
3000	12000	1	RMS	11978.998	-41.25	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.78	-13	Pass	8000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2985
30	1000	0.1	RMS	922.392	-62.02	-13	Pass	9700
1000	1700	1	RMS	1700	-51.42	-13	Pass	700
1700	1765	1	RMS	1745.608	22.48	60	Pass	601
1765	3000	1	RMS	2677.739	-47.6	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.22	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.77	-13	Pass	8000




**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2985
30	1000	0.1	RMS	929.893	-61.8	-13	Pass	9700
1000	1700	1	RMS	1629.9	-51.38	-13	Pass	700
1700	1765	1	RMS	1745.608	21.09	60	Pass	601
1765	3000	1	RMS	2665.729	-47.55	-13	Pass	1235
3000	12000	1	RMS	11983.998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.77	-13	Pass	8000




**10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2985
30	1000	0.1	RMS	945.694	-62.05	-13	Pass	9700
1000	1700	1	RMS	1697.997	-47.95	-13	Pass	700
1700	1765	1	RMS	1710.833	23.05	60	Pass	601
1765	3000	1	RMS	2659.724	-47.58	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.73	-13	Pass	8000




## 10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	937.894	-62	-13	Pass	9700
1000	1700	1	RMS	1697.997	-48.42	-13	Pass	700
1700	1765	1	RMS	1710.833	22.12	60	Pass	601
1765	3000	1	RMS	2676.738	-47.52	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.65	-13	Pass	8000




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2985
30	1000	0.1	RMS	915.391	-61.99	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.07	-13	Pass	700
1700	1765	1	RMS	1725.783	23.13	60	Pass	601
1765	3000	1	RMS	2674.737	-47.52	-13	Pass	1235
3000	12000	1	RMS	11996	-41.13	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.7	-13	Pass	8000



**10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2985
30	1000	0.1	RMS	914.991	-62.01	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.04	-13	Pass	700
1700	1765	1	RMS	1725.892	22.63	60	Pass	601
1765	3000	1	RMS	2677.739	-47.56	-13	Pass	1235
3000	12000	1	RMS	11970.997	-41.14	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.72	-13	Pass	8000






**10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2985
30	1000	0.1	RMS	910.591	-62.01	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.34	-13	Pass	700
1700	1765	1	RMS	1740.842	22.7	60	Pass	601
1765	3000	1	RMS	1767.002	-37.27	-13	Pass	1235
3000	12000	1	RMS	11975.997	-41.13	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.64	-13	Pass	8000




**10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2985
30	1000	0.1	RMS	934.193	-62.04	-13	Pass	9700
1000	1700	1	RMS	1700	-51.39	-13	Pass	700
1700	1765	1	RMS	1740.842	21.45	60	Pass	601
1765	3000	1	RMS	1767.002	-39.01	-13	Pass	1235
3000	12000	1	RMS	11985.998	-41	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.57	-13	Pass	8000




**10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.52	-13	Pass	2985
30	1000	0.1	RMS	929.693	-61.87	-13	Pass	9700
1000	1700	1	RMS	1692.99	-49.04	-13	Pass	700
1700	1765	1	RMS	1711.05	22.84	60	Pass	601
1765	3000	1	RMS	2677.739	-47.53	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.1	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.61	-13	Pass	8000




## 10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2985
30	1000	0.1	RMS	918.492	-61.93	-13	Pass	9700
1000	1700	1	RMS	1692.99	-49.17	-13	Pass	700
1700	1765	1	RMS	1711.05	22.48	60	Pass	601
1765	3000	1	RMS	2684.745	-47.44	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.06	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.68	-13	Pass	8000




**10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2985
30	1000	0.1	RMS	925.892	-61.78	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.09	-13	Pass	700
1700	1765	1	RMS	1723.617	22.92	60	Pass	601
1765	3000	1	RMS	2658.724	-47.46	-13	Pass	1235
3000	12000	1	RMS	11994.999	-41.13	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.66	-13	Pass	8000




## 10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2985
30	1000	0.1	RMS	949.095	-61.75	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.1	-13	Pass	700
1700	1765	1	RMS	1723.617	22.01	60	Pass	601
1765	3000	1	RMS	2673.736	-47.42	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.11	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.63	-13	Pass	8000




**10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2985
30	1000	0.1	RMS	913.591	-61.82	-13	Pass	9700
1000	1700	1	RMS	1700	-51	-13	Pass	700
1700	1765	1	RMS	1736.075	22.97	60	Pass	601
1765	3000	1	RMS	1772.006	-31.42	-13	Pass	1235
3000	12000	1	RMS	11980.998	-40.97	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.58	-13	Pass	8000



**10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2985
30	1000	0.1	RMS	955.595	-61.93	-13	Pass	9700
1000	1700	1	RMS	1619.886	-51.2	-13	Pass	700
1700	1765	1	RMS	1736.075	22.21	60	Pass	601
1765	3000	1	RMS	1772.006	-35	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.05	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.59	-13	Pass	8000






## 11. LTE\_Band5


**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2985
30	814	0.1	RMS	809.799	-60.96	-13	Pass	7840
814	860	0.1	RMS	824.273	21.16	60	Pass	601
860	1000	0.1	RMS	928.349	-62.13	-13	Pass	1400
1000	3000	1	RMS	2663.832	-47.33	-13	Pass	2000
3000	10000	1	RMS	9811.973	-43.77	-13	Pass	7000




## 11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.36	-13	Pass	2985
30	814	0.1	RMS	812.4	-61.4	-13	Pass	7840
814	860	0.1	RMS	824.273	19.93	60	Pass	601
860	1000	0.1	RMS	979.585	-62.06	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.34	-13	Pass	2000
3000	10000	1	RMS	9803.972	-43.75	-13	Pass	7000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2985
30	814	0.1	RMS	812.4	-61.46	-13	Pass	7840
814	860	0.1	RMS	836.08	20.95	60	Pass	601
860	1000	0.1	RMS	945.561	-62.14	-13	Pass	1400
1000	3000	1	RMS	2677.839	-47.31	-13	Pass	2000
3000	10000	1	RMS	9929.99	-43.79	-13	Pass	7000




## 11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.83	-13	Pass	2985
30	814	0.1	RMS	812.4	-61.52	-13	Pass	7840
814	860	0.1	RMS	836.08	20.24	60	Pass	601
860	1000	0.1	RMS	917.541	-62.12	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.31	-13	Pass	2000
3000	10000	1	RMS	9808.973	-43.83	-13	Pass	7000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2985
30	814	0.1	RMS	812.7	-61.26	-13	Pass	7840
814	860	0.1	RMS	847.887	20.89	60	Pass	601
860	1000	0.1	RMS	919.643	-62.07	-13	Pass	1400
1000	3000	1	RMS	2678.839	-47.33	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.78	-13	Pass	7000




## 11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.14	-13	Pass	2985
30	814	0.1	RMS	812.6	-61.19	-13	Pass	7840
814	860	0.1	RMS	847.887	20.14	60	Pass	601
860	1000	0.1	RMS	933.352	-62.16	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.33	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.74	-13	Pass	7000




## 11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2985
30	814	0.1	RMS	810.1	-61.42	-13	Pass	7840
814	860	0.1	RMS	824.273	20.6	60	Pass	601
860	1000	0.1	RMS	944.36	-61.98	-13	Pass	1400
1000	3000	1	RMS	2665.833	-47.31	-13	Pass	2000
3000	10000	1	RMS	9920.989	-43.85	-13	Pass	7000



## 11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2985
30	814	0.1	RMS	809.899	-61.41	-13	Pass	7840
814	860	0.1	RMS	824.273	19.52	60	Pass	601
860	1000	0.1	RMS	901.83	-62.15	-13	Pass	1400
1000	3000	1	RMS	2664.832	-47.36	-13	Pass	2000
3000	10000	1	RMS	9807.973	-43.84	-13	Pass	7000






## 11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2985
30	814	0.1	RMS	812.7	-61.6	-13	Pass	7840
814	860	0.1	RMS	835.237	21.23	60	Pass	601
860	1000	0.1	RMS	952.866	-62.06	-13	Pass	1400
1000	3000	1	RMS	2672.836	-47.3	-13	Pass	2000
3000	10000	1	RMS	9924.989	-43.77	-13	Pass	7000




## 11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2985
30	814	0.1	RMS	812.7	-61.36	-13	Pass	7840
814	860	0.1	RMS	835.237	21.02	60	Pass	601
860	1000	0.1	RMS	928.349	-62.15	-13	Pass	1400
1000	3000	1	RMS	2678.839	-47.29	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.84	-13	Pass	7000




## 11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.58	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.49	-13	Pass	2985
30	814	0.1	RMS	812.8	-61.47	-13	Pass	7840
814	860	0.1	RMS	846.2	20.86	60	Pass	601
860	1000	0.1	RMS	918.642	-62.1	-13	Pass	1400
1000	3000	1	RMS	2671.836	-47.28	-13	Pass	2000
3000	10000	1	RMS	9806.972	-43.87	-13	Pass	7000




## 11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2985
30	814	0.1	RMS	809.899	-61.58	-13	Pass	7840
814	860	0.1	RMS	846.277	19.78	60	Pass	601
860	1000	0.1	RMS	980.986	-62.1	-13	Pass	1400
1000	3000	1	RMS	2670.835	-47.35	-13	Pass	2000
3000	10000	1	RMS	9805.972	-43.86	-13	Pass	7000




## 11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.87	-13	Pass	2985
30	814	0.1	RMS	813	-61.33	-13	Pass	7840
814	860	0.1	RMS	824.35	20.7	60	Pass	601
860	1000	0.1	RMS	973.681	-62.04	-13	Pass	1400
1000	3000	1	RMS	2666.833	-47.32	-13	Pass	2000
3000	10000	1	RMS	9817.974	-43.79	-13	Pass	7000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.36	-13	Pass	2985
30	814	0.1	RMS	812.7	-61.6	-13	Pass	7840
814	860	0.1	RMS	824.35	19.7	60	Pass	601
860	1000	0.1	RMS	926.948	-62.12	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.38	-13	Pass	2000
3000	10000	1	RMS	9925.989	-43.82	-13	Pass	7000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2985
30	814	0.1	RMS	812.6	-61.25	-13	Pass	7840
814	860	0.1	RMS	834.317	20.87	60	Pass	601
860	1000	0.1	RMS	929.75	-62.13	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.33	-13	Pass	2000
3000	10000	1	RMS	9812.973	-43.82	-13	Pass	7000



**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2985
30	814	0.1	RMS	812.6	-61.43	-13	Pass	7840
814	860	0.1	RMS	834.317	20.1	60	Pass	601
860	1000	0.1	RMS	898.628	-62.17	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.34	-13	Pass	2000
3000	10000	1	RMS	9930.99	-43.78	-13	Pass	7000






**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2985
30	814	0.1	RMS	812.7	-61.29	-13	Pass	7840
814	860	0.1	RMS	844.36	20.84	60	Pass	601
860	1000	0.1	RMS	926.047	-62.01	-13	Pass	1400
1000	3000	1	RMS	2667.834	-47.36	-13	Pass	2000
3000	10000	1	RMS	9928.99	-43.85	-13	Pass	7000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.54	-13	Pass	2985
30	814	0.1	RMS	812.7	-61.59	-13	Pass	7840
814	860	0.1	RMS	844.36	19.86	60	Pass	601
860	1000	0.1	RMS	900.129	-61.97	-13	Pass	1400
1000	3000	1	RMS	2669.835	-47.41	-13	Pass	2000
3000	10000	1	RMS	9808.973	-43.79	-13	Pass	7000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2985
30	814	0.1	RMS	813	-61.19	-13	Pass	7840
814	860	0.1	RMS	824.58	21.08	60	Pass	601
860	1000	0.1	RMS	927.448	-62.14	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.38	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.92	-13	Pass	7000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2985
30	814	0.1	RMS	812.8	-60.97	-13	Pass	7840
814	860	0.1	RMS	824.58	19.74	60	Pass	601
860	1000	0.1	RMS	951.665	-62.07	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.43	-13	Pass	2000
3000	10000	1	RMS	9816.974	-43.9	-13	Pass	7000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.29	-13	Pass	2985
30	814	0.1	RMS	812.9	-60.91	-13	Pass	7840
814	860	0.1	RMS	832.093	21.42	60	Pass	601
860	1000	0.1	RMS	926.147	-62.1	-13	Pass	1400
1000	3000	1	RMS	2664.832	-47.39	-13	Pass	2000
3000	10000	1	RMS	9813.973	-43.91	-13	Pass	7000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2985
30	814	0.1	RMS	812.9	-60.94	-13	Pass	7840
814	860	0.1	RMS	832.093	20.36	60	Pass	601
860	1000	0.1	RMS	924.646	-62.09	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.4	-13	Pass	2000
3000	10000	1	RMS	9810.973	-43.79	-13	Pass	7000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2985
30	814	0.1	RMS	813	-61.33	-13	Pass	7840
814	860	0.1	RMS	839.607	21.47	60	Pass	601
860	1000	0.1	RMS	889.321	-62.09	-13	Pass	1400
1000	3000	1	RMS	2677.839	-47.38	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.85	-13	Pass	7000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2985
30	814	0.1	RMS	812.9	-61.27	-13	Pass	7840
814	860	0.1	RMS	839.607	20.12	60	Pass	601
860	1000	0.1	RMS	920.343	-62.19	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.41	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.9	-13	Pass	7000






## 12. LTE\_Band7


### 12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-25	Pass	2985
30	1000	0.1	RMS	917.792	-61.81	-25	Pass	9700
1000	2490	1	RMS	2490	-48.73	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.11	60	Pass	601
2580	3000	1	RMS	2679.4	-47.41	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.18	-25	Pass	9000
12000	27000	1	RMS	24911.861	-38.9	-25	Pass	15000




## 12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.98	-25	Pass	2985
30	1000	0.1	RMS	936.093	-61.78	-25	Pass	9700
1000	2490	1	RMS	2418.952	-48.84	-25	Pass	1490
2490	2580	1	RMS	2500.35	19.43	60	Pass	601
2580	3000	1	RMS	2674.5	-47.42	-25	Pass	601
3000	12000	1	RMS	11985.998	-51.09	-25	Pass	9000
12000	27000	1	RMS	24829.855	-38.82	-25	Pass	15000




## 12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.99	-25	Pass	2985
30	1000	0.1	RMS	916.791	-61.81	-25	Pass	9700
1000	2490	1	RMS	2430.96	-48.82	-25	Pass	1490
2490	2580	1	RMS	2532.9	21.47	60	Pass	601
2580	3000	1	RMS	2674.5	-47.38	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.01	-25	Pass	9000
12000	27000	1	RMS	24915.861	-38.76	-25	Pass	15000




## 12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.79	-25	Pass	2985
30	1000	0.1	RMS	932.593	-61.65	-25	Pass	9700
1000	2490	1	RMS	2488.999	-48.77	-25	Pass	1490
2490	2580	1	RMS	2532.9	20.91	60	Pass	601
2580	3000	1	RMS	2677.3	-47.37	-25	Pass	601
3000	12000	1	RMS	11978.998	-51.07	-25	Pass	9000
12000	27000	1	RMS	24890.859	-38.79	-25	Pass	15000




## 12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.33	-25	Pass	2985
30	1000	0.1	RMS	948.295	-61.87	-25	Pass	9700
1000	2490	1	RMS	2490	-48.77	-25	Pass	1490
2490	2580	1	RMS	2565.3	21.99	60	Pass	601
2580	3000	1	RMS	2686.4	-47.35	-25	Pass	601
3000	12000	1	RMS	11971.997	-51.1	-25	Pass	9000
12000	27000	1	RMS	24892.86	-38.72	-25	Pass	15000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2985
30	1000	0.1	RMS	924.492	-61.75	-25	Pass	9700
1000	2490	1	RMS	2483.996	-48.77	-25	Pass	1490
2490	2580	1	RMS	2565.3	20.45	60	Pass	601
2580	3000	1	RMS	2687.8	-47.35	-25	Pass	601
3000	12000	1	RMS	11999	-51.07	-25	Pass	9000
12000	27000	1	RMS	24870.858	-38.72	-25	Pass	15000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	920.992	-61.74	-25	Pass	9700
1000	2490	1	RMS	2482.995	-47.91	-25	Pass	1490
2490	2580	1	RMS	2500.65	21.29	60	Pass	601
2580	3000	1	RMS	2677.3	-47.33	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.07	-25	Pass	9000
12000	27000	1	RMS	24915.861	-38.77	-25	Pass	15000



## 12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.55	-25	Pass	2985
30	1000	0.1	RMS	935.593	-61.69	-25	Pass	9700
1000	2490	1	RMS	2482.995	-48.51	-25	Pass	1490
2490	2580	1	RMS	2500.65	20.25	60	Pass	601
2580	3000	1	RMS	2676.6	-47.35	-25	Pass	601
3000	12000	1	RMS	11984.998	-51.01	-25	Pass	9000
12000	27000	1	RMS	24910.861	-38.64	-25	Pass	15000






**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.47	-25	Pass	2985
30	1000	0.1	RMS	951.195	-61.8	-25	Pass	9700
1000	2490	1	RMS	2413.949	-48.88	-25	Pass	1490
2490	2580	1	RMS	2530.65	21.51	60	Pass	601
2580	3000	1	RMS	2658.4	-47.39	-25	Pass	601
3000	12000	1	RMS	11990.999	-51.16	-25	Pass	9000
12000	27000	1	RMS	24890.859	-38.94	-25	Pass	15000




## 12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.46	-25	Pass	2985
30	1000	0.1	RMS	937.494	-61.82	-25	Pass	9700
1000	2490	1	RMS	2487.999	-48.86	-25	Pass	1490
2490	2580	1	RMS	2530.65	20.59	60	Pass	601
2580	3000	1	RMS	2657.7	-47.36	-25	Pass	601
3000	12000	1	RMS	11984.998	-51.15	-25	Pass	9000
12000	27000	1	RMS	24919.861	-38.92	-25	Pass	15000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.67	-25	Pass	2985
30	1000	0.1	RMS	956.195	-61.97	-25	Pass	9700
1000	2490	1	RMS	2410.947	-48.84	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.91	60	Pass	601
2580	3000	1	RMS	2685	-47.4	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.12	-25	Pass	9000
12000	27000	1	RMS	24853.857	-38.87	-25	Pass	15000




## 12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-25	Pass	2985
30	1000	0.1	RMS	910.291	-61.94	-25	Pass	9700
1000	2490	1	RMS	2414.95	-48.97	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.04	60	Pass	601
2580	3000	1	RMS	2682.2	-47.34	-25	Pass	601
3000	12000	1	RMS	11984.998	-51.19	-25	Pass	9000
12000	27000	1	RMS	24912.861	-38.95	-25	Pass	15000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.34	-25	Pass	2985
30	1000	0.1	RMS	914.991	-61.9	-25	Pass	9700
1000	2490	1	RMS	2487.999	-47.87	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.31	60	Pass	601
2580	3000	1	RMS	2673.1	-47.44	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.21	-25	Pass	9000
12000	27000	1	RMS	24870.858	-38.95	-25	Pass	15000




## 12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-25	Pass	2985
30	1000	0.1	RMS	900.89	-61.96	-25	Pass	9700
1000	2490	1	RMS	2486.998	-48.12	-25	Pass	1490
2490	2580	1	RMS	2500.8	20.25	60	Pass	601
2580	3000	1	RMS	2673.1	-47.46	-25	Pass	601
3000	12000	1	RMS	11997	-51.21	-25	Pass	9000
12000	27000	1	RMS	24833.856	-38.91	-25	Pass	15000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2985
30	1000	0.1	RMS	981.398	-61.97	-25	Pass	9700
1000	2490	1	RMS	2452.975	-48.92	-25	Pass	1490
2490	2580	1	RMS	2528.4	21.54	60	Pass	601
2580	3000	1	RMS	2659.1	-47.45	-25	Pass	601
3000	12000	1	RMS	11998	-51.23	-25	Pass	9000
12000	27000	1	RMS	24870.858	-38.93	-25	Pass	15000



## 12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-25	Pass	2985
30	1000	0.1	RMS	929.493	-61.84	-25	Pass	9700
1000	2490	1	RMS	2442.968	-48.88	-25	Pass	1490
2490	2580	1	RMS	2528.25	20.85	60	Pass	601
2580	3000	1	RMS	2659.1	-47.39	-25	Pass	601
3000	12000	1	RMS	11985.998	-51.16	-25	Pass	9000
12000	27000	1	RMS	24833.856	-38.98	-25	Pass	15000






**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2985
30	1000	0.1	RMS	923.992	-61.97	-25	Pass	9700
1000	2490	1	RMS	2445.97	-48.92	-25	Pass	1490
2490	2580	1	RMS	2555.85	21.54	60	Pass	601
2580	3000	1	RMS	2582.8	-31.7	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.19	-25	Pass	9000
12000	27000	1	RMS	24894.86	-38.96	-25	Pass	15000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-25	Pass	2985
30	1000	0.1	RMS	924.592	-61.89	-25	Pass	9700
1000	2490	1	RMS	2487.999	-48.92	-25	Pass	1490
2490	2580	1	RMS	2555.85	20.87	60	Pass	601
2580	3000	1	RMS	2582.1	-32.65	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.14	-25	Pass	9000
12000	27000	1	RMS	24917.861	-38.89	-25	Pass	15000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.89	-25	Pass	2985
30	1000	0.1	RMS	944.394	-62.03	-25	Pass	9700
1000	2490	1	RMS	2482.995	-47.96	-25	Pass	1490
2490	2580	1	RMS	2501.1	20.13	60	Pass	601
2580	3000	1	RMS	2674.5	-47.43	-25	Pass	601
3000	12000	1	RMS	12000	-51.2	-25	Pass	9000
12000	27000	1	RMS	24879.859	-38.98	-25	Pass	15000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2985
30	1000	0.1	RMS	957.596	-61.91	-25	Pass	9700
1000	2490	1	RMS	2482.995	-48.22	-25	Pass	1490
2490	2580	1	RMS	2501.1	19.35	60	Pass	601
2580	3000	1	RMS	2676.6	-47.47	-25	Pass	601
3000	12000	1	RMS	11985.998	-51.25	-25	Pass	9000
12000	27000	1	RMS	24901.86	-38.95	-25	Pass	15000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.93	-25	Pass	2985
30	1000	0.1	RMS	909.391	-61.96	-25	Pass	9700
1000	2490	1	RMS	2490	-48.89	-25	Pass	1490
2490	2580	1	RMS	2526.15	19.63	60	Pass	601
2580	3000	1	RMS	2663.3	-47.42	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.15	-25	Pass	9000
12000	27000	1	RMS	24855.857	-39.01	-25	Pass	15000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2985
30	1000	0.1	RMS	927.293	-62.08	-25	Pass	9700
1000	2490	1	RMS	2413.949	-48.94	-25	Pass	1490
2490	2580	1	RMS	2526.15	18.82	60	Pass	601
2580	3000	1	RMS	2663.3	-47.44	-25	Pass	601
3000	12000	1	RMS	11983.998	-51.21	-25	Pass	9000
12000	27000	1	RMS	24893.86	-38.9	-25	Pass	15000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.56	-25	Pass	2985
30	1000	0.1	RMS	925.192	-61.96	-25	Pass	9700
1000	2490	1	RMS	2434.963	-48.91	-25	Pass	1490
2490	2580	1	RMS	2551.05	20.02	60	Pass	601
2580	3000	1	RMS	2587	-35.61	-25	Pass	601
3000	12000	1	RMS	11982.998	-51.19	-25	Pass	9000
12000	27000	1	RMS	24881.859	-38.86	-25	Pass	15000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.39	-25	Pass	2985
30	1000	0.1	RMS	949.895	-61.88	-25	Pass	9700
1000	2490	1	RMS	2434.963	-49	-25	Pass	1490
2490	2580	1	RMS	2551.05	19.24	60	Pass	601
2580	3000	1	RMS	2587	-36.8	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.21	-25	Pass	9000
12000	27000	1	RMS	24892.86	-38.92	-25	Pass	15000






## 13. LTE\_Band12


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2985
30	689	0.1	RMS	492.87	-62.69	-13	Pass	6590
689	726	0.1	RMS	699.237	21.46	60	Pass	601
726	1000	0.1	RMS	899.963	-61.95	-13	Pass	2740
1000	3000	1	RMS	2796.898	-38.44	-13	Pass	2000
3000	10000	1	RMS	3496.071	-39.74	-13	Pass	7000




## 13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2985
30	689	0.1	RMS	505.972	-62.87	-13	Pass	6590
689	726	0.1	RMS	699.237	20.53	60	Pass	601
726	1000	0.1	RMS	900.464	-61.92	-13	Pass	2740
1000	3000	1	RMS	2796.898	-39.22	-13	Pass	2000
3000	10000	1	RMS	3496.071	-40.19	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2985
30	689	0.1	RMS	511.773	-62.74	-13	Pass	6590
689	726	0.1	RMS	707.068	21.52	60	Pass	601
726	1000	0.1	RMS	921.171	-61.83	-13	Pass	2740
1000	3000	1	RMS	2827.914	-36.99	-13	Pass	2000
3000	10000	1	RMS	3535.076	-40.57	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2985
30	689	0.1	RMS	515.674	-62.99	-13	Pass	6590
689	726	0.1	RMS	707.068	20.54	60	Pass	601
726	1000	0.1	RMS	903.065	-61.86	-13	Pass	2740
1000	3000	1	RMS	2827.914	-37.83	-13	Pass	2000
3000	10000	1	RMS	3535.076	-41.4	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	689	0.1	RMS	502.872	-62.63	-13	Pass	6590
689	726	0.1	RMS	714.838	21.56	60	Pass	601
726	1000	0.1	RMS	894.261	-61.86	-13	Pass	2740
1000	3000	1	RMS	2858.929	-38.57	-13	Pass	2000
3000	10000	1	RMS	3574.082	-43.29	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2985
30	689	0.1	RMS	510.773	-62.91	-13	Pass	6590
689	726	0.1	RMS	714.838	20.1	60	Pass	601
726	1000	0.1	RMS	909.867	-61.87	-13	Pass	2740
1000	3000	1	RMS	2858.929	-40.17	-13	Pass	2000
3000	10000	1	RMS	9811.973	-43.92	-13	Pass	7000




## 13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.15	-13	Pass	2985
30	689	0.1	RMS	516.974	-62.76	-13	Pass	6590
689	726	0.1	RMS	699.237	21.31	60	Pass	601
726	1000	0.1	RMS	889.36	-61.82	-13	Pass	2740
1000	3000	1	RMS	2796.898	-38.46	-13	Pass	2000
3000	10000	1	RMS	3496.071	-39.57	-13	Pass	7000



## 13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.98	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.05	-13	Pass	2985
30	689	0.1	RMS	500.371	-62.73	-13	Pass	6590
689	726	0.1	RMS	699.237	20.3	60	Pass	601
726	1000	0.1	RMS	894.361	-61.95	-13	Pass	2740
1000	3000	1	RMS	2796.898	-39.66	-13	Pass	2000
3000	10000	1	RMS	3496.071	-40.56	-13	Pass	7000






## 13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2985
30	689	0.1	RMS	504.472	-62.74	-13	Pass	6590
689	726	0.1	RMS	706.267	21.26	60	Pass	601
726	1000	0.1	RMS	900.664	-61.92	-13	Pass	2740
1000	3000	1	RMS	2824.912	-36.69	-13	Pass	2000
3000	10000	1	RMS	3531.076	-40.46	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2985
30	689	0.1	RMS	510.073	-62.66	-13	Pass	6590
689	726	0.1	RMS	706.267	20.6	60	Pass	601
726	1000	0.1	RMS	947.381	-61.87	-13	Pass	2740
1000	3000	1	RMS	2824.912	-37.25	-13	Pass	2000
3000	10000	1	RMS	3531.076	-41.15	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2985
30	689	0.1	RMS	524.375	-62.78	-13	Pass	6590
689	726	0.1	RMS	713.235	21.29	60	Pass	601
726	1000	0.1	RMS	920.971	-61.77	-13	Pass	2740
1000	3000	1	RMS	2852.926	-39.15	-13	Pass	2000
3000	10000	1	RMS	9813.973	-43.91	-13	Pass	7000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2985
30	689	0.1	RMS	509.773	-62.96	-13	Pass	6590
689	726	0.1	RMS	713.235	20.06	60	Pass	601
726	1000	0.1	RMS	930.775	-61.95	-13	Pass	2740
1000	3000	1	RMS	2852.926	-40.55	-13	Pass	2000
3000	10000	1	RMS	9806.972	-43.92	-13	Pass	7000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2985
30	689	0.1	RMS	503.172	-62.76	-13	Pass	6590
689	726	0.1	RMS	699.36	20.86	60	Pass	601
726	1000	0.1	RMS	973.19	-61.87	-13	Pass	2740
1000	3000	1	RMS	2796.898	-39.98	-13	Pass	2000
3000	10000	1	RMS	3497.071	-40.52	-13	Pass	7000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2985
30	689	0.1	RMS	507.973	-62.94	-13	Pass	6590
689	726	0.1	RMS	699.36	19.86	60	Pass	601
726	1000	0.1	RMS	919.971	-62.13	-13	Pass	2740
1000	3000	1	RMS	2796.898	-41.47	-13	Pass	2000
3000	10000	1	RMS	3497.071	-41.56	-13	Pass	7000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2985
30	689	0.1	RMS	505.872	-62.77	-13	Pass	6590
689	726	0.1	RMS	705.342	21.22	60	Pass	601
726	1000	0.1	RMS	915.669	-61.88	-13	Pass	2740
1000	3000	1	RMS	2820.91	-38.96	-13	Pass	2000
3000	10000	1	RMS	3527.075	-41.64	-13	Pass	7000



**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2985
30	689	0.1	RMS	510.173	-62.92	-13	Pass	6590
689	726	0.1	RMS	705.342	20.35	60	Pass	601
726	1000	0.1	RMS	940.778	-61.77	-13	Pass	2740
1000	3000	1	RMS	2820.91	-39.9	-13	Pass	2000
3000	10000	1	RMS	3527.075	-42.47	-13	Pass	7000






**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2985
30	689	0.1	RMS	511.573	-62.75	-13	Pass	6590
689	726	0.1	RMS	711.323	21.1	60	Pass	601
726	1000	0.1	RMS	922.472	-61.79	-13	Pass	2740
1000	3000	1	RMS	2844.922	-39.4	-13	Pass	2000
3000	10000	1	RMS	3557.08	-43.71	-13	Pass	7000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2985
30	689	0.1	RMS	503.272	-62.84	-13	Pass	6590
689	726	0.1	RMS	711.323	19.8	60	Pass	601
726	1000	0.1	RMS	909.067	-61.84	-13	Pass	2740
1000	3000	1	RMS	2844.922	-40.99	-13	Pass	2000
3000	10000	1	RMS	9817.974	-43.91	-13	Pass	7000




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2985
30	689	0.1	RMS	513.173	-62.75	-13	Pass	6590
689	726	0.1	RMS	699.607	21.02	60	Pass	601
726	1000	0.1	RMS	904.865	-61.71	-13	Pass	2740
1000	3000	1	RMS	2797.899	-40.48	-13	Pass	2000
3000	10000	1	RMS	3498.071	-40.2	-13	Pass	7000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	689	0.1	RMS	687.3	-62.97	-13	Pass	6590
689	726	0.1	RMS	699.607	20.13	60	Pass	601
726	1000	0.1	RMS	928.574	-62.05	-13	Pass	2740
1000	3000	1	RMS	2797.899	-41.42	-13	Pass	2000
3000	10000	1	RMS	3498.071	-41	-13	Pass	7000




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.04	-13	Pass	2985
30	689	0.1	RMS	501.372	-62.93	-13	Pass	6590
689	726	0.1	RMS	703.06	20.85	60	Pass	601
726	1000	0.1	RMS	900.164	-61.75	-13	Pass	2740
1000	3000	1	RMS	2811.906	-41.28	-13	Pass	2000
3000	10000	1	RMS	3515.074	-43.06	-13	Pass	7000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2985
30	689	0.1	RMS	509.073	-62.94	-13	Pass	6590
689	726	0.1	RMS	703.122	20.16	60	Pass	601
726	1000	0.1	RMS	892.361	-61.79	-13	Pass	2740
1000	3000	1	RMS	2811.906	-42.18	-13	Pass	2000
3000	10000	1	RMS	3515.074	-43.72	-13	Pass	7000




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2985
30	689	0.1	RMS	506.572	-62.7	-13	Pass	6590
689	726	0.1	RMS	706.575	21	60	Pass	601
726	1000	0.1	RMS	914.969	-61.8	-13	Pass	2740
1000	3000	1	RMS	2825.913	-38.1	-13	Pass	2000
3000	10000	1	RMS	3533.076	-40.71	-13	Pass	7000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2985
30	689	0.1	RMS	486.569	-62.88	-13	Pass	6590
689	726	0.1	RMS	706.575	20.04	60	Pass	601
726	1000	0.1	RMS	968.388	-62.02	-13	Pass	2740
1000	3000	1	RMS	2825.913	-39.25	-13	Pass	2000
3000	10000	1	RMS	3533.076	-41.67	-13	Pass	7000






## 14. LTE\_Band13


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2985
30	767	0.1	RMS	764.3	-62.4	-13	Pass	7370
767	797	0.1	RMS	777.35	21.13	60	Pass	601
797	1000	0.1	RMS	937.269	-61.96	-13	Pass	2030
1000	3000	1	RMS	2675.838	-47.47	-13	Pass	2000
3000	10000	1	RMS	9810.973	-43.98	-13	Pass	7000




## 14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2985
30	767	0.1	RMS	767	-62.4	-13	Pass	7370
767	797	0.1	RMS	777.35	20.11	60	Pass	601
797	1000	0.1	RMS	942.572	-61.81	-13	Pass	2030
1000	3000	1	RMS	2671.836	-47.49	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.01	-13	Pass	7000




### 14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2985
30	767	0.1	RMS	761.899	-62.29	-13	Pass	7370
767	797	0.1	RMS	779.85	21.16	60	Pass	601
797	1000	0.1	RMS	988.294	-61.93	-13	Pass	2030
1000	3000	1	RMS	2680.84	-47.49	-13	Pass	2000
3000	10000	1	RMS	9910.987	-44.02	-13	Pass	7000




## 14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.93	-13	Pass	2985
30	767	0.1	RMS	766.2	-62.53	-13	Pass	7370
767	797	0.1	RMS	779.85	20.45	60	Pass	601
797	1000	0.1	RMS	923.662	-62.02	-13	Pass	2030
1000	3000	1	RMS	2664.832	-47.5	-13	Pass	2000
3000	10000	1	RMS	9806.972	-43.98	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.27	-13	Pass	2985
30	767	0.1	RMS	766.1	-62.4	-13	Pass	7370
767	797	0.1	RMS	782.35	21.24	60	Pass	601
797	1000	0.1	RMS	982.091	-61.89	-13	Pass	2030
1000	3000	1	RMS	2669.835	-47.48	-13	Pass	2000
3000	10000	1	RMS	9871.982	-44.03	-13	Pass	7000




## 14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.07	-13	Pass	2985
30	767	0.1	RMS	761.499	-62.44	-13	Pass	7370
767	797	0.1	RMS	782.35	20.38	60	Pass	601
797	1000	0.1	RMS	972.386	-62.06	-13	Pass	2030
1000	3000	1	RMS	2673.837	-47.48	-13	Pass	2000
3000	10000	1	RMS	9812.973	-44.02	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.13	-13	Pass	2985
30	767	0.1	RMS	762.399	-62.32	-13	Pass	7370
767	797	0.1	RMS	777.6	21.26	60	Pass	601
797	1000	0.1	RMS	944.172	-61.85	-13	Pass	2030
1000	3000	1	RMS	2676.838	-47.46	-13	Pass	2000
3000	10000	1	RMS	9929.99	-43.98	-13	Pass	7000



## 14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2985
30	767	0.1	RMS	766.7	-62.48	-13	Pass	7370
767	797	0.1	RMS	777.6	20.39	60	Pass	601
797	1000	0.1	RMS	959.48	-61.81	-13	Pass	2030
1000	3000	1	RMS	2666.833	-47.47	-13	Pass	2000
3000	10000	1	RMS	9815.974	-44.04	-13	Pass	7000






## 15. LTE\_Band17


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2985
30	694	0.1	RMS	510.572	-62.89	-13	Pass	6640
694	726	0.1	RMS	704.347	20.45	60	Pass	601
726	1000	0.1	RMS	901.764	-61.85	-13	Pass	2740
1000	3000	1	RMS	2816.908	-42.84	-13	Pass	2000
3000	10000	1	RMS	3522.075	-43.77	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2985
30	694	0.1	RMS	693.6	-62.89	-13	Pass	6640
694	726	0.1	RMS	704.347	19.78	60	Pass	601
726	1000	0.1	RMS	921.371	-61.98	-13	Pass	2740
1000	3000	1	RMS	2816.908	-43.6	-13	Pass	2000
3000	10000	1	RMS	9808.973	-43.98	-13	Pass	7000



## 15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2985
30	694	0.1	RMS	523.074	-62.94	-13	Pass	6640
694	726	0.1	RMS	707.867	20.17	60	Pass	601
726	1000	0.1	RMS	921.371	-61.85	-13	Pass	2740
1000	3000	1	RMS	2830.915	-40.68	-13	Pass	2000
3000	10000	1	RMS	3539.077	-42.22	-13	Pass	7000



## 15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2985
30	694	0.1	RMS	510.272	-62.79	-13	Pass	6640
694	726	0.1	RMS	707.813	19.44	60	Pass	601
726	1000	0.1	RMS	914.269	-62	-13	Pass	2740
1000	3000	1	RMS	2830.915	-41.44	-13	Pass	2000
3000	10000	1	RMS	3539.077	-42.98	-13	Pass	7000

