

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1 GSM 850

1.1 GSM 850 MCH

Test result

Project Number: 验证测试

Test Time: 2021-03-07_12.24.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.920	-67.87	-8.36	-13.0	-54.87	176.10	Horizontal	Vertical	Pass
241.165	-65.54	-2.54	-13.0	-52.54	360.00	Horizontal	Vertical	Pass
836.353	-58.63	7.55	-13.0	-45.63	205.70	Horizontal	Vertical	Pass
881.447	-23.72	3.27	-13.0	-10.72	189.70	Horizontal	Vertical	Pass
1206.948	-51.97	2.02	-13.0	-38.97	132.40	Horizontal	Vertical	Pass
9838.040	-24.13	22.41	-13.0	-11.13	346.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-07_12.28.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-73.96	-12.17	-13.0	-60.96	324.80	Vertical	Vertical	Pass
76.306	-78.11	-18.88	-13.0	-65.11	226.60	Vertical	Vertical	Pass
241.165	-71.70	-2.54	-13.0	-58.70	228.80	Vertical	Vertical	Pass
836.596	-62.79	7.62	-13.0	-49.79	142.20	Vertical	Vertical	Pass
881.447	-23.68	3.27	-13.0	-10.68	256.30	Vertical	Vertical	Pass
9832.042	-25.35	22.51	-13.0	-12.35	360.00	Vertical	Vertical	Pass

2 GPRS 850

2.1 GPRS 850 MCH

Test result

Project Number: 验证测试

Test Time: 2021-03-07_12.40.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-77.97	-14.25	-13.0	-64.97	157.50	Horizontal	Vertical	Pass
243.104	-69.50	-3.08	-13.0	-56.50	0.00	Horizontal	Vertical	Pass
850.900	-63.16	9.77	-13.0	-50.16	286.50	Horizontal	Vertical	Pass
881.447	-33.57	3.27	-13.0	-20.57	191.60	Horizontal	Vertical	Pass
2441.140	-33.84	3.34	-13.0	-20.84	40.40	Horizontal	Vertical	Pass
9805.799	-24.29	22.97	-13.0	-11.29	166.40	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-07_12.35.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.182	-74.14	-12.62	-13.0	-61.14	0.80	Vertical	Vertical	Pass
241.892	-73.45	-2.74	-13.0	-60.45	332.40	Vertical	Vertical	Pass
852.597	-62.43	9.73	-13.0	-49.43	98.60	Vertical	Vertical	Pass
881.447	-33.06	3.27	-13.0	-20.06	250.60	Vertical	Vertical	Pass
8169.708	-25.98	20.40	-13.0	-12.98	1.10	Vertical	Vertical	Pass
9800.550	-23.60	23.05	-13.0	-10.60	63.30	Vertical	Vertical	Pass

3 EGPRS 850

3.1 EGPRS 850 MCH

Test result

Project Number: 验证测试

Test Time: 2021-03-06_13.04.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT		Verdict
77.761	-79.25	-18.91	-13.0	-66.25	360.00	Horizontal	Vertical	Pass
238.255	-74.14	-2.93	-13.0	-61.14	195.90	Horizontal	Vertical	Pass
450.390	-74.19	-1.87	-13.0	-61.19	318.00	Horizontal	Vertical	Pass
875.871	-16.87	4.09	-13.0	-3.87	320.40	Horizontal	Vertical	Pass
1757.311	-49.65	-3.08	-13.0	-36.65	224.40	Horizontal	Vertical	Pass
6964.009	-27.66	13.86	-13.0	-14.66	309.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-06_13.08.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BCD&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.063	-79.66	-18.87	-13.0	-66.66	208.30	Vertical	Vertical	Pass
124.794	-79.95	-14.25	-13.0	-66.95	25.10	Vertical	Vertical	Pass
239.225	-73.88	-2.53	-13.0	-60.88	206.10	Vertical	Vertical	Pass
875.871	-16.76	4.09	-13.0	-3.76	318.30	Vertical	Vertical	Pass
1751.312	-52.24	-3.16	-13.0	-39.24	235.00	Vertical	Vertical	Pass
6951.012	-27.82	13.66	-13.0	-14.82	186.20	Vertical	Vertical	Pass

4 GSM 1900

4.1 GSM 1900 MCH

Test result

Project Number: 验证测试

Test Time: 2021-03-19_17.35.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-72.58	-10.26	-13.0	-59.58	208.50	Horizontal	Vertical	Pass
238.983	-63.64	-2.73	-13.0	-50.64	215.90	Horizontal	Vertical	Pass
1201.450	-51.33	2.01	-13.0	-38.33	84.10	Horizontal	Vertical	Pass
1888.278	-50.97	1.24	-13.0	-37.97	172.50	Horizontal	Vertical	Pass
1959.760	-8.72	-1.69	-13.0	4.28	356.50	Horizontal	Vertical	N.A
3919.770	-41.32	8.62	-13.0	-28.32	358.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-19_17.37.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7983.754	-56.90	17.21	-13.0	-43.90	18.40	Horizontal	Vertical	Pass
10149.213	-50.33	23.59	-13.0	-37.33	162.90	Horizontal	Vertical	Pass
11186.953	-49.68	23.07	-13.0	-36.68	230.30	Horizontal	Vertical	Pass
12491.627	-47.71	25.38	-13.0	-34.71	38.90	Horizontal	Vertical	Pass
14195.201	-44.83	28.23	-13.0	-31.83	129.30	Horizontal	Vertical	Pass
14696.076	-46.40	27.97	-13.0	-33.40	47.40	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-19_17.32.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.641	-71.48	-11.64	-13.0	-58.48	116.80	Vertical	Vertical	Pass
240.195	-64.22	-2.37	-13.0	-51.22	60.50	Vertical	Vertical	Pass
1209.448	-51.04	1.68	-13.0	-38.04	290.70	Vertical	Vertical	Pass
1899.775	-51.51	1.45	-13.0	-38.51	122.90	Vertical	Vertical	Pass
1959.760	-9.05	-1.69	-13.0	3.95	356.00	Vertical	Vertical	N.A
3919.770	-44.23	8.62	-13.0	-31.23	1.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-19_17.39.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8196.701	-56.95	19.12	-13.0	-43.95	322.30	Vertical	Vertical	Pass
9378.405	-54.60	19.55	-13.0	-41.60	265.70	Vertical	Vertical	Pass
10119.220	-50.36	24.16	-13.0	-37.36	13.80	Vertical	Vertical	Pass
11465.884	-49.49	24.05	-13.0	-36.49	265.70	Vertical	Vertical	Pass
12506.623	-47.96	25.19	-13.0	-34.96	336.50	Vertical	Vertical	Pass
14084.229	-44.03	28.64	-13.0	-31.03	208.80	Vertical	Vertical	Pass

5 GPRS 1900

5.1 GPRS 1900 MCH

Test result

Project Number: 验证测试

Test Time: 2021-03-06_11.22.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.185	-77.59	-19.01	-13.0	-64.59	313.30	Horizontal	Vertical	Pass
200.192	-70.40	-8.05	-13.0	-57.40	208.30	Horizontal	Vertical	Pass
244.801	-70.68	-3.60	-13.0	-57.68	212.60	Horizontal	Vertical	Pass
850.172	-67.03	5.82	-13.0	-54.03	47.60	Horizontal	Vertical	Pass
1198.950	-52.73	2.23	-13.0	-39.73	210.60	Horizontal	Vertical	Pass
1959.760	-33.65	-1.42	-13.0	-20.65	286.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-06_12.42.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8049.738	-57.58	18.32	-13.0	-44.58	1.20	Horizontal	Vertical	Pass
9390.402	-55.71	19.80	-13.0	-42.71	44.90	Horizontal	Vertical	Pass
10110.222	-50.83	24.26	-13.0	-37.83	1.20	Horizontal	Vertical	Pass
12455.636	-48.10	25.23	-13.0	-35.10	208.90	Horizontal	Vertical	Pass
14186.203	-44.66	28.67	-13.0	-31.66	346.70	Horizontal	Vertical	Pass
16663.584	-50.35	22.76	-13.0	-37.35	173.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-06_11.27.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-78.66	-10.68	-13.0	-65.66	1.10	Vertical	Vertical	Pass
82.367	-78.74	-18.19	-13.0	-65.74	354.60	Vertical	Vertical	Pass
237.528	-70.41	-3.33	-13.0	-57.41	212.50	Vertical	Vertical	Pass
849.930	-66.78	5.82	-13.0	-53.78	59.90	Vertical	Vertical	Pass
1215.446	-52.85	1.60	-13.0	-39.85	345.20	Vertical	Vertical	Pass
1959.760	-33.72	-1.42	-13.0	-20.72	285.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-06_12.37.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8202.699	-56.65	19.19	-13.0	-43.65	110.00	Vertical	Vertical	Pass
9414.396	-55.68	19.76	-13.0	-42.68	270.30	Vertical	Vertical	Pass
10098.225	-50.86	24.26	-13.0	-37.86	137.50	Vertical	Vertical	Pass
11912.772	-49.22	24.81	-13.0	-36.22	53.50	Vertical	Vertical	Pass
14096.226	-44.70	29.04	-13.0	-31.70	98.30	Vertical	Vertical	Pass
16648.588	-49.65	22.90	-13.0	-36.65	193.40	Vertical	Vertical	Pass

6 EGPRS 1900

6.1 EGPRS 1900 MCH

Test result

Project Number: 验证测试

Test Time: 2021-03-06_12.06.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)		PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-77.89	-19.00	-13.0	-64.89	226.80	Horizontal	Vertical	Pass
238.740	-72.07	-2.83	-13.0	-59.07	235.80	Horizontal	Vertical	Pass
454.269	-73.80	-2.13	-13.0	-60.80	120.30	Horizontal	Vertical	Pass
851.385	-65.72	5.77	-13.0	-52.72	309.40	Horizontal	Vertical	Pass
1929.768	-37.25	-1.38	-13.0	-24.25	293.30	Horizontal	Vertical	Pass
1959.760	-37.86	-1.42	-13.0	-24.86	216.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-06_12.23.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8223.694	-56.88	18.48	-13.0	-43.88	80.30	Horizontal	Vertical	Pass
9402.399	-55.24	19.96	-13.0	-42.24	324.30	Horizontal	Vertical	Pass
10149.213	-49.45	23.59	-13.0	-36.45	15.20	Horizontal	Vertical	Pass
12125.719	-49.80	24.23	-13.0	-36.80	148.90	Horizontal	Vertical	Pass
13712.322	-46.08	27.77	-13.0	-33.08	251.40	Horizontal	Vertical	Pass
14699.075	-46.17	28.10	-13.0	-33.17	331.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-06_12.09.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-77.40	-19.01	-13.0	-64.40	283.70	Vertical	Vertical	Pass
201.890	-75.20	-8.98	-13.0	-62.20	192.00	Vertical	Vertical	Pass
243.832	-71.23	-3.34	-13.0	-58.23	241.40	Vertical	Vertical	Pass
1195.951	-52.87	2.01	-13.0	-39.87	266.80	Vertical	Vertical	Pass
1929.768	-36.95	-1.38	-13.0	-23.95	293.40	Vertical	Vertical	Pass
1959.260	-37.82	-1.42	-13.0	-24.82	289.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-06_12.34.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8046.738	-57.31	18.36	-13.0	-44.31	203.40	Vertical	Vertical	Pass
9372.407	-55.13	19.43	-13.0	-42.13	0.00	Vertical	Vertical	Pass
10140.215	-50.50	23.76	-13.0	-37.50	62.50	Vertical	Vertical	Pass
11843.789	-49.38	24.95	-13.0	-36.38	259.00	Vertical	Vertical	Pass
14108.223	-44.68	29.12	-13.0	-31.68	41.20	Vertical	Vertical	Pass
15178.955	-47.00	23.40	-13.0	-34.00	162.90	Vertical	Vertical	Pass