

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

1 LTE B2

1.1 LTE-B2-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.44.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-82.79	-12.53	-13.0	-69.79	257.20	Horizontal	Vertical	Pass
239.953	-75.61	-2.33	-13.0	-62.61	57.40	Horizontal	Vertical	Pass
859.628	-68.34	5.47	-13.0	-55.34	2.10	Horizontal	Vertical	Pass
1196.951	-55.50	2.09	-13.0	-42.50	6.20	Horizontal	Vertical	Pass
1879.280	-37.08	1.24	-13.0	-24.08	6.20	Horizontal	Vertical	Pass
1959.260	-39.68	-1.42	-13.0	-26.68	178.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_18.53.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART2&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



-57.27	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8076.731		17.89	-13.0	-44.27	266.90	Horizontal	Vertical	Pass
10128.218	-50.34	23.99	-13.0	-37.34	242.30	Horizontal	Vertical	Pass
11873.782	-48.50	25.40	-13.0	-35.50	353.80	Horizontal	Vertical	Pass
12494.626	-47.25	25.37	-13.0	-34.25	348.00	Horizontal	Vertical	Pass
14186.203	-45.30	28.67	-13.0	-32.30	0.00	Horizontal	Vertical	Pass
14702.074	-46.09	28.02	-13.0	-33.09	107.30	Horizontal	Vertical	Pass

1.2 LTE-B2-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.49.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.520	-81.43	-11.40	-13.0	-68.43	53.70	Vertical	Vertical	Pass
240.195	-75.27	-2.37	-13.0	-62.27	355.30	Vertical	Vertical	Pass
1206.948	-56.03	2.02	-13.0	-43.03	161.80	Vertical	Vertical	Pass
1879.780	-37.20	1.25	-13.0	-24.20	6.40	Vertical	Vertical	Pass
1960.260	-39.96	-1.42	-13.0	-26.96	253.00	Vertical	Vertical	Pass
2425.644	-52.11	3.15	-13.0	-39.11	311.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_18.56.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART2&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7827.793	-57.23	16.90	-13.0	-44.23	17.20	Vertical	Vertical	Pass
9417.396	-55.28	19.71	-13.0	-42.28	323.10	Vertical	Vertical	Pass
10110.222	-50.60	24.26	-13.0	-37.60	174.20	Vertical	Vertical	Pass
12503.624	-47.54	25.27	-13.0	-34.54	0.00	Vertical	Vertical	Pass
14171.207	-45.19	28.76	-13.0	-32.19	1.90	Vertical	Vertical	Pass
14702.074	-45.50	28.02	-13.0	-32.50	144.10	Vertical	Vertical	Pass

1.3 LTE-B2-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.40.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.307	-81.76	-11.24	-13.0	-68.76	286.80	Horizontal	Vertical	Pass
239.953	-76.04	-2.33	-13.0	-63.04	130.50	Horizontal	Vertical	Pass
850.415	-68.53	5.81	-13.0	-55.53	200.80	Horizontal	Vertical	Pass
1194.451	-55.54	1.91	-13.0	-42.54	49.40	Horizontal	Vertical	Pass
1878.780	-38.96	1.23	-13.0	-25.96	2.40	Horizontal	Vertical	Pass
1959.260	-38.55	-1.42	-13.0	-25.55	260.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.00.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8019.745	-57.10	17.83	-13.0	-44.10	172.70	Horizontal	Vertical	Pass
9840.290	-51.35	22.13	-13.0	-38.35	44.70	Horizontal	Vertical	Pass
10128.218	-50.17	23.99	-13.0	-37.17	356.80	Horizontal	Vertical	Pass
11159.960	-49.23	23.11	-13.0	-36.23	216.70	Horizontal	Vertical	Pass
12470.632	-48.20	25.46	-13.0	-35.20	33.20	Horizontal	Vertical	Pass
14186.203	-45.30	28.67	-13.0	-32.30	84.20	Horizontal	Vertical	Pass

1.4 LTE-B2-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.33.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-81.98	-14.35	-13.0	-68.98	350.00	Vertical	Vertical	Pass
238.498	-75.00	-2.93	-13.0	-62.00	137.60	Vertical	Vertical	Pass
1214.946	-55.13	1.63	-13.0	-42.13	114.70	Vertical	Vertical	Pass
1878.780	-38.84	1.23	-13.0	-25.84	3.40	Vertical	Vertical	Pass
1960.260	-36.92	-1.42	-13.0	-23.92	246.00	Vertical	Vertical	Pass
3796.801	-45.19	9.56	-13.0	-32.19	202.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_18.58.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8223.694	-56.91	18.48	-13.0	-43.91	145.20	Vertical	Vertical	Pass
9402.399	-54.34	19.96	-13.0	-41.34	194.00	Vertical	Vertical	Pass
10119.220	-50.33	24.16	-13.0	-37.33	230.10	Vertical	Vertical	Pass
11495.876	-50.36	24.59	-13.0	-37.36	314.20	Vertical	Vertical	Pass
12512.622	-46.94	25.05	-13.0	-33.94	345.10	Vertical	Vertical	Pass
14111.222	-44.59	29.10	-13.0	-31.59	358.10	Vertical	Vertical	Pass

1.5 LTE-B2-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.15.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-81.01	-11.44	-13.0	-68.01	238.20	Horizontal	Vertical	Pass
238.983	-76.22	-2.73	-13.0	-63.22	214.10	Horizontal	Vertical	Pass
855.749	-68.38	5.61	-13.0	-55.38	214.10	Horizontal	Vertical	Pass
1212.447	-55.43	1.75	-13.0	-42.43	152.00	Horizontal	Vertical	Pass
1878.780	-40.46	1.23	-13.0	-27.46	8.80	Horizontal	Vertical	Pass
1961.260	-38.62	-1.43	-13.0	-25.62	255.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.02.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8202.699	-57.36	19.19	-13.0	-44.36	358.90	Horizontal	Vertical	Pass
9405.399	-54.91	19.91	-13.0	-41.91	168.30	Horizontal	Vertical	Pass
10104.224	-50.60	24.30	-13.0	-37.60	314.20	Horizontal	Vertical	Pass
11204.949	-49.95	22.99	-13.0	-36.95	186.20	Horizontal	Vertical	Pass
11843.789	-48.38	24.95	-13.0	-35.38	329.00	Horizontal	Vertical	Pass
14093.227	-44.85	28.94	-13.0	-31.85	128.50	Horizontal	Vertical	Pass

1.6 LTE-B2-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.27.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	
239.953	-76.23	-2.33	-13.0	-63.23	188.80	Vertical	Vertical	Pass
450.390	-75.73	-1.92	-13.0	-62.73	347.60	Vertical	Vertical	Pass
855.264	-68.15	5.63	-13.0	-55.15	38.60	Vertical	Vertical	Pass
1196.951	-55.42	2.09	-13.0	-42.42	304.10	Vertical	Vertical	Pass
1879.280	-40.21	1.24	-13.0	-27.21	4.90	Vertical	Vertical	Pass
1958.260	-38.06	-1.41	-13.0	-25.06	274.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.04.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8205.699	-57.20	19.15	-13.0	-44.20	342.80	Vertical	Vertical	Pass
10113.222	-50.60	24.24	-13.0	-37.60	67.80	Vertical	Vertical	Pass
11141.965	-50.50	23.15	-13.0	-37.50	185.00	Vertical	Vertical	Pass
11849.788	-49.10	25.09	-13.0	-36.10	275.10	Vertical	Vertical	Pass
12464.634	-48.06	25.44	-13.0	-35.06	360.00	Vertical	Vertical	Pass
14165.209	-45.37	28.79	-13.0	-32.37	304.50	Vertical	Vertical	Pass

1.7 LTE-B2-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.10.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-80.92	-14.35	-13.0	-67.92	359.90	Horizontal	Vertical	Pass
238.983	-75.30	-2.73	-13.0	-62.30	156.90	Horizontal	Vertical	Pass
1197.451	-55.70	2.12	-13.0	-42.70	337.10	Horizontal	Vertical	Pass
1878.780	-41.68	1.23	-13.0	-28.68	4.30	Horizontal	Vertical	Pass
1959.260	-37.19	-1.42	-13.0	-24.19	277.20	Horizontal	Vertical	Pass
2797.551	-53.11	6.23	-13.0	-40.11	132.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.07.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8202.699	-55.64	19.19	-13.0	-42.64	198.40	Horizontal	Vertical	Pass
10137.216	-50.84	23.82	-13.0	-37.84	1.90	Horizontal	Vertical	Pass
11891.777	-48.19	25.47	-13.0	-35.19	47.00	Horizontal	Vertical	Pass
12452.637	-48.44	25.15	-13.0	-35.44	192.50	Horizontal	Vertical	Pass
14180.205	-45.74	28.71	-13.0	-32.74	92.30	Horizontal	Vertical	Pass
14906.023	-47.36	26.64	-13.0	-34.36	98.70	Horizontal	Vertical	Pass

1.8 LTE-B2-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.07.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-81.71	-14.35	-13.0	-68.71	359.40	Vertical	Vertical	Pass
239.953	-75.24	-2.33	-13.0	-62.24	145.20	Vertical	Vertical	Pass
1202.449	-55.43	2.21	-13.0	-42.43	154.80	Vertical	Vertical	Pass
1878.280	-41.66	1.22	-13.0	-28.66	10.80	Vertical	Vertical	Pass
1958.260	-36.93	-1.41	-13.0	-23.93	273.30	Vertical	Vertical	Pass
4516.621	-43.93	11.17	-13.0	-30.93	84.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.06.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.702	-56.35	19.04	-13.0	-43.35	300.00	Vertical	Vertical	Pass
10098.225	-50.56	24.26	-13.0	-37.56	135.90	Vertical	Vertical	Pass
11156.961	-50.19	23.12	-13.0	-37.19	245.70	Vertical	Vertical	Pass
12452.637	-48.20	25.15	-13.0	-35.20	196.60	Vertical	Vertical	Pass
14132.217	-44.71	28.98	-13.0	-31.71	0.10	Vertical	Vertical	Pass
14696.076	-45.73	27.97	-13.0	-32.73	138.90	Vertical	Vertical	Pass

1.9 LTE-B2-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_17.52.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-80.50	-11.00	-13.0	-67.50	131.10	Horizontal	Vertical	Pass
100.307	-81.39	-11.24	-13.0	-68.39	249.90	Horizontal	Vertical	Pass
233.892	-75.86	-4.82	-13.0	-62.86	172.30	Horizontal	Vertical	Pass
1196.951	-55.15	2.09	-13.0	-42.15	183.00	Horizontal	Vertical	Pass
1878.780	-42.41	1.23	-13.0	-29.41	10.10	Horizontal	Vertical	Pass
1960.760	-37.33	-1.43	-13.0	-24.33	276.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.09.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-56.62	18.86	-13.0	-43.62	304.90	Horizontal	Vertical	Pass
10137.216	-50.31	23.82	-13.0	-37.31	21.60	Horizontal	Vertical	Pass
11201.950	-50.08	23.03	-13.0	-37.08	57.40	Horizontal	Vertical	Pass
12482.629	-46.98	25.42	-13.0	-33.98	217.80	Horizontal	Vertical	Pass
13742.314	-46.13	27.26	-13.0	-33.13	36.50	Horizontal	Vertical	Pass
14708.073	-46.02	27.66	-13.0	-33.02	156.70	Horizontal	Vertical	Pass

1.10 LTE-B2-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_18.02.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27 FCC_PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.580	-81.20	-11.28	-13.0	-68.20	239.10	Vertical	Vertical	Pass
239.953	-75.64	-2.33	-13.0	-62.64	129.40	Vertical	Vertical	Pass
1210.947	-54.59	1.83	-13.0	-41.59	163.10	Vertical	Vertical	Pass
1879.280	-43.44	1.24	-13.0	-30.44	8.20	Vertical	Vertical	Pass
1957.261	-37.49	-1.40	-13.0	-24.49	261.30	Vertical	Vertical	Pass
5521.370	-41.08	11.82	-13.0	-28.08	358.20	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.14.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-56.51	18.86	-13.0	-43.51	259.80	Vertical	Vertical	Pass
10176.206	-50.96	23.08	-13.0	-37.96	277.70	Vertical	Vertical	Pass
11816.796	-49.20	24.32	-13.0	-36.20	259.80	Vertical	Vertical	Pass
12431.642	-48.11	24.65	-13.0	-35.11	132.90	Vertical	Vertical	Pass
14144.214	-45.10	28.91	-13.0	-32.10	155.60	Vertical	Vertical	Pass
14501.125	-45.67	26.76	-13.0	-32.67	207.70	Vertical	Vertical	Pass

1.11 LTE-B2-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_17.47.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-81.55	-11.00	-13.0	-68.55	213.70	Horizontal	Vertical	Pass
124.794	-82.98	-14.35	-13.0	-69.98	353.70	Horizontal	Vertical	Pass
240.437	-74.91	-2.43	-13.0	-61.91	278.40	Horizontal	Vertical	Pass
1199.450	-55.71	2.27	-13.0	-42.71	330.30	Horizontal	Vertical	Pass
1879.280	-42.46	1.24	-13.0	-29.46	360.00	Horizontal	Vertical	Pass
1957.261	-36.37	-1.40	-13.0	-23.37	269.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.25.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7974.756	-56.47	17.09	-13.0	-43.47	148.60	Horizontal	Vertical	Pass
10131.217	-49.95	23.93	-13.0	-36.95	325.70	Horizontal	Vertical	Pass
11126.968	-49.55	23.18	-13.0	-36.55	157.90	Horizontal	Vertical	Pass
11858.785	-48.69	25.30	-13.0	-35.69	7.90	Horizontal	Vertical	Pass
14114.221	-45.12	29.09	-13.0	-32.12	157.90	Horizontal	Vertical	Pass
14474.131	-44.96	27.22	-13.0	-31.96	360.00	Horizontal	Vertical	Pass

1.12 LTE-B2-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_17.43.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-79.88	-11.04	-13.0	-66.88	271.90	Vertical	Vertical	Pass
100.307	-81.62	-11.24	-13.0	-68.62	289.20	Vertical	Vertical	Pass
199.223	-77.38	-8.67	-13.0	-64.38	358.40	Vertical	Vertical	Pass
239.953	-75.48	-2.33	-13.0	-62.48	62.50	Vertical	Vertical	Pass
1879.280	-43.49	1.24	-13.0	-30.49	10.60	Vertical	Vertical	Pass
1960.760	-36.77	-1.43	-13.0	-23.77	272.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_19.24.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-56.83	18.86	-13.0	-43.83	1.90	Vertical	Vertical	Pass
10110.222	-50.55	24.26	-13.0	-37.55	142.90	Vertical	Vertical	Pass
11858.785	-49.04	25.30	-13.0	-36.04	189.10	Vertical	Vertical	Pass
12491.627	-48.08	25.38	-13.0	-35.08	155.60	Vertical	Vertical	Pass
14126.218	-44.45	29.02	-13.0	-31.45	307.40	Vertical	Vertical	Pass
14705.074	-45.47	27.84	-13.0	-32.47	345.00	Vertical	Vertical	Pass

2 LTE B4

2.1 LTE-B4-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.04.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-80.59	-10.45	-13.0	-67.59	116.20	Horizontal	Vertical	Pass
239.468	-75.87	-2.78	-13.0	-62.87	140.00	Horizontal	Vertical	Pass
851.385	-69.14	5.45	-13.0	-56.14	205.50	Horizontal	Vertical	Pass
1186.977	-55.81	1.34	-13.0	-42.81	63.20	Horizontal	Vertical	Pass
2131.859	-38.41	1.74	-13.0	-25.41	267.90	Horizontal	Vertical	Pass
4508.311	-33.50	11.29	-13.0	-20.50	217.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_11.03.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10117.721	-49.87	24.19	-13.0	-36.87	221.20	Horizontal	Vertical	Pass
11151.462	-50.51	23.13	-13.0	-37.51	116.90	Horizontal	Vertical	Pass
11822.294	-49.92	24.45	-13.0	-36.92	258.00	Horizontal	Vertical	Pass
12446.388	-47.93	25.00	-13.0	-34.93	75.30	Horizontal	Vertical	Pass
14148.213	-45.40	28.89	-13.0	-32.40	246.40	Horizontal	Vertical	Pass
15572.357	-49.16	22.47	-13.0	-36.16	297.80	Horizontal	Vertical	Pass

2.2 LTE-B4-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.01.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.611	-80.49	-10.38	-13.0	-67.49	252.40	Vertical	Vertical	Pass
199.950	-77.01	-8.20	-13.0	-64.01	316.40	Vertical	Vertical	Pass
847.263	-68.73	5.24	-13.0	-55.73	174.60	Vertical	Vertical	Pass
1206.224	-54.83	2.08	-13.0	-41.83	99.20	Vertical	Vertical	Pass
1741.657	-58.56	-1.03	-13.0	-45.56	358.80	Vertical	Vertical	Pass
2132.108	-38.00	1.73	-13.0	-25.00	79.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-02_20.12.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8171.207	-57.13	18.39	-13.0	-44.13	301.50	Vertical	Vertical	Pass
10131.467	-50.93	23.93	-13.0	-37.93	35.50	Vertical	Vertical	Pass
11154.211	-50.45	23.13	-13.0	-37.45	0.00	Vertical	Vertical	Pass
12512.372	-48.19	25.05	-13.0	-35.19	140.80	Vertical	Vertical	Pass
14164.709	-44.81	28.80	-13.0	-31.81	262.50	Vertical	Vertical	Pass
14695.326	-45.83	27.94	-13.0	-32.83	1.80	Vertical	Vertical	Pass

2.3 LTE-B4-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.08.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.581	-80.03	-10.53	-13.0	-67.03	14.60	Horizontal	Vertical	Pass
201.405	-77.58	-8.93	-13.0	-64.58	337.60	Horizontal	Vertical	Pass
855.021	-68.57	5.31	-13.0	-55.57	286.60	Horizontal	Vertical	Pass
1197.475	-55.27	2.08	-13.0	-42.27	75.70	Horizontal	Vertical	Pass
2132.108	-35.54	1.73	-13.0	-22.54	267.00	Horizontal	Vertical	Pass
4532.808	-33.37	10.72	-13.0	-20.37	164.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_11.07.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10117.721	-50.23	24.19	-13.0	-37.23	0.00	Horizontal	Vertical	Pass
11143.214	-49.98	23.15	-13.0	-36.98	142.20	Horizontal	Vertical	Pass
11852.537	-48.91	25.16	-13.0	-35.91	42.10	Horizontal	Vertical	Pass
12490.377	-48.09	25.39	-13.0	-35.09	84.50	Horizontal	Vertical	Pass
14101.475	-45.25	29.16	-13.0	-32.25	166.80	Horizontal	Vertical	Pass
14698.075	-45.88	28.06	-13.0	-32.88	147.80	Horizontal	Vertical	Pass

2.4 LTE-B4-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.11.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.611	-80.17	-10.38	-13.0	-67.17	126.30	Vertical	Vertical	Pass
199.223	-77.18	-8.87	-13.0	-64.18	341.00	Vertical	Vertical	Pass
240.922	-75.71	-2.82	-13.0	-62.71	13.10	Vertical	Vertical	Pass
1210.224	-55.55	1.92	-13.0	-42.55	359.50	Vertical	Vertical	Pass
1742.407	-58.77	-1.03	-13.0	-45.77	302.50	Vertical	Vertical	Pass
2132.608	-36.83	1.71	-13.0	-23.83	269.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-02_20.16.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8047.488	-56.76	18.35	-13.0	-43.76	187.30	Vertical	Vertical	Pass
10101.225	-50.63	24.32	-13.0	-37.63	207.30	Vertical	Vertical	Pass
11495.126	-49.08	24.58	-13.0	-36.08	22.80	Vertical	Vertical	Pass
12460.135	-47.83	25.33	-13.0	-34.83	79.30	Vertical	Vertical	Pass
14131.717	-44.61	28.99	-13.0	-31.61	341.00	Vertical	Vertical	Pass
14667.833	-45.61	26.76	-13.0	-32.61	135.90	Vertical	Vertical	Pass

2.5 LTE-B4-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.19.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.339	-78.98	-10.44	-13.0	-65.98	252.80	Horizontal	Vertical	Pass
239.953	-74.41	-2.59	-13.0	-61.41	125.10	Horizontal	Vertical	Pass
858.900	-68.53	5.16	-13.0	-55.53	98.30	Horizontal	Vertical	Pass
1200.975	-55.43	2.25	-13.0	-42.43	334.10	Horizontal	Vertical	Pass
1790.651	-58.50	-0.98	-13.0	-45.50	3.60	Horizontal	Vertical	Pass
2133.608	-37.03	1.68	-13.0	-24.03	268.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_11.09.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10145.214	-50.86	23.67	-13.0	-37.86	332.40	Horizontal	Vertical	Pass
10846.288	-50.72	22.63	-13.0	-37.72	154.50	Horizontal	Vertical	Pass
11871.782	-49.41	25.40	-13.0	-36.41	0.00	Horizontal	Vertical	Pass
12476.631	-47.69	25.44	-13.0	-34.69	253.80	Horizontal	Vertical	Pass
14109.723	-44.42	29.11	-13.0	-31.42	360.00	Horizontal	Vertical	Pass
15525.619	-49.07	22.70	-13.0	-36.07	44.00	Horizontal	Vertical	Pass

2.6 LTE-B4-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.14.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22824&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.642	-81.21	-10.52	-13.0	-68.21	269.10	Vertical	Vertical	Pass
239.953	-75.87	-2.59	-13.0	-62.87	143.00	Vertical	Vertical	Pass
1193.476	-56.05	1.78	-13.0	-43.05	64.90	Vertical	Vertical	Pass
1766.404	-58.48	-1.01	-13.0	-45.48	331.00	Vertical	Vertical	Pass
2132.108	-35.03	1.73	-13.0	-22.03	78.70	Vertical	Vertical	Pass
4508.811	-33.32	11.30	-13.0	-20.32	3.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-02_20.18.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8179.455	-56.75	18.62	-13.0	-43.75	52.90	Vertical	Vertical	Pass
10112.222	-50.58	24.25	-13.0	-37.58	262.40	Vertical	Vertical	Pass
11495.126	-49.25	24.58	-13.0	-36.25	100.10	Vertical	Vertical	Pass
12484.879	-47.71	25.41	-13.0	-34.71	75.20	Vertical	Vertical	Pass
14109.723	-45.38	29.11	-13.0	-32.38	301.80	Vertical	Vertical	Pass
16644.589	-49.83	22.94	-13.0	-36.83	330.10	Vertical	Vertical	Pass

2.7 LTE-B4-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.22.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22824827_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.854	-79.72	-10.34	-13.0	-66.72	322.70	Horizontal	Vertical	Pass
199.950	-76.82	-8.20	-13.0	-63.82	338.70	Horizontal	Vertical	Pass
858.173	-68.67	5.19	-13.0	-55.67	228.90	Horizontal	Vertical	Pass
1206.724	-55.28	2.06	-13.0	-42.28	30.00	Horizontal	Vertical	Pass
1735.408	-54.13	-1.04	-13.0	-41.13	223.10	Horizontal	Vertical	Pass
2133.108	-35.45	1.70	-13.0	-22.45	79.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_11.12.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10131.467	-50.86	23.93	-13.0	-37.86	121.80	Horizontal	Vertical	Pass
11156.961	-50.24	23.12	-13.0	-37.24	48.10	Horizontal	Vertical	Pass
11885.529	-49.54	25.45	-13.0	-36.54	25.40	Horizontal	Vertical	Pass
12504.124	-48.50	25.25	-13.0	-35.50	305.60	Horizontal	Vertical	Pass
14689.828	-45.40	27.70	-13.0	-32.40	73.40	Horizontal	Vertical	Pass
17007.498	-50.00	22.80	-13.0	-37.00	39.50	Horizontal	Vertical	Pass

2.8 LTE-B4-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.25.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.581	-77.96	-10.53	-13.0	-64.96	116.90	Vertical	Vertical	Pass
241.892	-75.63	-3.09	-13.0	-62.63	224.40	Vertical	Vertical	Pass
1198.475	-55.09	2.16	-13.0	-42.09	72.10	Vertical	Vertical	Pass
1702.412	-50.03	-1.07	-13.0	-37.03	176.70	Vertical	Vertical	Pass
1735.658	-54.23	-1.04	-13.0	-41.23	176.70	Vertical	Vertical	Pass
2130.359	-36.65	1.78	-13.0	-23.65	281.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-02_20.22.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9424.894	-54.71	19.59	-13.0	-41.71	359.00	Vertical	Vertical	Pass
10095.726	-50.18	24.18	-13.0	-37.18	58.50	Vertical	Vertical	Pass
11145.964	-50.01	23.14	-13.0	-37.01	145.90	Vertical	Vertical	Pass
12476.631	-48.07	25.44	-13.0	-35.07	44.70	Vertical	Vertical	Pass
14095.976	-44.67	29.03	-13.0	-31.67	129.20	Vertical	Vertical	Pass
14706.323	-46.36	27.77	-13.0	-33.36	76.00	Vertical	Vertical	Pass

2.9 LTE-B4-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.34.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Over Limit (dB)	Result (dBm)	Factor (dB)	PK Limit (dBm)		Table (o)	ANT	EUT	Verdict
114.854	-81.03	-10.34	-13.0	-68.03	92.00	Horizontal	Vertical	Pass
200.192	-77.07	-8.26	-13.0	-64.07	319.00	Horizontal	Vertical	Pass
449.178	-75.11	-2.31	-13.0	-62.11	95.00	Horizontal	Vertical	Pass
1197.975	-55.49	2.12	-13.0	-42.49	293.10	Horizontal	Vertical	Pass
1701.662	-43.28	-1.09	-13.0	-30.28	189.30	Horizontal	Vertical	Pass
2131.859	-36.01	1.74	-13.0	-23.01	80.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_11.29.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10128.718	-50.45	23.98	-13.0	-37.45	118.40	Horizontal	Vertical	Pass
11126.718	-50.17	23.18	-13.0	-37.17	248.30	Horizontal	Vertical	Pass
11874.531	-49.26	25.41	-13.0	-36.26	60.70	Horizontal	Vertical	Pass
12493.127	-48.48	25.38	-13.0	-35.48	124.00	Horizontal	Vertical	Pass
14093.227	-45.36	28.94	-13.0	-32.36	188.00	Horizontal	Vertical	Pass
16603.349	-49.76	23.12	-13.0	-36.76	13.80	Horizontal	Vertical	Pass

2.10 LTE-B4-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.31.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22824827_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-80.00	-10.45	-13.0	-67.00	228.90	Vertical	Vertical	Pass
243.104	-76.44	-3.42	-13.0	-63.44	130.70	Vertical	Vertical	Pass
1199.975	-54.55	2.28	-13.0	-41.55	141.70	Vertical	Vertical	Pass
1701.912	-44.99	-1.08	-13.0	-31.99	194.20	Vertical	Vertical	Pass
1735.408	-55.21	-1.04	-13.0	-42.21	183.00	Vertical	Vertical	Pass
2136.108	-35.85	1.60	-13.0	-22.85	279.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_10.15.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-56.90	19.02	-13.0	-43.90	79.70	Vertical	Vertical	Pass
10134.216	-50.47	23.88	-13.0	-37.47	63.00	Vertical	Vertical	Pass
11492.377	-49.32	24.53	-13.0	-36.32	141.50	Vertical	Vertical	Pass
12484.879	-47.55	25.41	-13.0	-34.55	224.50	Vertical	Vertical	Pass
14128.968	-44.79	29.00	-13.0	-31.79	4.00	Vertical	Vertical	Pass
14475.381	-45.87	27.20	-13.0	-32.87	51.80	Vertical	Vertical	Pass

2.11 LTE-B4-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.38.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22824&27_FCC_PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.677	-76.89	-8.53	-13.0	-63.89	326.10	Horizontal	Vertical	Pass
847.263	-68.64	5.24	-13.0	-55.64	244.60	Horizontal	Vertical	Pass
1199.975	-54.69	2.28	-13.0	-41.69	334.90	Horizontal	Vertical	Pass
1702.412	-43.92	-1.07	-13.0	-30.92	193.40	Horizontal	Vertical	Pass
1792.651	-54.01	-0.98	-13.0	-41.01	239.20	Horizontal	Vertical	Pass
2129.859	-36.24	1.80	-13.0	-23.24	82.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_11.31.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10106.723	-50.92	24.28	-13.0	-37.92	338.70	Horizontal	Vertical	Pass
11178.955	-50.18	23.08	-13.0	-37.18	316.70	Horizontal	Vertical	Pass
11899.275	-48.89	25.50	-13.0	-35.89	184.60	Horizontal	Vertical	Pass
12517.871	-48.29	24.92	-13.0	-35.29	100.60	Horizontal	Vertical	Pass
14181.205	-45.23	28.70	-13.0	-32.23	242.30	Horizontal	Vertical	Pass
15509.123	-49.89	22.88	-13.0	-36.89	181.70	Horizontal	Vertical	Pass

2.12 LTE-B4-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.41.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT		Verdict
200.677	-77.98	-8.53	-13.0	-64.98	321.20	Vertical	Vertical	Pass
863.022	-68.31	4.83	-13.0	-55.31	119.20	Vertical	Vertical	Pass
1194.976	-55.41	1.89	-13.0	-42.41	127.90	Vertical	Vertical	Pass
1700.912	-41.65	-1.16	-13.0	-28.65	187.80	Vertical	Vertical	Pass
1792.151	-52.73	-0.98	-13.0	-39.73	193.40	Vertical	Vertical	Pass
2125.609	-35.77	1.87	-13.0	-22.77	78.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_10.12.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10112.222	-50.59	24.25	-13.0	-37.59	33.90	Vertical	Vertical	Pass
11121.220	-50.54	23.19	-13.0	-37.54	350.20	Vertical	Vertical	Pass
11880.030	-48.98	25.43	-13.0	-35.98	278.40	Vertical	Vertical	Pass
12457.386	-48.52	25.27	-13.0	-35.52	278.40	Vertical	Vertical	Pass
14156.461	-45.55	28.84	-13.0	-32.55	236.30	Vertical	Vertical	Pass
15481.630	-49.38	21.66	-13.0	-36.38	121.00	Vertical	Vertical	Pass

3 LTE B5

3.1 LTE-B5-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.49.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.945	-79.78	-10.51	-13.0	-66.78	74.50	Horizontal	Vertical	Pass
198.980	-75.54	-8.79	-13.0	-62.54	337.60	Horizontal	Vertical	Pass
836.111	-64.09	7.49	-13.0	-51.09	49.90	Horizontal	Vertical	Pass
880.962	-51.56	3.32	-13.0	-38.56	74.50	Horizontal	Vertical	Pass
2509.623	-45.85	3.26	-13.0	-32.85	76.60	Horizontal	Vertical	Pass
6969.008	-27.75	13.94	-13.0	-14.75	217.90	Horizontal	Vertical	Pass

3.2 LTE-B5-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.45.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
127.218	-79.33	-14.71	-13.0	-66.33	254.60	Vertical	Vertical	Pass
240.922	-76.16	-2.47	-13.0	-63.16	144.50	Vertical	Vertical	Pass
835.869	-64.76	7.43	-13.0	-51.76	53.30	Vertical	Vertical	Pass
881.447	-50.22	3.27	-13.0	-37.22	79.30	Vertical	Vertical	Pass
2508.623	-44.91	3.32	-13.0	-31.91	78.50	Vertical	Vertical	Pass
4515.621	-33.31	11.19	-13.0	-20.31	252.20	Vertical	Vertical	Pass

3.3 LTE-B5-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_19.57.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-79.39	-10.19	-13.0	-66.39	231.20	Horizontal	Vertical	Pass
241.892	-76.24	-2.74	-13.0	-63.24	137.40	Horizontal	Vertical	Pass
837.323	-64.20	7.80	-13.0	-51.20	64.80	Horizontal	Vertical	Pass
881.690	-49.90	3.24	-13.0	-36.90	75.60	Horizontal	Vertical	Pass
2508.623	-51.71	3.32	-13.0	-38.71	75.10	Horizontal	Vertical	Pass
6991.002	-27.10	14.31	-13.0	-14.10	78.40	Horizontal	Vertical	Pass

3.4 LTE-B5-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_20.02.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.611	-79.59	-10.11	-13.0	-66.59	83.10	Vertical	Vertical	Pass
239.710	-76.27	-2.33	-13.0	-63.27	307.50	Vertical	Vertical	Pass
852.354	-65.19	9.74	-13.0	-52.19	359.30	Vertical	Vertical	Pass
880.720	-50.37	3.35	-13.0	-37.37	61.10	Vertical	Vertical	Pass
2510.122	-49.28	3.24	-13.0	-36.28	79.60	Vertical	Vertical	Pass
6998.000	-26.40	14.52	-13.0	-13.40	359.30	Vertical	Vertical	Pass

3.5 LTE-B5-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.23.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27 FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.157	-74.56	-10.33	-13.0	-61.56	274.30	Horizontal	Vertical	Pass
236.801	-70.86	-3.52	-13.0	-57.86	170.50	Horizontal	Vertical	Pass
838.293	-45.19	8.05	-13.0	-32.19	39.90	Horizontal	Vertical	Pass
879.508	-44.99	3.51	-13.0	-31.99	74.50	Horizontal	Vertical	Pass
2773.557	-48.43	5.45	-13.0	-35.43	139.40	Horizontal	Vertical	Pass
6973.007	-27.19	14.00	-13.0	-14.19	192.60	Horizontal	Vertical	Pass

3.6 LTE-B5-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-02_20.10.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27 FCC_PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



-75.53	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.339	-79.93	-10.17	-13.0	-66.93	170.50	Vertical	Vertical	Pass
239.953		-2.23	-13.0	-62.53	133.60	Vertical	Vertical	Pass
834.171	-60.45	7.00	-13.0	-47.45	50.60	Vertical	Vertical	Pass
881.932	-49.95	3.22	-13.0	-36.95	79.30	Vertical	Vertical	Pass
2508.623	-50.58	3.32	-13.0	-37.58	52.00	Vertical	Vertical	Pass
6992.002	-27.06	14.34	-13.0	-14.06	150.20	Vertical	Vertical	Pass

3.7 LTE-B5-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.26.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27 FCC_PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.854	-75.91	-10.08	-13.0	-62.91	155.60	Horizontal	Vertical	Pass
200.435	-74.28	-8.09	-13.0	-61.28	332.00	Horizontal	Vertical	Pass
838.293	-46.89	8.05	-13.0	-33.89	58.50	Horizontal	Vertical	Pass
877.326	-45.26	3.86	-13.0	-32.26	58.50	Horizontal	Vertical	Pass
1214.946	-50.85	1.60	-13.0	-37.85	211.30	Horizontal	Vertical	Pass
6985.004	-26.78	14.19	-13.0	-13.78	239.10	Horizontal	Vertical	Pass

3.8 LTE-B5-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.30.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-76.96	-10.19	-13.0	-63.96	12.70	Vertical	Vertical	Pass
239.953	-73.60	-2.23	-13.0	-60.60	148.90	Vertical	Vertical	Pass
838.293	-49.39	8.05	-13.0	-36.39	57.80	Vertical	Vertical	Pass
883.629	-45.52	3.03	-13.0	-32.52	74.10	Vertical	Vertical	Pass
1204.949	-52.06	2.11	-13.0	-39.06	74.70	Vertical	Vertical	Pass
6985.004	-26.84	14.19	-13.0	-13.84	125.60	Vertical	Vertical	Pass

4 LTE B7

4.1 LTE-B7-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.40.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_2535_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.854	-77.86	-9.64	-25.0	-52.86	316.80	Horizontal	Vertical	Pass
241.165	-73.83	-1.82	-25.0	-48.83	276.60	Horizontal	Vertical	Pass
853.567	-66.96	7.37	-25.0	-41.96	107.30	Horizontal	Vertical	Pass
1205.449	-51.03	3.68	-25.0	-26.03	36.40	Horizontal	Vertical	Pass
2502.124	-45.31	9.01	-25.0	-20.31	25.30	Horizontal	Vertical	Pass
2799.050	-46.93	9.13	-25.0	-21.93	194.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.31.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8190.702	-56.83	18.95	-13.0	-43.83	260.20	Horizontal	Vertical	Pass
10146.213	-50.45	23.65	-13.0	-37.45	143.30	Horizontal	Vertical	Pass
11144.964	-50.00	23.14	-13.0	-37.00	260.20	Horizontal	Vertical	Pass
12473.632	-48.35	25.45	-13.0	-35.35	357.50	Horizontal	Vertical	Pass
14111.222	-44.03	29.10	-13.0	-31.03	346.50	Horizontal	Vertical	Pass
14696.076	-44.83	27.97	-13.0	-31.83	231.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_21.05.06

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19825.794	-20.49	22.39	-13.0	-7.49	355.10	Horizontal	Vertical	Pass
20187.703	-20.81	22.60	-13.0	-7.81	111.70	Horizontal	Vertical	Pass
22553.112	-20.83	23.98	-13.0	-7.83	30.20	Horizontal	Vertical	Pass
23176.956	-20.00	24.34	-13.0	-7.00	96.10	Horizontal	Vertical	Pass
24548.613	-18.75	25.14	-13.0	-5.75	130.30	Horizontal	Vertical	Pass
25868.283	-19.31	25.91	-13.0	-6.31	280.60	Horizontal	Vertical	Pass

4.2 LTE-B7-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.37.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22824&27_FCC_PART 27_2535_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.581	-77.81	-9.82	-25.0	-52.81	141.90	Vertical	Vertical	Pass
239.953	-73.45	-1.54	-25.0	-48.45	152.30	Vertical	Vertical	Pass
844.596	-66.88	6.89	-25.0	-41.88	31.00	Vertical	Vertical	Pass
1196.951	-51.13	3.64	-25.0	-26.13	21.00	Vertical	Vertical	Pass
2536.616	-44.50	8.28	-25.0	-19.50	185.90	Vertical	Vertical	Pass
2648.088	-46.66	7.38	-25.0	-21.66	79.40	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.36.11

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-56.96	18.86	-13.0	-43.96	0.00	Vertical	Vertical	Pass
10113.222	-49.79	24.24	-13.0	-36.79	61.10	Vertical	Vertical	Pass
11474.881	-50.07	24.21	-13.0	-37.07	291.30	Vertical	Vertical	Pass
12491.627	-47.86	25.38	-13.0	-34.86	17.60	Vertical	Vertical	Pass
14135.216	-45.64	28.97	-13.0	-32.64	138.40	Vertical	Vertical	Pass
14690.077	-46.39	27.71	-13.0	-33.39	73.40	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_21.03.43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19861.785	-20.05	22.41	-13.0	-7.05	69.60	Vertical	Vertical	Pass
20215.696	-20.91	22.62	-13.0	-7.91	110.50	Vertical	Vertical	Pass
21503.374	-21.65	23.37	-13.0	-8.65	56.90	Vertical	Vertical	Pass
22549.113	-20.65	23.98	-13.0	-7.65	110.50	Vertical	Vertical	Pass
23178.955	-20.01	24.34	-13.0	-7.01	228.90	Vertical	Vertical	Pass
24512.622	-18.87	25.12	-13.0	-5.87	20.10	Vertical	Vertical	Pass

4.3 LTE-B7-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.43.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22824&27 FCC PART 27_2535_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.192	-74.11	-7.24	-25.0	-49.11	327.50	Horizontal	Vertical	Pass
239.953	-73.96	-1.54	-25.0	-48.96	179.80	Horizontal	Vertical	Pass
1188.953	-50.26	3.26	-25.0	-25.26	117.00	Horizontal	Vertical	Pass
2436.641	-39.17	5.57	-25.0	-14.17	318.80	Horizontal	Vertical	Pass
2538.115	-40.93	8.25	-25.0	-15.93	210.80	Horizontal	Vertical	Pass
5821.295	-40.57	12.58	-25.0	-15.57	103.70	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.40.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8217.696	-56.97	18.72	-13.0	-43.97	275.40	Horizontal	Vertical	Pass
10110.222	-50.49	24.26	-13.0	-37.49	311.90	Horizontal	Vertical	Pass
11867.783	-49.58	25.38	-13.0	-36.58	317.80	Horizontal	Vertical	Pass
12464.634	-48.21	25.44	-13.0	-35.21	152.60	Horizontal	Vertical	Pass
14114.221	-45.46	29.09	-13.0	-32.46	90.90	Horizontal	Vertical	Pass
16966.508	-49.83	22.63	-13.0	-36.83	171.20	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.59.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19817.796	-19.97	22.39	-13.0	-6.97	14.90	Horizontal	Vertical	Pass
20251.687	-20.85	22.64	-13.0	-7.85	348.40	Horizontal	Vertical	Pass
21547.363	-22.01	23.39	-13.0	-9.01	227.40	Horizontal	Vertical	Pass
22605.099	-20.70	24.01	-13.0	-7.70	145.60	Horizontal	Vertical	Pass
23150.962	-19.93	24.33	-13.0	-6.93	179.80	Horizontal	Vertical	Pass
24528.618	-19.58	25.13	-13.0	-6.58	342.10	Horizontal	Vertical	Pass

4.4 LTE-B7-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.46.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27 2535 LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.096	-77.22	-9.65	-25.0	-52.22	239.00	Vertical	Vertical	Pass
239.953	-74.07	-1.54	-25.0	-49.07	155.30	Vertical	Vertical	Pass
1208.948	-50.77	3.54	-25.0	-25.77	306.20	Vertical	Vertical	Pass
2539.115	-41.61	8.23	-25.0	-16.61	189.00	Vertical	Vertical	Pass
2678.080	-46.86	7.64	-25.0	-21.86	111.60	Vertical	Vertical	Pass
5130.467	-42.70	11.39	-25.0	-17.70	259.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.37.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8190.702	-56.34	18.95	-13.0	-43.34	198.80	Vertical	Vertical	Pass
10128.218	-50.03	23.99	-13.0	-37.03	22.40	Vertical	Vertical	Pass
11183.954	-50.06	23.07	-13.0	-37.06	1.90	Vertical	Vertical	Pass
12473.632	-47.99	25.45	-13.0	-34.99	68.20	Vertical	Vertical	Pass
14165.209	-45.29	28.79	-13.0	-32.29	214.10	Vertical	Vertical	Pass
16678.580	-50.04	22.62	-13.0	-37.04	248.30	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_21.01.24

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19873.782	-19.54	22.42	-13.0	-6.54	0.20	Vertical	Vertical	Pass
21411.397	-21.93	23.31	-13.0	-8.93	145.90	Vertical	Vertical	Pass
22201.200	-21.53	23.77	-13.0	-8.53	143.00	Vertical	Vertical	Pass
23142.964	-20.55	24.32	-13.0	-7.55	263.90	Vertical	Vertical	Pass
24464.634	-18.84	25.09	-13.0	-5.84	313.70	Vertical	Vertical	Pass
24816.546	-18.96	25.30	-13.0	-5.96	214.40	Vertical	Vertical	Pass

4.5 LTE-B7-15-MCH-H-TX

Test result

Project Number: 1744444

Test Time: 2021-03-03_10.04.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_2535_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-78.64	-10.79	-25.0	-53.64	282.50	Horizontal	Vertical	Pass
114.611	-77.49	-9.67	-25.0	-52.49	293.30	Horizontal	Vertical	Pass
237.043	-74.29	-2.70	-25.0	-49.29	140.40	Horizontal	Vertical	Pass
1184.954	-50.62	3.09	-25.0	-25.62	6.10	Horizontal	Vertical	Pass
2490.127	-41.23	9.05	-25.0	-16.23	2.10	Horizontal	Vertical	Pass
2540.615	-40.06	8.20	-25.0	-15.06	211.00	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.41.33

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7989.753	-57.21	17.29	-13.0	-44.21	185.80	Horizontal	Vertical	Pass
10110.222	-50.51	24.26	-13.0	-37.51	359.50	Horizontal	Vertical	Pass
11870.782	-49.25	25.39	-13.0	-36.25	243.80	Horizontal	Vertical	Pass
12470.632	-47.89	25.46	-13.0	-34.89	271.70	Horizontal	Vertical	Pass
14129.218	-44.85	29.00	-13.0	-31.85	170.50	Horizontal	Vertical	Pass
14699.075	-45.71	28.10	-13.0	-32.71	10.50	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.57.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
20209.698	-19.85	22.61	-13.0	-6.85	111.70	Horizontal	Vertical	Pass
20835.541	-22.21	22.98	-13.0	-9.21	287.30	Horizontal	Vertical	Pass
22181.205	-21.72	23.76	-13.0	-8.72	80.80	Horizontal	Vertical	Pass
23136.966	-19.87	24.32	-13.0	-6.87	216.60	Horizontal	Vertical	Pass
24500.625	-19.20	25.11	-13.0	-6.20	241.50	Horizontal	Vertical	Pass
26520.120	-17.95	26.29	-13.0	-4.95	287.30	Horizontal	Vertical	Pass

4.6 LTE-B7-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_09.58.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_2535_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-78.53	-10.76	-25.0	-53.53	269.10	Vertical	Vertical	Pass
116.066	-77.58	-9.99	-25.0	-52.58	282.50	Vertical	Vertical	Pass
239.953	-74.71	-1.54	-25.0	-49.71	135.20	Vertical	Vertical	Pass
855.264	-67.07	7.31	-25.0	-42.07	186.10	Vertical	Vertical	Pass
2489.628	-42.94	8.48	-25.0	-17.94	74.40	Vertical	Vertical	Pass
2540.615	-39.80	8.20	-25.0	-14.80	210.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.43.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8151.712	-57.46	17.82	-13.0	-44.46	262.00	Vertical	Vertical	Pass
10152.212	-50.44	23.54	-13.0	-37.44	65.20	Vertical	Vertical	Pass
11879.780	-48.64	25.43	-13.0	-35.64	360.00	Vertical	Vertical	Pass
12506.623	-47.70	25.19	-13.0	-34.70	143.70	Vertical	Vertical	Pass
14162.209	-44.56	28.81	-13.0	-31.56	187.60	Vertical	Vertical	Pass
14699.075	-45.19	28.10	-13.0	-32.19	38.80	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.55.08

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19861.785	-20.20	22.41	-13.0	-7.20	169.00	Vertical	Vertical	Pass
21153.462	-22.34	23.16	-13.0	-9.34	265.40	Vertical	Vertical	Pass
23146.963	-20.04	24.33	-13.0	-7.04	206.20	Vertical	Vertical	Pass
24486.628	-18.87	25.11	-13.0	-5.87	333.10	Vertical	Vertical	Pass
25098.475	-19.34	25.46	-13.0	-6.34	277.70	Vertical	Vertical	Pass
25846.288	-18.70	25.90	-13.0	-5.70	61.10	Vertical	Vertical	Pass

4.7 LTE-B7-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.10.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_2535_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-79.04	-10.79	-25.0	-54.04	192.80	Horizontal	Vertical	Pass
114.854	-76.89	-9.64	-25.0	-51.89	263.20	Horizontal	Vertical	Pass
199.465	-75.27	-7.63	-25.0	-50.27	323.80	Horizontal	Vertical	Pass
845.566	-66.12	7.00	-25.0	-41.12	50.70	Horizontal	Vertical	Pass
2542.114	-42.78	8.17	-25.0	-17.78	360.70	Horizontal	Vertical	Pass
2630.592	-47.19	7.23	-25.0	-22.19	328.80	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.48.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8199.700	-57.28	19.21	-13.0	-44.28	157.10	Horizontal	Vertical	Pass
10155.211	-50.64	23.48	-13.0	-37.64	264.60	Horizontal	Vertical	Pass
11201.950	-49.80	23.03	-13.0	-36.80	347.60	Horizontal	Vertical	Pass
12497.626	-48.04	25.36	-13.0	-35.04	45.50	Horizontal	Vertical	Pass
13787.303	-45.53	26.48	-13.0	-32.53	207.00	Horizontal	Vertical	Pass
14450.137	-45.64	27.14	-13.0	-32.64	2.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.50.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19861.785	-20.12	22.41	-13.0	-7.12	359.80	Horizontal	Vertical	Pass
20241.690	-20.58	22.63	-13.0	-7.58	250.10	Horizontal	Vertical	Pass
21489.378	-21.93	23.36	-13.0	-8.93	48.80	Horizontal	Vertical	Pass
22527.118	-20.66	23.96	-13.0	-7.66	163.10	Horizontal	Vertical	Pass
23152.962	-20.07	24.33	-13.0	-7.07	212.90	Horizontal	Vertical	Pass
24436.641	-18.77	25.08	-13.0	-5.77	163.10	Horizontal	Vertical	Pass

4.8 LTE-B7-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.14.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_2535_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-79.27	-10.76	-25.0	-54.27	241.90	Vertical	Vertical	Pass
115.096	-78.00	-9.65	-25.0	-53.00	106.10	Vertical	Vertical	Pass
239.953	-73.18	-1.54	-25.0	-48.18	225.20	Vertical	Vertical	Pass
657.191	-70.60	2.25	-25.0	-45.60	51.80	Vertical	Vertical	Pass
2541.115	-40.08	8.19	-25.0	-15.08	199.30	Vertical	Vertical	Pass
2630.592	-47.26	7.23	-25.0	-22.26	199.30	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.46.19

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.702	-56.33	19.04	-13.0	-43.33	315.30	Vertical	Vertical	Pass
10104.224	-50.77	24.30	-13.0	-37.77	7.90	Vertical	Vertical	Pass
11810.797	-49.32	24.18	-13.0	-36.32	277.70	Vertical	Vertical	Pass
12482.629	-48.22	25.42	-13.0	-35.22	195.80	Vertical	Vertical	Pass
14105.224	-44.95	29.14	-13.0	-31.95	183.50	Vertical	Vertical	Pass
14486.128	-45.67	27.02	-13.0	-32.67	330.90	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-03_20.52.46

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19813.797	-20.06	22.38	-13.0	-7.06	332.30	Vertical	Vertical	Pass
21467.383	-21.55	23.35	-13.0	-8.55	98.60	Vertical	Vertical	Pass
22495.126	-20.70	23.95	-13.0	-7.70	301.40	Vertical	Vertical	Pass
23144.964	-20.16	24.32	-13.0	-7.16	98.60	Vertical	Vertical	Pass
24436.641	-19.10	25.08	-13.0	-6.10	193.90	Vertical	Vertical	Pass
25782.304	-18.25	25.86	-13.0	-5.25	240.70	Vertical	Vertical	Pass

5 LTE B12

5.1 LTE-B12-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_11.20.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.456	-76.95	-11.13	-13.0	-63.95	31.30	Horizontal	Vertical	Pass
240.437	-74.72	-2.33	-13.0	-61.72	152.60	Horizontal	Vertical	Pass
707.376	0.61	-0.74	-13.0	13.61	143.30	Horizontal	Vertical	N.A
1413.897	-24.07	-2.19	-13.0	-11.07	281.90	Horizontal	Vertical	Pass
2123.219	-17.32	1.81	-13.0	-4.32	31.10	Horizontal	Vertical	Pass
2830.042	-21.84	5.69	-13.0	-8.84	34.40	Horizontal	Vertical	Pass

5.2 LTE-B12-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_11.17.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.790	-78.78	-14.33	-13.0	-65.78	172.50	Vertical	Vertical	Pass
239.468	-73.75	-2.43	-13.0	-60.75	222.00	Vertical	Vertical	Pass
707.376	0.63	-0.74	-13.0	13.63	0.50	Vertical	Vertical	N.A
1413.397	-24.06	-2.18	-13.0	-11.06	64.20	Vertical	Vertical	Pass
2122.719	-17.39	1.83	-13.0	-4.39	27.70	Vertical	Vertical	Pass
2829.543	-21.14	5.69	-13.0	-8.14	34.10	Vertical	Vertical	Pass

5.3 LTE-B12-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.43.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-79.63	-11.02	-13.0	-66.63	203.20	Horizontal	Vertical	Pass
199.950	-73.55	-7.90	-13.0	-60.55	83.00	Horizontal	Vertical	Pass
707.618	-0.40	-0.73	-13.0	12.60	359.10	Horizontal	Vertical	N.A
1413.397	-24.06	-2.18	-13.0	-11.06	27.70	Horizontal	Vertical	Pass
2124.219	-16.80	1.79	-13.0	-3.80	55.60	Horizontal	Vertical	Pass
2829.543	-19.34	5.69	-13.0	-6.34	60.90	Horizontal	Vertical	Pass

5.4 LTE-B12-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.39.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.062	-79.61	-14.19	-13.0	-66.61	298.00	Vertical	Vertical	Pass
200.192	-73.84	-7.96	-13.0	-60.84	69.30	Vertical	Vertical	Pass
708.103	-2.17	-0.71	-13.0	10.83	12.00	Vertical	Vertical	N.A
1412.897	-24.05	-2.18	-13.0	-11.05	20.30	Vertical	Vertical	Pass
2124.219	-16.90	1.79	-13.0	-3.90	54.90	Vertical	Vertical	Pass
2830.042	-19.28	5.69	-13.0	-6.28	63.10	Vertical	Vertical	Pass

5.5 LTE-B12-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.31.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.368	-78.27	-11.49	-13.0	-65.27	138.10	Horizontal	Vertical	Pass
707.861	-2.70	-0.72	-13.0	10.30	14.20	Horizontal	Vertical	N.A
1414.896	-24.08	-2.21	-13.0	-11.08	55.30	Horizontal	Vertical	Pass
2125.719	-17.11	1.76	-13.0	-4.11	55.30	Horizontal	Vertical	Pass
2829.543	-21.93	5.69	-13.0	-8.93	60.50	Horizontal	Vertical	Pass
6960.010	-39.06	13.80	-13.0	-26.06	198.70	Horizontal	Vertical	Pass

5.6 LTE-B12-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.35.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-77.66	-10.99	-13.0	-64.66	302.50	Vertical	Vertical	Pass
199.950	-72.76	-7.90	-13.0	-59.76	82.70	Vertical	Vertical	Pass
708.345	-3.67	-0.70	-13.0	9.33	6.80	Vertical	Vertical	N.A
1414.896	-24.19	-2.21	-13.0	-11.19	87.70	Vertical	Vertical	Pass
2122.219	-19.08	1.84	-13.0	-6.08	76.50	Vertical	Vertical	Pass
2834.541	-22.15	5.66	-13.0	-9.15	63.90	Vertical	Vertical	Pass

5.7 LTE-B12-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.27.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-79.87	-11.02	-13.0	-66.87	0.20	Horizontal	Vertical	Pass
198.980	-73.11	-8.79	-13.0	-60.11	47.30	Horizontal	Vertical	Pass
707.376	-5.35	-0.74	-13.0	7.65	93.40	Horizontal	Vertical	N.A
1414.896	-24.18	-2.21	-13.0	-11.18	41.50	Horizontal	Vertical	Pass
2122.719	-18.73	1.83	-13.0	-5.73	44.10	Horizontal	Vertical	Pass
2830.042	-24.59	5.69	-13.0	-11.59	66.00	Horizontal	Vertical	Pass

5.8 LTE-B12-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_10.18.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-77.65	-14.25	-13.0	-64.65	9.00	Vertical	Vertical	Pass
708.103	-6.65	-0.71	-13.0	6.35	295.60	Vertical	Vertical	N.A
821.080	-32.76	4.21	-13.0	-19.76	44.40	Vertical	Vertical	Pass
1417.396	-24.17	-2.25	-13.0	-11.17	85.90	Vertical	Vertical	Pass
2129.218	-19.42	1.68	-13.0	-6.42	75.50	Vertical	Vertical	Pass
2829.543	-23.47	5.69	-13.0	-10.47	66.90	Vertical	Vertical	Pass

6 LTE B13

6.1 LTE-B13-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_11.25.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-79.55	-10.99	-13.0	-66.55	337.20	Horizontal	Vertical	Pass
239.953	-74.82	-2.23	-13.0	-61.82	87.90	Horizontal	Vertical	Pass
780.350	-4.32	-0.00	-13.0	8.68	144.80	Horizontal	Vertical	N/A
1565.859	-22.66	-1.55	-13.0	-9.66	321.00	Horizontal	Vertical	Pass
2349.163	-16.14	1.59	-13.0	-3.14	30.00	Horizontal	Vertical	Pass
5222.444	-28.31	10.45	-13.0	-15.31	234.30	Horizontal	Vertical	Pass

6.2 LTE-B13-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_11.28.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-78.38	-10.99	-13.0	-65.38	170.80	Vertical	Vertical	Pass
240.195	-74.64	-2.26	-13.0	-61.64	5.10	Vertical	Vertical	Pass
783.259	-4.27	0.06	-13.0	8.73	55.10	Vertical	Vertical	N.A
1566.358	-22.70	-1.54	-13.0	-9.70	294.90	Vertical	Vertical	Pass
2345.664	-20.54	1.48	-13.0	-7.54	355.70	Vertical	Vertical	Pass
6992.002	-39.21	14.34	-13.0	-26.21	44.20	Vertical	Vertical	Pass

6.3 LTE-B13-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_11.35.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-78.31	-10.99	-13.0	-65.31	358.50	Horizontal	Vertical	Pass
238.255	-74.28	-2.93	-13.0	-61.28	65.20	Horizontal	Vertical	Pass
785.441	-6.19	0.12	-13.0	6.81	45.10	Horizontal	Vertical	N/A
1568.358	-22.63	-1.51	-13.0	-9.63	360.00	Horizontal	Vertical	Pass
2352.162	-16.74	1.67	-13.0	-3.74	36.70	Horizontal	Vertical	Pass
6954.011	-39.36	13.70	-13.0	-26.36	30.10	Horizontal	Vertical	Pass

6.4 LTE-B13-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-03_11.32.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC FCC PART228&248&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.790	-78.13	-14.33	-13.0	-65.13	359.20	Vertical	Vertical	Pass
240.680	-74.60	-2.40	-13.0	-61.60	93.50	Vertical	Vertical	Pass
785.684	-7.05	0.12	-13.0	5.95	257.20	Vertical	Vertical	N.A
1563.859	-22.76	-1.59	-13.0	-9.76	4.40	Vertical	Vertical	Pass
2339.165	-17.81	1.29	-13.0	-4.81	54.60	Vertical	Vertical	Pass

7 LTE B17

7.1 LTE-B17-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.29.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART2&24&27_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-80.57	-18.90	-13.0	-67.57	160.80	Horizontal	Vertical	Pass
710.770	-4.93	-0.62	-13.0	8.07	142.60	Horizontal	Vertical	N.A
739.863	-40.04	0.20	-13.0	-27.04	319.40	Horizontal	Vertical	Pass
1419.895	-24.11	-2.25	-13.0	-11.11	152.50	Horizontal	Vertical	Pass
2126.218	-22.61	1.75	-13.0	-9.61	155.50	Horizontal	Vertical	Pass
2834.541	-33.08	5.66	-13.0	-20.08	163.30	Horizontal	Vertical	Pass

7.2 LTE-B17-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.26.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-79.97	-18.90	-13.0	-66.97	184.30	Vertical	Vertical	Pass
711.012	-5.59	-0.62	-13.0	7.41	184.30	Vertical	Vertical	N.A
741.802	-40.17	0.17	-13.0	-27.17	343.50	Vertical	Vertical	Pass
1419.895	-24.10	-2.25	-13.0	-11.10	141.30	Vertical	Vertical	Pass
2125.719	-23.32	1.76	-13.0	-10.32	153.20	Vertical	Vertical	Pass
2834.541	-34.81	5.66	-13.0	-21.81	156.10	Vertical	Vertical	Pass

7.3 LTE-B17-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.19.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-77.63	-11.42	-13.0	-64.63	243.40	Horizontal	Vertical	Pass
709.315	-7.81	-0.67	-13.0	5.19	163.40	Horizontal	Vertical	N.A
737.923	-39.44	0.13	-13.0	-26.44	359.00	Horizontal	Vertical	Pass
1419.895	-24.86	-2.25	-13.0	-11.86	167.30	Horizontal	Vertical	Pass
2122.719	-26.02	1.83	-13.0	-13.02	146.40	Horizontal	Vertical	Pass
2840.040	-36.22	5.62	-13.0	-23.22	146.40	Horizontal	Vertical	Pass

7.4 LTE-B17-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.23.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-80.62	-18.90	-13.0	-67.62	359.50	Vertical	Vertical	Pass
709.073	-7.77	-0.67	-13.0	5.23	151.90	Vertical	Vertical	N.A
741.560	-40.81	0.17	-13.0	-27.81	300.40	Vertical	Vertical	Pass
1419.395	-24.77	-2.25	-13.0	-11.77	144.70	Vertical	Vertical	Pass
2123.219	-23.15	1.81	-13.0	-10.15	150.70	Vertical	Vertical	Pass
2839.540	-34.64	5.62	-13.0	-21.64	159.60	Vertical	Vertical	Pass

8 LTE B25

8.1 LTE-B25-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.34.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-80.00	-19.01	-13.0	-67.00	252.30	Horizontal	Vertical	Pass
101.762	-77.51	-11.44	-13.0	-64.51	13.10	Horizontal	Vertical	Pass
239.225	-74.41	-2.63	-13.0	-61.41	220.00	Horizontal	Vertical	Pass
663.494	-70.53	0.87	-13.0	-57.53	217.00	Horizontal	Vertical	Pass
1882.279	-45.81	1.30	-13.0	-32.81	283.40	Horizontal	Vertical	Pass
1962.759	-37.47	-1.44	-13.0	-24.47	250.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.24.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7791.802	-58.51	16.64	-13.0	-45.51	183.20	Horizontal	Vertical	Pass
9381.405	-55.71	19.61	-13.0	-42.71	319.00	Horizontal	Vertical	Pass
10140.215	-50.71	23.76	-13.0	-37.71	271.00	Horizontal	Vertical	Pass
11498.875	-50.53	24.65	-13.0	-37.53	111.70	Horizontal	Vertical	Pass
12443.639	-47.31	24.94	-13.0	-34.31	62.20	Horizontal	Vertical	Pass
14150.212	-45.22	28.88	-13.0	-32.22	83.80	Horizontal	Vertical	Pass

8.2 LTE-B25-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.47.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1


Load: Full load

Hum.: 54%

-19.01

DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-81.79		-13.0	-68.79	162.00	Vertical	Vertical	Pass
124.794	-79.79	-14.35	-13.0	-66.79	125.50	Vertical	Vertical	Pass
471.482	-73.52	-3.78	-13.0	-60.52	1.50	Vertical	Vertical	Pass
1882.279	-45.05	1.30	-13.0	-32.05	285.40	Vertical	Vertical	Pass
1961.760	-37.03	-1.44	-13.0	-24.03	259.30	Vertical	Vertical	Pass
4570.607	-33.24	9.96	-13.0	-20.24	128.20	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.25.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8052.737	-57.77	18.27	-13.0	-44.77	102.40	Vertical	Vertical	Pass
9402.399	-54.80	19.96	-13.0	-41.80	270.60	Vertical	Vertical	Pass
10113.222	-51.18	24.24	-13.0	-38.18	0.00	Vertical	Vertical	Pass
12509.623	-48.36	25.12	-13.0	-35.36	276.90	Vertical	Vertical	Pass
13712.322	-46.20	27.77	-13.0	-33.20	6.20	Vertical	Vertical	Pass
16705.574	-50.00	22.28	-13.0	-37.00	90.10	Vertical	Vertical	Pass

8.3 LTE-B25-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.59.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.790	-79.93	-14.35	-13.0	-66.93	262.10	Horizontal	Vertical	Pass
114.126	-78.15	-10.26	-13.0	-65.15	220.00	Horizontal	Vertical	Pass
241.407	-75.27	-2.69	-13.0	-62.27	111.70	Horizontal	Vertical	Pass
657.676	-70.51	0.95	-13.0	-57.51	322.40	Horizontal	Vertical	Pass
1880.780	-45.65	1.27	-13.0	-32.65	282.80	Horizontal	Vertical	Pass
1961.760	-34.84	-1.44	-13.0	-21.84	253.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.22.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7488.878	-57.80	17.33	-13.0	-44.80	82.70	Horizontal	Vertical	Pass
9441.390	-55.51	19.35	-13.0	-42.51	40.20	Horizontal	Vertical	Pass
10143.214	-51.17	23.71	-13.0	-38.17	222.20	Horizontal	Vertical	Pass
11846.788	-49.14	25.02	-13.0	-36.14	162.70	Horizontal	Vertical	Pass
14120.220	-44.21	29.05	-13.0	-31.21	196.90	Horizontal	Vertical	Pass
15544.864	-49.37	22.61	-13.0	-36.37	117.30	Horizontal	Vertical	Pass

8.4 LTE-B25-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_14.55.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.275	-80.44	-14.45	-13.0	-67.44	169.40	Vertical	Vertical	Pass
239.953	-74.11	-2.33	-13.0	-61.11	186.80	Vertical	Vertical	Pass
447.966	-73.96	-2.22	-13.0	-60.96	20.20	Vertical	Vertical	Pass
839.748	-67.00	4.76	-13.0	-54.00	278.00	Vertical	Vertical	Pass
1881.280	-45.19	1.28	-13.0	-32.19	284.50	Vertical	Vertical	Pass
1962.759	-34.67	-1.44	-13.0	-21.67	238.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.20.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8073.732	-57.18	17.94	-13.0	-44.18	150.50	Vertical	Vertical	Pass
9390.402	-54.71	19.80	-13.0	-41.71	9.80	Vertical	Vertical	Pass
10119.220	-50.16	24.16	-13.0	-37.16	282.50	Vertical	Vertical	Pass
11837.791	-48.61	24.81	-13.0	-35.61	137.80	Vertical	Vertical	Pass
13688.328	-46.72	27.78	-13.0	-33.72	0.00	Vertical	Vertical	Pass
14717.071	-45.21	27.13	-13.0	-32.21	248.70	Vertical	Vertical	Pass

8.5 LTE-B25-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.11.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.790	-80.75	-14.35	-13.0	-67.75	143.00	Horizontal	Vertical	Pass
101.762	-78.66	-11.44	-13.0	-65.66	186.50	Horizontal	Vertical	Pass
237.043	-74.36	-3.53	-13.0	-61.36	0.70	Horizontal	Vertical	Pass
1192.952	-52.53	1.81	-13.0	-39.53	204.50	Horizontal	Vertical	Pass
1881.280	-46.05	1.28	-13.0	-33.05	284.10	Horizontal	Vertical	Pass
1960.760	-34.95	-1.43	-13.0	-21.95	249.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.07.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8046.738	-57.80	18.36	-13.0	-44.80	49.20	Horizontal	Vertical	Pass
10116.221	-50.32	24.22	-13.0	-37.32	23.90	Horizontal	Vertical	Pass
11210.947	-50.02	22.92	-13.0	-37.02	359.70	Horizontal	Vertical	Pass
12473.632	-46.96	25.45	-13.0	-33.96	319.30	Horizontal	Vertical	Pass
14126.218	-45.31	29.02	-13.0	-32.31	74.10	Horizontal	Vertical	Pass
15538.865	-49.79	22.64	-13.0	-36.79	71.10	Horizontal	Vertical	Pass

8.6 LTE-B25-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.18.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.972	-81.31	-17.35	-13.0	-68.31	100.20	Vertical	Vertical	Pass
98.368	-80.16	-11.50	-13.0	-67.16	10.10	Vertical	Vertical	Pass
235.104	-77.07	-4.33	-13.0	-64.07	145.20	Vertical	Vertical	Pass
448.450	-73.51	-2.14	-13.0	-60.51	340.20	Vertical	Vertical	Pass
1880.780	-41.75	1.27	-13.0	-28.75	360.00	Vertical	Vertical	Pass
1962.759	-39.86	-1.44	-13.0	-26.86	90.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.09.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8046.738	-57.45	18.36	-13.0	-44.45	257.60	Vertical	Vertical	Pass
9396.401	-55.47	19.93	-13.0	-42.47	266.90	Vertical	Vertical	Pass
10116.221	-49.38	24.22	-13.0	-36.38	325.70	Vertical	Vertical	Pass
12482.629	-46.45	25.42	-13.0	-33.45	285.50	Vertical	Vertical	Pass
14099.225	-44.80	29.14	-13.0	-31.80	135.90	Vertical	Vertical	Pass
16969.508	-49.86	22.69	-13.0	-36.86	12.70	Vertical	Vertical	Pass

8.7 LTE-B25-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.34.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22824827 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.790	-80.75	-14.35	-13.0	-67.75	143.00	Horizontal	Vertical	Pass
101.762	-78.66	-11.44	-13.0	-65.66	186.50	Horizontal	Vertical	Pass
237.043	-74.36	-3.53	-13.0	-61.36	0.70	Horizontal	Vertical	Pass
1192.952	-52.53	1.81	-13.0	-39.53	204.50	Horizontal	Vertical	Pass
1881.280	-46.05	1.28	-13.0	-33.05	284.10	Horizontal	Vertical	Pass
1960.760	-34.95	-1.43	-13.0	-21.95	249.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.05.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8055.736	-57.29	18.22	-13.0	-44.29	187.70	Horizontal	Vertical	Pass
10161.210	-50.20	23.37	-13.0	-37.20	303.00	Horizontal	Vertical	Pass
11159.960	-49.95	23.11	-13.0	-36.95	36.20	Horizontal	Vertical	Pass
12449.638	-47.89	25.08	-13.0	-34.89	60.80	Horizontal	Vertical	Pass
14141.215	-45.04	28.93	-13.0	-32.04	306.40	Horizontal	Vertical	Pass
16669.583	-49.84	22.70	-13.0	-36.84	246.80	Horizontal	Vertical	Pass

8.8 LTE-B25-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.40.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.215	-81.20	-17.45	-13.0	-68.20	151.90	Vertical	Vertical	Pass
241.650	-74.44	-2.76	-13.0	-61.44	261.30	Vertical	Vertical	Pass
452.572	-73.22	-2.04	-13.0	-60.22	359.20	Vertical	Vertical	Pass
1878.780	-40.74	1.23	-13.0	-27.74	0.10	Vertical	Vertical	Pass
1960.760	-41.48	-1.43	-13.0	-28.48	53.00	Vertical	Vertical	Pass
4497.626	-32.99	11.12	-13.0	-19.99	92.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.02.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7539.865	-57.98	16.41	-13.0	-44.98	357.00	Vertical	Vertical	Pass
8196.701	-56.31	19.12	-13.0	-43.31	64.10	Vertical	Vertical	Pass
10086.228	-50.91	23.84	-13.0	-37.91	241.20	Vertical	Vertical	Pass
11168.958	-49.76	23.10	-13.0	-36.76	341.30	Vertical	Vertical	Pass
12443.639	-48.53	24.94	-13.0	-35.53	238.30	Vertical	Vertical	Pass
14117.221	-44.74	29.07	-13.0	-31.74	191.70	Vertical	Vertical	Pass

8.9 LTE-B25-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.47.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-82.41	-19.01	-13.0	-69.41	17.90	Horizontal	Vertical	Pass
239.953	-73.27	-2.33	-13.0	-60.27	260.20	Horizontal	Vertical	Pass
446.996	-73.41	-2.38	-13.0	-60.41	104.20	Horizontal	Vertical	Pass
1840.290	-39.93	-2.06	-13.0	-26.93	358.60	Horizontal	Vertical	Pass
1879.780	-44.04	1.25	-13.0	-31.04	360.00	Horizontal	Vertical	Pass
1960.260	-38.89	-1.42	-13.0	-25.89	66.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.58.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8199.700	-56.12	19.21	-13.0	-43.12	337.20	Horizontal	Vertical	Pass
10107.223	-50.71	24.28	-13.0	-37.71	192.50	Horizontal	Vertical	Pass
11495.876	-49.13	24.59	-13.0	-36.13	84.90	Horizontal	Vertical	Pass
12425.644	-48.06	24.51	-13.0	-35.06	358.00	Horizontal	Vertical	Pass
14159.210	-44.90	28.83	-13.0	-31.90	195.80	Horizontal	Vertical	Pass
16669.583	-50.04	22.70	-13.0	-37.04	189.50	Horizontal	Vertical	Pass

8.10 LTE-B25-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.44.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.334	-79.53	-10.97	-13.0	-66.53	252.40	Vertical	Vertical	Pass
113.399	-79.92	-10.36	-13.0	-66.92	198.10	Vertical	Vertical	Pass
239.953	-72.57	-2.33	-13.0	-59.57	164.20	Vertical	Vertical	Pass
1839.790	-40.02	-2.30	-13.0	-27.02	7.80	Vertical	Vertical	Pass
1878.780	-42.05	1.23	-13.0	-29.05	17.10	Vertical	Vertical	Pass
1966.758	-42.66	-1.47	-13.0	-29.66	37.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.00.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7944.764	-57.76	16.70	-13.0	-44.76	358.40	Vertical	Vertical	Pass
10161.210	-49.57	23.37	-13.0	-36.57	122.10	Vertical	Vertical	Pass
11177.956	-50.05	23.08	-13.0	-37.05	88.30	Vertical	Vertical	Pass
12470.632	-48.42	25.46	-13.0	-35.42	315.60	Vertical	Vertical	Pass
14153.212	-45.20	28.86	-13.0	-32.20	343.60	Vertical	Vertical	Pass
16609.598	-49.61	23.10	-13.0	-36.61	27.60	Vertical	Vertical	Pass

8.11 LTE-B25-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.50.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC.LTE.B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.730	-82.83	-17.25	-13.0	-69.83	305.60	Horizontal	Vertical	Pass
242.862	-74.03	-3.08	-13.0	-61.03	177.20	Horizontal	Vertical	Pass
842.657	-66.51	5.09	-13.0	-53.51	189.50	Horizontal	Vertical	Pass
1839.290	-34.67	-2.41	-13.0	-21.67	359.10	Horizontal	Vertical	Pass
1879.280	-43.31	1.24	-13.0	-30.31	0.20	Horizontal	Vertical	Pass
1959.760	-38.95	-1.42	-13.0	-25.95	72.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.57.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8199.700	-57.05	19.21	-13.0	-44.05	130.30	Horizontal	Vertical	Pass
9360.410	-55.37	19.17	-13.0	-42.37	166.80	Horizontal	Vertical	Pass
10098.225	-50.66	24.26	-13.0	-37.66	194.30	Horizontal	Vertical	Pass
11891.777	-48.28	25.47	-13.0	-35.28	330.50	Horizontal	Vertical	Pass
14087.228	-45.72	28.74	-13.0	-32.72	40.30	Horizontal	Vertical	Pass
17206.448	-48.70	23.09	-13.0	-35.70	3.00	Horizontal	Vertical	Pass

8.12 LTE-B25-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.53.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.215	-82.07	-17.45	-13.0	-69.07	169.40	Vertical	Vertical	Pass
242.134	-74.95	-2.89	-13.0	-61.95	264.30	Vertical	Vertical	Pass
849.930	-65.68	5.82	-13.0	-52.68	160.10	Vertical	Vertical	Pass
1839.290	-34.72	-2.41	-13.0	-21.72	360.10	Vertical	Vertical	Pass
1878.780	-44.16	1.23	-13.0	-31.16	356.10	Vertical	Vertical	Pass
1958.760	-38.29	-1.41	-13.0	-25.29	75.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_15.55.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7791.802	-58.76	16.64	-13.0	-45.76	253.10	Vertical	Vertical	Pass
9393.402	-55.13	19.87	-13.0	-42.13	262.80	Vertical	Vertical	Pass
10128.218	-49.95	23.99	-13.0	-36.95	287.40	Vertical	Vertical	Pass
11852.787	-49.37	25.16	-13.0	-36.37	175.70	Vertical	Vertical	Pass
13736.316	-45.59	27.36	-13.0	-32.59	287.40	Vertical	Vertical	Pass
14693.077	-45.28	27.84	-13.0	-32.28	154.10	Vertical	Vertical	Pass

9 LTE B41

9.1 LTE-B41-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.35.16

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20100017-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.334	-80.24	-10.72	-25.0	-55.24	86.40	Vertical	Vertical	Pass
112.914	-81.26	-9.92	-25.0	-56.26	112.80	Vertical	Vertical	Pass
239.953	-73.96	-1.54	-25.0	-48.96	68.50	Vertical	Vertical	Pass
1199.950	-50.97	3.88	-25.0	-25.97	0.10	Vertical	Vertical	Pass
2524.619	-45.72	8.53	-25.0	-20.72	347.00	Vertical	Vertical	Pass
2586.103	-47.36	7.25	-25.0	-22.36	172.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.01.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8205.699	-57.26	19.15	-13.0	-44.26	141.50	Horizontal	Vertical	Pass
9837.291	-51.96	22.13	-13.0	-38.96	311.90	Horizontal	Vertical	Pass
11108.973	-51.36	23.21	-13.0	-38.36	61.10	Horizontal	Vertical	Pass
12452.637	-47.93	25.15	-13.0	-34.93	308.90	Horizontal	Vertical	Pass
14174.206	-45.07	28.74	-13.0	-32.07	326.80	Horizontal	Vertical	Pass
15496.876	-49.25	22.80	-13.0	-36.25	40.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.13.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19489.878	-20.87	22.19	-13.0	-7.87	163.10	Horizontal	Vertical	Pass
20225.694	-20.18	22.62	-13.0	-7.18	294.80	Horizontal	Vertical	Pass
20831.542	-21.80	22.98	-13.0	-8.80	330.10	Horizontal	Vertical	Pass
22091.227	-20.54	23.71	-13.0	-7.54	1.40	Horizontal	Vertical	Pass
23150.962	-19.63	24.33	-13.0	-6.63	336.10	Horizontal	Vertical	Pass
24512.622	-18.94	25.12	-13.0	-5.94	153.80	Horizontal	Vertical	Pass

9.2 LTE-B41-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.31.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.334	-80.60	-10.72	-25.0	-55.60	357.10	Vertical	Vertical	Pass
113.642	-79.60	-9.81	-25.0	-54.60	227.80	Vertical	Vertical	Pass
238.498	-72.47	-2.12	-25.0	-47.47	21.30	Vertical	Vertical	Pass
841.202	-65.57	6.51	-25.0	-40.57	195.40	Vertical	Vertical	Pass
2594.601	-45.04	7.07	-25.0	-20.04	33.10	Vertical	Vertical	Pass
4509.623	-44.16	11.31	-25.0	-19.16	82.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.02.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8055.736	-57.94	18.22	-13.0	-44.94	13.20	Vertical	Vertical	Pass
9390.402	-54.86	19.80	-13.0	-41.86	70.10	Vertical	Vertical	Pass
10116.221	-50.85	24.22	-13.0	-37.85	85.00	Vertical	Vertical	Pass
11897.776	-48.89	25.49	-13.0	-35.89	340.60	Vertical	Vertical	Pass
12836.541	-49.01	24.42	-13.0	-36.01	340.60	Vertical	Vertical	Pass
15169.958	-48.64	23.32	-13.0	-35.64	61.20	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.15.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19477.881	-20.39	22.19	-13.0	-7.39	153.80	Vertical	Vertical	Pass
19819.795	-19.73	22.39	-13.0	-6.73	76.40	Vertical	Vertical	Pass
20277.681	-20.74	22.65	-13.0	-7.74	99.80	Vertical	Vertical	Pass
22131.217	-21.07	23.73	-13.0	-8.07	358.70	Vertical	Vertical	Pass
23126.968	-20.47	24.31	-13.0	-7.47	296.30	Vertical	Vertical	Pass
24396.651	-19.30	25.05	-13.0	-6.30	277.70	Vertical	Vertical	Pass

9.3 LTE-B41-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.41.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.972	-82.23	-16.95	-25.0	-57.23	38.40	Horizontal	Vertical	Pass
239.468	-73.82	-1.73	-25.0	-48.82	180.10	Horizontal	Vertical	Pass
662.039	-68.65	2.25	-25.0	-43.65	319.30	Horizontal	Vertical	Pass
1208.448	-49.66	3.56	-25.0	-24.66	145.30	Horizontal	Vertical	Pass
2503.124	-45.99	8.98	-25.0	-20.99	47.50	Horizontal	Vertical	Pass
4519.620	-44.00	11.08	-25.0	-19.00	106.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.05.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7965.759	-57.99	16.97	-13.0	-44.99	56.30	Horizontal	Vertical	Pass
9399.400	-54.83	19.99	-13.0	-41.83	154.50	Horizontal	Vertical	Pass
10131.217	-50.20	23.93	-13.0	-37.20	49.90	Horizontal	Vertical	Pass
11147.963	-49.46	23.14	-13.0	-36.46	287.70	Horizontal	Vertical	Pass
12524.619	-47.69	24.75	-13.0	-34.69	329.00	Horizontal	Vertical	Pass
14711.072	-46.36	27.49	-13.0	-33.36	243.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_18.03.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19487.878	-20.59	22.19	-13.0	-7.59	164.20	Horizontal	Vertical	Pass
19859.785	-20.15	22.41	-13.0	-7.15	276.90	Horizontal	Vertical	Pass
20241.690	-20.10	22.63	-13.0	-7.10	176.10	Horizontal	Vertical	Pass
23172.957	-19.86	24.34	-13.0	-6.86	279.50	Horizontal	Vertical	Pass
24482.629	-19.47	25.10	-13.0	-6.47	71.90	Horizontal	Vertical	Pass
25804.299	-18.60	25.87	-13.0	-5.60	279.50	Horizontal	Vertical	Pass

9.4 LTE-B41-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.38.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.972	-82.68	-16.95	-25.0	-57.68	155.30	Vertical	Vertical	Pass
114.369	-78.67	-9.71	-25.0	-53.67	81.60	Vertical	Vertical	Pass
243.832	-73.53	-2.50	-25.0	-48.53	158.30	Vertical	Vertical	Pass
668.343	-68.85	2.14	-25.0	-43.85	116.90	Vertical	Vertical	Pass
1203.949	-50.78	3.74	-25.0	-25.78	346.40	Vertical	Vertical	Pass
2506.623	-45.55	8.91	-25.0	-20.55	105.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.04.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7950.762	-57.17	16.78	-13.0	-44.17	42.50	Vertical	Vertical	Pass
10137.216	-50.62	23.82	-13.0	-37.62	212.20	Vertical	Vertical	Pass
11864.784	-49.19	25.37	-13.0	-36.19	65.90	Vertical	Vertical	Pass
13220.445	-48.54	25.11	-13.0	-35.54	164.50	Vertical	Vertical	Pass
14189.203	-45.07	28.59	-13.0	-32.07	144.10	Vertical	Vertical	Pass
16618.595	-50.27	23.07	-13.0	-37.27	0.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_18.06.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19427.893	-20.84	22.16	-13.0	-7.84	148.10	Vertical	Vertical	Pass
19859.785	-19.24	22.41	-13.0	-6.24	29.40	Vertical	Vertical	Pass
20209.698	-20.94	22.61	-13.0	-7.94	1.10	Vertical	Vertical	Pass
23118.970	-20.03	24.31	-13.0	-7.03	23.00	Vertical	Vertical	Pass
24534.616	-18.77	25.13	-13.0	-5.77	192.40	Vertical	Vertical	Pass
26450.137	-18.15	26.25	-13.0	-5.15	214.70	Vertical	Vertical	Pass

9.5 LTE-B41-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.44.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.457	-82.23	-17.14	-25.0	-57.23	25.00	Horizontal	Vertical	Pass
239.225	-74.19	-1.83	-25.0	-49.19	353.50	Horizontal	Vertical	Pass
845.324	-65.60	6.97	-25.0	-40.60	359.20	Horizontal	Vertical	Pass
1197.951	-50.96	3.72	-25.0	-25.96	7.40	Horizontal	Vertical	Pass
2483.129	-38.93	6.44	-25.0	-13.93	34.20	Horizontal	Vertical	Pass
2587.103	-44.47	7.23	-25.0	-19.47	0.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.07.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8040.740	-56.69	18.27	-13.0	-43.69	217.40	Horizontal	Vertical	Pass
10125.219	-49.65	24.05	-13.0	-36.65	276.90	Horizontal	Vertical	Pass
11891.777	-49.73	25.47	-13.0	-36.73	288.40	Horizontal	Vertical	Pass
12470.632	-47.92	25.46	-13.0	-34.92	214.00	Horizontal	Vertical	Pass
14159.210	-45.36	28.83	-13.0	-32.36	214.00	Horizontal	Vertical	Pass
16621.595	-49.85	23.07	-13.0	-36.85	336.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.18.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19471.882	-20.61	22.18	-13.0	-7.61	22.00	Horizontal	Vertical	Pass
19769.808	-19.41	22.36	-13.0	-6.41	204.80	Horizontal	Vertical	Pass
20207.698	-20.76	22.61	-13.0	-7.76	45.80	Horizontal	Vertical	Pass
23162.959	-18.11	24.33	-13.0	-5.11	79.00	Horizontal	Vertical	Pass
24480.630	-18.77	25.10	-13.0	-5.77	43.20	Horizontal	Vertical	Pass
25754.311	-18.32	25.84	-13.0	-5.32	141.50	Horizontal	Vertical	Pass

9.6 LTE-B41-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.53.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.849	-79.96	-10.65	-25.0	-54.96	352.80	Vertical	Vertical	Pass
114.369	-79.54	-9.71	-25.0	-54.54	273.20	Vertical	Vertical	Pass
240.922	-73.91	-1.76	-25.0	-48.91	300.00	Vertical	Vertical	Pass
856.233	-64.74	7.28	-25.0	-39.74	2.10	Vertical	Vertical	Pass
2482.629	-38.61	6.38	-25.0	-13.61	40.90	Vertical	Vertical	Pass
2586.603	-43.89	7.24	-25.0	-18.89	17.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.09.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8205.699	-57.04	19.15	-13.0	-44.04	49.60	Vertical	Vertical	Pass
9411.397	-55.29	19.81	-13.0	-42.29	0.70	Vertical	Vertical	Pass
10140.215	-50.61	23.76	-13.0	-37.61	255.00	Vertical	Vertical	Pass
11840.790	-49.21	24.88	-13.0	-36.21	79.30	Vertical	Vertical	Pass
12455.636	-47.46	25.23	-13.0	-34.46	346.50	Vertical	Vertical	Pass
14114.221	-45.22	29.09	-13.0	-32.22	3.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.16.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19529.868	-20.43	22.22	-13.0	-7.43	8.20	Vertical	Vertical	Pass
19803.799	-19.70	22.38	-13.0	-6.70	291.10	Vertical	Vertical	Pass
20203.699	-20.83	22.61	-13.0	-7.83	228.60	Vertical	Vertical	Pass
21479.380	-21.77	23.35	-13.0	-8.77	288.10	Vertical	Vertical	Pass
23162.959	-20.44	24.33	-13.0	-7.44	109.50	Vertical	Vertical	Pass
24530.617	-19.04	25.13	-13.0	-6.04	258.70	Vertical	Vertical	Pass

9.7 LTE-B41-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.59.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22824827_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.972	-83.56	-16.95	-25.0	-58.56	42.10	Horizontal	Vertical	Pass
244.074	-74.21	-2.56	-25.0	-49.21	216.70	Horizontal	Vertical	Pass
449.905	-71.71	-0.82	-25.0	-46.71	330.50	Horizontal	Vertical	Pass
853.567	-64.69	7.37	-25.0	-39.69	83.00	Horizontal	Vertical	Pass
2488.628	-39.84	7.35	-25.0	-14.84	0.00	Horizontal	Vertical	Pass
2586.603	-43.39	7.24	-25.0	-18.39	29.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.11.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8046.738	-57.39	18.36	-13.0	-44.39	172.70	Horizontal	Vertical	Pass
9399.400	-55.21	19.99	-13.0	-42.21	74.90	Horizontal	Vertical	Pass
11192.952	-50.41	23.06	-13.0	-37.41	181.70	Horizontal	Vertical	Pass
12470.632	-48.31	25.46	-13.0	-35.31	77.90	Horizontal	Vertical	Pass
14102.224	-45.24	29.15	-13.0	-32.24	110.20	Horizontal	Vertical	Pass
16627.593	-50.21	23.05	-13.0	-37.21	172.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.20.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19469.883	-20.97	22.18	-13.0	-7.97	335.70	Horizontal	Vertical	Pass
19787.803	-20.13	22.37	-13.0	-7.13	79.70	Horizontal	Vertical	Pass
20239.690	-20.03	22.63	-13.0	-7.03	347.90	Horizontal	Vertical	Pass
22167.208	-21.53	23.75	-13.0	-8.53	31.70	Horizontal	Vertical	Pass
23160.960	-20.55	24.33	-13.0	-7.55	335.70	Horizontal	Vertical	Pass
24478.630	-18.95	25.10	-13.0	-5.95	213.30	Horizontal	Vertical	Pass

9.8 LTE-B41-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-03-04_16.56.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.972	-83.50	-16.95	-25.0	-58.50	2.00	Vertical	Vertical	Pass
114.126	-79.56	-9.74	-25.0	-54.56	100.50	Vertical	Vertical	Pass
240.195	-73.86	-1.57	-25.0	-48.86	323.80	Vertical	Vertical	Pass
452.814	-71.66	-0.93	-25.0	-46.66	0.80	Vertical	Vertical	Pass
2476.631	-38.98	6.16	-25.0	-13.98	5.80	Vertical	Vertical	Pass
2586.603	-45.25	7.24	-25.0	-20.25	20.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.10.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8052.737	-57.37	18.27	-13.0	-44.37	55.50	Vertical	Vertical	Pass
10122.219	-50.80	24.10	-13.0	-37.80	13.50	Vertical	Vertical	Pass
11867.783	-49.25	25.38	-13.0	-36.25	2.20	Vertical	Vertical	Pass
12461.635	-47.88	25.37	-13.0	-34.88	115.40	Vertical	Vertical	Pass
14144.214	-45.32	28.91	-13.0	-32.32	341.30	Vertical	Vertical	Pass
16603.599	-50.00	23.12	-13.0	-37.00	251.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-03-04_17.21.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20100017-01#01

RSE Test case_CE FCC_PART22&24&27 FCC GSM&CDMA<E&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19455.886	-20.78	22.17	-13.0	-7.78	339.80	Vertical	Vertical	Pass
19865.784	-20.46	22.41	-13.0	-7.46	218.10	Vertical	Vertical	Pass
20203.699	-21.02	22.61	-13.0	-8.02	343.10	Vertical	Vertical	Pass
21785.304	-21.65	23.53	-13.0	-8.65	345.70	Vertical	Vertical	Pass
23142.964	-20.43	24.32	-13.0	-7.43	304.40	Vertical	Vertical	Pass
25806.298	-18.23	25.87	-13.0	-5.23	160.40	Vertical	Vertical	Pass