


# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 3.46 mW/g, SAR (10g): 2.39 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 4.07 mW/g, SAR (10g): 2.93 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.07 mW/g, SAR (10g): 0.776 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 3.97 mW/g, SAR (10g): 2.88 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.07 mW/g, SAR (10g): 0.777 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 4.52 mW/g, SAR (10g): 3.18 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.14 mW/g, SAR (10g): 0.792 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 4.42 mW/g, SAR (10g): 3.19 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]






# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.15 mW/g, SAR (10g): 0.824 mW/g

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 9.05 mW/g, SAR (10g): 6.30 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 2.47 mW/g, SAR (10g): 1.75 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 8.41 mW/g, SAR (10g): 5.93 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 2.47 mW/g, SAR (10g): 1.75 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW FACE SAR

SAM(450M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(7.70,7.70,7.70);  
Med. parameter 450 MHz Brain:  $\sigma = 0.86$  mho/m  $\epsilon_r = 41.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 2.0cm from EUT (front side) to Flat Phantom : Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 27 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.913 mW/g, SAR (10g): 0.637 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 3.35 mW/g, SAR (10g): 2.37 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]






# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.885 mW/g, SAR (10g): 0.617 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 400.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 4.36 mW/g, SAR (10g): 3.04 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.08 mW/g, SAR (10g): 0.750 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 4.26 mW/g, SAR (10g): 2.96 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.02 mW/g, SAR (10g): 0.720 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 435.05MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 7.13 mW/g, SAR (10g): 5.03 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.93 mW/g, SAR (10g): 1.37 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]




# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 6.96 mW/g, SAR (10g): 4.95 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]






# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 1.83 mW/g, SAR (10g): 1.30 mW/g;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 1W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 25kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



# UNIMO -- PJ-400NW BODY SAR

SAM(450M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(7.90,7.90,7.90);  
Med. parameter 450 MHz Muscle:  $\sigma = 0.96$  mho/m  $\epsilon_r = 57.5$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;

UNIMO Model : PJ-400NW

FM Mode, Freq = 469.95MHz; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 4W; Spacing = 0.0cm from EUT (rear side) to Flat Phantom With Belt Clip; Antenna Fixed, Ch.Space = 12.5kHz  
Test Date -- 1 / 28 / 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]

