

FCC ID: O2SNURIT3010RT

Exhibit 5

**Photographs of the Equipment
Internal Photos**



9C 6d17

LIP:1
PRINTER IN NEGATIVE MODE
PRINTER IN NORMAL MODE
PRINTER IN COGNICE MODE
COGNICE MODE END
PRINTER IN NORMAL MODE

Lip 3010
WIRELESS TERMINAL

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 0
- ALPHA
- REVIEW
- ENTER
- CLEAR
- FUNC
- RETURN
- VOID
- VERIFY
- FORCED
- MENU
- ESC



Lip
MODEL: 8902M-2-0
MAX. 125KHZ
EIN 111/11/00425
PRO-02100 003 280400

CAUTION!
Electrical damage is not covered under your equipment warranty. For your protection, purchase a surge suppressor for both the power supply and telephone lines.

3010-US-10-GRY-B11
86010 5913442

Lip
LIPMAN ELECTRONIC ENGINEERING LTD.
49107 2019
P.O. BOX 2019
COMPLEY WITH PARTS 89-13 FCC RULES
FCC 900013A(P)M AC 00700 001.01.0 2
INPUT VOLTAGE 100-240 V 50/60 HZ
MADE IN JAPAN

0293620



LIPB 38



equipment warranty.
 purchase a surge st
 or for both and

P/N LIPMAN:
BAT 00022
BAT Ni-MH 7.2V
1500 mAh
NURIT: 301















