


Appendix B. Radiated Emission Co-location Report

1. Results of Radiated Emissions for Co-located


Temperature	24°C	Humidity	61%
Test Engineer	Taka Hsu	Configurations	2.4G + 5G

Horizontal



	Freq	Level	Limit	Over	Read	Cable	Antenna	Preampl	Remark	T/Pos	A/Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	Loss	Factor	Factor		deg	cm	
1	1199.90	38.52	74.00	-35.48	47.61	2.00	24.44	35.53	Peak	57	100	HORIZONTAL
2	1200.04	31.20	54.00	-22.80	40.29	2.00	24.44	35.53	Average	57	100	HORIZONTAL
3	1829.68	46.48	74.00	-27.52	51.23	2.53	27.43	34.71	Peak	241	100	HORIZONTAL
4	1829.70	42.85	54.00	-11.15	47.60	2.53	27.43	34.71	Average	241	100	HORIZONTAL
5	2111.74	46.44	74.00	-27.56	50.05	2.73	28.28	34.62	Peak	157	148	HORIZONTAL
6	2116.95	36.23	54.00	-17.77	39.85	2.74	28.26	34.62	Average	157	148	HORIZONTAL
7	3739.51	29.76	54.00	-24.24	29.70	3.69	30.93	34.56	Average	182	100	HORIZONTAL
8	3739.81	43.13	74.00	-30.87	43.07	3.69	30.93	34.56	Peak	182	100	HORIZONTAL
9	4591.77	45.05	74.00	-28.95	43.47	4.16	32.07	34.65	Peak	228	179	HORIZONTAL
10	4599.97	32.28	54.00	-21.72	30.66	4.16	32.11	34.65	Average	66	179	HORIZONTAL
11	4883.25	45.23	74.00	-28.77	42.92	4.22	32.66	34.57	Peak	158	100	HORIZONTAL
12	4887.00	31.86	54.00	-22.14	29.52	4.22	32.69	34.57	Average	158	177	HORIZONTAL

Vertical



	Freq	Level	Limit	Over	Read	Cable	Antenna	Preamp	Remark	T/Pos	A/Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB		deg	cm	
1	1200.04	29.78	54.00	-24.22	38.87	2.00	24.44	35.53	Average	162	100	VERTICAL
2	1200.19	36.96	74.00	-37.04	46.05	2.00	24.44	35.53	Peak	162	100	VERTICAL
3	1829.66	42.58	54.00	-11.42	47.33	2.53	27.43	34.71	Average	86	144	VERTICAL
4	1829.70	46.45	74.00	-27.55	51.20	2.53	27.43	34.71	Peak	86	144	VERTICAL
5	2116.95	45.59	74.00	-28.41	49.21	2.74	28.26	34.62	Peak	98	100	VERTICAL
6	2123.03	31.69	54.00	-22.31	35.31	2.74	28.26	34.62	Average	98	100	VERTICAL
7	3738.88	43.21	74.00	-30.79	43.15	3.69	30.93	34.56	Peak	231	124	VERTICAL
8	3740.21	31.56	54.00	-22.44	31.50	3.69	30.93	34.56	Average	228	124	VERTICAL
9	4592.71	33.07	54.00	-20.93	31.49	4.16	32.07	34.65	Average	66	100	VERTICAL
10	4599.76	45.25	74.00	-28.75	43.63	4.16	32.11	34.65	Peak	66	100	VERTICAL
11	4885.73	33.77	54.00	-20.23	31.43	4.22	32.69	34.57	Average	193	895	VERTICAL
12	4889.13	46.20	74.00	-27.80	43.85	4.22	32.69	34.56	Peak	193	100	VERTICAL