

EXHIBIT MM – Response to Item #3

FCC ID O2Z-BT1

**NORTHWEST EMC, INC.**

22975 NW Evergreen Parkway, Suite 400  
Hillsboro, OR 97124

September 7, 2000

Dear Application Examiner:

Intel's Ambler Bluetooth Spread Spectrum Transmitter, FCC ID: EJM-BT1 is seeking FCC authorization as a modular transmitter. The EUT meets the requirements for modular approval as detailed in FCC Public Notice DA00-1407. Compliance to each of the requirements is described below:

1. **"The modular transmitter must have its own RF shielding."** The radio portion of the module is contained in its own RF shielding. The shielding is installed at the factory. Please see Exhibit EE for photos of the shielding.
2. **"The modular transmitter must have buffered modulation/data inputs."** The EUT has buffered data inputs to insure compliance with Part 15 requirements under conditions of excessive data rates or over-modulation. Please see Exhibit G for schematics of the module.
3. **"The modular transmitter must have its own power supply regulation."** The EUT has its own power supply regulation to insure compliance with Part 15 requirements regardless of the quality or level of external DC supplying the module from the host unit. Please see Exhibit G for schematics and Exhibit X for test data demonstrating compliance.
4. **"The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c)."** The EUT meets the FCC antenna requirements. Please see Exhibit B for the technical report, Exhibit F for photographs of the antennas, Exhibit K for antenna information, Exhibit Z for spurious radiated emissions test data, and Exhibit UU for antenna connection method.
5. **"The modular transmitter must be tested in a stand-alone configuration."** The EUT was tested in a stand-alone configuration. Please see Exhibit B for the technical report and Exhibit BB for the test setup photos. Please note that the EUT was also tested for AC Powerline Conducted Emissions (see Exhibit Y).
6. **"The modular transmitter must be labeled with its own FCC ID number."** The EUT is labeled with its own FCC ID number. Please see Exhibit D for a drawing of the label and its location on the device. Since the FCC ID number will not be visible when the module is installed inside a host computer, there are instructions given to the OEM on how to apply the exterior label. Please see Section 1.2 of the User Guide (Exhibit TT).

7. **“The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements.”** The EUT is compliant with all applicable FCC rules. Detail instructions for maintaining compliance are given in the User Guide (see Exhibit TT).
  
8. **“The modular transmitter must comply with any applicable RF exposure requirements.”** The EUT is compliant with all applicable RF exposure requirements. RF Exposure is addressed in Section 4.5 of the technical report (see Exhibit B).

Please contact me if you have additional questions. Your attention to this matter is greatly appreciated.

Best regards,

A handwritten signature in blue ink, appearing to read "G. Kiemel". The signature is stylized and includes a large, looped initial "G" followed by "U. K. i e l".

Greg Kiemel, Director of Engineering  
Northwest EMC, Inc.