

EXHIBIT S – Dwell Time (Connection, Page, and Inquiry Modes)

FCC ID O2Z-BT2

Dwell Time during Connection Mode Operation

Mkr Δ 360.0uS


Δ -0.50dB

Tek

Ref Lv1 20.0dBm

10dB/

Atten 40dB



Freq 2.442 00GHz

Span 0.0Hz

ResBW 1MHz

VidBW 7MHz

SWP 2.0mS

LEVEL

SPAN

Atten 40dB

KNOB 2

KNOB 1

KEYPAD

Tektronix

2784


ek

Tek

Ref Lv1 20.0dBm

10dB/

Atten 20dB



Freq 2.442 00GHz

Span 0.0Hz

ResBW 1MHz

VidBW 7MHz

SWP 5.0S

LEVEL

SPAN

Freq 2.442 00GHz

KNOB 2


KNOB 1

KEYPAD

Tektronix

2784

Dwell Time during Inquiry Mode Operation




KnOB 2

KnOB 1

KEYPAD

Tektronix

2784



KnOB 2

KnOB 1

KEYPAD

Tektronix

2784

Dwell Time during Page Mode Operation

Mkr $\Delta 77.00\mu\text{s}$


$\Delta 0.80\text{dB}$

Tek

Ref Lv1 20.0dBm

10dB/

Atten 50dB



Freq 2.442 02GHz

Span 0.0Hz

ResBW 1MHz

VidBW 7MHz

SWP 1.0mS

LEVEL

TRIG

TRIG

40 %


KNOB 2

KNOB 1

KEYPAD

Tektronix

2784



Knob 2

Knob 1

Keypad

Tektronix

2784