

## TECH-TALKTM TRANSMISSION SHUTTLE COMMANDER INSTRUCTIONS:

1. Install Batteries (not included) into the Shuttle Commander Pack and the transmitter (see Battery installation Instructions).

2. Insert the transmitter jack plug into the headset port on your CD player.

3. Turn on your CD player and insert the Real Heroes audio CD, and press play.

4. Turn on your Shuttle Commander's Pack.

5. The audio mission will play through your Shuttle Commander's Pack within a range of approximately 30 feet.


6. When you are done playing with your Shuttle Commander, be sure to turn off the Pack and the transmitter to maximize the battery life. Be sure to also turn off your CD player.

 Your Real Heroes transmitter will plug into most headphone jacks on most stereo systems.

\* It can also transmit audio from other audio CD's, cassette tapes or even


radio stations through your Shuttle Commander pack.

\* For best results when using your Shuttle Commander with Pack, stay within 30 feet of the transmitter and avoid moving to other rooms.



## TO REPLACE TRANSMITTER BATTERIES:

- 1. Remove screw and battery compartment cover.
- 2. Insert 4 "AAA" batteries with the polarity as show.
- 3. Replace screw and battery compartment cover.



## TO REPLACE SHUTTLE COMMANDER PACK BATTERIES:

- 1. Remove screw and battery compartment cover.
- 2. Insert 3 "AAA" batteries with the polarity as show.
- 3. Replace screw and battery compartment cover.

## **BATTERY REGULATIONS:**

Do not mix old and new batteries. Do not mix alkaline, standard (carbon-zinc), or rechargeable (nickel-cadmium) batteries.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**WARNING:** Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, use and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.	12.
Increase the congration between the equipment and receives	
Connect the equipment into an outlet on a circuit different from	tnat
to which the receiver is needed	
Consult the dealer or an experienced radio/TV technician for he	ID.