

Label information

Ver 1.3

Change history

revision	Updated date	summary
1.0	Feb 15,2013	First edition
1.1	Feb 22.2013	correction of erroneous description
1.2	Mar 06.2013	correction of erroneous description
1.3	Mar 07.2013	correction of erroneous description

Table of contents


1. Apprication	4
2. Label information.....	4
2.1 Label location	4
2.2 material / adhesive / lifetime.....	5
2.3 drawing or photo of the label.....	5

1. Apprication

This document shows the label information for FCC/IC.

2. Label information

2.1 Label location



Label location for module




Label location for host

2.2 material / adhesive / lifetime

- material : flame-retardant polycarbonate film
 - one example:YAMASO Co.,Ltd. exqua film NH230N
- adhesive:double-coated adhesive tape
 - one example:NITTO DENKO Co.,Ltd. No.5000NS
- Lifetime : more than 5 years(a life of equipment).

2.3 drawing or photo of the label

■Host label



※The minimum font size is 4 pt

The following declarations are described to the user guide by the following reason.

- In some cases, meter cover is replaced for maintenance.
 Therefore no labelling can be placed on the meter cover. In addition, the label area on the face plate is too narrow to show these declarations.

“This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme a la norme NMB-003 du Canada.”

“CAN ICES-3 (B) / NMB-3 (B)”.


--

This device complies with Part 15 of the FCC Rules. Operation is subject

to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

■NIC label



※The minimum font size is 4 pt