Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: WIFI Smart Light Bulb

Trade Mark: LOGIC, iSWAG, UNONU

Test Model: SMART BRIGHT LIGHT

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.8%
ATM Pressure:	100.0 kPa
Test Engineer:	JERRY.ZENG
Supervised by:	Tom.Liu

C.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B	2437	Ant1	100	PASS
11G	2437	Ant1	100	PASS
11N20SISO	2437	Ant1	100	PASS

Duty Cycle_11B_2437_Ant1



Duty Cycle_11G_2437_Ant1



Duty Cycle_11N20SISO_2437_Ant1



Duty Cycle_11N40SISO_2437_Ant1

C.2 Maximum Conducted Output Power

Mode	Channel	Meas.Level [dBm]	Limit [dBm]	Verdict
11B	LCH	11.97	30	PASS
	MCH	11.93	30	PASS
	HCH	12.04	30	PASS
11G	LCH	15.27	30	PASS
	MCH	15.06	30	PASS
	HCH	15.38	30	PASS
11N20SISO	LCH	16.54	30	PASS
	MCH	16.62	30	PASS
	HCH	16.55	30	PASS

Test Graphs		
11B/LCH		
11B/MCH		

11B/HCH	
11G/LCH	

11G/MCH	
11G/HCH	

11N20SISO/LCH	
11N20SISO/MCH	

11N20SISO/HCH	

C.3 Maximum Power Spectral Density

Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
11B	LCH	-2.860	8	PASS
	MCH	-2.196	8	PASS
	HCH	-3.100	8	PASS
11G	LCH	-8.322	8	PASS
	MCH	-7.897	8	PASS
	HCH	-7.967	8	PASS
11N20SISO	LCH	-7.529	8	PASS
	MCH	-7.030	8	PASS
	HCH	-7.246	8	PASS

Test Graphs		
11B/LCH		
11B/MCH		

11B/HCH	
11G/LCH	

11G/MCH	
11G/HCH	

11N20SISO/LCH	
11N20SISO/MCH	

11N20SISO/HCH	

C.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
11B	LCH	8.117	≥0.5	PASS
	MCH	8.091	≥0.5	PASS
	HCH	8.565	≥0.5	PASS
11G	LCH	16.42	≥0.5	PASS
	MCH	16.33	≥0.5	PASS
	HCH	16.39	≥0.5	PASS
11N20SISO	LCH	16.47	≥0.5	PASS
	MCH	16.39	≥0.5	PASS
	HCH	16.34	≥0.5	PASS

Test Graphs

11B/LCH	
11B/MCH	

11B/HCH		
11G/LCH		

11G/MCH	
11G/HCH	

11N20SISO/LCH	
11N20SISO/MCH	

11N20SISO/HCH	

C.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
11B	LCH	1.031	-44.363	-18.969	PASS
	MCH	1.237	-43.436	-18.763	PASS
	HCH	0.909	-43.585	-19.091	PASS
11G	LCH	-5.906	-43.995	-25.906	PASS
	MCH	-6.022	-42.956	-26.022	PASS
	HCH	-5.496	-43.133	-25.496	PASS
11N20 SISO	LCH	-4.476	-42.141	-24.476	PASS
	MCH	-3.533	-43.019	-23.533	PASS
	HCH	-3.75	-43.694	-23.750	PASS

11B_LCH_Graphs	
Pref/11B/LCH	
Puw/11B/LCH	

11B_MCH_Graphs	
Pref/11B/MCH	
Puw/11B/MCH	

11B_HCH_Graphs	
Pref/11B/HCH	
Puw/11B/HCH	

11G_LCH_Graphs	
Pref/11G/LCH	
Puw/11G/LCH	

11G_MCH_Graphs	
Pref/11G/MCH	
Puw/11G/MCH	

11G_HCH_Graphs	
Pref/11G/HCH	
Puw/11G/HCH	

11N20SISO_LCH_Graphs	
Pref/11N20SISO/LCH	
Puw/11N20SISO/LCH	

11N20SISO_MCH_Graphs	
Pref/11N20 SISO/MCH	
Puw/11N20 SISO/MCH	

11N20SISO_HCH_Graphs	
Pref/11N20 SISO/HCH	
Puw/11N20 SISO/HCH	

C.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
11B	LCH	1.385	-49.724	-18.62	PASS
	HCH	1.678	-50.245	-18.32	PASS
11G	LCH	-6.092	-47.261	-26.09	PASS
	HCH	-5.669	-48.150	-25.67	PASS
11N20SISO	LCH	-4.507	-47.620	-24.51	PASS
	HCH	-3.923	-45.829	-23.92	PASS

Test Graphs	
11B/LCH	

11B/HCH	
11G/LCH	

11G/HCH		
11N20SISO/LCH		

11N20SISO/HCH	

C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
11B	2412	Ant1	2310.0	-45.04	2.0	0	52.22	PEAK	74	PASS
	2412	Ant1	2310.0	-54.11	2.0	0	43.14	AV	54	PASS
	2412	Ant1	2390.0	-44.22	2.0	0	53.04	PEAK	74	PASS
	2412	Ant1	2390.0	-53.46	2.0	0	43.80	AV	54	PASS
	2462	Ant1	2483.5	-42.21	2.0	0	55.05	PEAK	74	PASS
	2462	Ant1	2483.5	-53.37	2.0	0	43.89	AV	54	PASS
	2462	Ant1	2500.0	-42.22	2.0	0	55.03	PEAK	74	PASS
	2462	Ant1	2500.0	-53.47	2.0	0	43.79	AV	54	PASS
11G	2412	Ant1	2310.0	-43.76	2.0	0	53.50	PEAK	74	PASS
	2412	Ant1	2310.0	-54.07	2.0	0	43.19	AV	54	PASS
	2412	Ant1	2390.0	-36.35	2.0	0	60.91	PEAK	74	PASS
	2412	Ant1	2390.0	-49.76	2.0	0	47.50	AV	54	PASS
	2462	Ant1	2483.5	-37.98	2.0	0	59.28	PEAK	74	PASS
	2462	Ant1	2483.5	-51.28	2.0	0	45.97	AV	54	PASS

	2462	Ant1	2500.0	-43.00	2.0	0	54.26	PEAK	74	PASS
	2462	Ant1	2500.0	-53.19	2.0	0	44.07	AV	54	PASS
11N20 SISO	2412	Ant1	2310.0	-42.99	2.0	0	54.27	PEAK	74	PASS
	2412	Ant1	2310.0	-53.81	2.0	0	43.44	AV	54	PASS
	2412	Ant1	2390.0	-39.15	2.0	0	58.11	PEAK	74	PASS
	2412	Ant1	2390.0	-50.92	2.0	0	46.33	AV	54	PASS
	2462	Ant1	2483.5	-35.75	2.0	0	61.51	PEAK	74	PASS
	2462	Ant1	2483.5	-50.74	2.0	0	46.52	AV	54	PASS
	2462	Ant1	2500.0	-42.65	2.0	0	54.61	PEAK	74	PASS
	2462	Ant1	2500.0	-53.17	2.0	0	44.09	AV	54	PASS