









## 5.4 OCCUPIED CHANNEL BANDWIDTH



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.591
NVNT	a	5785	Ant1	16.558
NVNT	a	5825	Ant1	16.615
NVNT	n20	5745	Ant1	17.614
NVNT	n20	5785	Ant1	17.647
NVNT	n20	5825	Ant1	17.581
NVNT	n40	5755	Ant1	36.41
NVNT	n40	5795	Ant1	36.464
NVNT	ac20	5745	Ant1	17.569
NVNT	ac20	5785	Ant1	17.608
NVNT	ac20	5825	Ant1	17.599
NVNT	ac40	5755	Ant1	36.386
NVNT	ac40	5795	Ant1	36.428
NVNT	ac80	5775	Ant1	75.352





























## 5.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-7.37	0.42	-6.95	30	Pass
NVNT	a	5785	Ant1	-9.04	0.42	-8.62	30	Pass
NVNT	a	5825	Ant1	-8.96	0.42	-8.54	30	Pass
NVNT	n20	5745	Ant1	-8.3	0.45	-7.85	30	Pass
NVNT	n20	5785	Ant1	-8.66	0.44	-8.22	30	Pass
NVNT	n20	5825	Ant1	-9.56	0.44	-9.12	30	Pass
NVNT	n40	5755	Ant1	-9.81	0.21	-9.6	30	Pass
NVNT	n40	5795	Ant1	-13.71	0.86	-12.85	30	Pass
NVNT	ac20	5745	Ant1	-8.36	0.44	-7.92	30	Pass
NVNT	ac20	5785	Ant1	-9.36	0.44	-8.92	30	Pass
NVNT	ac20	5825	Ant1	-9.61	0.44	-9.17	30	Pass
NVNT	ac40	5755	Ant1	-15.25	0.83	-14.42	30	Pass
NVNT	ac40	5795	Ant1	-15.27	0.83	-14.44	30	Pass
NVNT	ac80	5775	Ant1	-21.97	1.51	-20.46	30	Pass





























## 5.6 BAND EDGE



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-20.52		Pass
NVNT	a	5825	Ant1	-31.31		Pass
NVNT	n20	5745	Ant1	-20.86		Pass
NVNT	n20	5825	Ant1	-29.52		Pass
NVNT	n40	5755	Ant1	-19.63		Pass
NVNT	n40	5795	Ant1	-34.05		Pass
NVNT	ac20	5745	Ant1	-17.84		Pass
NVNT	ac20	5825	Ant1	-30.68		Pass
NVNT	ac40	5755	Ant1	-19.82		Pass
NVNT	ac40	5795	Ant1	-33.87		Pass
NVNT	ac80	5775	Ant1	-33.35		Pass
























## 5.7 CONDUCTED RF SPURIOUS EMISSION



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-35.08	-27	Pass
NVNT	a	5785	Ant1	-34.75	-27	Pass
NVNT	a	5825	Ant1	-35.05	-27	Pass
NVNT	n20	5745	Ant1	-35.57	-27	Pass
NVNT	n20	5785	Ant1	-35.12	-27	Pass
NVNT	n20	5825	Ant1	-35.85	-27	Pass
NVNT	n40	5755	Ant1	-34.93	-27	Pass
NVNT	n40	5795	Ant1	-36.26	-27	Pass
NVNT	ac20	5745	Ant1	-35.25	-27	Pass
NVNT	ac20	5785	Ant1	-35.94	-27	Pass
NVNT	ac20	5825	Ant1	-33.72	-27	Pass
NVNT	ac40	5755	Ant1	-35.06	-27	Pass
NVNT	ac40	5795	Ant1	-34.83	-27	Pass
NVNT	ac80	5775	Ant1	-35.55	-27	Pass





















END OF REPORT