

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3420.98	-27.14	7.20	12.56	-32.50	-13.00	-19.50	H
5132.05	-28.37	8.10	16.32	-36.59	-13.00	-23.59	H
6842.62	-27.25	8.30	21.13	-40.08	-13.00	-27.08	H
3420.98	-28.33	7.20	12.56	-33.69	-13.00	-20.69	V
5132.05	-28.20	8.10	16.32	-36.42	-13.00	-23.42	V
6842.62	-26.14	8.30	21.13	-38.97	-13.00	-25.97	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.62	-24.62	7.20	12.56	-29.98	-13.00	-16.98	H
5196.97	-26.54	8.10	16.32	-34.76	-13.00	-21.76	H
6929.92	-27.44	8.30	21.13	-40.27	-13.00	-27.27	H
3464.62	-28.86	7.20	12.56	-34.22	-13.00	-21.22	V
5196.97	-26.12	8.10	16.32	-34.34	-13.00	-21.34	V
6929.92	-27.50	8.30	21.13	-40.33	-13.00	-27.33	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.44	-26.48	7.20	12.56	-31.84	-13.00	-18.84	H
5262.43	-27.87	8.10	16.32	-36.09	-13.00	-23.09	H
7015.48	-27.03	8.30	21.13	-39.86	-13.00	-26.86	H
3508.44	-26.08	7.20	12.56	-31.44	-13.00	-18.44	V
5262.43	-26.61	8.10	16.32	-34.83	-13.00	-21.83	V
7015.48	-26.89	8.30	21.13	-39.72	-13.00	-26.72	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.02	-25.53	7.20	12.56	-30.89	-13.00	-17.89	H
5136.16	-27.21	8.10	16.32	-35.43	-13.00	-22.43	H
6848.38	-27.61	8.30	21.13	-40.44	-13.00	-27.44	H
3424.02	-26.29	7.20	12.56	-31.65	-13.00	-18.65	V
5136.16	-25.73	8.10	16.32	-33.95	-13.00	-20.95	V
6848.38	-23.72	8.30	21.13	-36.55	-13.00	-23.55	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.61	-27.11	7.20	12.56	-32.47	-13.00	-19.47	H
5196.93	-27.90	8.10	16.32	-36.12	-13.00	-23.12	H
6930.19	-26.42	8.30	21.13	-39.25	-13.00	-26.25	H
3464.61	-25.57	7.20	12.56	-30.93	-13.00	-17.93	V
5196.93	-24.26	8.10	16.32	-32.48	-13.00	-19.48	V
6930.19	-27.58	8.30	21.13	-40.41	-13.00	-27.41	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.24	-28.14	7.20	12.56	-33.50	-13.00	-20.50	H
5261.85	-28.58	8.10	16.32	-36.80	-13.00	-23.80	H
7012.67	-27.55	8.30	21.13	-40.38	-13.00	-27.38	H
3506.24	-29.26	7.20	12.56	-34.62	-13.00	-21.62	V
5261.85	-24.74	8.10	16.32	-32.96	-13.00	-19.96	V
7012.67	-27.12	8.30	21.13	-39.95	-13.00	-26.95	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.88	-28.74	7.20	12.56	-34.10	-13.00	-21.10	H
5137.25	-26.08	8.10	16.32	-34.30	-13.00	-21.30	H
6849.78	-25.67	8.30	21.13	-38.50	-13.00	-25.50	H
3424.88	-29.51	7.20	12.56	-34.87	-13.00	-21.87	V
5137.25	-26.47	8.10	16.32	-34.69	-13.00	-21.69	V
6849.78	-24.41	8.30	21.13	-37.24	-13.00	-24.24	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.40	-28.24	7.20	12.56	-33.60	-13.00	-20.60	H
5196.59	-27.96	8.10	16.32	-36.18	-13.00	-23.18	H
6929.61	-23.05	8.30	21.13	-35.88	-13.00	-22.88	H
3464.40	-26.31	7.20	12.56	-31.67	-13.00	-18.67	V
5196.59	-29.02	8.10	16.32	-37.24	-13.00	-24.24	V
6929.61	-25.10	8.30	21.13	-37.93	-13.00	-24.93	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.00	-27.23	7.20	12.56	-32.59	-13.00	-19.59	H
5257.19	-28.74	8.10	16.32	-36.96	-13.00	-23.96	H
7009.79	-23.42	8.30	21.13	-36.25	-13.00	-23.25	H
3505.00	-29.49	7.20	12.56	-34.85	-13.00	-21.85	V
5257.19	-28.75	8.10	16.32	-36.97	-13.00	-23.97	V
7009.79	-24.20	8.30	21.13	-37.03	-13.00	-24.03	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.79	-24.89	7.20	12.56	-30.25	-13.00	-17.25	H
5145.37	-26.60	8.10	16.32	-34.82	-13.00	-21.82	H
6860.39	-22.73	8.30	21.13	-35.56	-13.00	-22.56	H
3429.79	-27.94	7.20	12.56	-33.30	-13.00	-20.30	V
5145.37	-27.63	8.10	16.32	-35.85	-13.00	-22.85	V
6860.39	-24.54	8.30	21.13	-37.37	-13.00	-24.37	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.45	-26.89	7.20	12.56	-32.25	-13.00	-19.25	H
5196.54	-27.04	8.10	16.32	-35.26	-13.00	-22.26	H
6929.81	-25.99	8.30	21.13	-38.82	-13.00	-25.82	H
3464.45	-26.74	7.20	12.56	-32.10	-13.00	-19.10	V
5196.54	-26.78	8.10	16.32	-35.00	-13.00	-22.00	V
6929.81	-27.28	8.30	21.13	-40.11	-13.00	-27.11	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.12	-24.53	7.20	12.56	-29.89	-13.00	-16.89	H
5250.49	-27.80	8.10	16.32	-36.02	-13.00	-23.02	H
6999.91	-27.35	8.30	21.13	-40.18	-13.00	-27.18	H
3500.12	-29.54	7.20	12.56	-34.90	-13.00	-21.90	V
5250.49	-27.83	8.10	16.32	-36.05	-13.00	-23.05	V
6999.91	-26.35	8.30	21.13	-39.18	-13.00	-26.18	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.91	-28.16	7.20	12.56	-33.52	-13.00	-20.52	H
5152.59	-26.90	8.10	16.32	-35.12	-13.00	-22.12	H
6870.71	-23.78	8.30	21.13	-36.61	-13.00	-23.61	H
3434.91	-26.68	7.20	12.56	-32.04	-13.00	-19.04	V
5152.59	-25.19	8.10	16.32	-33.41	-13.00	-20.41	V
6870.71	-23.46	8.30	21.13	-36.29	-13.00	-23.29	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.70	-28.04	7.20	12.56	-33.40	-13.00	-20.40	H
5196.49	-27.35	8.10	16.32	-35.57	-13.00	-22.57	H
6929.69	-26.15	8.30	21.13	-38.98	-13.00	-25.98	H
3464.70	-29.31	7.20	12.56	-34.67	-13.00	-21.67	V
5196.49	-27.84	8.10	16.32	-36.06	-13.00	-23.06	V
6929.69	-26.48	8.30	21.13	-39.31	-13.00	-26.31	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.16	-24.22	7.20	12.56	-29.58	-13.00	-16.58	H
5242.36	-26.40	8.10	16.32	-34.62	-13.00	-21.62	H
6989.97	-23.19	8.30	21.13	-36.02	-13.00	-23.02	H
3495.16	-28.26	7.20	12.56	-33.62	-13.00	-20.62	V
5242.36	-26.68	8.10	16.32	-34.90	-13.00	-21.90	V
6989.97	-24.75	8.30	21.13	-37.58	-13.00	-24.58	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.23	-24.13	7.20	12.56	-29.49	-13.00	-16.49	H
5160.15	-27.24	8.10	16.32	-35.46	-13.00	-22.46	H
6880.81	-26.09	8.30	21.13	-38.92	-13.00	-25.92	H
3440.23	-28.56	7.20	12.56	-33.92	-13.00	-20.92	V
5160.15	-28.59	8.10	16.32	-36.81	-13.00	-23.81	V
6880.81	-23.56	8.30	21.13	-36.39	-13.00	-23.39	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.05	-25.62	7.20	12.56	-30.98	-13.00	-17.98	H
5196.44	-26.70	8.10	16.32	-34.92	-13.00	-21.92	H
6929.53	-25.78	8.30	21.13	-38.61	-13.00	-25.61	H
3465.05	-29.25	7.20	12.56	-34.61	-13.00	-21.61	V
5196.44	-25.22	8.10	16.32	-33.44	-13.00	-20.44	V
6929.53	-25.69	8.30	21.13	-38.52	-13.00	-25.52	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.62	-24.61	7.20	12.56	-29.97	-13.00	-16.97	H
5235.32	-27.89	8.10	16.32	-36.11	-13.00	-23.11	H
6979.48	-23.63	8.30	21.13	-36.46	-13.00	-23.46	H
3490.62	-27.91	7.20	12.56	-33.27	-13.00	-20.27	V
5235.32	-24.81	8.10	16.32	-33.03	-13.00	-20.03	V
6979.48	-24.74	8.30	21.13	-37.57	-13.00	-24.57	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.67	-27.89	7.40	9.72	-30.21	-13.00	-17.21	H
2473.44	-27.39	8.30	10.86	-29.95	-13.00	-16.95	H
3298.70	-27.31	7.20	11.57	-31.68	-13.00	-18.68	H
1648.67	-28.41	7.40	9.72	-30.73	-13.00	-17.73	V
2473.44	-25.95	8.30	10.86	-28.51	-13.00	-15.51	V
3298.70	-28.15	7.20	11.57	-32.52	-13.00	-19.52	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.66	-28.08	7.40	9.72	-30.40	-13.00	-17.40	H
2509.09	-30.05	8.30	10.86	-32.61	-13.00	-19.61	H
3345.45	-24.19	7.20	11.57	-28.56	-13.00	-15.56	H
1672.66	-28.13	7.40	9.72	-30.45	-13.00	-17.45	V
2509.09	-28.84	8.30	10.86	-31.40	-13.00	-18.40	V
3345.45	-28.31	7.20	11.57	-32.68	-13.00	-19.68	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.19	-28.41	7.40	9.72	-30.73	-13.00	-17.73	H
2544.68	-27.76	8.30	10.86	-30.32	-13.00	-17.32	H
3392.84	-27.74	7.20	11.57	-32.11	-13.00	-19.11	H
1696.19	-30.33	7.40	9.72	-32.65	-13.00	-19.65	V
2544.68	-29.84	8.30	10.86	-32.40	-13.00	-19.40	V
3392.84	-27.24	7.20	11.57	-31.61	-13.00	-18.61	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.26	-28.59	7.40	9.72	-30.91	-13.00	-17.91	H
2475.86	-30.28	8.30	10.86	-32.84	-13.00	-19.84	H
3301.58	-27.16	7.20	11.57	-31.53	-13.00	-18.53	H
1650.26	-27.55	7.40	9.72	-29.87	-13.00	-16.87	V
2475.86	-26.16	8.30	10.86	-28.72	-13.00	-15.72	V
3301.58	-25.19	7.20	11.57	-29.56	-13.00	-16.56	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.33	-29.93	7.40	9.72	-32.25	-13.00	-19.25	H
2508.78	-25.87	8.30	10.86	-28.43	-13.00	-15.43	H
3345.47	-24.47	7.20	11.57	-28.84	-13.00	-15.84	H
1672.33	-29.44	7.40	9.72	-31.76	-13.00	-18.76	V
2508.78	-29.74	8.30	10.86	-32.30	-13.00	-19.30	V
3345.47	-29.16	7.20	11.57	-33.53	-13.00	-20.53	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.50	-27.79	7.40	9.72	-30.11	-13.00	-17.11	H
2542.15	-28.14	8.30	10.86	-30.70	-13.00	-17.70	H
3389.20	-24.11	7.20	11.57	-28.48	-13.00	-15.48	H
1694.50	-29.87	7.40	9.72	-32.19	-13.00	-19.19	V
2542.15	-27.92	8.30	10.86	-30.48	-13.00	-17.48	V
3389.20	-27.40	7.20	11.57	-31.77	-13.00	-18.77	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.43	-26.06	7.40	9.72	-28.38	-13.00	-15.38	H
2478.80	-28.45	8.30	10.86	-31.01	-13.00	-18.01	H
3305.68	-24.47	7.20	11.57	-28.84	-13.00	-15.84	H
1652.43	-26.22	7.40	9.72	-28.54	-13.00	-15.54	V
2478.80	-29.15	8.30	10.86	-31.71	-13.00	-18.71	V
3305.68	-26.29	7.20	11.57	-30.66	-13.00	-17.66	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.26	-27.17	7.40	9.72	-29.49	-13.00	-16.49	H
2508.95	-30.08	8.30	10.86	-32.64	-13.00	-19.64	H
3345.18	-25.21	7.20	11.57	-29.58	-13.00	-16.58	H
1672.26	-26.56	7.40	9.72	-28.88	-13.00	-15.88	V
2508.95	-26.22	8.30	10.86	-28.78	-13.00	-15.78	V
3345.18	-28.51	7.20	11.57	-32.88	-13.00	-19.88	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.08	-29.44	7.40	9.72	-31.76	-13.00	-18.76	H
2538.83	-25.67	8.30	10.86	-28.23	-13.00	-15.23	H
3385.47	-26.50	7.20	11.57	-30.87	-13.00	-17.87	H
1692.08	-28.30	7.40	9.72	-30.62	-13.00	-17.62	V
2538.83	-25.69	8.30	10.86	-28.25	-13.00	-15.25	V
3385.47	-27.24	7.20	11.57	-31.61	-13.00	-18.61	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.48	-29.61	7.40	9.72	-31.93	-13.00	-18.93	H
2486.56	-28.02	8.30	10.86	-30.58	-13.00	-17.58	H
3315.42	-24.27	7.20	11.57	-28.64	-13.00	-15.64	H
1657.48	-28.63	7.40	9.72	-30.95	-13.00	-17.95	V
2486.56	-26.57	8.30	10.86	-29.13	-13.00	-16.13	V
3315.42	-25.21	7.20	11.57	-29.58	-13.00	-16.58	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.17	-28.05	7.40	9.72	-30.37	-13.00	-17.37	H
2508.90	-29.93	8.30	10.86	-32.49	-13.00	-19.49	H
3345.28	-25.18	7.20	11.57	-29.55	-13.00	-16.55	H
1672.17	-30.61	7.40	9.72	-32.93	-13.00	-19.93	V
2508.90	-29.20	8.30	10.86	-31.76	-13.00	-18.76	V
3345.28	-25.13	7.20	11.57	-29.50	-13.00	-16.50	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.65	-29.73	7.40	9.72	-32.05	-13.00	-19.05	H
2531.46	-28.76	8.30	10.86	-31.32	-13.00	-18.32	H
3375.56	-28.43	7.20	11.57	-32.80	-13.00	-19.80	H
1687.65	-29.99	7.40	9.72	-32.31	-13.00	-19.31	V
2531.46	-26.11	8.30	10.86	-28.67	-13.00	-15.67	V
3375.56	-25.15	7.20	11.57	-29.52	-13.00	-16.52	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.17	-25.71	6.70	9.34	-28.35	-13.00	-15.35	H
2098.67	-25.56	7.80	10.42	-28.18	-13.00	-15.18	H
2798.37	-28.59	8.00	11.12	-31.71	-13.00	-18.71	H
1399.17	-28.21	6.70	9.34	-30.85	-13.00	-17.85	V
2098.67	-26.70	7.80	10.42	-29.32	-13.00	-16.32	V
2798.37	-28.84	8.00	11.12	-31.96	-13.00	-18.96	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.97	-28.23	6.70	9.34	-30.87	-13.00	-17.87	H
2122.49	-26.08	7.80	10.42	-28.70	-13.00	-15.70	H
2829.89	-25.88	8.00	11.12	-29.00	-13.00	-16.00	H
1414.97	-26.52	6.70	9.34	-29.16	-13.00	-16.16	V
2122.49	-27.14	7.80	10.42	-29.76	-13.00	-16.76	V
2829.89	-27.93	8.00	11.12	-31.05	-13.00	-18.05	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.34	-28.72	6.70	9.34	-31.36	-13.00	-18.36	H
2145.58	-27.21	7.80	10.42	-29.83	-13.00	-16.83	H
2861.02	-25.83	8.00	11.12	-28.95	-13.00	-15.95	H
1430.34	-26.77	6.70	9.34	-29.41	-13.00	-16.41	V
2145.58	-27.26	7.80	10.42	-29.88	-13.00	-16.88	V
2861.02	-27.57	8.00	11.12	-30.69	-13.00	-17.69	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.76	-29.39	6.70	9.34	-32.03	-13.00	-19.03	H
2101.08	-27.81	7.80	10.42	-30.43	-13.00	-17.43	H
2801.93	-27.45	8.00	11.12	-30.57	-13.00	-17.57	H
1400.76	-28.52	6.70	9.34	-31.16	-13.00	-18.16	V
2101.08	-29.02	7.80	10.42	-31.64	-13.00	-18.64	V
2801.93	-25.83	8.00	11.12	-28.95	-13.00	-15.95	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.98	-26.71	6.70	9.34	-29.35	-13.00	-16.35	H
2122.46	-28.68	7.80	10.42	-31.30	-13.00	-18.30	H
2829.99	-27.49	8.00	11.12	-30.61	-13.00	-17.61	H
1414.98	-29.05	6.70	9.34	-31.69	-13.00	-18.69	V
2122.46	-29.26	7.80	10.42	-31.88	-13.00	-18.88	V
2829.99	-26.29	8.00	11.12	-29.41	-13.00	-16.41	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.82	-27.61	6.70	9.34	-30.25	-13.00	-17.25	H
2143.22	-29.75	7.80	10.42	-32.37	-13.00	-19.37	H
2857.55	-27.14	8.00	11.12	-30.26	-13.00	-17.26	H
1428.82	-28.22	6.70	9.34	-30.86	-13.00	-17.86	V
2143.22	-25.53	7.80	10.42	-28.15	-13.00	-15.15	V
2857.55	-24.27	8.00	11.12	-27.39	-13.00	-14.39	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.92	-28.75	6.70	9.34	-31.39	-13.00	-18.39	H
2104.22	-26.00	7.80	10.42	-28.62	-13.00	-15.62	H
2805.66	-25.88	8.00	11.12	-29.00	-13.00	-16.00	H
1402.92	-29.32	6.70	9.34	-31.96	-13.00	-18.96	V
2104.22	-26.43	7.80	10.42	-29.05	-13.00	-16.05	V
2805.66	-26.65	8.00	11.12	-29.77	-13.00	-16.77	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.78	-28.52	6.70	9.34	-31.16	-13.00	-18.16	H
2122.07	-30.25	7.80	10.42	-32.87	-13.00	-19.87	H
2829.75	-27.06	8.00	11.12	-30.18	-13.00	-17.18	H
1414.78	-30.45	6.70	9.34	-33.09	-13.00	-20.09	V
2122.07	-25.53	7.80	10.42	-28.15	-13.00	-15.15	V
2829.75	-25.87	8.00	11.12	-28.99	-13.00	-15.99	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.84	-28.77	6.70	9.34	-31.41	-13.00	-18.41	H
2140.27	-27.32	7.80	10.42	-29.94	-13.00	-16.94	H
2853.54	-24.89	8.00	11.12	-28.01	-13.00	-15.01	H
1426.84	-28.64	6.70	9.34	-31.28	-13.00	-18.28	V
2140.27	-28.25	7.80	10.42	-30.87	-13.00	-17.87	V
2853.54	-27.21	8.00	11.12	-30.33	-13.00	-17.33	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.65	-29.78	6.70	9.34	-32.42	-13.00	-19.42	H
2111.74	-30.05	7.80	10.42	-32.67	-13.00	-19.67	H
2815.55	-24.22	8.00	11.12	-27.34	-13.00	-14.34	H
1407.65	-27.70	6.70	9.34	-30.34	-13.00	-17.34	V
2111.74	-26.89	7.80	10.42	-29.51	-13.00	-16.51	V
2815.55	-25.61	8.00	11.12	-28.73	-13.00	-15.73	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.70	-28.27	6.70	9.34	-30.91	-13.00	-17.91	H
2122.12	-28.54	7.80	10.42	-31.16	-13.00	-18.16	H
2829.71	-26.41	8.00	11.12	-29.53	-13.00	-16.53	H
1414.70	-27.65	6.70	9.34	-30.29	-13.00	-17.29	V
2122.12	-28.07	7.80	10.42	-30.69	-13.00	-17.69	V
2829.71	-24.80	8.00	11.12	-27.92	-13.00	-14.92	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.56	-26.02	6.70	9.34	-28.66	-13.00	-15.66	H
2132.90	-29.11	7.80	10.42	-31.73	-13.00	-18.73	H
2843.55	-27.05	8.00	11.12	-30.17	-13.00	-17.17	H
1421.56	-28.38	6.70	9.34	-31.02	-13.00	-18.02	V
2132.90	-26.51	7.80	10.42	-29.13	-13.00	-16.13	V
2843.55	-26.04	8.00	11.12	-29.16	-13.00	-16.16	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.42	-48.08	7.40	9.72	-50.40	-40.00	-10.40	H
2338.21	-37.15	8.30	10.86	-39.71	-13.00	-26.71	H
3118.13	-36.30	7.70	11.57	-40.17	-13.00	-27.17	H
1559.42	-48.44	7.40	9.72	-50.76	-40.00	-10.76	V
2338.21	-40.13	8.30	10.86	-42.69	-13.00	-29.69	V
3118.13	-38.81	7.70	11.57	-42.68	-13.00	-29.68	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.24	-48.77	7.40	9.72	-51.09	-40.00	-11.09	H
2345.95	-36.76	8.30	10.86	-39.32	-13.00	-26.32	H
3127.99	-39.18	7.70	11.57	-43.05	-13.00	-30.05	H
1564.24	-46.16	7.40	9.72	-48.48	-40.00	-8.48	V
2345.95	-37.31	8.30	10.86	-39.87	-13.00	-26.87	V
3127.99	-35.65	7.70	11.57	-39.52	-13.00	-26.52	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1569.08	-46.58	7.40	9.72	-48.90	-40.00	-8.90	H
2353.29	-38.67	8.30	10.86	-41.23	-13.00	-28.23	H
3138.23	-36.95	7.70	11.57	-40.82	-13.00	-27.82	H
1569.08	-46.46	7.40	9.72	-48.78	-40.00	-8.78	V
2353.29	-36.36	8.30	10.86	-38.92	-13.00	-25.92	V
3138.23	-36.18	7.70	11.57	-40.05	-13.00	-27.05	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.98	-46.18	7.40	9.72	-48.50	-40.00	-8.50	H
2346.12	-40.12	8.30	10.86	-42.68	-13.00	-29.68	H
3127.74	-39.51	7.70	11.57	-43.38	-13.00	-30.38	H
1563.98	-45.51	7.40	9.72	-47.83	-40.00	-7.83	V
2346.12	-38.31	8.30	10.86	-40.87	-13.00	-27.87	V
3127.74	-38.28	7.70	11.57	-42.15	-13.00	-29.15	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.12	-26.57	6.90	9.34	-29.01	-13.00	-16.01	H
2120.30	-27.17	8.00	10.42	-29.59	-13.00	-16.59	H
2826.80	-23.84	8.00	11.12	-26.96	-13.00	-13.96	H
1413.12	-30.03	6.90	9.34	-32.47	-13.00	-19.47	V
2120.30	-28.67	8.00	10.42	-31.09	-13.00	-18.09	V
2826.80	-26.76	8.00	11.12	-29.88	-13.00	-16.88	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.82	-29.64	6.90	9.34	-32.08	-13.00	-19.08	H
2129.88	-26.14	8.00	10.42	-28.56	-13.00	-15.56	H
2840.20	-24.83	8.00	11.12	-27.95	-13.00	-14.95	H
1419.82	-28.24	6.90	9.34	-30.68	-13.00	-17.68	V
2129.88	-28.68	8.00	10.42	-31.10	-13.00	-18.10	V
2840.20	-25.72	8.00	11.12	-28.84	-13.00	-15.84	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.05	-25.15	6.90	9.34	-27.59	-13.00	-14.59	H
2139.18	-27.29	8.00	10.42	-29.71	-13.00	-16.71	H
2852.75	-26.89	8.00	11.12	-30.01	-13.00	-17.01	H
1426.05	-27.60	6.90	9.34	-30.04	-13.00	-17.04	V
2139.18	-28.60	8.00	10.42	-31.02	-13.00	-18.02	V
2852.75	-27.21	8.00	11.12	-30.33	-13.00	-17.33	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.41	-27.54	6.90	9.34	-29.98	-13.00	-16.98	H
2127.66	-28.85	8.00	10.42	-31.27	-13.00	-18.27	H
2836.82	-25.77	8.00	11.12	-28.89	-13.00	-15.89	H
1418.41	-30.91	6.90	9.34	-33.35	-13.00	-20.35	V
2127.66	-26.39	8.00	10.42	-28.81	-13.00	-15.81	V
2836.82	-25.61	8.00	11.12	-28.73	-13.00	-15.73	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.14	-24.96	6.90	9.34	-27.40	-13.00	-14.40	H
2129.85	-27.62	8.00	10.42	-30.04	-13.00	-17.04	H
2840.29	-25.06	8.00	11.12	-28.18	-13.00	-15.18	H
1420.14	-26.49	6.90	9.34	-28.93	-13.00	-15.93	V
2129.85	-29.88	8.00	10.42	-32.30	-13.00	-19.30	V
2840.29	-27.02	8.00	11.12	-30.14	-13.00	-17.14	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.16	-28.87	6.90	9.34	-31.31	-13.00	-18.31	H
2131.65	-27.97	8.00	10.42	-30.39	-13.00	-17.39	H
2842.38	-25.74	8.00	11.12	-28.86	-13.00	-15.86	H
1421.16	-29.94	6.90	9.34	-32.38	-13.00	-19.38	V
2131.65	-25.95	8.00	10.42	-28.37	-13.00	-15.37	V
2842.38	-27.29	8.00	11.12	-30.41	-13.00	-17.41	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.23	-26.20	7.20	12.56	-31.56	-13.00	-18.56	H
5131.68	-26.59	8.10	16.32	-34.81	-13.00	-21.81	H
6842.63	-26.08	8.30	21.13	-38.91	-13.00	-25.91	H
3421.23	-27.97	7.20	12.56	-33.33	-13.00	-20.33	V
5131.68	-27.97	8.10	16.32	-36.19	-13.00	-23.19	V
6842.63	-23.53	8.30	21.13	-36.36	-13.00	-23.36	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.86	-27.78	7.20	12.56	-33.14	-13.00	-20.14	H
5235.05	-25.63	8.10	16.32	-33.85	-13.00	-20.85	H
6980.03	-22.81	8.30	21.13	-35.64	-13.00	-22.64	H
3489.86	-26.75	7.20	12.56	-32.11	-13.00	-19.11	V
5235.05	-27.50	8.10	16.32	-35.72	-13.00	-22.72	V
6980.03	-23.98	8.30	21.13	-36.81	-13.00	-23.81	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.84	-25.07	7.20	12.56	-30.43	-13.00	-17.43	H
5337.15	-26.60	8.10	16.32	-34.82	-13.00	-21.82	H
7116.73	-23.11	8.30	21.13	-35.94	-13.00	-22.94	H
3557.84	-25.41	7.20	12.56	-30.77	-13.00	-17.77	V
5337.15	-28.75	8.10	16.32	-36.97	-13.00	-23.97	V
7116.73	-26.23	8.30	21.13	-39.06	-13.00	-26.06	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.20	-25.60	7.20	12.56	-30.96	-13.00	-17.96	H
5134.13	-27.60	8.10	16.32	-35.82	-13.00	-22.82	H
6845.90	-23.05	8.30	21.13	-35.88	-13.00	-22.88	H
3423.20	-29.31	7.20	12.56	-34.67	-13.00	-21.67	V
5134.13	-28.49	8.10	16.32	-36.71	-13.00	-23.71	V
6845.90	-26.45	8.30	21.13	-39.28	-13.00	-26.28	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.17	-24.86	7.20	12.56	-30.22	-13.00	-17.22	H
5235.11	-25.80	8.10	16.32	-34.02	-13.00	-21.02	H
6980.23	-24.45	8.30	21.13	-37.28	-13.00	-24.28	H
3490.17	-29.21	7.20	12.56	-34.57	-13.00	-21.57	V
5235.11	-26.83	8.10	16.32	-35.05	-13.00	-22.05	V
6980.23	-27.62	8.30	21.13	-40.45	-13.00	-27.45	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.09	-24.52	7.20	12.56	-29.88	-13.00	-16.88	H
5262.51	-25.40	8.10	16.32	-33.62	-13.00	-20.62	H
7114.07	-26.91	8.30	21.13	-39.74	-13.00	-26.74	H
3557.09	-29.85	7.20	12.56	-35.21	-13.00	-22.21	V
5262.51	-25.13	8.10	16.32	-33.35	-13.00	-20.35	V
7114.07	-24.87	8.30	21.13	-37.70	-13.00	-24.70	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.35	-28.17	7.20	12.56	-33.53	-13.00	-20.53	H
5137.09	-28.78	8.10	16.32	-37.00	-13.00	-24.00	H
6850.38	-24.32	8.30	21.13	-37.15	-13.00	-24.15	H
3425.35	-25.99	7.20	12.56	-31.35	-13.00	-18.35	V
5137.09	-24.91	8.10	16.32	-33.13	-13.00	-20.13	V
6850.38	-28.16	8.30	21.13	-40.99	-13.00	-27.99	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.91	-28.30	7.20	12.56	-33.66	-13.00	-20.66	H
5235.18	-29.32	8.10	16.32	-37.54	-13.00	-24.54	H
6979.99	-26.10	8.30	21.13	-38.93	-13.00	-25.93	H
3489.91	-27.12	7.20	12.56	-32.48	-13.00	-19.48	V
5235.18	-28.96	8.10	16.32	-37.18	-13.00	-24.18	V
6979.99	-27.13	8.30	21.13	-39.96	-13.00	-26.96	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.84	-24.23	7.20	12.56	-29.59	-13.00	-16.59	H
5234.93	-28.04	8.10	16.32	-36.26	-13.00	-23.26	H
7109.78	-24.37	8.30	21.13	-37.20	-13.00	-24.20	H
3557.84	-29.99	7.20	12.56	-35.35	-13.00	-22.35	V
5234.93	-25.09	8.10	16.32	-33.31	-13.00	-20.31	V
7109.78	-26.60	8.30	21.13	-39.43	-13.00	-26.43	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.00	-28.46	7.20	12.56	-33.82	-13.00	-20.82	H
5145.05	-26.24	8.10	16.32	-34.46	-13.00	-21.46	H
6879.78	-24.48	8.30	21.13	-37.31	-13.00	-24.31	H
3430.00	-29.36	7.20	12.56	-34.72	-13.00	-21.72	V
5145.05	-27.04	8.10	16.32	-35.26	-13.00	-22.26	V
6879.78	-27.72	8.30	21.13	-40.55	-13.00	-27.55	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.18	-28.63	7.20	12.56	-33.99	-13.00	-20.99	H
5235.24	-28.04	8.10	16.32	-36.26	-13.00	-23.26	H
6979.85	-24.07	8.30	21.13	-36.90	-13.00	-23.90	H
3490.18	-25.95	7.20	12.56	-31.31	-13.00	-18.31	V
5235.24	-26.48	8.10	16.32	-34.70	-13.00	-21.70	V
6979.85	-26.07	8.30	21.13	-38.90	-13.00	-25.90	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.58	-27.53	7.20	12.56	-32.89	-13.00	-19.89	H
5235.42	-29.06	8.10	16.32	-37.28	-13.00	-24.28	H
7100.29	-27.32	8.30	21.13	-40.15	-13.00	-27.15	H
3550.58	-26.32	7.20	12.56	-31.68	-13.00	-18.68	V
5235.42	-27.84	8.10	16.32	-36.06	-13.00	-23.06	V
7100.29	-25.56	8.30	21.13	-38.39	-13.00	-25.39	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.86	-24.61	7.20	12.56	-29.97	-13.00	-16.97	H
5152.56	-28.11	8.10	16.32	-36.33	-13.00	-23.33	H
6870.05	-27.44	8.30	21.13	-40.27	-13.00	-27.27	H
3434.86	-26.91	7.20	12.56	-32.27	-13.00	-19.27	V
5152.56	-27.34	8.10	16.32	-35.56	-13.00	-22.56	V
6870.05	-23.64	8.30	21.13	-36.47	-13.00	-23.47	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.92	-28.02	7.20	12.56	-33.38	-13.00	-20.38	H
5234.95	-28.59	8.10	16.32	-36.81	-13.00	-23.81	H
6980.28	-23.79	8.30	21.13	-36.62	-13.00	-23.62	H
3489.92	-26.71	7.20	12.56	-32.07	-13.00	-19.07	V
5234.95	-24.53	8.10	16.32	-32.75	-13.00	-19.75	V
6980.28	-26.79	8.30	21.13	-39.62	-13.00	-26.62	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.75	-24.82	7.20	12.56	-30.18	-13.00	-17.18	H
5332.52	-28.96	8.10	16.32	-37.18	-13.00	-24.18	H
7090.21	-26.87	8.30	21.13	-39.70	-13.00	-26.70	H
3544.75	-29.91	7.20	12.56	-35.27	-13.00	-22.27	V
5332.52	-28.87	8.10	16.32	-37.09	-13.00	-24.09	V
7090.21	-24.77	8.30	21.13	-37.60	-13.00	-24.60	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.96	-24.59	7.20	12.56	-29.95	-13.00	-16.95	H
5160.08	-26.32	8.10	16.32	-34.54	-13.00	-21.54	H
6880.14	-25.43	8.30	21.13	-38.26	-13.00	-25.26	H
3439.96	-29.15	7.20	12.56	-34.51	-13.00	-21.51	V
5160.08	-25.49	8.10	16.32	-33.71	-13.00	-20.71	V
6880.14	-26.99	8.30	21.13	-39.82	-13.00	-26.82	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.86	-27.17	7.20	12.56	-32.53	-13.00	-19.53	H
5235.04	-28.81	8.10	16.32	-37.03	-13.00	-24.03	H
6979.92	-27.56	8.30	21.13	-40.39	-13.00	-27.39	H
3489.86	-25.70	7.20	12.56	-31.06	-13.00	-18.06	V
5235.04	-26.95	8.10	16.32	-35.17	-13.00	-22.17	V
6979.92	-24.25	8.30	21.13	-37.08	-13.00	-24.08	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.82	-27.22	7.20	12.56	-32.58	-13.00	-19.58	H
5310.15	-25.26	8.10	16.32	-33.48	-13.00	-20.48	H
7080.80	-24.84	8.30	21.13	-37.67	-13.00	-24.67	H
3539.82	-26.85	7.20	12.56	-32.21	-13.00	-19.21	V
5310.15	-26.82	8.10	16.32	-35.04	-13.00	-22.04	V
7080.80	-24.43	8.30	21.13	-37.26	-13.00	-24.26	V

※※※※※END OF THE REPORT※※※※※