




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-1.675	30	Pass
NVNT	BLE	2442	Ant1	-3.259	30	Pass
NVNT	BLE	2480	Ant1	-3.192	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.66	0.5	Pass
NVNT	BLE	2480	Ant1	0.66	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.029	
NVNT	BLE	2442	Ant1	1.03	
NVNT	BLE	2480	Ant1	1.031	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-17.138	8	Pass
NVNT	BLE	2442	Ant1	-18.848	8	Pass
NVNT	BLE	2480	Ant1	-18.728	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-54.25	-20	Pass
NVNT	BLE	2480	Ant1	-52.27	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.78	-20	Pass
NVNT	BLE	2442	Ant1	-45.37	-20	Pass
NVNT	BLE	2480	Ant1	-45.32	-20	Pass

Project No.: JYTSZR2306025









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-5.221 dBm

-52.38 dBm -54.17 dBm -54.59 dBm

-49.20 dBm

N N

3 N 4 N 5 N

4.924 GHz 7.196 GHz 9.818 GHz

23.926 GHz

Jun 29, 2023 4:35:44 PM



