




Test Data

Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.722	30	Pass
NVNT	BLE	2442	Ant1	2.184	30	Pass
NVNT	BLE	2480	Ant1	0.289	30	Pass











Tel: +86-755-23118282, Fax: +86-755-23116366



-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.66	0.5	Pass
NVNT	BLE	2442	Ant1	0.662	0.5	Pass
NVNT	BLE	2480	Ant1	0.663	0.5	Pass











Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.029	
NVNT	BLE	2442	Ant1	1.029	
NVNT	BLE	2480	Ant1	1.03	









Tel: +86-755-23118282, Fax: +86-755-23116366



Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-15.526	8	Pass
NVNT	BLE	2442	Ant1	-14.043	8	Pass
NVNT	BLE	2480	Ant1	-15.947	8	Pass











Tel: +86-755-23118282, Fax: +86-755-23116366




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.85	-20	Pass
NVNT	BLE	2480	Ant1	-55.9	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.14	-20	Pass
NVNT	BLE	2442	Ant1	-51.34	-20	Pass
NVNT	BLE	2480	Ant1	-48.94	-20	Pass











