




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant1	0.393	30	Pass
NVNT	BLE	2442	Ant1	1.697	30	Pass
NVNT	BLE	2478	Ant1	-0.292	30	Pass














Tel: +86-755-23118282, Fax: +86-755-23116366



-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant1	1.167	0.5	Pass
NVNT	BLE	2442	Ant1	1.241	0.5	Pass
NVNT	BLE	2478	Ant1	1.101	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2404	Ant1	2.052
NVNT	BLE	2442	Ant1	2.056
NVNT	BLE	2478	Ant1	2.058











Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant1	-18.253	8	Pass
NVNT	BLE	2442	Ant1	-16.965	8	Pass
NVNT	BLE	2478	Ant1	-18.919	8	Pass











Tel: +86-755-23118282, Fax: +86-755-23116366




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant1	-56.15	-20	Pass
NVNT	BLE	2478	Ant1	-56.07	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant1	-47.6	-20	Pass
NVNT	BLE	2442	Ant1	-49.49	-20	Pass
NVNT	BLE	2478	Ant1	-46.77	-20	Pass











