










































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.162	46.96	-18.38	65.34	36.50	0.04	10.42	QP
2	0.162	33.66	-21.68	55.34	23.20	0.04	10.42	Average
3 *	0.180	51.75	-12.75	64.50	41.30	0.04	10.41	QP
4	0.180	40.55	-13.95	54.50	30.10	0.04	10.41	Average
5	0.227	34.22	-28.35	62.57	23.80	0.03	10.39	QP
6	0.227	22.32	-30.25	52.57	11.90	0.03	10.39	Average
7	0.279	37.69	-23.16	60.85	27.30	0.04	10.35	QP
8	0.279	27.09	-23.76	50.85	16.70	0.04	10.35	Average
9	0.549	35.36	-20.64	56.00	25.20	-0.04	10.20	QP
10	0.549	18.76	-27.24	46.00	8.60	-0.04	10.20	Average
11	1.396	34.26	-21.74	56.00	24.30	-0.12	10.08	QP
12	1.396	21.76	-24.24	46.00	11.80	-0.12	10.08	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.176	48.36	-16.32	64.68	37.90	0.05	10.41	QP
2 *	0.176	39.56	-15.12	54.68	29.10	0.05	10.41	Average
3	0.256	39.76	-21.80	61.56	29.41	-0.01	10.36	QP
4	0.256	30.46	-21.10	51.56	20.11	-0.01	10.36	Average
5	0.343	37.36	-21.77	59.13	27.10	-0.05	10.31	QP
6	0.343	27.56	-21.57	49.13	17.30	-0.05	10.31	Average
7	0.576	36.02	-19.98	56.00	25.90	-0.07	10.19	QP
8	0.576	27.02	-18.98	46.00	16.90	-0.07	10.19	Average
9	0.759	38.35	-17.65	56.00	28.31	-0.08	10.12	QP
10	0.759	29.65	-16.35	46.00	19.61	-0.08	10.12	Average
11	1.456	32.87	-23.13	56.00	22.90	-0.11	10.08	QP
12	1.456	21.27	-24.73	46.00	11.30	-0.11	10.08	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	levi zhao	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	2	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 5	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	1Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2383.32	49.23	74.00	-24.77	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	39.76	74.00	-34.24	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	42.98	74.00	-31.02	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.48	49.89	74.00	-24.11	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	43.06	74.00	-30.94	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2365.51	49.19	74.00	-24.81	H	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	39.72	74.00	-34.28	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	42.89	74.00	-31.11	V	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2487.67	49.98	74.00	-24.02	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	41.84	74.00	-32.16	H	PEAK	Pass	Harmonic





Mode	1																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak/Avg.																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2354.59</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>40.80</td><td>31.96</td><td>7.05</td><td>36.85</td><td>6.00</td><td>126</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>2354.59</td><td>24.17</td><td>54.00</td><td>-29.83</td><td>16.01</td><td>31.96</td><td>7.05</td><td>36.85</td><td>6.00</td><td>126</td><td>239</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2354.59	48.96	74.00	-25.04	40.80	31.96	7.05	36.85	6.00	126	239	PEAK	2	2354.59	24.17	54.00	-29.83	16.01	31.96	7.05	36.85	6.00	126	239	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2354.59	48.96	74.00	-25.04	40.80	31.96	7.05	36.85	6.00	126	239	PEAK																																																									
2	2354.59	24.17	54.00	-29.83	16.01	31.96	7.05	36.85	6.00	126	239	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.28</td><td>74.00</td><td>26.28</td><td>91.88</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>126</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.49</td><td>74.00</td><td>1.49</td><td>67.09</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>126</td><td>239</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.28	74.00	26.28	91.88	32.11	7.12	36.83	6.00	126	239	PEAK	2	2402.00	75.49	74.00	1.49	67.09	32.11	7.12	36.83	6.00	126	239	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	100.28	74.00	26.28	91.88	32.11	7.12	36.83	6.00	126	239	PEAK																																																									
2	2402.00	75.49	74.00	1.49	67.09	32.11	7.12	36.83	6.00	126	239	AVERAGE																																																									





Mode	1																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																	
ANT	1																																																																	
Pol.	Vertical																																																																	
Peak/Avg.																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.32</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>40.91</td><td>32.05</td><td>7.10</td><td>36.83</td><td>6.00</td><td>266</td><td>259 PEAK</td></tr><tr><td>2</td><td>2383.32</td><td>24.44</td><td>54.00</td><td>-29.56</td><td>16.12</td><td>32.05</td><td>7.10</td><td>36.83</td><td>6.00</td><td>266</td><td>259 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.32	49.23	74.00	-24.77	40.91	32.05	7.10	36.83	6.00	266	259 PEAK	2	2383.32	24.44	54.00	-29.56	16.12	32.05	7.10	36.83	6.00	266	259 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2383.32	49.23	74.00	-24.77	40.91	32.05	7.10	36.83	6.00	266	259 PEAK																																																							
2	2383.32	24.44	54.00	-29.56	16.12	32.05	7.10	36.83	6.00	266	259 AVERAGE																																																							
Fundamental																																																																		
																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.93</td><td>-----</td><td>-----</td><td>89.53</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>266</td><td>259 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.14</td><td>-----</td><td>-----</td><td>64.74</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>266</td><td>259 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.93	-----	-----	89.53	32.11	7.12	36.83	6.00	266	259 PEAK	2	2402.00	73.14	-----	-----	64.74	32.11	7.12	36.83	6.00	266	259 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2402.00	97.93	-----	-----	89.53	32.11	7.12	36.83	6.00	266	259 PEAK																																																							
2	2402.00	73.14	-----	-----	64.74	32.11	7.12	36.83	6.00	266	259 AVERAGE																																																							





Mode	1																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.76</td><td>74.00</td><td>-34.24</td><td>60.91</td><td>33.90</td><td>10.20</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.76	74.00	-34.24	60.91	33.90	10.20	65.25	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>60.54</td><td>33.90</td><td>10.20</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.39	74.00	-34.61	60.54	33.90	10.20	65.25	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	39.76	74.00	-34.24	60.91	33.90	10.20	65.25	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	39.39	74.00	-34.61	60.54	33.90	10.20	65.25	0.00	--	PEAK																																																																																						





Mode	2																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.87</td><td>74.00</td><td>-34.13</td><td>60.95</td><td>33.90</td><td>10.30</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.98</td><td>74.00</td><td>-31.02</td><td>61.04</td><td>35.70</td><td>12.72</td><td>66.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.87	74.00	-34.13	60.95	33.90	10.30	65.28	0.00	--	--	PEAK	2	7323.00	42.98	74.00	-31.02	61.04	35.70	12.72	66.48	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>60.56</td><td>33.90</td><td>10.30</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.25</td><td>74.00</td><td>-32.75</td><td>59.31</td><td>35.70</td><td>12.72</td><td>66.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.48	74.00	-34.52	60.56	33.90	10.30	65.28	0.00	--	--	PEAK	2	7323.00	41.25	74.00	-32.75	59.31	35.70	12.72	66.48	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	4882.00	39.87	74.00	-34.13	60.95	33.90	10.30	65.28	0.00	--	--	PEAK																																																																																																																										
2	7323.00	42.98	74.00	-31.02	61.04	35.70	12.72	66.48	0.00	--	--	PEAK																																																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	4882.00	39.48	74.00	-34.52	60.56	33.90	10.30	65.28	0.00	--	--	PEAK																																																																																																																										
2	7323.00	41.25	74.00	-32.75	59.31	35.70	12.72	66.48	0.00	--	--	PEAK																																																																																																																										





Mode	3																																																																																																																																																													
	Band Edge																																																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal											Fundamental																																																																																																																																																		
Peak/Avg.																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.48</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>41.09</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>126</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>2484.48</td><td>25.10</td><td>54.00</td><td>-28.90</td><td>16.30</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>126</td><td>237</td><td>AVERAGE</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.48	49.89	74.00	-24.11	41.09	32.52	7.26	36.98	6.00	126	237	PEAK	2	2484.48	25.10	54.00	-28.90	16.30	32.52	7.26	36.98	6.00	126	237	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.94</td><td>-----</td><td>-----</td><td>89.16</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>126</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.15</td><td>-----</td><td>-----</td><td>64.37</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>126</td><td>237</td><td>AVERAGE</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.94	-----	-----	89.16	32.50	7.25	36.97	6.00	126	237	PEAK	2	2480.00	73.15	-----	-----	64.37	32.50	7.25	36.97	6.00	126	237	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1	2484.48	49.89	74.00	-24.11	41.09	32.52	7.26	36.98	6.00	126	237	PEAK																																																																																																																																																		
2	2484.48	25.10	54.00	-28.90	16.30	32.52	7.26	36.98	6.00	126	237	AVERAGE																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1	2480.00	97.94	-----	-----	89.16	32.50	7.25	36.97	6.00	126	237	PEAK																																																																																																																																																		
2	2480.00	73.15	-----	-----	64.37	32.50	7.25	36.97	6.00	126	237	AVERAGE																																																																																																																																																		





Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2493.45</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>40.95</td><td>32.57</td><td>7.27</td><td>36.98</td><td>6.00</td><td>238</td><td>269</td><td>PEAK</td></tr><tr><td>2</td><td>2493.45</td><td>25.02</td><td>54.00</td><td>-28.98</td><td>16.16</td><td>32.57</td><td>7.27</td><td>36.98</td><td>6.00</td><td>238</td><td>269</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.45	49.81	74.00	-24.19	40.95	32.57	7.27	36.98	6.00	238	269	PEAK	2	2493.45	25.02	54.00	-28.98	16.16	32.57	7.27	36.98	6.00	238	269	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>95.17</td><td>-----</td><td>-----</td><td>86.39</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>238</td><td>269</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>70.38</td><td>-----</td><td>-----</td><td>61.60</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>238</td><td>269</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.17	-----	-----	86.39	32.50	7.25	36.97	6.00	238	269	PEAK	2	2480.00	70.38	-----	-----	61.60	32.50	7.25	36.97	6.00	238	269	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2493.45	49.81	74.00	-24.19	40.95	32.57	7.27	36.98	6.00	238	269	PEAK																																																																																																																		
2	2493.45	25.02	54.00	-28.98	16.16	32.57	7.27	36.98	6.00	238	269	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	95.17	-----	-----	86.39	32.50	7.25	36.97	6.00	238	269	PEAK																																																																																																																		
2	2480.00	70.38	-----	-----	61.60	32.50	7.25	36.97	6.00	238	269	AVERAGE																																																																																																																		



Mode	3																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>61.17</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>60.06</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.28	74.00	-33.72	61.17	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	41.77	74.00	-32.23	60.06	35.74	12.78	66.81	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.60</td><td>74.00</td><td>-33.40</td><td>61.49</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.06</td><td>74.00</td><td>-30.94</td><td>61.35</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.60	74.00	-33.40	61.49	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	43.06	74.00	-30.94	61.35	35.74	12.78	66.81	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	40.28	74.00	-33.72	61.17	34.02	10.40	65.31	0.00	--	--	PEAK																																																																																																																																
2	7440.00	41.77	74.00	-32.23	60.06	35.74	12.78	66.81	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	40.60	74.00	-33.40	61.49	34.02	10.40	65.31	0.00	--	--	PEAK																																																																																																																																
2	7440.00	43.06	74.00	-30.94	61.35	35.74	12.78	66.81	0.00	--	--	PEAK																																																																																																																																





		4																																																																			
Mode		Band Edge																																																																			
		2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																			
ANT		2																																																																			
Pol.		Horizontal																																																																			
Peak/Avg.																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.51</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>40.97</td><td>32.00</td><td>7.07</td><td>36.85</td><td>6.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>2365.51</td><td>24.40</td><td>54.00</td><td>-29.60</td><td>16.18</td><td>32.00</td><td>7.07</td><td>36.85</td><td>6.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.51	49.19	74.00	-24.81	40.97	32.00	7.07	36.85	6.00	100	60	PEAK	2	2365.51	24.40	54.00	-29.60	16.18	32.00	7.07	36.85	6.00	100	60	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2365.51	49.19	74.00	-24.81	40.97	32.00	7.07	36.85	6.00	100	60	PEAK																																																									
2	2365.51	24.40	54.00	-29.60	16.18	32.00	7.07	36.85	6.00	100	60	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.51</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>40.97</td><td>32.00</td><td>7.07</td><td>36.85</td><td>6.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>2365.51</td><td>24.40</td><td>54.00</td><td>-29.60</td><td>16.18</td><td>32.00</td><td>7.07</td><td>36.85</td><td>6.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.51	49.19	74.00	-24.81	40.97	32.00	7.07	36.85	6.00	100	60	PEAK	2	2365.51	24.40	54.00	-29.60	16.18	32.00	7.07	36.85	6.00	100	60	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2365.51	49.19	74.00	-24.81	40.97	32.00	7.07	36.85	6.00	100	60	PEAK																																																									
2	2365.51	24.40	54.00	-29.60	16.18	32.00	7.07	36.85	6.00	100	60	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.51</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>40.97</td><td>32.00</td><td>7.07</td><td>36.85</td><td>6.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>2365.51</td><td>24.40</td><td>54.00</td><td>-29.60</td><td>16.18</td><td>32.00</td><td>7.07</td><td>36.85</td><td>6.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.51	49.19	74.00	-24.81	40.97	32.00	7.07	36.85	6.00	100	60	PEAK	2	2365.51	24.40	54.00	-29.60	16.18	32.00	7.07	36.85	6.00	100	60	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2365.51	49.19	74.00	-24.81	40.97	32.00	7.07	36.85	6.00	100	60	PEAK																																																									
2	2365.51	24.40	54.00	-29.60	16.18	32.00	7.07	36.85	6.00	100	60	AVERAGE																																																									

		Fundamental																																																																			
Peak/Avg.																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>94.35</td><td>74.00</td><td>20.35</td><td>85.95</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>69.56</td><td>74.00</td><td>-4.44</td><td>61.16</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.35	74.00	20.35	85.95	32.11	7.12	36.83	6.00	100	60	PEAK	2	2402.00	69.56	74.00	-4.44	61.16	32.11	7.12	36.83	6.00	100	60	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	94.35	74.00	20.35	85.95	32.11	7.12	36.83	6.00	100	60	PEAK																																																									
2	2402.00	69.56	74.00	-4.44	61.16	32.11	7.12	36.83	6.00	100	60	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>94.35</td><td>74.00</td><td>20.35</td><td>85.95</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>69.56</td><td>74.00</td><td>-4.44</td><td>61.16</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.35	74.00	20.35	85.95	32.11	7.12	36.83	6.00	100	60	PEAK	2	2402.00	69.56	74.00	-4.44	61.16	32.11	7.12	36.83	6.00	100	60	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	94.35	74.00	20.35	85.95	32.11	7.12	36.83	6.00	100	60	PEAK																																																									
2	2402.00	69.56	74.00	-4.44	61.16	32.11	7.12	36.83	6.00	100	60	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>94.35</td><td>74.00</td><td>20.35</td><td>85.95</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>100</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>69.56</td><td>74.00</td><td>-4.44</td><td>61.16</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.35	74.00	20.35	85.95	32.11	7.12	36.83	6.00	100	60	PEAK	2	2402.00	69.56	74.00	-4.44	61.16	32.11	7.12	36.83	6.00	100	60	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	94.35	74.00	20.35	85.95	32.11	7.12	36.83	6.00	100	60	PEAK																																																									
2	2402.00	69.56	74.00	-4.44	61.16	32.11	7.12	36.83	6.00	100	60	AVERAGE																																																									



Mode	4																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																											
ANT	2																																																																											
Pol.	Vertical						Fundamental																																																																					
Peak/Avg.																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2384.62</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>40.40</td><td>32.05</td><td>7.10</td><td>36.83</td><td>6.00</td><td>186</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2384.62</td><td>23.93</td><td>54.00</td><td>-30.07</td><td>15.61</td><td>32.05</td><td>7.10</td><td>36.83</td><td>6.00</td><td>186</td><td>360</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2384.62	48.72	74.00	-25.28	40.40	32.05	7.10	36.83	6.00	186	360	PEAK	2	2384.62	23.93	54.00	-30.07	15.61	32.05	7.10	36.83	6.00	186	360	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	2384.62	48.72	74.00	-25.28	40.40	32.05	7.10	36.83	6.00	186	360	PEAK																																																																
2	2384.62	23.93	54.00	-30.07	15.61	32.05	7.10	36.83	6.00	186	360	AVERAGE																																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>98.43</td><td>-----</td><td>-----</td><td>90.03</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>186</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.64</td><td>-----</td><td>-----</td><td>65.24</td><td>32.11</td><td>7.12</td><td>36.83</td><td>6.00</td><td>186</td><td>360</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	98.43	-----	-----	90.03	32.11	7.12	36.83	6.00	186	360	PEAK	2	2402.00	73.64	-----	-----	65.24	32.11	7.12	36.83	6.00	186	360	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	2402.00	98.43	-----	-----	90.03	32.11	7.12	36.83	6.00	186	360	PEAK																																																																
2	2402.00	73.64	-----	-----	65.24	32.11	7.12	36.83	6.00	186	360	AVERAGE																																																																





Mode	4																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.33</td><td>74.00</td><td>-34.67</td><td>60.48</td><td>33.90</td><td>10.20</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.33	74.00	-34.67	60.48	33.90	10.20	65.25	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.72</td><td>74.00</td><td>-34.28</td><td>60.87</td><td>33.90</td><td>10.20</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.72	74.00	-34.28	60.87	33.90	10.20	65.25	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	39.33	74.00	-34.67	60.48	33.90	10.20	65.25	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	39.72	74.00	-34.28	60.87	33.90	10.20	65.25	0.00	--	PEAK																																																																																							



Mode	5																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.49</td><td>74.00</td><td>-34.51</td><td>60.57</td><td>33.90</td><td>10.30</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.39</td><td>74.00</td><td>-31.61</td><td>60.45</td><td>35.70</td><td>12.72</td><td>66.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.49	74.00	-34.51	60.57	33.90	10.30	65.28	0.00	--	--	PEAK	2	7323.00	42.39	74.00	-31.61	60.45	35.70	12.72	66.48	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>60.75</td><td>33.90</td><td>10.30</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.89</td><td>74.00</td><td>-31.11</td><td>60.95</td><td>35.70</td><td>12.72</td><td>66.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.67	74.00	-34.33	60.75	33.90	10.30	65.28	0.00	--	--	PEAK	2	7323.00	42.89	74.00	-31.11	60.95	35.70	12.72	66.48	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	4882.00	39.49	74.00	-34.51	60.57	33.90	10.30	65.28	0.00	--	--	PEAK																																																																																																																		
2	7323.00	42.39	74.00	-31.61	60.45	35.70	12.72	66.48	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	4882.00	39.67	74.00	-34.33	60.75	33.90	10.30	65.28	0.00	--	--	PEAK																																																																																																																		
2	7323.00	42.89	74.00	-31.11	60.95	35.70	12.72	66.48	0.00	--	--	PEAK																																																																																																																		



Mode	6																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																				
ANT	2																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak/Avg.																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.67</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>41.16</td><td>32.54</td><td>7.26</td><td>36.98</td><td>6.00</td><td>103</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>2487.67</td><td>25.19</td><td>54.00</td><td>-28.81</td><td>16.37</td><td>32.54</td><td>7.26</td><td>36.98</td><td>6.00</td><td>103</td><td>124</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.67	49.98	74.00	-24.02	41.16	32.54	7.26	36.98	6.00	103	124	PEAK	2	2487.67	25.19	54.00	-28.81	16.37	32.54	7.26	36.98	6.00	103	124	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2487.67	49.98	74.00	-24.02	41.16	32.54	7.26	36.98	6.00	103	124	PEAK																																																									
2	2487.67	25.19	54.00	-28.81	16.37	32.54	7.26	36.98	6.00	103	124	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.60</td><td>-----</td><td>-----</td><td>83.82</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>103</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>67.81</td><td>-----</td><td>-----</td><td>59.03</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>103</td><td>124</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.60	-----	-----	83.82	32.50	7.25	36.97	6.00	103	124	PEAK	2	2480.00	67.81	-----	-----	59.03	32.50	7.25	36.97	6.00	103	124	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2480.00	92.60	-----	-----	83.82	32.50	7.25	36.97	6.00	103	124	PEAK																																																									
2	2480.00	67.81	-----	-----	59.03	32.50	7.25	36.97	6.00	103	124	AVERAGE																																																									





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak/Avg.	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.88</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>40.43</td><td>32.59</td><td>7.28</td><td>36.99</td><td>6.00</td><td>301</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>2497.88</td><td>24.52</td><td>54.00</td><td>-29.48</td><td>15.64</td><td>32.59</td><td>7.28</td><td>36.99</td><td>6.00</td><td>301</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.88	49.31	74.00	-24.69	40.43	32.59	7.28	36.99	6.00	301	171	PEAK	2	2497.88	24.52	54.00	-29.48	15.64	32.59	7.28	36.99	6.00	301	171	AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.02</td><td>-----</td><td>-----</td><td>87.24</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>301</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>71.23</td><td>-----</td><td>-----</td><td>62.45</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>301</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.02	-----	-----	87.24	32.50	7.25	36.97	6.00	301	171	PEAK	2	2480.00	71.23	-----	-----	62.45	32.50	7.25	36.97	6.00	301	171	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2497.88	49.31	74.00	-24.69	40.43	32.59	7.28	36.99	6.00	301	171	PEAK																																																																																																																		
2	2497.88	24.52	54.00	-29.48	15.64	32.59	7.28	36.99	6.00	301	171	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	96.02	-----	-----	87.24	32.50	7.25	36.97	6.00	301	171	PEAK																																																																																																																		
2	2480.00	71.23	-----	-----	62.45	32.50	7.25	36.97	6.00	301	171	AVERAGE																																																																																																																		





Mode	6																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>60.75</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.84</td><td>74.00</td><td>-32.16</td><td>60.13</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	39.86	74.00	-34.14	60.75	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	41.84	74.00	-32.16	60.13	35.74	12.78	66.81	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.22</td><td>74.00</td><td>-33.78</td><td>61.11</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>59.66</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.22	74.00	-33.78	61.11	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	41.37	74.00	-32.63	59.66	35.74	12.78	66.81	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	39.86	74.00	-34.14	60.75	34.02	10.40	65.31	0.00	--	--	PEAK																																																																																																																																
2	7440.00	41.84	74.00	-32.16	60.13	35.74	12.78	66.81	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	40.22	74.00	-33.78	61.11	34.02	10.40	65.31	0.00	--	--	PEAK																																																																																																																																
2	7440.00	41.37	74.00	-32.63	59.66	35.74	12.78	66.81	0.00	--	--	PEAK																																																																																																																																



Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 The plot shows the average power level in dBuV/m versus frequency in MHz for horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m with major ticks every 16.3 dB. The x-axis ranges from 18000 to 25000 MHz with major ticks every 400 MHz. A blue line represents the measured signal, which is relatively flat around 40 dBuV/m. Three horizontal red lines indicate FCC Part 15C limits: -50 dBm (approx. 77.8 dBuV/m), -50 dBm (AVG) (approx. 65.0 dBuV/m), and -50 dBm (approx. 81.3 dBuV/m).	 The plot shows the average power level in dBuV/m versus frequency in MHz for vertical polarization. The y-axis ranges from 0 to 130 dBuV/m with major ticks every 16.3 dB. The x-axis ranges from 18000 to 25000 MHz with major ticks every 400 MHz. A blue line represents the measured signal, which is relatively flat around 40 dBuV/m. Three horizontal red lines indicate FCC Part 15C limits: -50 dBm (approx. 77.8 dBuV/m), -50 dBm (AVG) (approx. 65.0 dBuV/m), and -50 dBm (approx. 81.3 dBuV/m).


Note: Only the worst case has assessed 18G ~25GHz to test.




Mode	6																																																																																																																																																																																																						
	LF																																																																																																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																						
ANT	2																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
Peak QP																																																																																																																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>149.31</td><td>26.10</td><td>-17.40</td><td>43.50</td><td>39.72</td><td>17.11</td><td>1.63</td><td>32.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>239.52</td><td>33.01</td><td>-12.99</td><td>46.00</td><td>45.90</td><td>17.38</td><td>2.09</td><td>32.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>326.82</td><td>31.92</td><td>-14.08</td><td>46.00</td><td>42.19</td><td>19.70</td><td>2.44</td><td>32.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>633.34</td><td>29.54</td><td>-16.46</td><td>46.00</td><td>32.24</td><td>26.49</td><td>3.41</td><td>32.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>749.74</td><td>30.55</td><td>-15.45</td><td>46.00</td><td>31.03</td><td>28.21</td><td>3.70</td><td>32.39</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>947.62</td><td>32.28</td><td>-13.72</td><td>46.00</td><td>28.22</td><td>30.94</td><td>4.15</td><td>31.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	149.31	26.10	-17.40	43.50	39.72	17.11	1.63	32.36	---	---	Peak	2	239.52	33.01	-12.99	46.00	45.90	17.38	2.09	32.36	---	---	Peak	3	326.82	31.92	-14.08	46.00	42.19	19.70	2.44	32.41	---	---	Peak	4	633.34	29.54	-16.46	46.00	32.24	26.49	3.41	32.60	---	---	Peak	5	749.74	30.55	-15.45	46.00	31.03	28.21	3.70	32.39	---	---	Peak	6	947.62	32.28	-13.72	46.00	28.22	30.94	4.15	31.03	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>40.67</td><td>31.25</td><td>-8.75</td><td>40.00</td><td>43.58</td><td>19.27</td><td>0.59</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>231.76</td><td>27.56</td><td>-18.44</td><td>46.00</td><td>41.29</td><td>16.58</td><td>2.05</td><td>32.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>497.54</td><td>26.93</td><td>-19.07</td><td>46.00</td><td>32.53</td><td>23.93</td><td>3.01</td><td>32.54</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>647.89</td><td>28.52</td><td>-17.48</td><td>46.00</td><td>31.19</td><td>26.48</td><td>3.44</td><td>32.59</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>739.07</td><td>29.53</td><td>-16.47</td><td>46.00</td><td>30.21</td><td>28.08</td><td>3.67</td><td>32.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>905.91</td><td>31.83</td><td>-14.17</td><td>46.00</td><td>30.12</td><td>29.18</td><td>4.05</td><td>31.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	40.67	31.25	-8.75	40.00	43.58	19.27	0.59	32.19	---	---	Peak	2	231.76	27.56	-18.44	46.00	41.29	16.58	2.05	32.36	---	---	Peak	3	497.54	26.93	-19.07	46.00	32.53	23.93	3.01	32.54	---	---	Peak	4	647.89	28.52	-17.48	46.00	31.19	26.48	3.44	32.59	---	---	Peak	5	739.07	29.53	-16.47	46.00	30.21	28.08	3.67	32.43	---	---	Peak	6	905.91	31.83	-14.17	46.00	30.12	29.18	4.05	31.52	---	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	149.31	26.10	-17.40	43.50	39.72	17.11	1.63	32.36	---	---	Peak																																																																																																																																																																																												
2	239.52	33.01	-12.99	46.00	45.90	17.38	2.09	32.36	---	---	Peak																																																																																																																																																																																												
3	326.82	31.92	-14.08	46.00	42.19	19.70	2.44	32.41	---	---	Peak																																																																																																																																																																																												
4	633.34	29.54	-16.46	46.00	32.24	26.49	3.41	32.60	---	---	Peak																																																																																																																																																																																												
5	749.74	30.55	-15.45	46.00	31.03	28.21	3.70	32.39	---	---	Peak																																																																																																																																																																																												
6	947.62	32.28	-13.72	46.00	28.22	30.94	4.15	31.03	---	---	Peak																																																																																																																																																																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	40.67	31.25	-8.75	40.00	43.58	19.27	0.59	32.19	---	---	Peak																																																																																																																																																																																												
2	231.76	27.56	-18.44	46.00	41.29	16.58	2.05	32.36	---	---	Peak																																																																																																																																																																																												
3	497.54	26.93	-19.07	46.00	32.53	23.93	3.01	32.54	---	---	Peak																																																																																																																																																																																												
4	647.89	28.52	-17.48	46.00	31.19	26.48	3.44	32.59	---	---	Peak																																																																																																																																																																																												
5	739.07	29.53	-16.47	46.00	30.21	28.08	3.67	32.43	---	---	Peak																																																																																																																																																																																												
6	905.91	31.83	-14.17	46.00	30.12	29.18	4.05	31.52	---	---	Peak																																																																																																																																																																																												

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.