




Appendix C: Maximum Average Output Power

Test Result

			Average	Average	Conducted	ISED EIRP	
Test Mode	Antenna	Channel	Conducted Output	EIRP	Power Limit	Limit	Verdict
Test Mode	Antenna	Charmer	Power	[dBm]	[dBm]	[dBm]	Verdict
	A	2112	[dBm]				5.4.00
11B	Ant1	2412	19.04	19.77	<=30	<=36	PASS
	Ant2	2412	19.59	21.96	<=30	<=36	PASS
	Ant1	2442	19.33	20.06	<=30	<=36	PASS
	Ant2	2442	20.53	22.90	<=30	<=36	PASS
	Ant1	2462	19.51	20.24	<=30	<=36	PASS
	Ant2	2462	20.71	23.08	<=30	<=36	PASS
	Ant1	2467	17.23	17.96	<=30	<=36	PASS
	Ant2	2467	17.85	20.22	<=30	<=36	PASS
	Ant1	2472	14.82	15.55	<=30	<=36	PASS
	Ant2	2472	14.64	17.01	<=30	<=36	PASS
	Ant1	2412	16.06	16.79	<=30	<=36	PASS
	Ant2	2412	16.77	19.14	<=30	<=36	PASS
	Ant1	2442	20.51	21.24	<=30	<=36	PASS
	Ant2	2442	20.30	22.67	<=30	<=36	PASS
11G	Ant1	2462	16.60	17.33	<=30	<=36	PASS
	Ant2	2462	16.39	18.76	<=30	<=36	PASS
	Ant1	2467	13.27	14.00	<=30	<=36	PASS
	Ant2	2467	13.34	15.71	<=30	<=36	PASS
	Ant1	2472	-4.97	-4.24	<=30	<=36	PASS
	Ant2	2472	-4.94	-2.57	<=30	<=36	PASS
	Ant1	2412	13.43	/	<=30	<=36	PASS
	Ant2	2412	13.24	/ 00.50	<=30	<=36	PASS
	total	2412	16.30	20.52	<=30	<=36	PASS
	Ant1	2442	16.92		<=30	<=36	PASS
	Ant2	2442	16.44	7 72 02	<=30	<=36	PASS
	total	2442 2462	19.70 13.97	23.92	<=30 <=30	<=36 <=36	PASS PASS
11N20MIMO	Ant1	2462	13.39	/	<=30 <=30	<=36	PASS
I TINZUIVIIIVIO	Ant2 total	2462	16.70	20.92	<=30 <=30	<=36 <=36	PASS
	Ant1	2467	10.91	/ 20.92	<=30 <=30	<=36	PASS
	Ant2	2467	10.45	/	<=30 <=30	<=36	PASS
	total	2467	13.70	17.92	<=30 <=30	<=36	PASS
	Ant1	2472	-7.26	17.32	<=30	<=36	PASS
	Ant2	2472	-8.59		<=30	<=36	PASS
	total	2472	-4.90	-0.68	<=30	<=36	PASS
	Ant1	2422	11.30	/	<=30	<=36	PASS
11N40MIMO	Ant2	2422	10.83		<=30	<=36	PASS
	total	2422	14.10	18.32	<=30	<=36	PASS
	Ant1	2442	14.23	/	<=30	<=36	PASS
	Ant2	2442	13.75		<=30	<=36	PASS
	total	2442	17.00	21.22	<=30	<=36	PASS
	Ant1	2452	12.12	/	<=30	<=36	PASS
	Ant2	2452	11.69		<=30	<=36	PASS
	total	2452	14.90	19.12	<=30	<=36	PASS
	Ant1	2457	10.16	/	<=30	<=36	PASS
	Ant2	2457	9.70	. /	<=30	<=36	PASS
	total	2457	12.9	17.12	<=30	<=36	PASS
	Ant1	2462	1.75	/	<=30	<=36	PASS
	Ant2	2462	1.62		<=30	<=36	PASS
	total	2462	4.70	8.92	<=30	<=36	PASS
			0	J.J_	1	. 00	





Note: 1. 802.11b and g does not support MIMO mode.

- 2. Average EIRP = Average Conducted Output Power + Antenna gain/Directional gain.
- 3. The test results have already included the duty cycle correction factor. About correction Factor please refer to section 7.1.
- 4. STBC mode and CDD mode use the same power setting, only the worst EIRP data was recorded in the report, for more about the antenna gain/directional gain, please refer to clause 5.6.



Appendix D: Maximum Average Power Spectral Density


Test Result

Test Mode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B		2412	-3.55	<=8	PASS
		2442	-2.57	<=8	PASS
	Ant2	2462	-2.84	<=8	PASS
		2467	-5.63	<=8	PASS
		2472	-9.18	<=8	PASS
		2412	-7.88	<=8	PASS
11G	Ant2	2442	-3.86	<=8	PASS
		2462	-8.81	<=8	PASS
		2467	-11.28	<=8	PASS
		2472	-30.62	<=8	PASS
	Ant1	2412	-11.39	<=8	PASS
	Ant2	2412	-11.34	<=8	PASS
	total	2412	-8.35	8	PASS
	Ant1	2442	-7.91	<=8	PASS
	Ant2	2442	-8.15	<=8	PASS
	total	2442	-5.02	8	PASS
	Ant1	2462	-10.93	<=8	PASS
11N20MIMO	Ant2	2462	-12.02	<=8	PASS
	total	2462	-8.43	8	PASS
	Ant1	2467	-13.84	<=8	PASS
	Ant2	2467	-14.11	<=8	PASS
	total	2467	-10.96	8	PASS
	Ant1	2472	-31.75	<=8	PASS
	Ant2	2472	-32.89	<=8	PASS
	total	2472	-29.27	8	PASS
	Ant1	2422	-16.66	<=8	PASS
	Ant2	2422	-16.05	<=8	PASS
	total	2422	-13.33	8	PASS
	Ant1	2442	-13.18	<=8	PASS
	Ant2	2442	-12.94	<=8	PASS
	total	2442	-10.05	8	PASS
11N40MIMO	Ant1	2452	-16	<=8	PASS
	Ant2	2452	-14.65	<=8	PASS
	total	2452	-12.26	8	PASS
	Ant1	2457	-16.97	<=8	PASS
	Ant2	2457	-17.77	<=8	PASS
	total	2457	-14.34	8	PASS
	Ant1	2462	-25.33	<=8	PASS
	Ant2	2462	-25.82	<=8	PASS
	total	2462	-22.56	8	PASS


Note: For 802.11b & g mode, both the two antennas had been tested, but only the worst data was recorded in the report.




Test Graphs









































































Appendix E: Band Edge Measurements

Test Result

Test Mode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant2	Low	2412	6.09	-40.68	<=-23.91	PASS
		High	2462	10.41	-40.53	<=-19.59	PASS
			2467	8.05	-40.36	<=-21.95	PASS
			2472	4.81	-40.97	<=-25.19	PASS
11G	Ant2	Low	2412	5.33	-26.15	<=-24.67	PASS
		High	2462	5.13	-40.84	<=-24.87	PASS
			2467	2.25	-40.01	<=-27.75	PASS
			2472	-17.75	-50.26	<=-47.75	PASS
	Ant1	Low	2412	3.63	-28.77	<=-26.37	PASS
11N20MIMO	Ant2	Low	2412	1.34	-32.05	<=-28.66	PASS
	Ant1	High	2462	3.18	-40.53	<=-26.83	PASS
	Ant2	High	2462	2.50	-40.19	<=-27.5	PASS
	Ant1	High	2467	-0.02	-40.61	<=-30.02	PASS
	Ant2	High	2467	-0.23	-40.11	<=-30.23	PASS
	Ant1	High	2472	-17.19	-51.95	<=-47.19	PASS
	Ant2	High	2472	-18.09	-52.91	<=-48.09	PASS
11N40MIMO	Ant1	Low	2422	-1.12	-31.57	<=-31.12	PASS
	Ant2	Low	2422	-1.47	-31.72	<=-31.47	PASS
	Ant1	High	2452	-1.78	-39.77	<=-31.78	PASS
	Ant2	High	2452	-2.45	-40.55	<=-32.45	PASS
	Ant1	High	2457	-4.06	-40.03	<=-34.06	PASS
	Ant2	High	2457	-4.43	-39.6	<=-34.43	PASS
	Ant1	High	2462	-11.98	-43.26	<=-41.98	PASS
	Ant2	High	2462	-12.12	-46.42	<=-42.12	PASS

Note: For 802.11b & g mode, both the two antennas had been tested, but only the worst data was recorded in the report.