



Full Power Mode

<GSM Power>

GSM850_Ant 0	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	128	189	251		128	189	251	
TX Channel	824.2	836.4	848.8	824.2	836.4	848.8		
Frequency (MHz)	824.2	836.4	848.8	824.2	836.4	848.8		
GSM 1 Tx slot	32.99	33.22	33.31	34.00	23.99	24.22	24.31	
GPRS 1 Tx slot	32.98	33.19	33.29	34.00	23.98	24.19	24.28	
GPRS 2 Tx slots	30.05	30.25	30.37	31.00	24.05	24.25	24.37	
GPRS 3 Tx slots	28.31	28.49	28.62	29.50	24.05	24.23	24.36	
GPRS 4 Tx slots	26.97	27.16	27.29	28.00	23.97	24.16	24.29	
EDGE 1 Tx slot	27.02	26.86	26.84	28.00	18.02	17.86	17.84	
EDGE 2 Tx slots	24.12	23.94	23.93	25.00	18.12	17.94	17.93	
EDGE 3 Tx slots	22.34	22.14	22.12	23.50	18.08	17.88	17.86	
EDGE 4 Tx slots	20.88	20.74	20.62	22.00	17.88	17.74	17.52	

GSM1900_Ant 0	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	1850.2	1880	1909.8	1850.2	1880	1909.8		
Frequency (MHz)	1850.2	1880	1909.8	1850.2	1880	1909.8		
GSM 1 Tx slot	30.25	30.54	30.87	31.00	24.25	24.54	24.87	
GPRS 1 Tx slot	30.23	30.51	30.83	31.00	24.23	24.51	24.83	
GPRS 2 Tx slots	27.19	27.49	27.87	28.00	21.19	21.49	21.87	
GPRS 3 Tx slots	25.45	25.74	25.91	26.50	21.19	21.48	21.65	
GPRS 4 Tx slots	24.07	24.39	24.57	25.00	21.07	21.39	21.57	
EDGE 1 Tx slot	26.25	26.31	26.22	27.00	17.25	17.31	17.22	
EDGE 2 Tx slots	23.73	23.74	23.67	24.00	17.73	17.74	17.67	
EDGE 3 Tx slots	21.95	22.15	21.99	23.00	17.69	17.89	17.73	
EDGE 4 Tx slots	20.72	20.88	20.81	22.00	17.72	17.88	17.81	

<WCDMA>

Band	WCDMA 1_Ant 0			Tune-up Limit (dBm)	WCDMA N_Ant 0			Tune-up Limit (dBm)	WCDMA V_Ant 0			Tune-up Limit (dBm)
	9262	9490	9538		1312	1413	1513		4132	4182	4233	
TX Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458			
Frequency (MHz)	1852.4	1880	1907.6	1712.4	1737.6	1752.6	336.4	336.4	346.6			
3GPP Rel 99	23.59	23.61	23.60	24.00	23.43	23.51	23.44	24.00	23.40	23.52		
3GPP Rel 99	RMC 12.2Kbps	23.59	23.63	23.61	24.00	23.50	23.53	23.49	24.00	23.41		
3GPP Rel 6	HSDPA Subtest-1	22.58	22.61	22.66	23.00	22.55	22.51	22.52	23.00	22.58		
3GPP Rel 6	HSDPA Subtest-2	22.51	22.58	22.56	23.00	22.55	22.57	22.46	23.00	22.55		
3GPP Rel 6	HSDPA Subtest-3	22.04	22.04	22.08	22.50	22.03	22.09	21.96	22.50	22.05		
3GPP Rel 6	HSDPA Subtest-4	22.05	22.07	22.03	22.50	22.04	22.07	21.93	22.50	22.05		
3GPP Rel 8	DC-HSDPA Subtest-1	22.54	22.60	22.63	23.00	22.43	22.42	22.45	23.00	22.55		
3GPP Rel 8	DC-HSDPA Subtest-2	22.48	22.56	22.55	23.00	22.38	22.37	22.39	23.00	22.53		
3GPP Rel 8	DC-HSDPA Subtest-3	22.01	22.03	22.05	22.50	21.86	21.83	21.85	22.50	22.01		
3GPP Rel 8	DC-HSDPA Subtest-4	22.03	22.05	22.01	22.50	21.85	21.78	21.83	22.50	22.03		
3GPP Rel 6	HSUPA Subtest-1	21.57	21.71	21.78	23.00	21.54	21.55	21.53	23.00	21.58		
3GPP Rel 6	HSUPA Subtest-2	21.39	21.47	21.50	23.00	21.40	21.33	21.33	23.00	21.30		
3GPP Rel 6	HSUPA Subtest-3	22.39	22.48	22.48	23.00	22.34	22.35	22.33	23.00	22.39		
3GPP Rel 6	HSUPA Subtest-4	21.05	21.11	21.30	22.00	21.11	21.12	21.10	22.00	20.91		
3GPP Rel 6	HSUPA Subtest-5	22.50	22.70	22.60	23.00	22.50	22.50	22.40	23.00	22.50		
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	20.89	20.91	20.93	22.00	20.89	20.93	20.93	22.00	20.53		



Band 2_Ant 0

Table with columns: BW [MHz], Modulation, RB Size, RB Offset, Power Low Ch / Freq, Power Middle Ch / Freq, Power High Ch / Freq, Tune-up limit (dBm), MPR (dB). Contains multiple channels of data for various modulation schemes and power levels.

Band 4_Ant 0

Table with columns: BW [MHz], Modulation, RB Size, RB Offset, Power Low Ch / Freq, Power Middle Ch / Freq, Power High Ch / Freq, Tune-up limit (dBm), MPR (dB). Contains multiple channels of data for various modulation schemes and power levels.



Reduced Power Mode for Sensor on

GSM Power

GSM850_Ant 0	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	190	190	251		190	190	251	
TX Channel	824.2	838.4	848.8		824.2	838.4	848.8	
Frequency (MHz)								
GSM 1 Tx slot	25.06	25.28	25.40	26.50	16.06	16.28	16.40	17.50
GPRS 1 Tx slot	25.04	25.25	25.37	26.50	16.04	16.25	16.37	17.50
GPRS 2 Tx slots	22.62	22.79	22.89	23.50	16.62	16.79	16.89	17.50
GPRS 3 Tx slots	21.03	21.21	21.33	22.00	16.77	16.95	17.07	17.74
GPRS 4 Tx slots	18.95	19.16	19.30	20.50	15.95	16.16	16.30	17.50
EDGE 1 Tx slot	19.57	19.29	19.27	20.50	10.57	10.29	10.27	11.50
EDGE 2 Tx slots	16.69	16.45	16.45	17.50	10.69	10.45	10.45	11.50
EDGE 3 Tx slots	14.83	14.56	14.71	16.00	10.57	10.30	10.45	11.74
EDGE 4 Tx slots	13.38	13.21	13.00	14.50	10.38	10.21	10.00	11.50

GSM1900_Ant 0	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	1850.2	1890	1939.8		1850.2	1890	1939.8	
Frequency (MHz)								
GSM 1 Tx slot	21.35	21.62	21.75	22.00	12.35	12.62	12.75	13.00
GPRS 1 Tx slot	21.34	21.60	21.73	22.00	12.34	12.60	12.73	13.00
GPRS 2 Tx slots	18.14	18.52	18.64	19.00	12.14	12.52	12.64	13.00
GPRS 3 Tx slots	16.17	16.56	16.75	17.50	11.91	12.30	12.49	13.24
GPRS 4 Tx slots	15.17	15.55	15.75	16.00	12.17	12.55	12.75	13.00
EDGE 1 Tx slot	17.26	17.26	17.13	18.00	8.26	8.26	8.13	9.00
EDGE 2 Tx slots	14.76	14.81	14.73	15.00	8.76	8.81	8.73	9.00
EDGE 3 Tx slots	12.99	13.16	12.94	14.00	8.73	8.90	8.68	9.74
EDGE 4 Tx slots	11.74	11.89	11.75	13.00	8.74	8.89	8.75	10.00

WCDMA Power

Band	WCDMA II_Ant 0			WCDMA IV_Ant 0			WCDMA V_Ant 0					
	TX Channel	9262	9400	9538	TX Channel	1312	1413	1513	TX Channel	4132	4182	4233
TX Channel	9662	9800	9938	1337	1638	1738	1937	2407	4367	4407	4458	
Frequency (MHz)	1824.4	1890	1937.4	1924.4	1932.6	1952.6	1924.4	1932.6	1924.4	1932.6	1952.6	
3GPP Rel 99	AMR 12.2kbps	12.11	12.14	12.09	12.50	13.03	13.10	13.04	13.50	17.00	17.01	16.98
3GPP Rel 99	RM-C 12.2kbps	12.14	12.15	12.10	12.50	13.09	13.11	13.06	13.50	17.01	17.02	17.00
3GPP Rel 6	HSDPA Subtest-1	11.02	11.07	11.11	11.50	12.11	11.95	12.11	12.50	15.99	16.05	16.11
3GPP Rel 6	HSDPA Subtest-2	11.05	11.01	10.99	11.50	11.98	12.07	11.93	12.50	16.02	15.92	16.08
3GPP Rel 6	HSDPA Subtest-3	10.49	10.44	10.56	11.00	11.53	11.53	11.37	12.00	15.64	15.59	15.51
3GPP Rel 6	HSDPA Subtest-4	10.58	10.55	10.62	11.00	11.50	11.49	11.42	12.00	15.45	15.55	15.43
3GPP Rel 8	DC-HSDPA Subtest-1	10.97	11.13	11.10	11.50	11.85	11.97	11.92	12.50	16.01	16.00	16.14
3GPP Rel 8	DC-HSDPA Subtest-2	11.01	11.13	10.98	11.50	11.88	11.94	11.87	12.50	15.93	15.94	16.01
3GPP Rel 8	DC-HSDPA Subtest-3	10.60	10.54	10.50	11.00	11.26	11.30	11.26	12.00	15.41	15.41	15.46
3GPP Rel 8	DC-HSDPA Subtest-4	10.48	10.65	10.58	11.00	11.27	11.21	11.42	12.00	15.60	15.45	15.52
3GPP Rel 6	HSUPA Subtest-1	10.06	10.16	10.32	11.50	11.13	11.06	10.93	12.50	15.07	15.19	15.17
3GPP Rel 6	HSUPA Subtest-2	9.83	9.98	10.07	11.50	10.92	10.90	10.75	12.50	14.86	14.72	14.97
3GPP Rel 6	HSUPA Subtest-3	10.97	10.93	11.07	11.50	11.76	11.84	11.93	12.50	15.97	15.96	15.87
3GPP Rel 6	HSUPA Subtest-4	9.52	9.69	9.70	10.50	10.55	10.69	10.64	11.50	14.39	14.48	14.64
3GPP Rel 6	HSUPA Subtest-5	11.01	11.27	11.08	11.50	12.08	12.00	11.80	12.50	16.35	16.04	15.98
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	9.39	9.35	9.35	10.50	10.41	10.53	10.50	11.50	14.07	14.17	14.24



DL CA power

2CC		DL CA power													
Configure	CA Configuration (BCS)	PCC							SCC				Power		
		LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx.Power (dBm)	W/O CA Tx.Power (dBm)	
Inter-Band	CA_2A-5A	Band 2	20M	1880	18900	QPSK	1	49	Band 5	10M	881.5	2525	23.16	23.35	
	CA_2A-7A	Band 2	20M	1880	18900	QPSK	1	49	Band 7	20M	2655	3100	23.22	23.35	
	CA_4A-5A	Band 4	20M	1732.5	20175	QPSK	1	49	Band 5	10M	881.5	2525	22.95	23.01	
	CA_4A-7A	Band 4	20M	1732.5	20175	QPSK	1	49	Band 7	20M	2655	3100	22.91	23.01	
	CA_5A-66A	Band 5	10M	836.5	20525	QPSK	1	25	Band 66	20M	2155	66886	23.01	23.10	
	CA_5A-7A	Band 5	10M	836.5	20525	QPSK	1	25	Band 7	20M	2655	3100	23.05	23.10	
	CA_5A-41A	Band 5	10M	836.5	20525	QPSK	1	25	Band 41	20M	2593	40620	22.99	23.10	
	CA_7A-26A	Band 7	20M	2535	21100	QPSK	1	49	Band 26	15M	876.5	8865	22.84	23.47	
Intra-Band	Non-Contiguous	CA_26A-41A	Band 26	15M	831.5	26865	QPSK	1	37	Band 41	20M	2593	40620	22.17	23.11
		CA_7A-7A	Band 7	20M	2535	21100	QPSK	1	49	Band 7	5M	2687.5	3425	22.82	23.47
		CA_41A-41A	Band 41	20M	2593	40620	QPSK	1	49	Band 41	5M	2687.5	41565	22.59	23.63
		CA_66A-66A	Band 66	20M	1745	132322	QPSK	1	49	Band 66	5M	2121.8	66554	22.81	23.11
	Contiguous	CA_2C	Band 2	20M	1880	18900	QPSK	1	49	Band 2	20M	1979.8	1098	22.12	23.35
		CA_7C	Band 7	20M	2535	21100	QPSK	1	49	Band 7	20M	2674.8	3298	22.84	23.47
		CA_38C	Band 38	20M	2580	37850	QPSK	1	49	Band 38	20M	2599.8	38048	23.51	23.55
		CA_41C	Band 41	20M	2593	40620	QPSK	1	49	Band 41	20M	2612.8	40818	22.58	23.63
Contiguous	CA_66B	Band 66	15M	1745	132322	QPSK	1	49	Band 66	5M	2164.30	66979	22.05	23.11	
	CA_66C	Band 66	20M	1745	132322	QPSK	1	49	Band 66	20M	2174.80	67084	22.07	23.11	

Full power

<WLAN 2.4GHz>

2.4GHz WLAN				Ant 3	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
802.11b 1Mbps	1	2412	18.43	20.00	100.00
	6	2437	18.41	20.00	
	11	2462	18.24	20.00	
802.11g 6Mbps	1	2412	17.48	19.00	96.96
	6	2437	17.46	19.00	
	11	2462	16.86	18.50	
802.11n-HT20 MCSO	1	2412	16.99	18.50	96.75
	6	2437	17.06	18.50	
	11	2462	16.57	18.00	

<WLAN 5GHz>

5.2GHz WLAN				Ant 4	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a 6Mbps	36	5180	17.31	19.00	96.97
	40	5200	17.23	19.00	
	44	5220	17.27	19.00	
	48	5240	17.25	19.00	
802.11n-HT20 MCSO	36	5180	15.50	17.00	96.77
	40	5200	15.46	17.00	
	44	5220	15.53	17.00	
802.11n-HT40 MCSO	48	5240	15.55	17.00	93.68
	38	5190	14.56	16.00	
802.11ac-VHT20 MCSO	46	5230	15.53	17.00	96.81
	38	5180	15.40	17.00	
	40	5200	15.43	17.00	
802.11ac-VHT40 MCSO	48	5240	15.50	17.00	93.75
	38	5190	14.45	16.00	
	46	5230	14.93	16.50	
802.11ac-VHT80 MCSO	42	5210	11.20	13.00	88.19

5.3GHz WLAN				Ant 4	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a 6Mbps	52	5280	17.36	19.00	96.97
	56	5280	17.24	19.00	
	60	5300	17.29	19.00	
	64	5320	17.46	19.00	
802.11n-HT20 MCSO	52	5280	15.43	17.00	96.77
	56	5280	15.41	17.00	
	60	5300	15.46	17.00	
802.11n-HT40 MCSO	64	5320	15.52	17.00	93.68
	54	5270	15.57	17.00	
802.11ac-VHT20 MCSO	62	5310	14.45	16.00	96.81
	52	5260	15.46	17.00	
	56	5280	15.52	17.00	
802.11ac-VHT40 MCSO	60	5300	15.42	17.00	93.75
	64	5320	15.48	17.00	
	54	5270	15.03	16.50	
802.11ac-VHT80 MCSO	62	5310	14.36	16.00	88.19

5.5GHz WLAN				Ant 4	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a 6Mbps	100	5800	17.49	19.00	96.97
	116	5880	17.38	19.00	
	124	5820	17.44	19.00	
	132	5660	17.33	19.00	
	140	5700	16.25	18.00	
	144	5720	17.39	19.00	
802.11n-HT20 MCSO	100	5800	15.47	17.00	96.77
	116	5880	15.44	17.00	
	124	5820	15.40	17.00	
	132	5660	15.50	17.00	
	140	5700	15.99	15.50	
802.11n-HT40 MCSO	144	5720	15.45	17.00	93.68
	102	5810	15.25	16.50	
	110	5850	15.49	17.00	
	126	5630	15.46	17.00	
802.11ac-VHT20 MCSO	134	5670	15.55	17.00	96.81
	142	5710	15.50	17.00	
	100	5800	15.43	17.00	
	116	5880	15.40	17.00	
	124	5820	15.45	17.00	
	132	5660	15.42	17.00	
802.11ac-VHT40 MCSO	140	5700	13.87	15.50	93.75
	144	5720	15.39	17.00	
	102	5810	14.97	16.50	
	110	5850	15.00	16.50	
	126	5630	15.05	16.50	
802.11ac-VHT80 MCSO	134	5670	15.06	16.50	88.19
	142	5710	14.93	16.50	
	106	5830	13.94	15.50	
	122	5610	13.96	15.50	
	138	5690	14.01	15.50	

5.8GHz WLAN				Ant 4	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a 6Mbps	149	5745	17.41	19.00	96.97
	165	5825	17.18	19.00	
802.11n-HT20 MCSO	149	5745	15.51	17.00	96.77
	157	5785	15.46	17.00	
802.11n-HT40 MCSO	165	5825	15.40	17.00	93.68
	151	5755	15.52	17.00	
802.11ac-VHT20 MCSO	159	5795	15.48	17.00	96.81
	149	5745	15.40	17.00	
802.11ac-VHT40 MCSO	157	5785	15.44	17.00	93.75
	165	5825	15.39	17.00	
802.11ac-VHT80 MCSO	151	5755	14.99	16.50	88.19
	159	5795	14.94	16.50	

Sensor on power

<WLAN 2.4GHz>

2.4GHz WLAN					Ant 1	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
802.11b 1Mbps	1	2412	9.45	11.00	100.00	
	6	2437	9.31	11.00		
	11	2462	9.16	11.00		
802.11g 6Mbps	1	2412	9.41	11.00	96.96	
	6	2437	9.37	11.00		
	11	2462	9.29	11.00		
802.11n-HT20 MCS0	1	2412	9.24	11.00	96.75	
	6	2437	9.39	11.00		
	11	2462	9.12	11.00		

<WLAN 5GHz>

5.2GHz WLAN					Ant 3	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
802.11a 6Mbps	36	5180	11.60	13.00	96.97	
	40	5200	11.43	13.00		
	44	5220	11.50	13.00		
	48	5240	11.57	13.00		
802.11n-HT20 MCS0	36	5180	11.35	13.00	96.77	
	40	5200	11.43	13.00		
	44	5220	11.42	13.00		
	48	5240	11.42	13.00		
802.11n-HT40 MCS0	38	5190	11.36	13.00	93.68	
	46	5230	11.32	13.00		
802.11ac-VHT20 MCS0	36	5180	11.31	13.00	96.81	
	40	5200	11.30	13.00		
	44	5220	11.35	13.00		
802.11ac-VHT40 MCS0	48	5240	11.23	13.00	93.75	
	38	5190	11.35	13.00		
802.11ac-VHT80 MCS0	46	5230	11.31	13.00	88.19	
	42	5210	11.20	13.00		

5.3GHz WLAN

5.3GHz WLAN					Ant 4	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
802.11a 6Mbps	52	5260	11.26	12.50	96.97	
	56	5280	11.13	12.50		
	60	5300	11.09	12.50		
	64	5320	11.28	12.50		
802.11n-HT20 MCS0	52	5260	10.90	12.50	96.77	
	56	5280	10.85	12.50		
	60	5300	10.91	12.50		
	64	5320	10.95	12.50		
802.11n-HT40 MCS0	54	5270	10.86	12.50	93.68	
	62	5310	10.87	12.50		
802.11ac-VHT20 MCS0	52	5260	10.76	12.50	96.81	
	56	5280	10.79	12.50		
	60	5300	10.80	12.50		
	64	5320	10.92	12.50		
802.11ac-VHT40 MCS0	54	5270	10.69	12.50	93.75	
	62	5310	10.88	12.50		
802.11ac-VHT80 MCS0	58	5290	10.84	12.50	88.19	

5.5GHz WLAN

5.5GHz WLAN					Ant 4	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
802.11a 6Mbps	100	5500	9.79	11.50	96.97	
	116	5580	9.59	11.50		
	124	5620	9.64	11.50		
	132	5660	9.60	11.50		
	140	5700	9.58	11.50		
802.11n-HT20 MCS0	100	5500	9.73	11.50	96.77	
	116	5580	9.76	11.50		
	124	5620	9.72	11.50		
	132	5660	9.77	11.50		
	140	5700	9.78	11.50		
802.11n-HT40 MCS0	102	5510	9.71	11.50	93.68	
	110	5550	9.67	11.50		
	126	5630	9.74	11.50		
	134	5670	9.68	11.50		
	142	5710	9.64	11.50		
802.11ac-VHT20 MCS0	100	5500	9.69	11.50	96.81	
	116	5580	9.70	11.50		
	124	5620	9.67	11.50		
	132	5660	9.73	11.50		
	144	5720	9.63	11.50		
802.11ac-VHT40 MCS0	102	5510	9.60	11.50	93.75	
	110	5550	9.59	11.50		
	126	5630	9.63	11.50		
	134	5670	9.56	11.50		
	142	5710	9.63	11.50		
802.11ac-VHT80 MCS0	106	5530	9.56	11.50	88.19	
	122	5610	9.69	11.50		
	138	5690	9.73	11.50		

5.8GHz WLAN

5.8GHz WLAN					Ant 4	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
802.11a 6Mbps	149	5745	10.62	12.00	96.97	
	157	5785	10.60	12.00		
	165	5825	10.30	12.00		
802.11n-HT20 MCS0	149	5745	10.12	12.00	96.77	
	157	5785	10.25	12.00		
	165	5825	10.21	12.00		
802.11n-HT40 MCS0	151	5755	10.10	12.00	93.68	
	159	5795	10.06	12.00		
	149	5745	10.11	12.00		
802.11ac-VHT20 MCS0	157	5785	10.14	12.00	96.81	
	165	5825	10.12	12.00		
802.11ac-VHT40 MCS0	151	5755	10.13	12.00	93.75	
	159	5795	10.11	12.00		
802.11ac-VHT80 MCS0	155	5775	10.23	12.00	88.19	



BT BR/EDR

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	10.24	7.92	7.67
	CH 39	2441	10.31	7.73	7.73
	CH 78	2480	10.20	7.85	7.69
Tune-up Limit			12.00	9.50	9.50

BLE_1M

Mode	Channel	Frequency (MHz)	Average power (dBm)
			1Mbps
LE	CH 00	2402	-2.08
	CH 19	2440	-1.24
	CH 39	2480	-2.24
Tune-up Limit			0

BLE_2M

Mode	Channel	Frequency (MHz)	Average power (dBm)
			2Mbps
LE	CH 00	2402	-2.09
	CH 19	2440	-1.29
	CH 39	2480	-2.27
Tune-up Limit			0