



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5610




11AC80SISO_Ant1_5690



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



OCCUPIED CHANNEL BANDWIDTH

TEST RESULT

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	17.037	5171.5092	5188.5462	---	---
		5200	17.110	5191.4518	5208.5618	---	---
		5240	17.091	5231.4729	5248.5639	---	---
		5260	17.109	5251.4704	5268.5794	---	---
		5280	17.138	5271.4386	5288.5766	---	---
		5320	17.077	5311.4347	5328.5117	---	---
		5500	17.073	5491.4677	5508.5407	---	---
		5580	17.130	5571.4419	5588.5719	---	---
		5700	17.007	5691.5107	5708.5177	---	---
		5720	17.096	5711.4362	5728.5322	---	---
		5720_UNII-2C	13.564	5711.4362	5725	---	---
		5720_UNII-3	3.532	5725	5728.5322	---	---
		5745	17.103	5736.4705	5753.5735	---	---
		5785	17.100	5776.4263	5793.5263	---	---
		5825	17.132	5816.4317	5833.5637	---	---
11N20SISO	Ant1	5180	18.005	5171.0309	5189.0359	---	---
		5200	18.045	5191.0023	5209.0473	---	---
		5240	17.985	5231.0265	5249.0115	---	---
		5260	17.952	5251.0346	5268.9866	---	---
		5280	17.950	5271.0247	5288.9747	---	---
		5320	17.970	5311.0305	5329.0005	---	---
		5500	17.922	5491.0368	5508.9588	---	---
		5580	17.882	5571.0562	5588.9382	---	---
		5700	17.988	5690.9857	5708.9737	---	---
		5720	17.972	5711.0379	5729.0099	---	---
		5720_UNII-2C	13.962	5711.0379	5725	---	---
		5720_UNII-3	4.01	5725	5729.0099	---	---
		5745	18.030	5735.9535	5753.9835	---	---
		5785	17.939	5776.0281	5793.9671	---	---
		5825	17.953	5816.0184	5833.9714	---	---
11N40SISO	Ant1	5190	36.402	5171.8237	5208.2257	---	---



		5230	36.453	5211.8028	5248.2558	---	---
		5270	36.288	5251.8665	5288.1545	---	---
		5310	36.386	5291.8011	5328.1871	---	---
		5510	36.411	5491.8039	5528.2149	---	---
		5550	36.421	5531.8379	5568.2589	---	---
		5670	36.311	5651.8598	5688.1708	---	---
		5710	36.319	5691.9072	5728.2262	---	---
		5710_UNII-2C	33.093	5691.9072	5725	---	---
		5710_UNII-3	3.226	5725	5728.2262	---	---
		5755	36.506	5736.7902	5773.2962	---	---
		5795	36.490	5776.7428	5813.2328	---	---
11AC80SISO	Ant1	5210	75.411	5172.3891	5247.8001	---	---
		5290	75.392	5252.3436	5327.7356	---	---
		5530	75.440	5492.3138	5567.7538	---	---
		5610	75.462	5572.2926	5647.7546	---	---
		5690	75.506	5652.2940	5727.8000	---	---
		5690_UNII-2C	72.706	5652.2940	5725	---	---
		5690_UNII-3	2.8	5725	5727.8000	---	---
		5775	75.426	5737.2876	5812.7136	---	---

TEST GRAPHS





BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5240




11A_Ant1_5260



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5280




11A_Ant1_5320




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5500





11A_Ant1_5580



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03





BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5745




11A_Ant1_5785



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5825




11N20SISO_Ant1_5180




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5260




11N20SISO_Ant1_5280



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5720




11N20SISO_Ant1_5745




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5670




11N40SISO_Ant1_5710



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5530




11AC80SISO_Ant1_5610




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5690




11AC80SISO_Ant1_5775



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



MIN EMISSION BANDWIDTH

TEST RESULT B4

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	14.800	5737.720	5752.520	0.5	PASS
		5785	14.440	5778.120	5792.560	0.5	PASS
		5825	15.000	5817.520	5832.520	0.5	PASS
11N20SISO	Ant1	5745	14.960	5737.520	5752.480	0.5	PASS
		5785	15.280	5777.480	5792.760	0.5	PASS
		5825	17.000	5816.400	5833.400	0.5	PASS
11N40SISO	Ant1	5755	35.120	5737.480	5772.600	0.5	PASS
		5795	35.040	5777.480	5812.520	0.5	PASS
11AC80SISO	Ant1	5775	75.040	5737.560	5812.600	0.5	PASS


TEST GRAPHS B4





BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5825




11N20SISO_Ant1_5745



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03




DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5180	1.39	1.44	96.53
11N20SISO	Ant1	5180	1.30	1.35	96.30
11N40SISO	Ant1	5190	0.64	0.69	92.75
11AC80SISO	Ant1	5210	0.32	0.37	86.49




TEST GRAPHS

11A_Ant1_5180



11N20SISO_Ant1_5180




11N40SISO_Ant1_5190




BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5210



**MAXIMUM CONDUCTED OUTPUT POWER****TEST RESULT CHANNEL POWER**

BV Power Table For_U-NII-1										
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5180	Ant1	17.42	≤24.00	---	18.67	≤22.31	Pass	18
		5200	Ant1	17.53	≤24.00	---	18.78	≤22.31	Pass	18
		5240	Ant1	17.69	≤24.00	---	18.94	≤22.31	Pass	18
11N20	SISO	5180	Ant1	15.29	≤24.00	---	16.54	≤22.31	Pass	16.5
		5200	Ant1	15.27	≤24.00	---	16.52	≤22.31	Pass	16.5
		5240	Ant1	15.12	≤24.00	---	16.37	≤22.31	Pass	16
11N40	SISO	5190	Ant1	13.25	≤24.00	---	14.50	≤22.31	Pass	14.5
		5230	Ant1	13.37	≤24.00	---	14.62	≤22.31	Pass	14.5
11AC20	SISO	5180	Ant1	14.67	≤24.00	---	15.92	≤22.31	Pass	15.5
		5200	Ant1	14.72	≤24.00	---	15.97	≤22.31	Pass	15.5
		5240	Ant1	14.89	≤24.00	---	16.14	≤22.31	Pass	15.5
11AC40	SISO	5190	Ant1	12.75	≤24.00	---	14.00	≤22.31	Pass	13.5
		5230	Ant1	12.70	≤24.00	---	13.95	≤22.31	Pass	13.5
11AC80	SISO	5210	Ant1	13.04	≤24.00	---	14.29	≤22.31	Pass	14

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2A											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5260	Ant1	17.77	≤24.00	≤23.32	19.02	≤30.00	≤29.32	Pass	18
		5300	Ant1	17.81	≤24.00	≤23.32	19.06	≤30.00	≤29.32	Pass	18
		5320	Ant1	17.79	≤24.00	≤23.32	19.04	≤30.00	≤29.32	Pass	18
11N20	SISO	5260	Ant1	15.10	≤24.00	≤23.32	16.35	≤30.00	≤29.32	Pass	16

**Test Report No.: PSU-NQN2407300316RF03**

		5300	Ant1	15.18	≤24.00	≤23.32	16.43	≤30.00	≤29.32	Pass	15.5
		5320	Ant1	15.16	≤24.00	≤23.32	16.41	≤30.00	≤29.32	Pass	15.5
11N40	SISO	5270	Ant1	13.38	≤24.00	≤23.32	14.63	≤30.00	≤29.32	Pass	14.5
		5310	Ant1	13.56	≤24.00	≤23.32	14.81	≤30.00	≤29.32	Pass	14.5
11AC20	SISO	5260	Ant1	14.48	≤24.00	≤23.32	15.73	≤30.00	≤29.32	Pass	15
		5300	Ant1	14.52	≤24.00	≤23.32	15.77	≤30.00	≤29.32	Pass	15
		5320	Ant1	14.53	≤24.00	≤23.32	15.78	≤30.00	≤29.32	Pass	15
11AC40	SISO	5270	Ant1	12.80	≤24.00	≤23.32	14.05	≤30.00	≤29.32	Pass	13.5
		5310	Ant1	12.91	≤24.00	≤23.32	14.16	≤30.00	≤29.32	Pass	13.5
11AC80	SISO	5210	Ant1	13.05	≤24.00	≤23.32	14.30	≤30.00	≤29.32	Pass	14

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2C											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5500	Ant1	17.70	≤24.00	≤23.31	18.95	≤30.00	≤29.31	Pass	18.5
		5580	Ant1	17.69	≤24.00	≤23.31	18.94	≤30.00	≤29.31	Pass	18.5
		5700	Ant1	17.78	≤24.00	≤23.31	19.03	≤30.00	≤29.31	Pass	18.5
		5720	Ant1	17.64	≤24.00	≤23.31	18.89	≤30.00	≤29.31	Pass	18.5
11N20	SISO	5500	Ant1	15.15	≤24.00	≤23.31	16.40	≤30.00	≤29.31	Pass	16
		5580	Ant1	15.09	≤24.00	≤23.31	16.34	≤30.00	≤29.31	Pass	16
		5700	Ant1	15.08	≤24.00	≤23.31	16.33	≤30.00	≤29.31	Pass	16
		5720	Ant1	15.05	≤24.00	≤23.31	16.30	≤30.00	≤29.31	Pass	16
11N40	SISO	5510	Ant1	13.57	≤24.00	≤23.31	14.82	≤30.00	≤29.31	Pass	15
		5550	Ant1	13.54	≤24.00	≤23.31	14.79	≤30.00	≤29.31	Pass	15
		5670	Ant1	13.48	≤24.00	≤23.31	14.73	≤30.00	≤29.31	Pass	14.5
		5710	Ant1	13.52	≤24.00	≤23.31	14.77	≤30.00	≤29.31	Pass	14.5
11AC20	SISO	5500	Ant1	14.49	≤24.00	≤23.31	15.74	≤30.00	≤29.31	Pass	15
		5580	Ant1	14.61	≤24.00	≤23.31	15.86	≤30.00	≤29.31	Pass	15.5
		5700	Ant1	14.62	≤24.00	≤23.31	15.87	≤30.00	≤29.31	Pass	15.5
		5720	Ant1	14.67	≤24.00	≤23.31	15.92	≤30.00	≤29.31	Pass	15.5
11AC40	SISO	5510	Ant1	12.94	≤24.00	≤23.31	14.19	≤30.00	≤29.31	Pass	14
		5550	Ant1	12.92	≤24.00	≤23.31	14.17	≤30.00	≤29.31	Pass	14

**Test Report No.: PSU-NQN2407300316RF03**

		5670	Ant1	12.85	≤24.00	≤23.31	14.10	≤30.00	≤29.31	Pass	14
		5710	Ant1	12.90	≤24.00	≤23.31	14.15	≤30.00	≤29.31	Pass	14
11AC80	SISO	5530	Ant1	12.61	≤24.00	≤23.31	13.86	≤30.00	≤29.31	Pass	14
	SISO	5690	Ant1	12.80	≤24.00	≤23.31	14.05	≤30.00	≤29.31	Pass	14

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-3									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5745	Ant1	17.71	≤30.00	18.96	≤36.00	Pass	18
		5785	Ant1	17.53	≤30.00	18.78	≤36.00	Pass	18
		5825	Ant1	17.52	≤30.00	18.77	≤36.00	Pass	18
11N20	SISO	5745	Ant1	15.29	≤30.00	16.54	≤36.00	Pass	15.5
		5785	Ant1	15.07	≤30.00	16.32	≤36.00	Pass	15.5
		5825	Ant1	15.06	≤30.00	16.31	≤36.00	Pass	15.5
11N40	SISO	5755	Ant1	13.44	≤30.00	14.69	≤36.00	Pass	14
		5795	Ant1	13.29	≤30.00	14.54	≤36.00	Pass	14
11AC20	SISO	5745	Ant1	14.65	≤30.00	15.90	≤36.00	Pass	15
		5785	Ant1	14.50	≤30.00	15.75	≤36.00	Pass	15
		5825	Ant1	14.51	≤30.00	15.76	≤36.00	Pass	15
11AC40	SISO	5755	Ant1	13.01	≤30.00	14.26	≤36.00	Pass	13.5
		5795	Ant1	12.86	≤30.00	14.11	≤36.00	Pass	13.5
11AC80	SISO	5775	Ant1	13.27	≤30.00	14.52	≤36.00	Pass	14

Note: The Maximum Conducted Power with duty cycle factor.

Note: The Duty Cycle Factor is compensated in the graph.

MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	8.76	≤11.00	PASS
		5200	8.46	≤11.00	PASS
		5240	8.50	≤11.00	PASS
		5260	8.94	≤11.00	PASS
		5280	9.02	≤11.00	PASS
		5320	8.79	≤11.00	PASS
		5500	8.62	≤11.00	PASS
		5580	8.67	≤11.00	PASS
		5700	7.97	≤11.00	PASS
		5720_UNII-2C	8.06	≤11.00	PASS
		5720_UNII-3	3.03	≤30.00	PASS
		5745	5.93	≤30.00	PASS
		5785	5.53	≤30.00	PASS
		5825	6.19	≤30.00	PASS
11N20SISO	Ant1	5180	6.99	≤11.00	PASS
		5200	6.89	≤11.00	PASS
		5240	6.70	≤11.00	PASS
		5260	6.09	≤11.00	PASS
		5280	6.36	≤11.00	PASS
		5320	6.61	≤11.00	PASS
		5500	5.95	≤11.00	PASS
		5580	5.81	≤11.00	PASS
		5700	5.39	≤11.00	PASS
		5720_UNII-2C	5.21	≤11.00	PASS
		5720_UNII-3	0.37	≤30.00	PASS
		5745	3.24	≤30.00	PASS
		5785	3.64	≤30.00	PASS
		5825	3.65	≤30.00	PASS
11N40SISO	Ant1	5190	1.92	≤11.00	PASS
		5230	2.28	≤11.00	PASS
		5270	1.45	≤11.00	PASS



		5310	2.05	≤11.00	PASS
		5510	2.01	≤11.00	PASS
		5550	2.23	≤11.00	PASS
		5670	0.51	≤11.00	PASS
		5710_UNII-2C	1.12	≤11.00	PASS
		5710_UNII-3	-5.45	≤30.00	PASS
		5755	-0.25	≤30.00	PASS
		5795	-0.64	≤30.00	PASS
11AC80SISO	Ant1	5210	-1.77	≤11.00	PASS
		5290	-2.05	≤11.00	PASS
		5530	-2.89	≤11.00	PASS
		5610	-2.92	≤11.00	PASS
		5690_UNII-2C	-2.83	≤11.00	PASS
		5690_UNII-3	-8.62	≤30.00	PASS
		5775	-4.47	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph

TEST GRAPHS

11A_Ant1_5180



11A_Ant1_5200



11A_Ant1_5240



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5260




11A_Ant1_5280



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5320



11A_Ant1_5500



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5580



11A_Ant1_5700



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5720_UNII-2C



11A_Ant1_5720_UNII-3



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5745



11A_Ant1_5785



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11A_Ant1_5825



11N20SISO_Ant1_5180



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5200



11N20SISO_Ant1_5240



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5260



11N20SISO_Ant1_5280



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5320



11N20SISO_Ant1_5500



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5580



11N20SISO_Ant1_5700



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5720_UNII-2C



11N20SISO_Ant1_5720_UNII-3



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N20SISO_Ant1_5825



11N40SISO_Ant1_5190



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5230



11N40SISO_Ant1_5270



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5310



11N40SISO_Ant1_5510



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5550



11N40SISO_Ant1_5670



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5710_UNII-2C



11N40SISO_Ant1_5710_UNII-3



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5290



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5610



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



11AC80SISO_Ant1_5690_UNII-2C



11AC80SISO_Ant1_5690_UNII-3



BUREAU
VERITAS

Test Report No.: PSU-NQN2407300316RF03



---END---