



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,136.950	37.48	54.0	16.52	13.87	H	209.8	1.0
2	5,150.000	37.33	54.0	16.67	13.95	H	285.7	1.0
2	5,227.950	76.75			14.22	H	209.8	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,141.500	53.01	74.0	20.99	13.9	V	328.2	1.0
2	5,150.000	51.68	74.0	22.32	13.95	V	131.7	1.0
2	5,227.950	93.47			14.22	V	328.2	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,137.300	37.59	54.0	16.41	13.88	V	286.2	1.0
2	5,150.000	37.58	54.0	16.42	13.95	V	312.6	1.0
2	5,228.300	80.25			14.22	V	312.6	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5230MHz: Fundamental frequency.




802.11ac (20MHz)

CHANNEL	TX Channel 36	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.600	56.54	74.0	17.46	13.95	H	5.1	1.0
1	5,150.000	56.54	74.0	17.46	13.95	H	5.1	1.0
1	5,181.550	97.27			14.19	H	5.1	1.0



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,136.550	37.85	54.0	16.15	13.87	H	325.8	1.0
1	5,150.000	37.74	54.0	16.26	13.95	H	77.2	1.0
1	5,178.850	83.08			14.17	H	273.2	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.150	58.88	74.0	15.12	13.94	V	181.3	1.0
1	5,150.000	56.87	74.0	17.13	13.95	V	358.0	1.0
1	5,179.300	99.38			14.17	V	1.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.150	41.61	54.0	12.39	13.94	V	176.4	1.0
1	5,150.000	41.62	54.0	12.38	13.95	V	176.4	1.0
1	5,178.850	88.14			14.17	V	176.4	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5180MHz: Fundamental frequency.



CHANNEL	TX Channel 40	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,140.300	37.61	54.0	16.39	13.89	H	308.0	1.0
2	5,150.000	37.55	54.0	16.45	13.94	H	5.1	1.0
2	5,201.200	84.56			14.3	H	5.1	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,135.200	52.5	74.0	21.5	13.86	H	157.4	1.0
2	5,150.000	50.91	74.0	23.09	13.94	H	209.8	2.0
2	5,203.600	96.93			14.29	H	4.6	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,146.900	53.94	74.0	20.06	13.93	V	359.1	1.0
2	5,150.000	53.21	74.0	20.79	13.95	V	209.9	2.0
2	5,198.800	100.55			14.3	V	175.3	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.400	39.09	54.0	14.91	13.94	V	5.1	1.0
2	5,150.000	39.06	54.0	14.94	13.95	V	5.1	1.0
2	5,201.200	87.49			14.3	V	175.3	1.0



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5200MHz: Fundamental frequency.



CHANNEL	TX Channel 48	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,113.375	52.28	74.0	21.72	13.74	H	1.8	2.0
3	5,150.000	51.86	74.0	22.14	13.95	H	144.2	1.0
3	5,238.250	94.58			14.19	H	194.3	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,137.000	37.27	54.0	16.73	13.87	H	95.3	1.0
3	5,150.000	37.3	54.0	16.7	13.95	H	194.4	1.0
3	5,241.625	81.76			14.18	H	355.5	2.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,113.000	55.9	74.0	18.1	13.74	V	293.5	1.0
3	5,150.000	54.81	74.0	19.19	13.95	V	65.3	2.0
3	5,241.250	100.72			14.18	V	340.4	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,137.750	40.84	54.0	13.16	13.88	V	181.3	2.0
3	5,150.000	40.83	54.0	13.17	13.95	V	181.3	2.0
3	5,241.250	87.66			14.18	V	359.1	1.0

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5240MHz: Fundamental frequency.




802.11ac (40MHz)

CHANNEL	TX Channel 38	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,147.500	53.14	74.0	20.86	13.93	H	205.7	1.0
1	5,150.000	52.06	74.0	21.94	13.95	H	208.6	2.0
1	5,183.500	89.89			14.2	H	281.5	1.0



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	37.62	54.0	16.38	13.95	H	220.6	1.0
1	5,150.000	37.58	54.0	16.42	13.95	H	294.7	1.0
1	5,188.000	77.58			14.24	H	195.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,116.000	54.65	74.0	19.35	13.76	V	1.0	1.0
1	5,150.000	51.81	74.0	22.19	13.95	V	1.0	1.0
1	5,195.500	94.57			14.3	V	274.3	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.000	38.27	54.0	15.73	13.94	V	326.9	1.0
1	5,150.000	38.33	54.0	15.67	13.95	V	326.9	1.0
1	5,192.500	81.3			14.27	V	276.7	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5190MHz: Fundamental frequency.



CHANNEL	TX Channel 46	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,146.050	53.13	74.0	20.87	13.93	H	352.1	1.0
2	5,150.000	51.89	74.0	22.11	13.95	H	152.0	1.0
2	5,238.800	88.44			14.19	H	276.7	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,138.000	37.35	54.0	16.65	13.88	H	178.2	1.0
2	5,150.000	37.38	54.0	16.62	13.95	H	203.3	1.0
2	5,232.150	75.57			14.21	H	278.5	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.150	52.53	74.0	21.47	13.94	V	308.5	2.0
2	5,150.000	51.59	74.0	22.41	13.95	V	117.9	1.0
2	5,234.950	93.81			14.2	V	315.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,136.950	37.73	54.0	16.27	13.87	V	315.6	1.0
2	5,150.000	37.65	54.0	16.35	13.95	V	290.5	1.0
2	5,227.950	80.03			14.22	V	315.6	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5230MHz: Fundamental frequency.




802.11ac (80MHz)

CHANNEL	TX Channel 42	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,147.400	52.93	74.0	21.07	13.93	H	205.1	1.0
10	5,150.000	51.25	74.0	22.75	13.95	H	1.0	1.0
10	5,214.550	86.04			14.26	H	205.1	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	37.98	54.0	16.02	13.95	H	208.7	1.0
10	5,150.000	37.92	54.0	16.08	13.95	H	208.7	1.0
10	5,207.325	71.76			14.28	H	208.7	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,140.175	54.49	74.0	19.51	13.89	V	264.9	1.0
10	5,150.000	52.76	74.0	21.24	13.95	V	359.0	1.0
10	5,203.075	92.25			14.29	V	264.9	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	39.09	54.0	14.91	13.95	V	310.4	1.0
10	5,150.000	39.06	54.0	14.94	13.95	V	310.4	1.0
10	5,207.325	75.87			14.28	V	256.6	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5210MHz: Fundamental frequency.




Band 2:
802.11a

CHANNEL	TX Channel 52	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.750	96.76			14.14	H	206.2	1.0
4	5,350.000	51.51	74.0	22.49	14.27	H	311.6	2.0
4	5,350.575	52.6	74.0	21.4	14.27	H	1.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	84.32			14.15	H	203.8	1.0
4	5,350.000	37.72	54.0	16.28	14.27	H	206.3	2.0
4	5,351.050	37.72	54.0	16.28	14.28	H	355.0	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.430	103.97			14.15	V	341.3	1.0
4	5,350.000	55.39	74.0	18.61	14.27	V	359.1	1.0
4	5,386.675	57.26	74.0	16.74	14.32	V	312.8	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	91.64			14.15	V	333.0	1.0
4	5,350.000	41.79	54.0	12.21	14.27	V	282.8	1.0
4	5,350.575	41.86	54.0	12.14	14.27	V	282.8	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5260MHz: Fundamental frequency.