




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.275	88.74			14.14	V	273.2	1.0
4	5,350.000	41.8	54.0	12.2	14.27	V	117.9	2.0
4	5,351.050	41.79	54.0	12.21	14.28	V	117.9	2.0



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5260MHz: Fundamental frequency.



CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.500	94.79			14.11	H	196.7	1.0
5	5,350.000	51.46	74.0	22.54	14.27	H	315.2	2.0
5	5,367.200	52.29	74.0	21.71	14.3	H	359.1	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	81.81			14.12	H	208.7	1.0
5	5,350.000	37.66	54.0	16.34	14.27	H	157.4	1.0
5	5,350.400	37.7	54.0	16.3	14.27	H	5.1	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.000	99.03			14.11	V	47.3	1.0
5	5,350.000	54.55	74.0	19.45	14.27	V	2.1	2.0
5	5,371.100	56.54	74.0	17.46	14.3	V	2.1	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	86.32			14.12	V	48.6	1.0
5	5,350.000	39.31	54.0	14.69	14.27	V	111.8	2.0
5	5,350.400	39.4	54.0	14.6	14.27	V	111.8	2.0



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.600	93.26			14.18	H	12.9	1.0
6	5,350.000	52.63	74.0	21.37	14.27	H	195.5	2.0
6	5,350.800	53.19	74.0	20.81	14.28	H	211.0	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	82.17			14.17	H	200.3	1.0
6	5,350.000	37.9	54.0	16.1	14.27	H	5.8	1.0
6	5,350.800	37.85	54.0	16.15	14.28	H	200.3	1.0




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.400	97.02			14.17	V	329.4	1.0
6	5,350.000	56.87	74.0	17.13	14.27	V	47.4	1.0
6	5,355.600	58.06	74.0	15.94	14.28	V	279.3	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	84.34			14.17	V	327.1	1.0
6	5,350.000	39.76	54.0	14.24	14.27	V	107.2	2.0
6	5,350.400	39.7	54.0	14.3	14.27	V	107.2	2.0

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.




802.11ac (40MHz)

CHANNEL	TX Channel 54	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.500	92.43			14.14	H	217.8	1.0
3	5,350.000	51.78	74.0	22.22	14.27	H	155.8	1.0
3	5,436.167	53.27	74.0	20.73	14.86	H	359.0	2.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.867	76.56			14.14	H	303.7	1.0
3	5,350.000	37.75	54.0	16.25	14.27	H	254.1	1.0
3	5,448.267	38.56	54.0	15.44	15.05	H	5.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,265.667	95.05			14.14	V	103.1	1.0
3	5,350.000	52.04	74.0	21.96	14.27	V	45.0	2.0
3	5,451.933	54.19	74.0	19.81	15.1	V	45.0	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.500	80.51			14.14	V	125.6	2.0
3	5,350.000	39.05	54.0	14.95	14.27	V	242.2	2.0
3	5,450.100	39.88	54.0	14.12	15.07	V	125.6	2.0



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5270MHz: Fundamental frequency.



CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.000	90.53			14.13	H	305.5	1.0
4	5,350.000	52.26	74.0	21.74	14.27	H	153.2	1.0
4	5,350.500	53.24	74.0	20.76	14.27	H	333.4	2.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	76.01			14.14	H	208.2	1.0
4	5,350.000	37.89	54.0	16.11	14.27	H	208.2	1.0
4	5,350.500	37.82	54.0	16.18	14.27	H	332.9	2.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	94.31			14.14	V	102.5	1.0
4	5,350.000	53.79	74.0	20.21	14.27	V	304.3	1.0
4	5,352.000	55.31	74.0	18.69	14.28	V	52.9	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	80.47			14.14	V	77.8	2.0
4	5,350.000	38.81	54.0	15.19	14.27	V	53.4	1.0
4	5,350.500	38.74	54.0	15.26	14.27	V	53.4	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5310MHz: Fundamental frequency.




802.11ac (80MHz)

CHANNEL	TX Channel 58	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,283.267	87.18			14.12	H	208.6	1.0
1	5,350.000	51.82	74.0	22.18	14.27	H	1.0	1.0
1	5,429.567	53.77	74.0	20.23	14.75	H	1.0	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,274.467	69.6			14.13	H	354.9	2.0
1	5,350.000	38.29	54.0	15.71	14.27	H	190.7	1.0
1	5,447.900	38.57	54.0	15.43	15.04	H	359.1	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,296.100	91.56			14.11	V	48.5	1.0
1	5,350.000	54.21	74.0	19.79	14.27	V	48.5	1.0
1	5,355.867	57.86	74.0	16.14	14.28	V	48.5	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,297.200	74.79			14.11	V	48.5	1.0
1	5,350.000	39.87	54.0	14.13	14.27	V	48.5	1.0
1	5,350.367	39.95	54.0	14.05	14.27	V	48.5	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5290MHz: Fundamental frequency.




Band 3

802.11a

CHANNEL	TX Channel 100	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	58.8	74.0	15.2	15.22	H	299.6	1.0
7	5,460.000	55.11	74.0	18.89	15.22	H	299.6	1.0
7	5,501.550	99.35			15.87	H	5.1	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	39.51	54.0	14.49	15.22	H	298.4	1.0
7	5,460.000	39.59	54.0	14.41	15.22	H	298.4	1.0
7	5,499.300	87.37			15.84	H	5.1	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.000	60.59	74.0	13.41	15.18	V	145.4	1.0
7	5,460.000	59.11	74.0	14.89	15.22	V	359.1	1.0
7	5,501.550	104.66			15.87	V	145.4	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	43.21	54.0	10.79	15.22	V	147.7	1.0
7	5,460.000	43.24	54.0	10.76	15.22	V	147.7	1.0
7	5,498.850	92.74			15.83	V	147.7	1.0



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,447.000	53.16	74.0	20.84	15.03	H	303.2	1.0
8	5,460.000	52.36	74.0	21.64	15.22	H	359.1	1.0
8	5,579.600	100.17			16.17	H	5.1	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	38.54	54.0	15.46	15.05	H	348.7	1.0
8	5,460.000	38.45	54.0	15.55	15.22	H	359.1	1.0
8	5,578.750	86.35			16.17	H	5.8	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,458.050	57.37	74.0	16.63	15.2	V	1.0	2.0
8	5,460.000	56.05	74.0	17.95	15.22	V	300.8	1.0
8	5,580.450	103.56			16.17	V	347.3	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.325	42.58	54.0	11.42	15.22	V	348.7	1.0
8	5,460.000	42.53	54.0	11.47	15.22	V	359.0	1.0
8	5,579.175	93.36			16.17	V	257.7	2.0



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5580MHz: Fundamental frequency.
- #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,702.550	99.37			17.16	H	12.9	2.0
10	5,725.000	56.79	68.2	11.41	17.35	H	359.1	1.0
10	5,726.275	58.72	68.2	9.48	17.35	H	359.1	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,703.200	103.19			17.16	V	312.7	1.0
10	5,725.000	63.08	68.2	5.12	17.35	V	312.7	1.0
10	5,726.275	64.6	68.2	3.6	17.35	V	355.5	2.0



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.