




CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,640.000	55.22	68.2	12.98	16.51	H	2.8	2.0
12	5,783.438	96.59			16.61	H	1.0	1.0
13	5,938.500	54.79	68.2	13.41	16.3	H	327.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,648.750	55.98	68.2	12.22	16.6	V	224.2	1.0
12	5,785.000	100.27			16.59	V	1.0	1.0
13	5,955.000	55.04	68.2	13.16	16.41	V	327.0	1.0



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,619.375	55.7	68.2	12.5	16.3	H	1.0	1.0
12	5,822.813	94.14			16.01	H	359.1	1.0
13	5,955.000	54.86	68.2	13.34	16.41	H	337.5	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.875	54.4	68.2	13.8	16.58	V	1.0	1.0
12	5,825.313	98.48			15.97	V	1.0	1.0
13	5,955.375	54.89	68.2	13.31	16.41	V	177.8	2.0

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5825MHz: Fundamental frequency.




802.11n (40MHz)

CHANNEL	TX Channel 151	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,602.188	53.68	68.2	14.52	16.24	H	1.0	1.0
12	5,752.813	91.42			17.05	H	291.2	1.0
13	5,967.375	54.93	68.2	13.27	16.43	H	1.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.250	54.83	68.2	13.37	16.58	V	236.2	1.0
12	5,752.188	97.09			17.06	V	359.1	1.0
13	5,953.125	54.64	68.2	13.56	16.4	V	359.0	2.0

**REMARKS:**


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5.755MHz: Fundamental frequency.



CHANNEL	TX Channel 159	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,635.938	53.82	68.2	14.38	16.47	H	354.2	2.0
12	5,796.563	90.79			16.42	H	359.0	1.0
13	5,938.125	54.68	68.2	13.52	16.3	H	359.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,639.063	53.91	68.2	14.29	16.5	V	359.0	2.0
12	5,790.313	95.61			16.51	V	359.1	1.0
13	5,958.375	54.72	68.2	13.48	16.44	V	17.0	2.0

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5795MHz: Fundamental frequency.




802.11ac (20MHz)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,638.438	54.69	68.2	13.51	16.5	H	4.5	1.0
12	5,742.813	96.63			17.21	H	359.1	1.0
13	5,956.500	54.62	68.2	13.58	16.42	H	1.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,630.938	54.48	68.2	13.72	16.42	V	1.0	2.0
12	5,742.500	101.02			17.21	V	1.0	1.0
13	5,958.750	54.89	68.2	13.31	16.44	V	344.5	1.0

**REMARKS:**


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5745MHz: Fundamental frequency.



CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,648.750	54.22	68.2	13.98	16.6	H	1.3	2.0
12	5,783.438	93.47			16.61	H	296.0	1.0
13	5,957.625	54.67	68.2	13.53	16.43	H	359.0	2.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,649.063	54.62	68.2	13.58	16.61	V	4.6	1.0
12	5,784.375	101.12			16.6	V	1.0	1.0
13	5,957.625	54.82	68.2	13.38	16.43	V	15.0	2.0

**REMARKS:**


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5.785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,645.000	54.85	68.2	13.35	16.56	H	1.0	1.0
12	5,824.063	93.61			15.99	H	359.0	2.0
13	5,943.000	55.11	68.2	13.09	16.33	H	17.9	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,635.938	54.14	68.2	14.06	16.47	V	123.8	2.0
12	5,825.313	99.28			15.97	V	1.0	1.0
13	5,945.250	54.77	68.2	13.43	16.34	V	187.1	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5825MHz: Fundamental frequency.




BUREAU VERITAS Test Report No.: PSU-NQN2407300216RF10

802.11ac (40MHz)

CHANNEL	TX Channel 151	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,605.313	54.07	68.2	14.13	16.25	H	359.0	2.0
12	5,746.563	89.59			17.15	H	292.3	1.0
13	5,997.750	54.71	68.2	13.49	16.32	H	359.0	2.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,638.125	54.1	68.2	14.1	16.49	V	359.0	2.0
12	5,754.063	96.56			17.03	V	1.0	1.0
13	5,943.375	54.4	68.2	13.8	16.33	V	6.9	2.0

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5755MHz: Fundamental frequency.



CHANNEL	TX Channel 159	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.563	54.04	68.2	14.16	16.58	H	354.9	2.0
12	5,785.313	89.3			16.58	H	287.5	1.0
13	5,927.625	54.61	68.2	13.59	16.24	H	175.3	2.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,635.938	54.27	68.2	13.93	16.47	V	1	1.0
12	5,797.813	95.88			16.41	V	1	1.0
13	5,971.875	54.75	68.2	13.45	16.42	V	1	1.0

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5795MHz: Fundamental frequency.




802.11ac (80MHz)

CHANNEL	TX Channel 155	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.563	55.15	68.2	13.05	16.58	H	358.5	1.0
12	5,769.688	87.6			16.81	H	291.2	1.0
13	5,963.625	54.51	68.2	13.69	16.45	H	1.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,602.500	54.2	68.2	14.0	16.25	V	239.8	1.0
12	5,768.125	92.46			16.83	V	1.0	1.0
13	5,970.000	54.52	68.2	13.68	16.42	V	175.2	2.0

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5775MHz: Fundamental frequency.



RADIATED EMISSION

BELOW 1GHz WORST-CASE DATA:

30 MHz – 1GHz data:

Band 3

802.11ac (80MHz):


CHANNEL	TX Channel 165	DETECTOR FUNCTION	Quasi-Peak (QP)
FREQUENCY RANGE	30MHz ~ 1GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	QPK Level [dBμV/m]	QPK Limit [dBμV/m]	QPK Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. BW [kHz]
1	45.520	30.18	40.00	9.82	-3.71	H	0.9	2.00	120.000
1	96.057	23.95	43.50	19.55	-6.63	H	0.9	2.00	120.000
1	140.580	22.44	43.50	21.06	-9.35	H	187.4	2.00	120.000
1	277.399	22.45	46.00	23.55	-1.96	H	343.8	1.00	120.000
1	432.647	25.48	46.00	20.52	3.35	H	0.9	2.00	120.000
1	732.571	29.45	46.00	16.55	4.25	H	172.6	1.00	120.000

REMARKS:

1. Emission level (dBuV/m) = Read level (dBuV) + Correction Factor (dB/m).
2. Correction Factor (dB/m) = Antenna Factor (dB/m) + Cable Factor (dB).
3. The other emission levels were very low against the limit.
4. Margin value = Limit value- Emission level.





BUREAU VERITAS Test Report No.: PSU-NQN2407300216RF10


CHANNEL	Channel 165	DETECTOR FUNCTION	Quasi-Peak (QP)
FREQUENCY RANGE	30MHz ~ 1GHz		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	QPK Level [dBμV/m]	QPK Limit [dBμV/m]	QPK Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. BW [kHz]
1	34.220	36.19	40.00	3.81	-8.35	V	359.1	1.00	120.000
1	84.611	25.72	40.00	14.28	-8.90	V	1	1.00	120.000
1	133.354	28.19	43.50	15.31	-8.26	V	348	1.00	120.000
1	199.993	26.73	43.50	16.77	-5.70	V	359.1	1.00	120.000
1	324.492	24.35	46.00	21.65	-0.71	V	1	2.00	120.000
1	583.531	27.02	46.00	18.98	2.14	V	191	2.00	120.000

REMARKS:

1. Emission level (dBuV/m) = Read level (dBuV) + Correction Factor (dB/m).
2. Correction Factor (dB/m) = Antenna Factor (dB/m) + Cable Factor (dB).
3. The other emission levels were very low against the limit.
4. Margin value = Limit value- Emission level.





BUREAU VERITAS Test Report No.: PSU-NQN2407300216RF10

ABOVE 1GHz WORST-CASE DATA:

Note: For higher frequency, the emission is too low to be detected.


Band 1

802.11ax (80MHz)

CHANNEL	TX Channel 42	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	10,420.000	43.82	74.00	30.18	33.44	54.00	20.56	4.81	H	251.9	2.00
2	15,630.000	48.73	74.00	25.27	37.71	54.00	16.29	9.07	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	10,420.000	43.71	74.00	30.29	33.32	54.00	20.68	4.81	V	247.2	2.00
2	15,630.000	47.46	74.00	26.54	37.58	54.00	16.42	9.07	V	247.2	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5210MHz: Fundamental frequency.



Band 2:

802.11ac (80MHz)

CHANNEL	TX Channel 58	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	10,580.000	44.43	74.00	29.57	34.23	54.00	19.77	5.26	H	110.9	2.00
2	15,870.000	49.10	74.00	24.90	38.53	54.00	15.47	9.77	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	10,580.000	45.52	74.00	28.48	34.31	54.00	19.69	5.26	V	359	2.00
2	15,870.000	50.05	74.00	23.95	38.85	54.00	15.15	9.77	V	1	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5290MHz: Fundamental frequency.




Band 3

802.11ac (80MHz)

CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	11,380.000	44.84	74.00	29.16	34.72	54.00	19.28	5.89	H	113.2	2.00
2	17,070.000	50.23	74.00	23.77	40.11	54.00	13.89	13.37	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	11,380.000	45.80	74.00	28.20	34.97	54.00	19.03	5.89	V	1	2.00
2	17,070.000	50.56	74.00	23.44	40.34	54.00	13.66	13.37	V	1	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5530MHz: Fundamental frequency.
- #: Out of restricted band.




Band 4:

802.11a

CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	11,570.000	45.73	74.00	28.27	35.62	54.00	18.38	6.14	H	268.6	2.00
2	17,355.000	49.80	74.00	24.20	39.73	54.00	14.27	13.23	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	11,570.000	46.19	74.00	27.81	35.32	54.00	18.68	6.14	V	359	2.00
2	17,355.000	50.36	74.00	23.64	39.85	54.00	14.15	13.23	V	263.8	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.