

Report No.: XEWM2309000448RG03

Rev.: 01

Page: 1 of 142

TEST REPORT

Application No.: XEWM2309000448RG

Applicant: Lenovo (Shanghai) Electronics Technology Co., Ltd.

Address of Applicant: Section 304-305, Building No. 4, # 222, Meiyue Road, China (Shanghai) Pilot

Free Trade Zone

Manufacturer: Lenovo PC HK Limited

Address of Manufacturer: 23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong,

China

EUT Description: Portable Tablet Computer

Model No.: TB330FU

Trade Mark: Lenovo

FCC ID: O57TB330FU

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: 2023/08/30

Date of Test: 2023/09/08 to 2023/09/13

Date of Issue: 2023/09/27

Test Result : PASS *

Authorized Signature:

Peter Tan Regulatory Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Temms-and-Conditions.spx. and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Bullding 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xian, Shazand, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

710086 t (86–29) 6282 7885 710086 t (86–29) 6282 7885

^{*} In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 2 of 142

1 Version

Revision Record				
Version Chapter Date Modifier Remark				
01		2023/09/27		Original

Prepared By	(Leah Chen) / Test Engineer
Checked By	(Andy Yao) /Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 3 of 142

2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10-2020 Section 6.2	Clause 4.2	PASS
Duty Cycle		ANSI C63.10-2020 Section 11.6	Clause 4.3	For Report Purpose
Conducted Output Power	15.247 (b)(3)	ANSI C63.10-2020 Section 11.9.1.2	Clause 4.4	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10-2020 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10-2020 Section 11.10.2	Clause 4.6	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.7	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.8	PASS
Radiated Spurious Emissions	15.247(d);15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.9	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d);15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.10	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 4 of 142

Contents

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment and Mode	8
	3.6	Description of Support Units	8
	3.7	Worst-case configuration and mode	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	AC Power Line Conducted Emissions	10
	4.3	Duty Cycle	14
	4.4	Conducted Output Power	15
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	16
	4.6	Power Spectral Density	17
	4.7	Band-edge for RF Conducted Emissions	18
	4.8	RF Conducted Spurious Emissions	19
	4.9	Radiated Spurious Emissions	20
	4.10	Restricted bands around fundamental frequency	24
5	Measu	urement Uncertainty (95% confidence levels, k=2)	27
6	Equipr	ment List	28
7	Photog	graphs - Setup Photos	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 5 of 142

3 General Information

3.1 Details of Client

Applicant:	Lenovo (Shanghai) Electronics Technology Co., Ltd.
Address of Applicant:	Section 304-305, Building No. 4, # 222, Meiyue Road, China (Shanghai) Pilot Free Trade Zone
Manufacturer:	Lenovo PC HK Limited
Address of Manufacturer:	23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong, China

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.
Address:	1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi' an, Shaanxi China
Post code:	710086
Test engineer:	Qiang Zhang, Jacky Xue

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC -Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing

laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic foormat document as the first of the forms and Conditions for Electronic foorments at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereor reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to cransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the eaults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 6 of 142

3.4 General Description of EUT

EUT Description:	Portable Tab	Portable Tablet Computer			
Model No.:	TB330FU				
Trade Mark:	Lenovo	Lenovo			
Hardware Version:	TB330FU				
Software Version:	Lenovo ZUI 1	15.1.028			
Power Supply:	Lithium Batte	ery (3.91V)			
SN:	RF Conducte	ed	HA1V52V6		
SIV.	RSE & AC po	ower line	HA1VAZ2N		
Operation Francisco	802.11b/g/n(l	HT20):	2412MHz to 2462MHz		
Operation Frequency:	802.11n(HT4	0):	2422MHz to 2452MHz		
Madulatian Tyras	802.11b:	DSSS (DBI	PSK, DQPSK, CCK)		
Modulation Type:	802.11g/n:	OFDM (BP	SK, QPSK, 16QAM, 64QAM)		
Number of Channels:	802.11b/g/n(l 802.11n(HT4	,			
Channel Spacing:	5MHz	5MHz			
	⊠ SISO	802.11b/g/r	n		
	CDD: 802		11b/g/n: Tx & Rx		
Smart System:	☐ MIMO	STBC: 802	STBC: 802.11n: Tx & Rx		
		TXBF: 802.	TXBF: 802.11n: Tx & Rx		
	Diversity	802.11b/g :	Tx & Rx		
Antenna Type:	PIFA Antenna	а			
	-1.64dBi				
Antenna Gain:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.				
RF Cable:	1.2dB				
Remark:	Remark:				
	As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 7 of 142

	Operation Frequency of each channel (802.11b/g/n HT20)						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
1	2412MHz	4	2427MHz	7	2442MHz	10	2457MHz
2	2417MHz	5	2432MHz	8	2447MHz	11	2462MHz
3	2422MHz	6	2437MHz	9	2452MHz		
		Operation Fr	equency of ea	ach channel (802.11n HT40)	
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
3	2422MHz	6	2437MHz	9	2452MHz		
4	2427MHz	7	2442MHz				
5	2432MHz	8	2447MHz				

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency for 802.11 b/g/n (HT20)	Frequency for 802.11n (HT40)	
The Lowest channel	2412MHz	2422MHz	
The Middle channel	2437MHz	2437MHz	
The Highest channel	2462MHz	2452MHz	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.:

Page: 8 of 142

3.5 Test Environment and Mode

Environment Parameter	96.0~101.0 kPa Selected Values During Tests			
Relative Humidity	40-60 % RH Ambient			
Value	Temperature(°C) Voltage(V)			
NTNV	NTNV 22~25 3.91			
Remark:				

NV: Normal Voltage Normal Temperature NT:

3.6 Description of Support Units

The EUT has been tested as an independent unit.

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	MIMO - Data Rate		
802.11b	1 Mbps	/		
802.11g	6 Mbps	/		
802.11n (HT 20)	MCS0 (6.5 Mbps)	/		
802.11n (HT 40)	MCS0 (13.5 Mbps)	/		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C ie: (86-755) 8307 1443,



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 9 of 142

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is PIFA Antenna and no consideration of replacement.

The best case gain of the antenna is -1.64dBi. *

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sag.com/en/Terms_and-Conditions_apy and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sag.com/en/Terms-and-Conditions/Terms-e-Document.aspy Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengotong New Toum, Xian, Shasmi, Chins 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编:710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 10 of 142

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207			
Test Method:	ANSI C63.10-2020 Section 6.2			
Test Frequency Range:	150kHz to 30MHz			
Receiver Setup:	RBW = 9kHz, VBW = 30kHz			
Limit:	Limit (dBuV)			
	Frequency range (MHz)	Quasi-peak	Average	
	0.15-0.5	66 to 56*	56 to 46*	
	0.5-5	56	46	
	5-30	60	50	
	* Decreases with the log	arithm of the frequency.		
Test Procedure:				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results of the company of the sample(s) tested and such sample(s) are retained for 30 days only.


1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 11 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03


Rev.: 01

Page: 12 of 142

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission



Data	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.3599	9.87	35.15	45.02	58.73	13.71	23.14	33.01	48.73	15.72	PASS
2	0.7033	9.95	39.01	48.96	56.00	7.04	24.19	34.14	46.00	11.86	PASS
3	3.2752	9.85	34.13	43.98	56.00	12.02	13.68	23.53	46.00	22.47	PASS
4	4.6188	9.90	36.84	46.74	56.00	9.26	19.42	29.32	46.00	16.68	PASS
5	5.9645	9.91	36.02	45.93	60.00	14.07	19.98	29.89	50.00	20.11	PASS
6	11.9136	10.03	40.05	50.08	60.00	9.92	25.31	35.34	50.00	14.66	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorwant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's fludings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Asstraction:To check the authernicity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.

Asstraction:To check the authernicity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.


1/F, Unit D, Bullding 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xian, Shazand, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.:

13 of 142 Page:



Data	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2377	9.82	32.41	42.23	62.17	19.94	18.40	28.22	52.17	23.95	PASS
2	0.7015	9.84	34.08	43.92	56.00	12.08	21.62	31.46	46.00	14.54	PASS
3	1.1947	9.82	27.28	37.10	56.00	18.90	12.26	22.08	46.00	23.92	PASS
4	3.2064	9.97	28.27	38.24	56.00	17.76	14.86	24.83	46.00	21.17	PASS
5	4.7190	9.98	28.97	38.95	56.00	17.05	15.72	25.70	46.00	20.30	PASS
6	11.7463	10.15	34.54	44.69	60.00	15.31	19.66	29.81	50.00	20.19	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]). 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanoi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 14 of 142

4.3 Duty Cycle





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 15 of 142

4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Directs other the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 16 of 142

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 17 of 142

4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juradid in Issued adfinement. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Internation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: The check the authenticity of testing (inspection report & carrifloats, please contact us at telephone: (86-75) 83071443,

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 18 of 142

4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10-2020 Section 11.11				
Test Setup:	PC Signal Generator				
Instruments Used:	Refer to section 6 for details.				
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates				
Final Test Mode:	Refer to section 3.7 for details.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 19 of 142

4.8 RF Conducted Spurious Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comments.and. Conditions for Terms and Conditions/Terms-en/Comment is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 50 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 20 of 142

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10-2020 Secti	ion 11.12						
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Test Frequency:	9kHz ~ 25GHz							
Receiver Setup:	Frequency	Remark						
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak			
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average			
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak			
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average			
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	30MHz-1GHz	Quasi-peak	120kHz	300kHz	Quasi-peak			
	Above 1GHz	Peak	1MHz	3MHz	Peak			
	Above IGHZ	Peak	1MHz	3MHz	Peak			
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 21 of 142

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.

Attention: To check the authernicity of testing inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 22 of 142

	frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Test the EUT in the lowest channel, the middle channel ,the Highest channel. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete. j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed. l. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.
Test Configuration:	 Measurements below 30MHz RBW = 10 kHz VBW = 30 kHz Detector = Peak & Average & Quasi-peak Trace mode = max hold Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates. Charge + Transmitting mode.
Final Test Mode:	Refer to section 3.7 for details. For below 1GHz part, through pre-scan all channels, but only the worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Togery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 23 of 142

Instruments Used:	Refer to section 6 for details.			
Test Results:	Pass			
The detailed test data see: Appendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Paik, No.137, Keyean 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03


Rev.: 01

Page: 24 of 142

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10-2020 Section 11.12							
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Limit:	Frequency	Limit (dBuV/m)	Remark					
	30MHz-88MHz	40.0	Quasi-peak					
	88MHz-216MHz	43.5	Quasi-peak					
	216MHz-960MHz	46.0	Quasi-peak					
	960MHz-1GHz	54.0	Quasi-peak					
	Above 1GHz	54.0	Average Value					
	Above IGHZ	74.0	Peak Value					

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's service responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest schent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Asstraction of the sample (s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 25 of 142

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Measurements Below 1000MHz • RBW = 120 kHz • VBW ≥ 3 MHz • Detector = Quasi-peak • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ 1 TI, when duty cycle is less than 98 percent. • VBW ≥ 11T, when duty cycle is less than 98 percent where T is		,
meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ 117, when duty cycle is less than 98 percent. • VBW ≥ 117, when duty cycle is less than 98 percent there T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.	Test Procedure:	above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW ≥ 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW ≥ 1 MHz VBW ≥ 17, when duty cycle is no less than 98 percent. VBW ≥ 17, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		meters above the ground at a 3 meter semi-anechoic camber. The table was
to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Test Configuration: Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 10 Hz, when duty cycle is no less than 98 percent. • VBW ≥ 17T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		· · · · · · · · · · · · · · · · · · ·
then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Test Configuration: Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ 1/T, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and
Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Test Configuration: Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW ≥ 1 MT, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the
frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Test Configuration: Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW = 10 Hz, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		
i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Test Configuration: Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 1 MHz VBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and
Transmitting mode, And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW = 10 Hz, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		h. Test the EUT in the lowest channel , the Highest channel
j. Repeat above procedures until all frequencies measured was complete. Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ 1/T, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		i. The radiation measurements are performed in X, Y, Z axis positioning for
Test Configuration: Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW = 10 Hz, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		Transmitting mode,And found the Z axis positioning which it is worse case.
 RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		j. Repeat above procedures until all frequencies measured was complete.
 VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 	Test Configuration:	Measurements Below 1000MHz
 Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		• RBW = 120 kHz
 Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		• VBW = 300 kHz
Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW = 10 Hz, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		Detector = Quasi-peak
 RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		Trace mode = max hold
 VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		Peak Measurements Above 1000 MHz
 Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		• RBW = 1 MHz
 Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		• VBW ≥ 3 MHz
 Trace mode = max hold		Detector = Peak
Average Measurements Above 1000MHz • RBW = 1 MHz • VBW = 10 Hz, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		Sweep time = auto
 RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		Trace mode = max hold
 VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. 		Average Measurements Above 1000MHz
• VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		• RBW = 1 MHz
transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		VBW = 10 Hz, when duty cycle is no less than 98 percent.
maximum power control level for the tested mode of operation.		• VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum
Exploratory Test Mode: Transmitting with all kind of modulations, data rates		
Exploratory rest mode. Transmitting with all kind of modulations, data rates.	Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Charge + Transmitting mode.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results of the company of the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Orange Science Paik, No.137, Keyean 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 26 of 142

Final Test Mode:	Refer to section 3.7 for details.				
Instruments Used:	Refer to section 6 for details.				
Test Results:	Pass				
The detailed test data see: Appendix					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 27 of 142

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	± 7.25 x 10 ⁻⁸ GHz
2	Duty cycle	± 0.37%
3	Occupied Bandwidth	± 0.2%
4	RF conducted power	± 0.21dB
5	RF power density	± 2.84dB
6	Conducted Spurious emissions	± 0.75dB
7	Conduction Emission	± 3.0dB (150kHz to 30MHz)
		± 4.6dB (9kHz to 30MHz)
		± 4.9dB (30MHz to 1GHz)
8	Radiated Emission	± 4.9dB (1GHz to 6GHz)
		± 4.7dB (6GHz to 18GHz)
		± 5.26dB (Above 18GHz)

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 28 of 142

6 Equipment List

RF Test System								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)			
MXA signal analyzer	Agilent	N9020A	XAW01-06-07	2023/02/16	2024/02/15			
MXG vector signal Generator	Agilent	N5182B	XAW01-07-16	2023/02/16	2024/02/15			
Measurement Software	Tonscend	JS1120-3 (3.2.18)	XAW02-14-01	NCR	NCR			
RF control unit	Tonscend	JS0806-2	XAW03-37-01	NCR	NCR			
Power Meter	Anritsu	ML2495A	XAW01-25-03	2023/02/16	2024/02/15			
Power Supply	Agilent	66311B	XAW01-17-01	2023/02/16	2024/02/15			
Temperature and humidity meter	MingGao	T809	XAW01-01-16	2023/09/04	2024/09/03			

CE Test System							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A		
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29		
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2023/06/30	2024/06/29		
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/08/30	2024/08/29		
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR		
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15		
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2023/06/30	2024/06/29		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 29 of 142

RSE Test System										
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/d d)	Cal.Due date (yyyy/mm/d d)					
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2021/09/09	2024/09/08					
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2023/02/16	2024/02/15					
Spectrum Analyzer	ROHDE &SCHWARZ	FSV3044	XAW01-13-05	2023/05/15	2024/05/14					
Test receiver	ROHDE &SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29					
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/07/28	2024/07/27					
Receiving antenna(1GHz~18GH z)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/07/28	2024/07/27					
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/07/23	2024/07/22					
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR					
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR					
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR					
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR					
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2023/05/15	2024/05/14					
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2023/08/30	2024/08/29					
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2023/08/30	2024/08/29					
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2023/08/30	2024/08/29					
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/09/04	2024/09/03					
Radio communication analyzer	ROHDE&SCH WARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15					
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR					
Loop Antenna	Schwarzbeck	FMZB 1519B	XAW01-48-02	2022/05/26	2024/05/25					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 30 of 142

7 Photographs - Setup Photos

Refer to Appendix A.1 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document oson texonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.:

31 of 142 Page:

Appendix



1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanoi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 32 of 142

DTS Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11b		2412	7.560	2408.480	2416.040	0.5	PASS
	Ant1	2437	7.080	2433.440	2440.520	0.5	PASS
		2462	7.560	2457.960	2465.520	0.5	PASS
11g		2412	14.440	2405.720	2420.160	0.5	PASS
	Ant1	2437	12.520	2429.280	2441.800	0.5	PASS
		2462	15.080	2454.440	2469.520	0.5	PASS
11n20SISO		2412	14.480	2405.680	2420.160	0.5	PASS
	Ant1	2437	15.640	2428.880	2444.520	0.5	PASS
		2462	15.280	2454.280	2469.560	0.5	PASS
11n40SISO	Ant1	2422	33.760	2405.760	2439.520	0.5	PASS
		2437	35.440	2419.080	2454.520	0.5	PASS
		2452	33.760	2434.480	2468.240	0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 33 of 142

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 34 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 35 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaand, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 36 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 37 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 38 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 39 of 142

99% Occupied Bandwidth Test Result

TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict	
		2412	12.839	2405.7956	2418.6346		
11b	Ant1	2437	12.818	2430.4786	2443.2966		
		2462	12.806	2455.4917	2468.2977		
	Ant1	2412	16.895	2403.7092	2420.6042		
11g		Ant1	2437	16.749	2428.5460	2445.2950	
			2462	16.765	2453.4923	2470.2573	For Report
	Ant1	2412	17.864	2403.2102	2421.0742	Purpose	
11n20SISO		2437	17.750	2428.0759	2445.8259		
		2462	17.741	2453.0664	2470.8074		
		2422	35.793	2404.1571	2439.9501		
11n40SISO	Ant1	2437	36.339	2418.7096	2455.0486		
		2452	36.148	2433.7617	2469.9097		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 40 of 142

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F. Unit D. Bulding I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xira, Shaand, Chira 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 鄭第: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 41 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Bulding I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xira, Shaand, Chira 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 鄭第: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 42 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 43 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 44 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 45 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 46 of 142

Maximum conducted output power Test Result Peak

TestMode	Antenna	Frequency[MHz]	Peak Power[dBm]	Conducted Limit[dBm]	Verdict
		2412	18.78	≤30.00	PASS
11b	Ant1	2437	19.04	≤30.00	PASS
		2462	18.92	≤30.00	PASS
	Ant1	2412	23.75	≤30.00	PASS
11g		2437	24.12	≤30.00	PASS
		2462	23.77	≤30.00	PASS
	Ant1	2412	24.23	≤30.00	PASS
11n20SISO		2437	24.57	≤30.00	PASS
		2462	24.36	≤30.00	PASS
11n40SISO	Ant1	2422	24.39	≤30.00	PASS
		2437	24.62	≤30.00	PASS
		2452	24.32	≤30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 47 of 142

Maximum power spectral density Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
		2412	-5.58	≤8.00	PASS
11b	Ant1	2437	-4.66	≤8.00	PASS
		2462	-6.45	≤8.00	PASS
	Ant1	2412	-10.52	≤8.00	PASS
11g		2437	-8.31	≤8.00	PASS
		2462	-10.80	≤8.00	PASS
	Ant1	2412	-11.77	≤8.00	PASS
11n20SISO		2437	-10.33	≤8.00	PASS
		2462	-10.98	≤8.00	PASS
11n40SISO	Ant1	2422	-12.42	≤8.00	PASS
		2437	-13.61	≤8.00	PASS
		2452	-14.64	≤8.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 48 of 142

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 49 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keyan 3rd Road, Feroptong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 50 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 51 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 52 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 53 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 54 of 142

Band edge measurements Test Result

TestMode	Antenna	Channel	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11b	Ant1	Low	2412	7.62	-43.8	≤-12.38	PASS
110		High	2462	7.66	-49.66	≤-12.34	PASS
110	Ant1	Low	2412	3.66	-34.59	≤-16.34	PASS
11g		High	2462	3.94	-49.51	≤-16.06	PASS
11n20SISO	Ant1	Low	2412	1.76	-36.5	≤-18.24	PASS
		High	2462	3.05	-48.9	≤-16.95	PASS
11n40SISO	Ant1	Low	2422	0.82	-39.68	≤-19.18	PASS
	Ant1	High	2452	0.31	-42.49	≤-19.69	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 55 of 142

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 56 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 57 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 58 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 59 of 142

Conducted Spurious Emission Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange	RefLevel	Result	Limit	Verdict
Toolivious	7 tillorilla	1 roquonoy[ivii iz]	[Mhz]	[dBm]	[dBm]	[dBm]	
			Reference	7.43	7.43		PASS
		2412	30~1000	7.43	-59.24	≤-12.57	PASS
			1000~26500	7.43	-45.6	≤-12.57	PASS
			Reference	7.43	7.43		PASS
11b	Ant1	2437	30~1000	7.43	-59.35	≤-12.57	PASS
			1000~26500	7.43	-44.96	≤-12.57	PASS
			Reference	6.86	6.86		PASS
		2462	30~1000	6.86	-59.06	≤-13.14	PASS
			1000~26500	6.86	-45.72	≤-13.14	PASS
			Reference	0.30	0.30		PASS
		2412	30~1000	0.30	-59.33	≤-19.7	PASS
			1000~26500	0.30	-44.63	≤-19.7	PASS
			Reference	1.11	1.11		PASS
11g	Ant1	2437	30~1000	1.11	-59.92	≤-18.89	PASS
11g			1000~26500	1.11	-45.61	≤-18.89	PASS
		2462	Reference	3.85	3.85		PASS
			30~1000	3.85	-59.85	≤-16.15	PASS
			1000~26500	3.85	-45.23	≤-16.15	PASS
			Reference	1.11	1.11		PASS
		2412	30~1000	1.11	-59.76	≤-18.89	PASS
			1000~26500	1.11	-45.15	≤-18.89	PASS
			Reference	1.75	1.75		PASS
11n20SISO	Ant1	2437	30~1000	1.75	-59.43	≤-18.25	PASS
			1000~26500	1.75	-45.73	≤-18.25	PASS
			Reference	0.52	0.52		PASS
		2462	30~1000	0.52	-59.3	≤-19.48	PASS
			1000~26500	0.52	-46.01	≤-19.48	PASS
			Reference	0.41	0.41		PASS
		2422	30~1000	0.41	-59.58	≤-19.59	PASS
			1000~26500	0.41	-45.56	≤-19.59	PASS
			Reference	-0.67	-0.67		PASS
11n40SISO	Ant1	2437	30~1000	-0.67	-58.96	≤-20.67	PASS
			1000~26500	-0.67	-45.62	≤-20.67	PASS
			Reference	-1.29	-1.29		PASS
		2452	30~1000	-1.29	-58.96	≤-21.29	PASS
			1000~26500	-1.29	-44.98	≤-21.29	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000448RG03

Rev.: 01

Page: 60 of 142

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 61 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lines stolewise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 62 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 63 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 64 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 65 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 ww t (86–29) 6282 7885 sgs



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 66 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 67 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keyan 3rd Road, Feroptong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 68 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 w t (86–29) 6282 7885 se



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 69 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 70 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keyan 3rd Road, Feroptong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 71 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 72 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 73 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 74 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keyan 3rd Road, Feroptong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 75 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 76 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 77 of 142





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www t (86–29) 6282 7885 sgs.c



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 78 of 142

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
		2412	8.39	8.43	99.53	0.02
11b	Ant1	2437	8.39	8.42	99.64	0.02
		2462	8.39	8.42	99.64	0.02
		2412	1.39	1.44	96.53	0.15
11g	Ant1	2437	1.40	1.44	97.22	0.12
1.9		2462	1.39	1.44	96.53	0.15
11n20SISO	Ant1	2412	1.30	1.35	96.30	0.16
		2437	1.30	1.34	97.01	0.13
		2462	1.30	1.34	97.01	0.13
		2422	0.65	0.69	94.20	0.26
11n40SISO	Ant1	2437	0.65	0.70	92.86	0.32
		2452	0.64	0.69	92.75	0.33

Note

Radiated Emission Average VBW = 1 / T

· · · · · · · · · · · · · · · · · · ·								
TestMode	T[ms]	Period[ms]	Duty Cycle[%]	1/T[kHz]	VBW Setting			
11b	8.39	8.43	99.53	0.11919	10Hz*			
11g	1.40	1.44	97.22	0.71429	0.75KHz			
11n20SISO	1.30	1.35	96.30	0.76923	0.82KHz			
11n40SISO	0.65	0.70	92.86	1.53846	1.6KHz			

^{*}Duty cycle > 98% VBW setting=10Hz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions



Report No.: XEWM2309000448RG03

Rev.: 01

Page: 79 of 142

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885