













Mode	22																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																						
ANT	0																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.33</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>40.61</td><td>34.29</td><td>12.44</td><td>30.12</td><td>0.00</td><td>303</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.33	57.22	74.00	-16.78	40.61	34.29	12.44	30.12	0.00	303	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5106.33	57.22	74.00	-16.78	40.61	34.29	12.44	30.12	0.00	303	118	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.00</td><td>-----</td><td>-----</td><td>83.76</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>303</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.00	-----	-----	83.76	34.44	12.60	29.80	0.00	303	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	101.00	-----	-----	83.76	34.44	12.60	29.80	0.00	303	118	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.81</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>30.30</td><td>34.29</td><td>12.44</td><td>30.13</td><td>0.00</td><td>303</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.81	46.90	54.00	-7.10	30.30	34.29	12.44	30.13	0.00	303	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5102.81	46.90	54.00	-7.10	30.30	34.29	12.44	30.13	0.00	303	118	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>93.13</td><td>-----</td><td>-----</td><td>75.89</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>303</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	93.13	-----	-----	75.89	34.44	12.60	29.80	0.00	303	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	93.13	-----	-----	75.89	34.44	12.60	29.80	0.00	303	118	AVERAGE																																											





Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																						
ANT	0																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.65</td><td>61.73</td><td>74.00</td><td>-12.27</td><td>44.29</td><td>34.60</td><td>12.58</td><td>29.74</td><td>0.00</td><td>303</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.65	61.73	74.00	-12.27	44.29	34.60	12.58	29.74	0.00	303	118	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.65	61.73	74.00	-12.27	44.29	34.60	12.58	29.74	0.00	303	118	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>31.59</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>303</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.01	54.00	-4.99	31.59	34.60	12.56	29.74	0.00	303	118	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	49.01	54.00	-4.99	31.59	34.60	12.56	29.74	0.00	303	118	AVERAGE																																											



Mode	22																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.01</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>40.79</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>97</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.01	57.40	74.00	-16.60	40.79	34.30	12.44	30.13	0.00	100	97	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>100.89</td><td>-----</td><td>-----</td><td>83.65</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>100</td><td>97</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.89	-----	-----	83.65	34.44	12.60	29.80	0.00	100	97	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5102.01	57.40	74.00	-16.60	40.79	34.30	12.44	30.13	0.00	100	97	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	100.89	-----	-----	83.65	34.44	12.60	29.80	0.00	100	97	PEAK																																																																																								
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5119.93</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>30.29</td><td>34.26</td><td>12.44</td><td>30.10</td><td>0.00</td><td>100</td><td>97</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.93	46.89	54.00	-7.11	30.29	34.26	12.44	30.10	0.00	100	97	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>92.40</td><td>-----</td><td>-----</td><td>75.16</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>100</td><td>97</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	92.40	-----	-----	75.16	34.44	12.60	29.80	0.00	100	97	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5119.93	46.89	54.00	-7.11	30.29	34.26	12.44	30.10	0.00	100	97	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	92.40	-----	-----	75.16	34.44	12.60	29.80	0.00	100	97	AVERAGE																																																																																								







Mode	22																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																															
ANT	0																																															
Pol.	Vertical						Fundamental																																									
Peak							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>62.84</td><td>74.00</td><td>-11.16</td><td>45.42</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>100</td><td>97 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	62.84	74.00	-11.16	45.42
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5350.00	62.84	74.00	-11.16	45.42	34.60	12.56	29.74	0.00	100	97 PEAK																																					
Avg							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.85</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>32.29</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>100</td><td>97 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.85	49.72	54.00	-4.28	32.29
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5350.85	49.72	54.00	-4.28	32.29	34.60	12.57	29.74	0.00	100	97 AVERAGE																																					




Mode	22																																																																																																																
	Harmonic																																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																
ANT	0																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10620.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>55.77</td><td>37.72</td><td>17.86</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10620.00	46.46	74.00	-27.54	55.77	37.72	17.86	64.89	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10620.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>55.17</td><td>37.72</td><td>17.86</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10620.00	45.86	74.00	-28.14	55.17	37.72	17.86	64.89	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	10620.00	46.46	74.00	-27.54	55.77	37.72	17.86	64.89	0.00	--	--	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	10620.00	45.86	74.00	-28.14	55.17	37.72	17.86	64.89	0.00	--	--	PEAK																																																																																																					







Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>61.56</td><td>74.00</td><td>-12.44</td><td>43.68</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>300</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5463.69</td><td>64.21</td><td>68.20</td><td>-3.99</td><td>46.31</td><td>34.60</td><td>12.87</td><td>29.57</td><td>0.00</td><td>300</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	61.56	74.00	-12.44	43.68	34.60	12.85	29.57	0.00	300	296	PEAK	2	5463.69	64.21	68.20	-3.99	46.31	34.60	12.87	29.57	0.00	300	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>103.75</td><td>-----</td><td>-----</td><td>85.56</td><td>34.61</td><td>13.08</td><td>29.50</td><td>0.00</td><td>300</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.75	-----	-----	85.56	34.61	13.08	29.50	0.00	300	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5460.00	61.56	74.00	-12.44	43.68	34.60	12.85	29.57	0.00	300	296	PEAK																																																																																																				
2	5463.69	64.21	68.20	-3.99	46.31	34.60	12.87	29.57	0.00	300	296	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	103.75	-----	-----	85.56	34.61	13.08	29.50	0.00	300	296	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.97</td><td>54.00</td><td>-5.03</td><td>31.09</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>300</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.97	54.00	-5.03	31.09	34.60	12.85	29.57	0.00	300	296	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>95.34</td><td>-----</td><td>-----</td><td>77.15</td><td>34.61</td><td>13.08</td><td>29.50</td><td>0.00</td><td>300</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	95.34	-----	-----	77.15	34.61	13.08	29.50	0.00	300	296	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5460.00	48.97	54.00	-5.03	31.09	34.60	12.85	29.57	0.00	300	296	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	95.34	-----	-----	77.15	34.61	13.08	29.50	0.00	300	296	AVERAGE																																																																																																				




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.96</td><td>57.64</td><td>68.20</td><td>-10.56</td><td>39.14</td><td>34.72</td><td>13.67</td><td>29.89</td><td>0.00</td><td>300</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.96	57.64	68.20	-10.56	39.14	34.72	13.67	29.89	0.00	300	296	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5758.96	57.64	68.20	-10.56	39.14	34.72	13.67	29.89	0.00	300	296	PEAK																																												





Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.73</td><td>58.16</td><td>74.00</td><td>-15.84</td><td>40.34</td><td>34.60</td><td>12.81</td><td>29.59</td><td>0.00</td><td>105</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5465.29</td><td>63.22</td><td>68.20</td><td>-4.98</td><td>45.30</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>105</td><td>25</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.73	58.16	74.00	-15.84	40.34	34.60	12.81	29.59	0.00	105	25	PEAK	2	5465.29	63.22	68.20	-4.98	45.30	34.60	12.88	29.56	0.00	105	25	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>101.81</td><td>-----</td><td>-----</td><td>83.59</td><td>34.64</td><td>13.07</td><td>29.49</td><td>0.00</td><td>105</td><td>25</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.81	-----	-----	83.59	34.64	13.07	29.49	0.00	105	25
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5446.73	58.16	74.00	-15.84	40.34	34.60	12.81	29.59	0.00	105	25	PEAK																																																																																																				
2	5465.29	63.22	68.20	-4.98	45.30	34.60	12.88	29.56	0.00	105	25	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	101.81	-----	-----	83.59	34.64	13.07	29.49	0.00	105	25	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.69</td><td>48.41</td><td>54.00</td><td>-5.59</td><td>30.53</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>105</td><td>25</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	48.41	54.00	-5.59	30.53	34.60	12.85	29.57	0.00	105	25	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>93.24</td><td>-----</td><td>-----</td><td>75.02</td><td>34.64</td><td>13.07</td><td>29.49</td><td>0.00</td><td>105</td><td>25</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.24	-----	-----	75.02	34.64	13.07	29.49	0.00	105	25	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.69	48.41	54.00	-5.59	30.53	34.60	12.85	29.57	0.00	105	25	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	93.24	-----	-----	75.02	34.64	13.07	29.49	0.00	105	25	AVERAGE																																																																																																				







Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	0																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.16</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>38.44</td><td>34.71</td><td>13.62</td><td>29.87</td><td>0.00</td><td>105</td><td>25</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.16	56.90	68.20	-11.30	38.44	34.71	13.62	29.87	0.00	105	25	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5756.16	56.90	68.20	-11.30	38.44	34.71	13.62	29.87	0.00	105	25	PEAK																																												




Mode	23																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																
ANT	0																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>53.68</td><td>38.22</td><td>18.12</td><td>64.43</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.59	74.00	-28.41	53.68	38.22	18.12	64.43	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>53.19</td><td>38.22</td><td>18.12</td><td>64.43</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.10	74.00	-28.90	53.19	38.22	18.12	64.43	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11020.00	45.59	74.00	-28.41	53.68	38.22	18.12	64.43	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11020.00	45.10	74.00	-28.90	53.19	38.22	18.12	64.43	0.00	--	PEAK																																																																																						







Mode	24																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.31</td><td>57.33</td><td>74.00</td><td>-16.67</td><td>39.46</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>301</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>5469.11</td><td>55.78</td><td>68.20</td><td>-12.42</td><td>37.84</td><td>34.60</td><td>12.90</td><td>29.56</td><td>0.00</td><td>301</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.31	57.33	74.00	-16.67	39.46	34.60	12.84	29.57	0.00	301	293	PEAK	2	5469.11	55.78	68.20	-12.42	37.84	34.60	12.90	29.56	0.00	301	293	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>103.24</td><td>-----</td><td>-----</td><td>84.87</td><td>34.78</td><td>13.03</td><td>29.44</td><td>0.00</td><td>301</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	103.24	-----	-----	84.87	34.78	13.03	29.44	0.00	301	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.31	57.33	74.00	-16.67	39.46	34.60	12.84	29.57	0.00	301	293	PEAK																																																																																																				
2	5469.11	55.78	68.20	-12.42	37.84	34.60	12.90	29.56	0.00	301	293	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	103.24	-----	-----	84.87	34.78	13.03	29.44	0.00	301	293	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.91</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>28.80</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>301</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.91	46.67	54.00	-7.33	28.80	34.60	12.84	29.57	0.00	301	293	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>95.21</td><td>-----</td><td>-----</td><td>76.82</td><td>34.80</td><td>13.02</td><td>29.43</td><td>0.00</td><td>301</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	95.21	-----	-----	76.82	34.80	13.02	29.43	0.00	301	293	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.91	46.67	54.00	-7.33	28.80	34.60	12.84	29.57	0.00	301	293	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	95.21	-----	-----	76.82	34.80	13.02	29.43	0.00	301	293	AVERAGE																																																																																																				




Mode	24																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.37</td><td>57.41</td><td>68.20</td><td>-10.79</td><td>39.11</td><td>34.67</td><td>13.39</td><td>29.76</td><td>0.00</td><td>301</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.37	57.41	68.20	-10.79	39.11	34.67	13.39	29.76	0.00	301	293	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.37	57.41	68.20	-10.79	39.11	34.67	13.39	29.76	0.00	301	293	PEAK																																												





Mode	24																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																												
ANT	0																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.31</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>38.51</td><td>34.60</td><td>12.82</td><td>29.60</td><td>0.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>2</td><td>5461.51</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>38.71</td><td>34.60</td><td>12.86</td><td>29.57</td><td>0.00</td><td>236</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.31	56.33	74.00	-17.67	38.51	34.60	12.82	29.60	0.00	236	0 PEAK	2	5461.51	56.60	68.20	-11.60	38.71	34.60	12.86	29.57	0.00	236	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>101.81</td><td>-----</td><td>-----</td><td>83.43</td><td>34.79</td><td>13.02</td><td>29.43</td><td>0.00</td><td>236</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.81	-----	-----	83.43	34.79	13.02	29.43	0.00	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5444.31	56.33	74.00	-17.67	38.51	34.60	12.82	29.60	0.00	236	0 PEAK																																																																																																		
2	5461.51	56.60	68.20	-11.60	38.71	34.60	12.86	29.57	0.00	236	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5550.00	101.81	-----	-----	83.43	34.79	13.02	29.43	0.00	236	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.31</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>28.71</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>236</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.31	46.56	54.00	-7.44	28.71	34.60	12.83	29.58	0.00	236	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>93.13</td><td>-----</td><td>-----</td><td>74.75</td><td>34.79</td><td>13.02</td><td>29.43</td><td>0.00</td><td>236</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	93.13	-----	-----	74.75	34.79	13.02	29.43	0.00	236	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.31	46.56	54.00	-7.44	28.71	34.60	12.83	29.58	0.00	236	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5550.00	93.13	-----	-----	74.75	34.79	13.02	29.43	0.00	236	0 AVERAGE																																																																																																		







Mode	24																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																							
ANT	0																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.72</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>38.84</td><td>34.71</td><td>13.58</td><td>29.86</td><td>0.00</td><td>236</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5753.72	57.27	68.20	-10.93	38.84	34.71	13.58	29.86	0.00	236	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5753.72	57.27	68.20	-10.93	38.84	34.71	13.58	29.86	0.00	236	0	PEAK																																												




Mode	24																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																					
ANT	0																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>53.77</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	45.89	74.00	-28.11	53.77	38.30	18.16	64.34	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>54.00</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	46.12	74.00	-27.88	54.00	38.30	18.16	64.34	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11100.00	45.89	74.00	-28.11	53.77	38.30	18.16	64.34	0.00	--	--	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11100.00	46.12	74.00	-27.88	54.00	38.30	18.16	64.34	0.00	--	--	PEAK																																																																																										







Mode	25																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.57	56.64	74.00	-17.36	38.82	34.60	12.81	29.59	0.00	300	59 PEAK	2	5469.29	56.76	68.20	-11.44	38.82	34.60	12.90	29.56	0.00	300	59 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>100.47</td><td>-----</td><td>-----</td><td>82.32</td><td>34.52</td><td>13.02</td><td>29.39</td><td>0.00</td><td>300</td><td>59 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.47	-----	-----	82.32	34.52	13.02	29.39	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5446.57	56.64	74.00	-17.36	38.82	34.60	12.81	29.59	0.00	300	59 PEAK																																																																																							
2	5469.29	56.76	68.20	-11.44	38.82	34.60	12.90	29.56	0.00	300	59 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	100.47	-----	-----	82.32	34.52	13.02	29.39	0.00	300	59 PEAK																																																																																							
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.33</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>28.49</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>300</td><td>59 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.33	46.34	54.00	-7.66	28.49	34.60	12.83	29.58	0.00	300	59 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>92.95</td><td>-----</td><td>-----</td><td>74.81</td><td>34.53</td><td>13.03</td><td>29.42</td><td>0.00</td><td>300</td><td>59 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	92.95	-----	-----	74.81	34.53	13.03	29.42	0.00	300	59 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.33	46.34	54.00	-7.66	28.49	34.60	12.83	29.58	0.00	300	59 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	92.95	-----	-----	74.81	34.53	13.03	29.42	0.00	300	59 AVERAGE																																																																																							




Mode	25																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																			
ANT	0																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.19</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>39.74</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>59 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.19	57.98	68.20	-10.22	39.74	34.65	13.31	29.72	0.00									300	59 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5725.19	57.98	68.20	-10.22	39.74	34.65	13.31	29.72	0.00																																											
								300	59 PEAK																																											





Mode	25																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																						
ANT	0																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5440.17</td><td>56.60</td><td>74.00</td><td>-17.40</td><td>38.76</td><td>34.60</td><td>12.84</td><td>29.60</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>2</td><td>5461.29</td><td>55.07</td><td>68.20</td><td>-13.13</td><td>37.18</td><td>34.60</td><td>12.86</td><td>29.57</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5440.17	56.60	74.00	-17.40	38.76	34.60	12.84	29.60	0.00	100	84 PEAK	2	5461.29	55.07	68.20	-13.13	37.18	34.60	12.86	29.57	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5440.17	56.60	74.00	-17.40	38.76	34.60	12.84	29.60	0.00	100	84 PEAK																																																												
2	5461.29	55.07	68.20	-13.13	37.18	34.60	12.86	29.57	0.00	100	84 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5453.61</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>28.74</td><td>34.60</td><td>12.81</td><td>29.58</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5453.61	46.57	54.00	-7.43	28.74	34.60	12.81	29.58	0.00	100	84 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5453.61	46.57	54.00	-7.43	28.74	34.60	12.81	29.58	0.00	100	84 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>102.18</td><td>-----</td><td>-----</td><td>84.05</td><td>34.54</td><td>13.04</td><td>29.45</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	102.18	-----	-----	84.05	34.54	13.04	29.45	0.00	100	84 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5670.00	102.18	-----	-----	84.05	34.54	13.04	29.45	0.00	100	84 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>93.90</td><td>-----</td><td>-----</td><td>75.76</td><td>34.53</td><td>13.03</td><td>29.42</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	93.90	-----	-----	75.76	34.53	13.03	29.42	0.00	100	84 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5670.00	93.90	-----	-----	75.76	34.53	13.03	29.42	0.00	100	84 AVERAGE																																																												







Mode	25																																																																						
	Band Edge - R																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																						
ANT	0																																																																						
Pol.	Vertical						Fundamental																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.56</td><td>58.75</td><td>68.20</td><td>-9.45</td><td>40.49</td><td>34.66</td><td>13.35</td><td>29.75</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5730.56	58.75	68.20	-9.45	40.49	34.66	13.35	29.75	0.00									100	84										PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																														
1	5730.56	58.75	68.20	-9.45	40.49	34.66	13.35	29.75	0.00																																																														
								100	84																																																														
									PEAK																																																														





Mode	25																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																											
ANT	0																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>52.78</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	45.42	74.00	-28.58	52.78	38.36	18.34	64.06	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>59.04</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>49.34</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	51.68	74.00	-22.32	59.04	38.36	18.34	64.06	0.00	100	276 PEAK	2	11340.00	41.98	54.00	-12.02	49.34	38.36	18.34	64.06	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11340.00	45.42	74.00	-28.58	52.78	38.36	18.34	64.06	0.00	--	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11340.00	51.68	74.00	-22.32	59.04	38.36	18.34	64.06	0.00	100	276 PEAK																																																																																																	
2	11340.00	41.98	54.00	-12.02	49.34	38.36	18.34	64.06	0.00	100	276 AVERAGE																																																																																																	







Mode	26																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																														
ANT	0																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.81</td><td>63.01</td><td>74.00</td><td>-10.99</td><td>46.42</td><td>34.21</td><td>12.45</td><td>30.07</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.81	63.01	74.00	-10.99	46.42	34.21	12.45	30.07	0.00	100	320	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.22</td><td>-----</td><td>-----</td><td>80.47</td><td>34.14</td><td>12.55</td><td>29.94</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.22	-----	-----	80.47	34.14	12.55	29.94	0.00	100	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5142.81	63.01	74.00	-10.99	46.42	34.21	12.45	30.07	0.00	100	320	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	97.22	-----	-----	80.47	34.14	12.55	29.94	0.00	100	320	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.93</td><td>50.22</td><td>54.00</td><td>-3.78</td><td>33.62</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.93	50.22	54.00	-3.78	33.62	34.22	12.45	30.07	0.00	100	320	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>88.32</td><td>-----</td><td>-----</td><td>71.60</td><td>34.12</td><td>12.56</td><td>29.96</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.32	-----	-----	71.60	34.12	12.56	29.96	0.00	100	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5139.93	50.22	54.00	-3.78	33.62	34.22	12.45	30.07	0.00	100	320	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	88.32	-----	-----	71.60	34.12	12.56	29.96	0.00	100	320	AVERAGE																																																																																																			



Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5393.80</td><td>55.75</td><td>74.00</td><td>-18.25</td><td>37.85</td><td>34.60</td><td>12.97</td><td>29.67</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.80	55.75	74.00	-18.25	37.85	34.60	12.97	29.67	0.00	100	320	PEAK	Blank					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.80	55.75	74.00	-18.25	37.85	34.60	12.97	29.67	0.00	100	320	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5381.02</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>28.83</td><td>34.60</td><td>12.85</td><td>29.69</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.02	46.59	54.00	-7.41	28.83	34.60	12.85	29.69	0.00	100	320	AVERAGE	Blank					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5381.02	46.59	54.00	-7.41	28.83	34.60	12.85	29.69	0.00	100	320	AVERAGE																																												



		26																																																																																															
Mode	Band Edge - L																																																																																																
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																
ANT	0																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.21</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>47.26</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>100</td><td>97 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.21	63.86	74.00	-10.14	47.26	34.22	12.45	30.07	0.00	100	97 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.23</td><td>-----</td><td>-----</td><td>81.54</td><td>34.11</td><td>12.56</td><td>29.98</td><td>0.00</td><td>100</td><td>97 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.23	-----	-----	81.54	34.11	12.56	29.98	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5141.21	63.86	74.00	-10.14	47.26	34.22	12.45	30.07	0.00	100	97 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5210.00	98.23	-----	-----	81.54	34.11	12.56	29.98	0.00	100	97 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.65</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>34.29</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>100</td><td>97 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.65	50.89	54.00	-3.11	34.29	34.21	12.45	30.06	0.00	100	97 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>90.09</td><td>-----</td><td>-----</td><td>73.40</td><td>34.11</td><td>12.56</td><td>29.98</td><td>0.00</td><td>100</td><td>97 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.09	-----	-----	73.40	34.11	12.56	29.98	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5146.65	50.89	54.00	-3.11	34.29	34.21	12.45	30.06	0.00	100	97 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5210.00	90.09	-----	-----	73.40	34.11	12.56	29.98	0.00	100	97 AVERAGE																																																																																						







Mode	26																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																					
ANT	0																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.68</td><td>56.17</td><td>74.00</td><td>-17.83</td><td>38.24</td><td>34.60</td><td>13.00</td><td>29.67</td><td>0.00</td><td>100</td><td>97 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.68	56.17	74.00	-17.83	38.24	34.60	13.00	29.67	0.00	100	97 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5396.68	56.17	74.00	-17.83	38.24	34.60	13.00	29.67	0.00	100	97 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.26</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>28.88</td><td>34.60</td><td>12.88</td><td>29.69</td><td>0.00</td><td>100</td><td>97 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.26	46.67	54.00	-7.33	28.88	34.60	12.88	29.69	0.00	100	97 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5384.26	46.67	54.00	-7.33	28.88	34.60	12.88	29.69	0.00	100	97 AVERAGE																																											



Mode	26																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.33</td><td>68.20</td><td>-21.87</td><td>55.42</td><td>37.70</td><td>18.31</td><td>65.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.33	68.20	-21.87	55.42	37.70	18.31	65.10	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.88</td><td>68.20</td><td>-22.32</td><td>54.96</td><td>37.70</td><td>18.35</td><td>65.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.88	68.20	-22.32	54.96	37.70	18.35	65.13	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	46.33	68.20	-21.87	55.42	37.70	18.31	65.10	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	45.88	68.20	-22.32	54.96	37.70	18.35	65.13	0.00	--	PEAK																																																																																							
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.33</td><td>68.20</td><td>-21.87</td><td>55.42</td><td>37.70</td><td>18.31</td><td>65.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.33	68.20	-21.87	55.42	37.70	18.31	65.10	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.88</td><td>68.20</td><td>-22.32</td><td>54.96</td><td>37.70</td><td>18.35</td><td>65.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.88	68.20	-22.32	54.96	37.70	18.35	65.13	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	46.33	68.20	-21.87	55.42	37.70	18.31	65.10	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	45.88	68.20	-22.32	54.96	37.70	18.35	65.13	0.00	--	PEAK																																																																																							







Mode	27																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.09</td><td>56.51</td><td>74.00</td><td>-17.49</td><td>39.91</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>300</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.09	56.51	74.00	-17.49	39.91	34.21	12.45	30.06	0.00	300	55	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.91</td><td>-----</td><td>-----</td><td>79.77</td><td>34.37</td><td>12.60</td><td>29.83</td><td>0.00</td><td>300</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.91	-----	-----	79.77	34.37	12.60	29.83	0.00	300	55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5144.09	56.51	74.00	-17.49	39.91	34.21	12.45	30.06	0.00	300	55	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	96.91	-----	-----	79.77	34.37	12.60	29.83	0.00	300	55	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.61</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>31.03</td><td>34.28</td><td>12.44</td><td>30.12</td><td>0.00</td><td>300</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.61	47.63	54.00	-6.37	31.03	34.28	12.44	30.12	0.00	300	55	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>88.16</td><td>-----</td><td>-----</td><td>71.06</td><td>34.35</td><td>12.59</td><td>29.84</td><td>0.00</td><td>300</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.16	-----	-----	71.06	34.35	12.59	29.84	0.00	300	55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5107.61	47.63	54.00	-6.37	31.03	34.28	12.44	30.12	0.00	300	55	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	88.16	-----	-----	71.06	34.35	12.59	29.84	0.00	300	55	AVERAGE																																																																																							





Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.65</td><td>62.02</td><td>74.00</td><td>-11.98</td><td>44.54</td><td>34.60</td><td>12.61</td><td>29.73</td><td>0.00</td><td>300</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.65	62.02	74.00	-11.98	44.54	34.60	12.61	29.73	0.00	300	55	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.65	62.02	74.00	-11.98	44.54	34.60	12.61	29.73	0.00	300	55	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.45</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>32.17</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>300</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.45	49.59	54.00	-4.41	32.17	34.60	12.56	29.74	0.00	300	55	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.45	49.59	54.00	-4.41	32.17	34.60	12.56	29.74	0.00	300	55	AVERAGE																																												



Mode	27																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																
ANT	0																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.53</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>39.88</td><td>34.29</td><td>12.44</td><td>30.12</td><td>0.00</td><td>100</td><td>11 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.53	56.49	74.00	-17.51	39.88	34.29	12.44	30.12	0.00	100	11 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.33</td><td>-----</td><td>-----</td><td>80.19</td><td>34.37</td><td>12.60</td><td>29.83</td><td>0.00</td><td>100</td><td>11 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.33	-----	-----	80.19	34.37	12.60	29.83	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5105.53	56.49	74.00	-17.51	39.88	34.29	12.44	30.12	0.00	100	11 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	97.33	-----	-----	80.19	34.37	12.60	29.83	0.00	100	11 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.41</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>31.07</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>11 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.41	47.68	54.00	-6.32	31.07	34.30	12.44	30.13	0.00	100	11 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>88.91</td><td>-----</td><td>-----</td><td>71.77</td><td>34.37</td><td>12.60</td><td>29.83</td><td>0.00</td><td>100</td><td>11 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.91	-----	-----	71.77	34.37	12.60	29.83	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5100.41	47.68	54.00	-6.32	31.07	34.30	12.44	30.13	0.00	100	11 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	88.91	-----	-----	71.77	34.37	12.60	29.83	0.00	100	11 AVERAGE																																																																																						





Mode	27																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																					
ANT	0																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5371.15</td><td>63.00</td><td>74.00</td><td>-11.00</td><td>45.35</td><td>34.60</td><td>12.76</td><td>29.71</td><td>0.00</td><td>100</td><td>11 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.15	63.00	74.00	-11.00	45.35	34.60	12.76	29.71	0.00	100	11 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5371.15	63.00	74.00	-11.00	45.35	34.60	12.76	29.71	0.00	100	11 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.25</td><td>50.52</td><td>54.00</td><td>-3.48</td><td>33.04</td><td>34.60</td><td>12.61</td><td>29.73</td><td>0.00</td><td>100</td><td>11 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.25	50.52	54.00	-3.48	33.04	34.60	12.61	29.73	0.00	100	11 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5355.25	50.52	54.00	-3.48	33.04	34.60	12.61	29.73	0.00	100	11 AVERAGE																																											







Mode	27																																																																																																																
	Harmonic																																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																
ANT	0																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10580.00</td><td>45.39</td><td>68.20</td><td>-22.81</td><td>54.71</td><td>37.70</td><td>17.92</td><td>64.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10580.00	45.39	68.20	-22.81	54.71	37.70	17.92	64.94	0.00	--	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10580.00</td><td>44.95</td><td>68.20</td><td>-23.25</td><td>54.20</td><td>37.70</td><td>18.02</td><td>64.97</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10580.00	44.95	68.20	-23.25	54.20	37.70	18.02	64.97	0.00	--	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1 10580.00	45.39	68.20	-22.81	54.71	37.70	17.92	64.94	0.00	--	--	--	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1 10580.00	44.95	68.20	-23.25	54.20	37.70	18.02	64.97	0.00	--	--	--	PEAK																																																																																																					




Mode	28																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																
ANT	0																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>53.47</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.52	74.00	-28.48	53.47	38.26	18.18	64.39	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>54.46</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	46.51	74.00	-27.49	54.46	38.26	18.18	64.39	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	45.52	74.00	-28.48	53.47	38.26	18.18	64.39	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	46.51	74.00	-27.49	54.46	38.26	18.18	64.39	0.00	--	PEAK																																																																																						







Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5411.05</td><td>56.63</td><td>74.00</td><td>-17.37</td><td>38.70</td><td>34.60</td><td>12.98</td><td>29.65</td><td>0.00</td><td>311</td><td>285</td><td>PEAK</td></tr><tr><td>2</td><td>5467.37</td><td>56.53</td><td>68.20</td><td>-11.67</td><td>38.60</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>311</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.05	56.63	74.00	-17.37	38.70	34.60	12.98	29.65	0.00	311	285	PEAK	2	5467.37	56.53	68.20	-11.67	38.60	34.60	12.89	29.56	0.00	311	285	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>101.46</td><td>-----</td><td>-----</td><td>83.16</td><td>34.50</td><td>13.15</td><td>29.35</td><td>0.00</td><td>311</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.46	-----	-----	83.16	34.50	13.15	29.35	0.00	311	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5411.05	56.63	74.00	-17.37	38.70	34.60	12.98	29.65	0.00	311	285	PEAK																																																																																																				
2	5467.37	56.53	68.20	-11.67	38.60	34.60	12.89	29.56	0.00	311	285	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	101.46	-----	-----	83.16	34.50	13.15	29.35	0.00	311	285	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.17</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>29.09</td><td>34.60</td><td>12.80</td><td>29.58</td><td>0.00</td><td>311</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.17	46.91	54.00	-7.09	29.09	34.60	12.80	29.58	0.00	311	285	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>92.20</td><td>-----</td><td>-----</td><td>73.91</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>311</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.20	-----	-----	73.91	34.50	13.12	29.33	0.00	311	285	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5452.17	46.91	54.00	-7.09	29.09	34.60	12.80	29.58	0.00	311	285	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	92.20	-----	-----	73.91	34.50	13.12	29.33	0.00	311	285	AVERAGE																																																																																																				




Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.76</td><td>58.74</td><td>68.20</td><td>-9.46</td><td>40.22</td><td>34.72</td><td>13.69</td><td>29.89</td><td>0.00</td><td>311</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.76	58.74	68.20	-9.46	40.22	34.72	13.69	29.89	0.00	311	285	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.76	58.74	68.20	-9.46	40.22	34.72	13.69	29.89	0.00	311	285	PEAK																																												





Mode	29																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																												
ANT	0																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.93</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>38.11</td><td>34.60</td><td>12.87</td><td>29.61</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>37.72</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.93	55.97	74.00	-18.03	38.11	34.60	12.87	29.61	0.00	100	93 PEAK	2	5468.65	55.60	68.20	-12.60	37.72	34.60	12.85	29.57	0.00	100	93 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>99.37</td><td>-----</td><td>-----</td><td>81.08</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	99.37	-----	-----	81.08	34.50	13.12	29.33	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5433.93	55.97	74.00	-18.03	38.11	34.60	12.87	29.61	0.00	100	93 PEAK																																																																																																		
2	5468.65	55.60	68.20	-12.60	37.72	34.60	12.85	29.57	0.00	100	93 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	99.37	-----	-----	81.08	34.50	13.12	29.33	0.00	100	93 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.13</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>29.15</td><td>34.60</td><td>12.85</td><td>29.61</td><td>0.00</td><td>100</td><td>93 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.13	46.99	54.00	-7.01	29.15	34.60	12.85	29.61	0.00	100	93 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>91.16</td><td>-----</td><td>-----</td><td>72.87</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>100</td><td>93 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.16	-----	-----	72.87	34.50	13.12	29.33	0.00	100	93 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5437.13	46.99	54.00	-7.01	29.15	34.60	12.85	29.61	0.00	100	93 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	91.16	-----	-----	72.87	34.50	13.12	29.33	0.00	100	93 AVERAGE																																																																																																		





Mode	29																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																						
ANT	0																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.72</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>39.80</td><td>34.66</td><td>13.34</td><td>29.74</td><td>0.00</td><td>100</td><td>93</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5728.72	58.06	68.20	-10.14	39.80	34.66	13.34	29.74	0.00	100	93	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																														
1	5728.72	58.06	68.20	-10.14	39.80	34.66	13.34	29.74	0.00	100	93	PEAK																																											






Mode	29																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																							
ANT	0																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11228.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>54.32</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11228.00	46.81	74.00	-27.19	54.32	38.40	18.29	64.20	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11228.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>54.36</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11228.00	46.85	74.00	-27.15	54.36	38.40	18.29	64.20	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 11228.00	46.81	74.00	-27.19	54.32	38.40	18.29	64.20	0.00	--	--	PEAK																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 11228.00	46.85	74.00	-27.15	54.36	38.40	18.29	64.20	0.00	--	--	PEAK																																																																																													






Mode	26																																																																																																																																																															
	LF																																																																																																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																																																															
ANT	0																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																							
Peak QP																																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>49.40</td><td>22.32</td><td>40.00</td><td>-17.68</td><td>39.03</td><td>14.73</td><td>0.76 32.20 --- --- Peak</td></tr><tr><td>2</td><td>294.81</td><td>23.23</td><td>46.00</td><td>-22.77</td><td>33.81</td><td>19.01</td><td>2.52 32.11 --- --- Peak</td></tr><tr><td>3</td><td>471.35</td><td>22.24</td><td>46.00</td><td>-23.76</td><td>28.16</td><td>23.20</td><td>3.16 32.28 --- --- Peak</td></tr><tr><td>4</td><td>555.74</td><td>24.59</td><td>46.00</td><td>-21.41</td><td>27.52</td><td>25.94</td><td>3.43 32.30 --- --- Peak</td></tr><tr><td>5</td><td>824.43</td><td>29.01</td><td>46.00</td><td>-16.99</td><td>29.01</td><td>28.18</td><td>4.17 32.35 --- --- Peak</td></tr><tr><td>6</td><td>954.41</td><td>30.55</td><td>46.00</td><td>-15.45</td><td>27.98</td><td>30.27</td><td>4.49 32.19 --- --- Peak</td></tr></table>									Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Limit	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	49.40	22.32	40.00	-17.68	39.03	14.73	0.76 32.20 --- --- Peak	2	294.81	23.23	46.00	-22.77	33.81	19.01	2.52 32.11 --- --- Peak	3	471.35	22.24	46.00	-23.76	28.16	23.20	3.16 32.28 --- --- Peak	4	555.74	24.59	46.00	-21.41	27.52	25.94	3.43 32.30 --- --- Peak	5	824.43	29.01	46.00	-16.99	29.01	28.18	4.17 32.35 --- --- Peak	6	954.41	30.55	46.00	-15.45	27.98	30.27	4.49 32.19 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>48.43</td><td>23.37</td><td>40.00</td><td>-16.63</td><td>39.58</td><td>15.24</td><td>0.75 32.20 --- --- Peak</td></tr><tr><td>2</td><td>322.94</td><td>19.17</td><td>46.00</td><td>-26.83</td><td>29.34</td><td>19.35</td><td>2.63 32.15 --- --- Peak</td></tr><tr><td>3</td><td>440.31</td><td>21.23</td><td>46.00</td><td>-24.77</td><td>27.90</td><td>22.49</td><td>3.06 32.22 --- --- Peak</td></tr><tr><td>4</td><td>553.00</td><td>23.42</td><td>46.00</td><td>-22.58</td><td>26.58</td><td>25.72</td><td>3.42 32.30 --- --- Peak</td></tr><tr><td>5</td><td>724.52</td><td>27.47</td><td>46.00</td><td>-18.53</td><td>28.64</td><td>27.15</td><td>3.93 32.25 --- --- Peak</td></tr><tr><td>6</td><td>852.56</td><td>29.87</td><td>46.00</td><td>-16.13</td><td>29.08</td><td>28.93</td><td>4.25 32.39 --- --- Peak</td></tr></table>									Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Limit	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	48.43	23.37	40.00	-16.63	39.58	15.24	0.75 32.20 --- --- Peak	2	322.94	19.17	46.00	-26.83	29.34	19.35	2.63 32.15 --- --- Peak	3	440.31	21.23	46.00	-24.77	27.90	22.49	3.06 32.22 --- --- Peak	4	553.00	23.42	46.00	-22.58	26.58	25.72	3.42 32.30 --- --- Peak	5	724.52	27.47	46.00	-18.53	28.64	27.15	3.93 32.25 --- --- Peak	6	852.56	29.87	46.00	-16.13	29.08	28.93	4.25 32.39 --- --- Peak
		Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																								
Freq	Level	Line	Limit	Level Factor	Loss Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																																																																																									
1	49.40	22.32	40.00	-17.68	39.03	14.73	0.76 32.20 --- --- Peak																																																																																																																																																									
2	294.81	23.23	46.00	-22.77	33.81	19.01	2.52 32.11 --- --- Peak																																																																																																																																																									
3	471.35	22.24	46.00	-23.76	28.16	23.20	3.16 32.28 --- --- Peak																																																																																																																																																									
4	555.74	24.59	46.00	-21.41	27.52	25.94	3.43 32.30 --- --- Peak																																																																																																																																																									
5	824.43	29.01	46.00	-16.99	29.01	28.18	4.17 32.35 --- --- Peak																																																																																																																																																									
6	954.41	30.55	46.00	-15.45	27.98	30.27	4.49 32.19 --- --- Peak																																																																																																																																																									
	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																									
Freq	Level	Line	Limit	Level Factor	Loss Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																																																																																									
1	48.43	23.37	40.00	-16.63	39.58	15.24	0.75 32.20 --- --- Peak																																																																																																																																																									
2	322.94	19.17	46.00	-26.83	29.34	19.35	2.63 32.15 --- --- Peak																																																																																																																																																									
3	440.31	21.23	46.00	-24.77	27.90	22.49	3.06 32.22 --- --- Peak																																																																																																																																																									
4	553.00	23.42	46.00	-22.58	26.58	25.72	3.42 32.30 --- --- Peak																																																																																																																																																									
5	724.52	27.47	46.00	-18.53	28.64	27.15	3.93 32.25 --- --- Peak																																																																																																																																																									
6	852.56	29.87	46.00	-16.13	29.08	28.93	4.25 32.39 --- --- Peak																																																																																																																																																									





Mode	30																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.40</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>39.41</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>329</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.48</td><td>69.39</td><td>-13.91</td><td>37.32</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>329</td><td>288</td><td>PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>62.06</td><td>108.66</td><td>-46.60</td><td>43.90</td><td>34.62</td><td>13.19</td><td>29.65</td><td>0.00</td><td>329</td><td>288</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>63.97</td><td>112.72</td><td>-48.75</td><td>45.76</td><td>34.64</td><td>13.27</td><td>29.70</td><td>0.00</td><td>329</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5612.40	57.70	68.20	-10.50	39.41	34.50	13.12	29.33	0.00	329	288	PEAK	2	5651.60	55.48	69.39	-13.91	37.32	34.50	13.01	29.35	0.00	329	288	PEAK	3	5712.00	62.06	108.66	-46.60	43.90	34.62	13.19	29.65	0.00	329	288	PEAK	4	5720.80	63.97	112.72	-48.75	45.76	34.64	13.27	29.70	0.00	329	288	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.01</td><td>-----</td><td>-----</td><td>90.65</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>329</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.01	-----	-----	90.65	34.69	13.49	29.82	0.00	329	288	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5612.40	57.70	68.20	-10.50	39.41	34.50	13.12	29.33	0.00	329	288	PEAK																																																																																																																															
2	5651.60	55.48	69.39	-13.91	37.32	34.50	13.01	29.35	0.00	329	288	PEAK																																																																																																																															
3	5712.00	62.06	108.66	-46.60	43.90	34.62	13.19	29.65	0.00	329	288	PEAK																																																																																																																															
4	5720.80	63.97	112.72	-48.75	45.76	34.64	13.27	29.70	0.00	329	288	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	109.01	-----	-----	90.65	34.69	13.49	29.82	0.00	329	288	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.95</td><td>-----</td><td>-----</td><td>82.59</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>329</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.95	-----	-----	82.59	34.69	13.49	29.82	0.00	329	288	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	100.95	-----	-----	82.59	34.69	13.49	29.82	0.00	329	288	AVERAGE																																																																																																																															





Mode	30																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	0																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5640.40</td><td>58.43</td><td>68.20</td><td>-9.77</td><td>40.18</td><td>34.50</td><td>13.04</td><td>29.29</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.92</td><td>68.20</td><td>-13.28</td><td>36.75</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>65.76</td><td>110.12</td><td>-44.36</td><td>47.57</td><td>34.63</td><td>13.24</td><td>29.68</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.00</td><td>110.90</td><td>-44.90</td><td>47.79</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5640.40	58.43	68.20	-9.77	40.18	34.50	13.04	29.29	0.00	100	84 PEAK	2	5650.00	54.92	68.20	-13.28	36.75	34.50	13.01	29.34	0.00	100	84 PEAK	3	5717.20	65.76	110.12	-44.36	47.57	34.63	13.24	29.68	0.00	100	84 PEAK	4	5720.00	66.00	110.90	-44.90	47.79	34.64	13.26	29.69	0.00	100	84 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.53</td><td>-----</td><td>-----</td><td>90.17</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	100.53	-----	-----	90.17	34.69	13.49	29.82	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5640.40	58.43	68.20	-9.77	40.18	34.50	13.04	29.29	0.00	100	84 PEAK																																																																																																																																				
2	5650.00	54.92	68.20	-13.28	36.75	34.50	13.01	29.34	0.00	100	84 PEAK																																																																																																																																				
3	5717.20	65.76	110.12	-44.36	47.57	34.63	13.24	29.68	0.00	100	84 PEAK																																																																																																																																				
4	5720.00	66.00	110.90	-44.90	47.79	34.64	13.26	29.69	0.00	100	84 PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	100.53	-----	-----	90.17	34.69	13.49	29.82	0.00	100	84 PEAK																																																																																																																																				
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.78</td><td>-----</td><td>-----</td><td>82.42</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	100.78	-----	-----	82.42	34.69	13.49	29.82	0.00	100	84 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	100.78	-----	-----	82.42	34.69	13.49	29.82	0.00	100	84 AVERAGE																																																																																																																																				






Mode	30																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																	
ANT	0																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11490.00</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>57.70</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>287</td></tr><tr><td>2</td><td>11490.00</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>47.96</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>287</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11490.00	50.85	74.00	-23.15	57.70	38.30	18.74	63.89	0.00	287	2	11490.00	41.11	54.00	-12.89	47.96	38.30	18.74	63.89	0.00	287
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																								
1	11490.00	50.85	74.00	-23.15	57.70	38.30	18.74	63.89	0.00	287																																																								
2	11490.00	41.11	54.00	-12.89	47.96	38.30	18.74	63.89	0.00	287																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11490.00</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>64.64</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td></tr><tr><td>2</td><td>11490.00</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>53.67</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11490.00	57.79	74.00	-16.21	64.64	38.30	18.74	63.89	0.00	100	2	11490.00	46.82	54.00	-7.18	53.67	38.30	18.74	63.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																								
1	11490.00	57.79	74.00	-16.21	64.64	38.30	18.74	63.89	0.00	100																																																								
2	11490.00	46.82	54.00	-7.18	53.67	38.30	18.74	63.89	0.00	100																																																								
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11490.00</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>57.70</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>287</td></tr><tr><td>2</td><td>11490.00</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>47.96</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>287</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11490.00	50.85	74.00	-23.15	57.70	38.30	18.74	63.89	0.00	287	2	11490.00	41.11	54.00	-12.89	47.96	38.30	18.74	63.89	0.00	287
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																								
1	11490.00	50.85	74.00	-23.15	57.70	38.30	18.74	63.89	0.00	287																																																								
2	11490.00	41.11	54.00	-12.89	47.96	38.30	18.74	63.89	0.00	287																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11490.00</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>64.64</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td></tr><tr><td>2</td><td>11490.00</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>53.67</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11490.00	57.79	74.00	-16.21	64.64	38.30	18.74	63.89	0.00	100	2	11490.00	46.82	54.00	-7.18	53.67	38.30	18.74	63.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																								
1	11490.00	57.79	74.00	-16.21	64.64	38.30	18.74	63.89	0.00	100																																																								
2	11490.00	46.82	54.00	-7.18	53.67	38.30	18.74	63.89	0.00	100																																																								






Mode	31																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																								
ANT	0																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>56.10</td><td>74.00</td><td>-17.90</td><td>63.09</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>245</td><td>278</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>51.44</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>245</td><td>278</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	56.10	74.00	-17.90	63.09	38.44	18.63	64.06	0.00	245	278	PEAK	2 11570.00	44.45	54.00	-9.55	51.44	38.44	18.63	64.06	0.00	245	278	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>61.25</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>232</td><td>318</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>51.04</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>232</td><td>318</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	54.26	74.00	-19.74	61.25	38.44	18.63	64.06	0.00	232	318	PEAK	2 11570.00	44.05	54.00	-9.95	51.04	38.44	18.63	64.06	0.00	232	318	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 11570.00	56.10	74.00	-17.90	63.09	38.44	18.63	64.06	0.00	245	278	PEAK																																																																																																														
2 11570.00	44.45	54.00	-9.55	51.44	38.44	18.63	64.06	0.00	245	278	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 11570.00	54.26	74.00	-19.74	61.25	38.44	18.63	64.06	0.00	232	318	PEAK																																																																																																														
2 11570.00	44.05	54.00	-9.95	51.04	38.44	18.63	64.06	0.00	232	318	AVERAGE																																																																																																														





Mode	32																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>62.79</td><td>112.27</td><td>-49.48</td><td>44.36</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>303</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5861.20</td><td>61.34</td><td>109.16</td><td>-47.82</td><td>42.90</td><td>34.94</td><td>13.87</td><td>30.37</td><td>0.00</td><td>303</td><td>288</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.09</td><td>68.35</td><td>-14.26</td><td>35.62</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>303</td><td>288</td><td>PEAK</td></tr><tr><td>4</td><td>5957.20</td><td>58.63</td><td>68.20</td><td>-9.57</td><td>40.20</td><td>35.21</td><td>13.64</td><td>30.42</td><td>0.00</td><td>303</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	62.79	112.27	-49.48	44.36	34.92	13.88	30.37	0.00	303	288	PEAK	2	5861.20	61.34	109.16	-47.82	42.90	34.94	13.87	30.37	0.00	303	288	PEAK	3	5924.80	54.09	68.35	-14.26	35.62	35.15	13.73	30.41	0.00	303	288	PEAK	4	5957.20	58.63	68.20	-9.57	40.20	35.21	13.64	30.42	0.00	303	288	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.65</td><td>-----</td><td>-----</td><td>89.88</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>303</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.65	-----	-----	89.88	34.85	14.14	30.22	0.00	303	288	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.40	62.79	112.27	-49.48	44.36	34.92	13.88	30.37	0.00	303	288	PEAK																																																																																																																															
2	5861.20	61.34	109.16	-47.82	42.90	34.94	13.87	30.37	0.00	303	288	PEAK																																																																																																																															
3	5924.80	54.09	68.35	-14.26	35.62	35.15	13.73	30.41	0.00	303	288	PEAK																																																																																																																															
4	5957.20	58.63	68.20	-9.57	40.20	35.21	13.64	30.42	0.00	303	288	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	108.65	-----	-----	89.88	34.85	14.14	30.22	0.00	303	288	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.03</td><td>-----</td><td>-----</td><td>82.26</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>303</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.03	-----	-----	82.26	34.85	14.14	30.22	0.00	303	288	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	101.03	-----	-----	82.26	34.85	14.14	30.22	0.00	303	288	AVERAGE																																																																																																																															






Mode	32																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																													
ANT	0																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>57.85</td><td>111.36</td><td>-53.51</td><td>39.42</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>102</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>57.64</td><td>106.47</td><td>-48.83</td><td>39.19</td><td>34.98</td><td>13.85</td><td>30.38</td><td>0.00</td><td>102</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>56.36</td><td>68.64</td><td>-12.28</td><td>37.88</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>102</td><td>88</td><td>PEAK</td></tr><tr><td>4</td><td>5966.40</td><td>59.20</td><td>68.20</td><td>-9.00</td><td>40.78</td><td>35.23</td><td>13.62</td><td>30.43</td><td>0.00</td><td>102</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	57.85	111.36	-53.51	39.42	34.92	13.88	30.37	0.00	102	88	PEAK	2	5870.80	57.64	106.47	-48.83	39.19	34.98	13.85	30.38	0.00	102	88	PEAK	3	5924.40	56.36	68.64	-12.28	37.88	35.15	13.73	30.40	0.00	102	88	PEAK	4	5966.40	59.20	68.20	-9.00	40.78	35.23	13.62	30.43	0.00	102	88	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.13</td><td>-----</td><td>-----</td><td>82.36</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>102</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.13	-----	-----	82.36	34.85	14.14	30.22	0.00	102	88
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.80	57.85	111.36	-53.51	39.42	34.92	13.88	30.37	0.00	102	88	PEAK																																																																																																																																		
2	5870.80	57.64	106.47	-48.83	39.19	34.98	13.85	30.38	0.00	102	88	PEAK																																																																																																																																		
3	5924.40	56.36	68.64	-12.28	37.88	35.15	13.73	30.40	0.00	102	88	PEAK																																																																																																																																		
4	5966.40	59.20	68.20	-9.00	40.78	35.23	13.62	30.43	0.00	102	88	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	101.13	-----	-----	82.36	34.85	14.14	30.22	0.00	102	88	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>92.19</td><td>-----</td><td>-----</td><td>73.42</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>102</td><td>88</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	92.19	-----	-----	73.42	34.85	14.14	30.22	0.00	102	88	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	92.19	-----	-----	73.42	34.85	14.14	30.22	0.00	102	88	AVERAGE																																																																																																																																		






Mode	32																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																													
ANT	0																																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																																						
Peak Avg																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>57.22</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>47.11</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	50.12	74.00	-23.88	57.22	38.50	18.67	64.27	0.00	100	360	PEAK	2	11650.00	40.01	54.00	-13.99	47.11	38.50	18.67	64.27	0.00	100	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>59.65</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>385</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>49.95</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>385</td><td>318</td><td>AVERAGE</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	52.55	74.00	-21.45	59.65	38.50	18.67	64.27	0.00	385	318	PEAK	2	11650.00	42.85	54.00	-11.15	49.95	38.50	18.67	64.27	0.00	385	318	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11650.00	50.12	74.00	-23.88	57.22	38.50	18.67	64.27	0.00	100	360	PEAK																																																																																																																																		
2	11650.00	40.01	54.00	-13.99	47.11	38.50	18.67	64.27	0.00	100	360	AVERAGE																																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11650.00	52.55	74.00	-21.45	59.65	38.50	18.67	64.27	0.00	385	318	PEAK																																																																																																																																		
2	11650.00	42.85	54.00	-11.15	49.95	38.50	18.67	64.27	0.00	385	318	AVERAGE																																																																																																																																		





Mode	33																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																			
ANT	0																																																																																																																																			
Pol.	Horizontal					Fundamental																																																																																																																														
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.00</td><td>56.98</td><td>68.20</td><td>-11.22</td><td>38.75</td><td>34.50</td><td>13.03</td><td>29.30</td><td>0.00</td><td>329</td><td>289 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.90</td><td>69.39</td><td>-13.49</td><td>37.74</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>329</td><td>289 PEAK</td></tr><tr><td>3</td><td>5719.00</td><td>64.83</td><td>110.62</td><td>-45.79</td><td>46.63</td><td>34.64</td><td>13.25</td><td>29.69</td><td>0.00</td><td>329</td><td>289 PEAK</td></tr><tr><td>4</td><td>5721.00</td><td>64.83</td><td>113.18</td><td>-48.35</td><td>46.62</td><td>34.64</td><td>13.27</td><td>29.70</td><td>0.00</td><td>329</td><td>289 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.00	56.98	68.20	-11.22	38.75	34.50	13.03	29.30	0.00	329	289 PEAK	2	5651.60	55.90	69.39	-13.49	37.74	34.50	13.01	29.35	0.00	329	289 PEAK	3	5719.00	64.83	110.62	-45.79	46.63	34.64	13.25	29.69	0.00	329	289 PEAK	4	5721.00	64.83	113.18	-48.35	46.62	34.64	13.27	29.70	0.00	329	289 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.98</td><td>-----</td><td>-----</td><td>88.62</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>329</td><td>289 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	106.98	-----	-----	88.62	34.69	13.49	29.82	0.00	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5642.00	56.98	68.20	-11.22	38.75	34.50	13.03	29.30	0.00	329	289 PEAK																																																																																																																									
2	5651.60	55.90	69.39	-13.49	37.74	34.50	13.01	29.35	0.00	329	289 PEAK																																																																																																																									
3	5719.00	64.83	110.62	-45.79	46.63	34.64	13.25	29.69	0.00	329	289 PEAK																																																																																																																									
4	5721.00	64.83	113.18	-48.35	46.62	34.64	13.27	29.70	0.00	329	289 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	5745.00	106.98	-----	-----	88.62	34.69	13.49	29.82	0.00	329	289 PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.31</td><td>-----</td><td>-----</td><td>80.95</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>329</td><td>289 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	99.31	-----	-----	80.95	34.69	13.49	29.82	0.00	329	289 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	5745.00	99.31	-----	-----	80.95	34.69	13.49	29.82	0.00	329	289 AVERAGE																																																																																																																									





Mode	33																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.00</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>39.29</td><td>34.50</td><td>13.14</td><td>29.35</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.60</td><td>68.50</td><td>-12.90</td><td>37.43</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr><tr><td>3</td><td>5713.20</td><td>60.45</td><td>109.00</td><td>-48.55</td><td>42.28</td><td>34.63</td><td>13.20</td><td>29.66</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>66.72</td><td>114.55</td><td>-47.83</td><td>48.50</td><td>34.64</td><td>13.28</td><td>29.70</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.00	57.58	68.20	-10.62	39.29	34.50	13.14	29.35	0.00	100	85	PEAK	2	5650.40	55.60	68.50	-12.90	37.43	34.50	13.01	29.34	0.00	100	85	PEAK	3	5713.20	60.45	109.00	-48.55	42.28	34.63	13.20	29.66	0.00	100	85	PEAK	4	5721.60	66.72	114.55	-47.83	48.50	34.64	13.28	29.70	0.00	100	85	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.70</td><td>-----</td><td>-----</td><td>88.34</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.70	-----	-----	88.34	34.69	13.49	29.82	0.00	100	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5602.00	57.58	68.20	-10.62	39.29	34.50	13.14	29.35	0.00	100	85	PEAK																																																																																																																														
2	5650.40	55.60	68.50	-12.90	37.43	34.50	13.01	29.34	0.00	100	85	PEAK																																																																																																																														
3	5713.20	60.45	109.00	-48.55	42.28	34.63	13.20	29.66	0.00	100	85	PEAK																																																																																																																														
4	5721.60	66.72	114.55	-47.83	48.50	34.64	13.28	29.70	0.00	100	85	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.70	-----	-----	88.34	34.69	13.49	29.82	0.00	100	85	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.70</td><td>-----</td><td>-----</td><td>88.34</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.70	-----	-----	88.34	34.69	13.49	29.82	0.00	100	85	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	98.70	-----	-----	88.34	34.69	13.49	29.82	0.00	100	85	AVERAGE																																																																																																																														






Mode	33																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																												
ANT	0																																																																																																																																												
Pol.	Horizontal							Vertical																																																																																																																																					
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11490.00</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>62.36</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>307</td><td>300</td><td>PEAK</td><td></td></tr><tr><td>2 11490.00</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>52.18</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>307</td><td>300</td><td>AVERAGE</td><td></td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11490.00	55.51	74.00	-18.49	62.36	38.30	18.74	63.89	0.00	307	300	PEAK		2 11490.00	45.33	54.00	-8.67	52.18	38.30	18.74	63.89	0.00	307	300	AVERAGE		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11490.00</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>62.06</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>309</td><td>PEAK</td><td></td></tr><tr><td>2 11490.00</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>52.06</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>309</td><td>AVERAGE</td><td></td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11490.00	55.21	74.00	-18.79	62.06	38.30	18.74	63.89	0.00	100	309	PEAK		2 11490.00	45.21	54.00	-8.79	52.06	38.30	18.74	63.89	0.00	100	309	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11490.00	55.51	74.00	-18.49	62.36	38.30	18.74	63.89	0.00	307	300	PEAK																																																																																																																																		
2 11490.00	45.33	54.00	-8.67	52.18	38.30	18.74	63.89	0.00	307	300	AVERAGE																																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11490.00	55.21	74.00	-18.79	62.06	38.30	18.74	63.89	0.00	100	309	PEAK																																																																																																																																		
2 11490.00	45.21	54.00	-8.79	52.06	38.30	18.74	63.89	0.00	100	309	AVERAGE																																																																																																																																		






Mode	34																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																																					
ANT	0																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>60.39</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>253</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>49.28</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>253</td><td>280</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	53.40	74.00	-20.60	60.39	38.44	18.63	64.06	0.00	253	280	PEAK	2	11570.00	42.29	54.00	-11.71	49.28	38.44	18.63	64.06	0.00	253	280	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>61.96</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>190</td><td>315</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>51.66</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>190</td><td>315</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	54.97	74.00	-19.03	61.96	38.44	18.63	64.06	0.00	190	315	PEAK	2	11570.00	44.67	54.00	-9.33	51.66	38.44	18.63	64.06	0.00	190	315	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	11570.00	53.40	74.00	-20.60	60.39	38.44	18.63	64.06	0.00	253	280	PEAK																																																																																																																										
2	11570.00	42.29	54.00	-11.71	49.28	38.44	18.63	64.06	0.00	253	280	AVERAGE																																																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	11570.00	54.97	74.00	-19.03	61.96	38.44	18.63	64.06	0.00	190	315	PEAK																																																																																																																										
2	11570.00	44.67	54.00	-9.33	51.66	38.44	18.63	64.06	0.00	190	315	AVERAGE																																																																																																																										





Mode	35																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																							
ANT	0																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Four peaks are identified and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.00</td><td>60.92</td><td>111.36</td><td>-50.44</td><td>42.49</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td></tr><tr><td>2</td><td>5863.60</td><td>60.21</td><td>108.49</td><td>-48.28</td><td>41.76</td><td>34.95</td><td>13.87</td><td>30.37</td><td>0.00</td></tr><tr><td>3</td><td>5922.00</td><td>57.07</td><td>70.42</td><td>-13.35</td><td>38.60</td><td>35.14</td><td>13.73</td><td>30.40</td><td>0.00</td></tr><tr><td>4</td><td>5955.60</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>38.90</td><td>35.21</td><td>13.64</td><td>30.42</td><td>0.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.00	60.92	111.36	-50.44	42.49	34.92	13.88	30.37	0.00	2	5863.60	60.21	108.49	-48.28	41.76	34.95	13.87	30.37	0.00	3	5922.00	57.07	70.42	-13.35	38.60	35.14	13.73	30.40	0.00	4	5955.60	57.33	68.20	-10.87	38.90	35.21	13.64	30.42	0.00	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5825.00</td><td>107.20</td><td>-----</td><td>-----</td><td>88.43</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	107.20	-----	-----	88.43	34.85	14.14	30.22	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																															
1	5854.00	60.92	111.36	-50.44	42.49	34.92	13.88	30.37	0.00																																																																																																															
2	5863.60	60.21	108.49	-48.28	41.76	34.95	13.87	30.37	0.00																																																																																																															
3	5922.00	57.07	70.42	-13.35	38.60	35.14	13.73	30.40	0.00																																																																																																															
4	5955.60	57.33	68.20	-10.87	38.90	35.21	13.64	30.42	0.00																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																															
1	5825.00	107.20	-----	-----	88.43	34.85	14.14	30.22	0.00																																																																																																															
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5825.00</td><td>99.78</td><td>-----</td><td>-----</td><td>81.01</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	99.78	-----	-----	81.01	34.85	14.14	30.22	0.00																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																															
1	5825.00	99.78	-----	-----	81.01	34.85	14.14	30.22	0.00																																																																																																															






Mode	35																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>59.83</td><td>111.36</td><td>-51.53</td><td>41.40</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>57.01</td><td>105.36</td><td>-48.35</td><td>38.54</td><td>35.00</td><td>13.85</td><td>30.38</td><td>0.00</td><td>100</td><td>97</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.89</td><td>70.42</td><td>-13.53</td><td>38.42</td><td>35.14</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>97</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>56.66</td><td>68.20</td><td>-11.54</td><td>38.23</td><td>35.19</td><td>13.66</td><td>30.42</td><td>0.00</td><td>100</td><td>97</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	59.83	111.36	-51.53	41.40	34.92	13.88	30.37	0.00	100	97	PEAK	2	5874.00	57.01	105.36	-48.35	38.54	35.00	13.85	30.38	0.00	100	97	PEAK	3	5922.00	56.89	70.42	-13.53	38.42	35.14	13.73	30.40	0.00	100	97	PEAK	4	5945.20	56.66	68.20	-11.54	38.23	35.19	13.66	30.42	0.00	100	97	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.15</td><td>-----</td><td>-----</td><td>88.38</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>100</td><td>97</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.15	-----	-----	88.38	34.85	14.14	30.22	0.00	100	97	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.00	59.83	111.36	-51.53	41.40	34.92	13.88	30.37	0.00	100	97	PEAK																																																																																																																															
2	5874.00	57.01	105.36	-48.35	38.54	35.00	13.85	30.38	0.00	100	97	PEAK																																																																																																																															
3	5922.00	56.89	70.42	-13.53	38.42	35.14	13.73	30.40	0.00	100	97	PEAK																																																																																																																															
4	5945.20	56.66	68.20	-11.54	38.23	35.19	13.66	30.42	0.00	100	97	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	107.15	-----	-----	88.38	34.85	14.14	30.22	0.00	100	97	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.09</td><td>-----</td><td>-----</td><td>88.32</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>100</td><td>97</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.09	-----	-----	88.32	34.85	14.14	30.22	0.00	100	97	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	99.09	-----	-----	88.32	34.85	14.14	30.22	0.00	100	97	AVERAGE																																																																																																																															




Mode	35																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																														
ANT	0																																																																																																																														
Pol.	Horizontal											Vertical																																																																																																																			
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>56.67</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>39.66</td><td>54.00</td><td>-14.34</td><td>46.76</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	49.57	74.00	-24.43	56.67	38.50	18.67	64.27	0.00	300	360	PEAK	2	11650.00	39.66	54.00	-14.34	46.76	38.50	18.67	64.27	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>56.52</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>39.71</td><td>54.00</td><td>-14.29</td><td>46.81</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	49.42	74.00	-24.58	56.52	38.50	18.67	64.27	0.00	100	303	PEAK	2	11650.00	39.71	54.00	-14.29	46.81	38.50	18.67	64.27	0.00	100	303	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	11650.00	49.57	74.00	-24.43	56.67	38.50	18.67	64.27	0.00	300	360	PEAK																																																																																																																			
2	11650.00	39.66	54.00	-14.34	46.76	38.50	18.67	64.27	0.00	300	360	AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	11650.00	49.42	74.00	-24.58	56.52	38.50	18.67	64.27	0.00	100	303	PEAK																																																																																																																			
2	11650.00	39.71	54.00	-14.29	46.81	38.50	18.67	64.27	0.00	100	303	AVERAGE																																																																																																																			






Mode	36																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.79</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>38.74</td><td>34.50</td><td>13.14</td><td>29.35</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>57.70</td><td>68.94</td><td>-11.24</td><td>39.54</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>5719.97</td><td>68.53</td><td>110.89</td><td>-42.36</td><td>50.32</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>67.44</td><td>111.54</td><td>-44.10</td><td>49.23</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.79	57.03	68.20	-11.17	38.74	34.50	13.14	29.35	0.00	326	287	PEAK	2	5651.00	57.70	68.94	-11.24	39.54	34.50	13.01	29.35	0.00	326	287	PEAK	3	5719.97	68.53	110.89	-42.36	50.32	34.64	13.26	29.69	0.00	326	287	PEAK	4	5720.28	67.44	111.54	-44.10	49.23	34.64	13.26	29.69	0.00	326	287	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.61</td><td>-----</td><td>-----</td><td>86.03</td><td>34.73</td><td>13.76</td><td>29.91</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.61	-----	-----	86.03	34.73	13.76	29.91	0.00	326	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5602.79	57.03	68.20	-11.17	38.74	34.50	13.14	29.35	0.00	326	287	PEAK																																																																																																																														
2	5651.00	57.70	68.94	-11.24	39.54	34.50	13.01	29.35	0.00	326	287	PEAK																																																																																																																														
3	5719.97	68.53	110.89	-42.36	50.32	34.64	13.26	29.69	0.00	326	287	PEAK																																																																																																																														
4	5720.28	67.44	111.54	-44.10	49.23	34.64	13.26	29.69	0.00	326	287	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	104.61	-----	-----	86.03	34.73	13.76	29.91	0.00	326	287	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.01</td><td>-----</td><td>-----</td><td>78.61</td><td>34.70</td><td>13.55</td><td>29.85</td><td>0.00</td><td>326</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	97.01	-----	-----	78.61	34.70	13.55	29.85	0.00	326	287	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	97.01	-----	-----	78.61	34.70	13.55	29.85	0.00	326	287	AVERAGE																																																																																																																														




Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	0																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>56.01</td><td>112.60</td><td>-56.59</td><td>37.58</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5873.76</td><td>55.39</td><td>105.65</td><td>-50.26</td><td>36.92</td><td>35.00</td><td>13.85</td><td>30.38</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>57.05</td><td>68.46</td><td>-11.41</td><td>38.58</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>5928.75</td><td>57.21</td><td>68.20</td><td>-10.99</td><td>38.75</td><td>35.16</td><td>13.71</td><td>30.41</td><td>0.00</td><td>326</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	56.01	112.60	-56.59	37.58	34.92	13.88	30.37	0.00	326	287	PEAK	2	5873.76	55.39	105.65	-50.26	36.92	35.00	13.85	30.38	0.00	326	287	PEAK	3	5924.65	57.05	68.46	-11.41	38.58	35.15	13.73	30.41	0.00	326	287	PEAK	4	5928.75	57.21	68.20	-10.99	38.75	35.16	13.71	30.41	0.00	326	287	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.26	56.01	112.60	-56.59	37.58	34.92	13.88	30.37	0.00	326	287	PEAK																																																																																			
2	5873.76	55.39	105.65	-50.26	36.92	35.00	13.85	30.38	0.00	326	287	PEAK																																																																																			
3	5924.65	57.05	68.46	-11.41	38.58	35.15	13.73	30.41	0.00	326	287	PEAK																																																																																			
4	5928.75	57.21	68.20	-10.99	38.75	35.16	13.71	30.41	0.00	326	287	PEAK																																																																																			





Mode	36																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.00</td><td>57.68</td><td>68.20</td><td>-10.52</td><td>39.38</td><td>34.50</td><td>13.15</td><td>29.35</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>56.33</td><td>69.40</td><td>-13.07</td><td>38.17</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr><tr><td>3</td><td>5718.27</td><td>70.55</td><td>110.42</td><td>-39.87</td><td>52.34</td><td>34.64</td><td>13.25</td><td>29.68</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr><tr><td>4</td><td>5721.99</td><td>68.73</td><td>115.43</td><td>-46.70</td><td>50.51</td><td>34.64</td><td>13.28</td><td>29.70</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5600.00	57.68	68.20	-10.52	39.38	34.50	13.15	29.35	0.00	100	84	PEAK	2	5651.62	56.33	69.40	-13.07	38.17	34.50	13.01	29.35	0.00	100	84	PEAK	3	5718.27	70.55	110.42	-39.87	52.34	34.64	13.25	29.68	0.00	100	84	PEAK	4	5721.99	68.73	115.43	-46.70	50.51	34.64	13.28	29.70	0.00	100	84	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.75</td><td>-----</td><td>-----</td><td>86.35</td><td>34.70</td><td>13.55</td><td>29.85</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.75	-----	-----	86.35	34.70	13.55	29.85	0.00	100	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5600.00	57.68	68.20	-10.52	39.38	34.50	13.15	29.35	0.00	100	84	PEAK																																																																																																																														
2	5651.62	56.33	69.40	-13.07	38.17	34.50	13.01	29.35	0.00	100	84	PEAK																																																																																																																														
3	5718.27	70.55	110.42	-39.87	52.34	34.64	13.25	29.68	0.00	100	84	PEAK																																																																																																																														
4	5721.99	68.73	115.43	-46.70	50.51	34.64	13.28	29.70	0.00	100	84	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	104.75	-----	-----	86.35	34.70	13.55	29.85	0.00	100	84	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.48</td><td>-----</td><td>-----</td><td>77.98</td><td>34.72</td><td>13.66</td><td>29.88</td><td>0.00</td><td>100</td><td>84</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.48	-----	-----	77.98	34.72	13.66	29.88	0.00	100	84	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	96.48	-----	-----	77.98	34.72	13.66	29.88	0.00	100	84	AVERAGE																																																																																																																														






Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	0																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>53.65</td><td>111.26</td><td>-57.61</td><td>35.22</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr><tr><td>2</td><td>5871.81</td><td>57.01</td><td>106.19</td><td>-49.18</td><td>38.55</td><td>34.99</td><td>13.85</td><td>30.38</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>56.18</td><td>68.89</td><td>-12.71</td><td>37.70</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr><tr><td>4</td><td>5928.16</td><td>56.98</td><td>68.20</td><td>-11.22</td><td>38.51</td><td>35.16</td><td>13.72</td><td>30.41</td><td>0.00</td><td>100</td><td>84</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	53.65	111.26	-57.61	35.22	34.92	13.88	30.37	0.00	100	84	PEAK	2	5871.81	57.01	106.19	-49.18	38.55	34.99	13.85	30.38	0.00	100	84	PEAK	3	5924.07	56.18	68.89	-12.71	37.70	35.15	13.73	30.40	0.00	100	84	PEAK	4	5928.16	56.98	68.20	-11.22	38.51	35.16	13.72	30.41	0.00	100	84	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.84	53.65	111.26	-57.61	35.22	34.92	13.88	30.37	0.00	100	84	PEAK																																																																																			
2	5871.81	57.01	106.19	-49.18	38.55	34.99	13.85	30.38	0.00	100	84	PEAK																																																																																			
3	5924.07	56.18	68.89	-12.71	37.70	35.15	13.73	30.40	0.00	100	84	PEAK																																																																																			
4	5928.16	56.98	68.20	-11.22	38.51	35.16	13.72	30.41	0.00	100	84	PEAK																																																																																			




Mode	36																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																				
ANT	0																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>59.83</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>371</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.78</td><td>54.00</td><td>-10.22</td><td>50.62</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>371</td><td>296</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	52.99	74.00	-21.01	59.83	38.32	18.75	63.91	0.00	371	296	PEAK	2	11510.00	43.78	54.00	-10.22	50.62	38.32	18.75	63.91	0.00	371	296	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11510.00	52.99	74.00	-21.01	59.83	38.32	18.75	63.91	0.00	371	296	PEAK																																																									
2	11510.00	43.78	54.00	-10.22	50.62	38.32	18.75	63.91	0.00	371	296	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>60.14</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.78</td><td>54.00</td><td>-10.22</td><td>50.62</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>307</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	53.30	74.00	-20.70	60.14	38.32	18.75	63.91	0.00	100	307	PEAK	2	11510.00	43.78	54.00	-10.22	50.62	38.32	18.75	63.91	0.00	100	307	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11510.00	53.30	74.00	-20.70	60.14	38.32	18.75	63.91	0.00	100	307	PEAK																																																									
2	11510.00	43.78	54.00	-10.22	50.62	38.32	18.75	63.91	0.00	100	307	AVERAGE																																																									






Mode	37																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																														
ANT	0																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.60</td><td>57.23</td><td>68.20</td><td>-10.97</td><td>38.94</td><td>34.50</td><td>13.13</td><td>29.34</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.42</td><td>69.39</td><td>-13.97</td><td>37.26</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>55.83</td><td>105.75</td><td>-49.92</td><td>37.73</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>54.89</td><td>113.64</td><td>-58.75</td><td>36.68</td><td>34.64</td><td>13.27</td><td>29.70</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5607.60	57.23	68.20	-10.97	38.94	34.50	13.13	29.34	0.00	337	286	PEAK	2	5651.60	55.42	69.39	-13.97	37.26	34.50	13.01	29.35	0.00	337	286	PEAK	3	5701.60	55.83	105.75	-49.92	37.73	34.60	13.10	29.60	0.00	337	286	PEAK	4	5721.20	54.89	113.64	-58.75	36.68	34.64	13.27	29.70	0.00	337	286	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.26</td><td>-----</td><td>-----</td><td>85.18</td><td>34.80</td><td>14.37</td><td>30.09</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	104.26	-----	-----	85.18	34.80	14.37	30.09	0.00	337	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5607.60	57.23	68.20	-10.97	38.94	34.50	13.13	29.34	0.00	337	286	PEAK																																																																																																																																			
2	5651.60	55.42	69.39	-13.97	37.26	34.50	13.01	29.35	0.00	337	286	PEAK																																																																																																																																			
3	5701.60	55.83	105.75	-49.92	37.73	34.60	13.10	29.60	0.00	337	286	PEAK																																																																																																																																			
4	5721.20	54.89	113.64	-58.75	36.68	34.64	13.27	29.70	0.00	337	286	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	104.26	-----	-----	85.18	34.80	14.37	30.09	0.00	337	286	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.88</td><td>-----</td><td>-----</td><td>76.80</td><td>34.80</td><td>14.37</td><td>30.09</td><td>0.00</td><td>337</td><td>286</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	95.88	-----	-----	76.80	34.80	14.37	30.09	0.00	337	286	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	95.88	-----	-----	76.80	34.80	14.37	30.09	0.00	337	286	AVERAGE																																																																																																																																			




Mode	37																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																													
ANT	0																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>57.41</td><td>111.36</td><td>-53.95</td><td>38.98</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>57.81</td><td>106.70</td><td>-48.89</td><td>39.36</td><td>34.08</td><td>13.85</td><td>30.38</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.75</td><td>69.23</td><td>-15.48</td><td>35.27</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>56.23</td><td>68.20</td><td>-11.97</td><td>37.00</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>337</td><td>286</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	57.41	111.36	-53.95	38.98	34.92	13.88	30.37	0.00	337	286	PEAK	2	5870.00	57.81	106.70	-48.89	39.36	34.08	13.85	30.38	0.00	337	286	PEAK	3	5923.60	53.75	69.23	-15.48	35.27	35.15	13.73	30.40	0.00	337	286	PEAK	4	5950.00	56.23	68.20	-11.97	37.00	35.20	13.65	30.42	0.00	337	286	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.00	57.41	111.36	-53.95	38.98	34.92	13.88	30.37	0.00	337	286	PEAK																																																																																		
2	5870.00	57.81	106.70	-48.89	39.36	34.08	13.85	30.38	0.00	337	286	PEAK																																																																																		
3	5923.60	53.75	69.23	-15.48	35.27	35.15	13.73	30.40	0.00	337	286	PEAK																																																																																		
4	5950.00	56.23	68.20	-11.97	37.00	35.20	13.65	30.42	0.00	337	286	PEAK																																																																																		





Mode	37																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.20</td><td>56.79</td><td>68.20</td><td>-11.41</td><td>38.49</td><td>34.50</td><td>13.15</td><td>29.35</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>56.14</td><td>69.39</td><td>-13.25</td><td>37.98</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>55.37</td><td>105.52</td><td>-50.15</td><td>37.27</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.71</td><td>110.90</td><td>-57.19</td><td>35.50</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5601.20	56.79	68.20	-11.41	38.49	34.50	13.15	29.35	0.00	100	82	PEAK	2	5651.60	56.14	69.39	-13.25	37.98	34.50	13.01	29.35	0.00	100	82	PEAK	3	5700.80	55.37	105.52	-50.15	37.27	34.60	13.10	29.60	0.00	100	82	PEAK	4	5720.00	53.71	110.90	-57.19	35.50	34.64	13.26	29.69	0.00	100	82	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.48</td><td>-----</td><td>-----</td><td>85.40</td><td>34.80</td><td>14.37</td><td>30.09</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.48	-----	-----	85.40	34.80	14.37	30.09	0.00	100	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5601.20	56.79	68.20	-11.41	38.49	34.50	13.15	29.35	0.00	100	82	PEAK																																																																																																																														
2	5651.60	56.14	69.39	-13.25	37.98	34.50	13.01	29.35	0.00	100	82	PEAK																																																																																																																														
3	5700.80	55.37	105.52	-50.15	37.27	34.60	13.10	29.60	0.00	100	82	PEAK																																																																																																																														
4	5720.00	53.71	110.90	-57.19	35.50	34.64	13.26	29.69	0.00	100	82	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	104.48	-----	-----	85.40	34.80	14.37	30.09	0.00	100	82	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.07</td><td>-----</td><td>-----</td><td>76.99</td><td>34.80</td><td>14.37</td><td>30.09</td><td>0.00</td><td>100</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.07	-----	-----	76.99	34.80	14.37	30.09	0.00	100	82	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	96.07	-----	-----	76.99	34.80	14.37	30.09	0.00	100	82	AVERAGE																																																																																																																														






Mode	37																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																									
ANT	0																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.68</td><td>111.36</td><td>-56.68</td><td>36.25</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>58.75</td><td>105.36</td><td>-46.61</td><td>40.28</td><td>35.00</td><td>13.85</td><td>30.38</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.98</td><td>68.35</td><td>-14.37</td><td>35.51</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5936.80</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>38.36</td><td>35.17</td><td>13.69</td><td>30.41</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	54.68	111.36	-56.68	36.25	34.92	13.88	30.37	0.00	100	82 PEAK	2	5874.80	58.75	105.36	-46.61	40.28	35.00	13.85	30.38	0.00	100	82 PEAK	3	5924.80	53.98	68.35	-14.37	35.51	35.15	13.73	30.41	0.00	100	82 PEAK	4	5936.80	56.81	68.20	-11.39	38.36	35.17	13.69	30.41	0.00	100	82 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.80	54.68	111.36	-56.68	36.25	34.92	13.88	30.37	0.00	100	82 PEAK																																																																															
2	5874.80	58.75	105.36	-46.61	40.28	35.00	13.85	30.38	0.00	100	82 PEAK																																																																															
3	5924.80	53.98	68.35	-14.37	35.51	35.15	13.73	30.41	0.00	100	82 PEAK																																																																															
4	5936.80	56.81	68.20	-11.39	38.36	35.17	13.69	30.41	0.00	100	82 PEAK																																																																															




Mode	37																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																								
ANT	0																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>54.81</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	47.76	74.00	-26.24	54.81	38.48	18.58	64.11	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>54.14</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	47.09	74.00	-26.91	54.14	38.48	18.58	64.11	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11590.00	47.76	74.00	-26.24	54.81	38.48	18.58	64.11	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11590.00	47.09	74.00	-26.91	54.14	38.48	18.58	64.11	0.00	--	--	PEAK																																																																																														






Mode	38																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.00</td><td>57.06</td><td>68.20</td><td>-11.14</td><td>38.77</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.35</td><td>69.09</td><td>-13.74</td><td>37.19</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr><tr><td>3</td><td>5706.80</td><td>66.82</td><td>107.21</td><td>-40.39</td><td>48.69</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>65.92</td><td>111.81</td><td>-45.89</td><td>47.70</td><td>34.64</td><td>13.27</td><td>29.69</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5612.00	57.06	68.20	-11.14	38.77	34.50	13.12	29.33	0.00	292	288	PEAK	2	5651.20	55.35	69.09	-13.74	37.19	34.50	13.01	29.35	0.00	292	288	PEAK	3	5706.80	66.82	107.21	-40.39	48.69	34.61	13.15	29.63	0.00	292	288	PEAK	4	5720.40	65.92	111.81	-45.89	47.70	34.64	13.27	29.69	0.00	292	288	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.78</td><td>-----</td><td>-----</td><td>83.12</td><td>34.74</td><td>13.86</td><td>29.94</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.78	-----	-----	83.12	34.74	13.86	29.94	0.00	292	288	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5612.00	57.06	68.20	-11.14	38.77	34.50	13.12	29.33	0.00	292	288	PEAK																																																																																																																															
2	5651.20	55.35	69.09	-13.74	37.19	34.50	13.01	29.35	0.00	292	288	PEAK																																																																																																																															
3	5706.80	66.82	107.21	-40.39	48.69	34.61	13.15	29.63	0.00	292	288	PEAK																																																																																																																															
4	5720.40	65.92	111.81	-45.89	47.70	34.64	13.27	29.69	0.00	292	288	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	101.78	-----	-----	83.12	34.74	13.86	29.94	0.00	292	288	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.78</td><td>-----</td><td>-----</td><td>75.12</td><td>34.74</td><td>13.86</td><td>29.94</td><td>0.00</td><td>292</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.78	-----	-----	75.12	34.74	13.86	29.94	0.00	292	288	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	93.78	-----	-----	75.12	34.74	13.86	29.94	0.00	292	288	AVERAGE																																																																																																																															




Mode	38																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																														
ANT	0																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>63.68</td><td>111.36</td><td>-47.68</td><td>45.25</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5862.40</td><td>64.46</td><td>108.83</td><td>-44.37</td><td>46.01</td><td>34.95</td><td>13.87</td><td>30.37</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.85</td><td>68.64</td><td>-13.79</td><td>36.37</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>56.68</td><td>68.20</td><td>-11.52</td><td>38.22</td><td>35.15</td><td>13.72</td><td>30.41</td><td>0.00</td><td>292</td><td>288</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	63.68	111.36	-47.68	45.25	34.92	13.88	30.37	0.00	292	288	PEAK	2	5862.40	64.46	108.83	-44.37	46.01	34.95	13.87	30.37	0.00	292	288	PEAK	3	5924.40	54.85	68.64	-13.79	36.37	35.15	13.73	30.40	0.00	292	288	PEAK	4	5927.20	56.68	68.20	-11.52	38.22	35.15	13.72	30.41	0.00	292	288	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	63.68	111.36	-47.68	45.25	34.92	13.88	30.37	0.00	292	288	PEAK																																																																																			
2	5862.40	64.46	108.83	-44.37	46.01	34.95	13.87	30.37	0.00	292	288	PEAK																																																																																			
3	5924.40	54.85	68.64	-13.79	36.37	35.15	13.73	30.40	0.00	292	288	PEAK																																																																																			
4	5927.20	56.68	68.20	-11.52	38.22	35.15	13.72	30.41	0.00	292	288	PEAK																																																																																			





Mode	38																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.20</td><td>58.56</td><td>68.20</td><td>-9.64</td><td>40.36</td><td>34.50</td><td>13.02</td><td>29.32</td><td>0.00</td><td>100</td><td>95</td><td>PEAK</td></tr><tr><td>2</td><td>5654.00</td><td>57.66</td><td>71.18</td><td>-13.52</td><td>39.49</td><td>34.51</td><td>13.02</td><td>29.36</td><td>0.00</td><td>100</td><td>95</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>64.65</td><td>105.41</td><td>-40.76</td><td>46.55</td><td>34.60</td><td>13.09</td><td>29.59</td><td>0.00</td><td>100</td><td>95</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>71.65</td><td>117.28</td><td>-45.63</td><td>53.42</td><td>34.65</td><td>13.29</td><td>29.71</td><td>0.00</td><td>100</td><td>95</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.20	58.56	68.20	-9.64	40.36	34.50	13.02	29.32	0.00	100	95	PEAK	2	5654.00	57.66	71.18	-13.52	39.49	34.51	13.02	29.36	0.00	100	95	PEAK	3	5700.40	64.65	105.41	-40.76	46.55	34.60	13.09	29.59	0.00	100	95	PEAK	4	5722.80	71.65	117.28	-45.63	53.42	34.65	13.29	29.71	0.00	100	95	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.10</td><td>-----</td><td>-----</td><td>82.36</td><td>34.75</td><td>13.96</td><td>29.97</td><td>0.00</td><td>100</td><td>95</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.10	-----	-----	82.36	34.75	13.96	29.97	0.00	100	95
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5645.20	58.56	68.20	-9.64	40.36	34.50	13.02	29.32	0.00	100	95	PEAK																																																																																																																														
2	5654.00	57.66	71.18	-13.52	39.49	34.51	13.02	29.36	0.00	100	95	PEAK																																																																																																																														
3	5700.40	64.65	105.41	-40.76	46.55	34.60	13.09	29.59	0.00	100	95	PEAK																																																																																																																														
4	5722.80	71.65	117.28	-45.63	53.42	34.65	13.29	29.71	0.00	100	95	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	101.10	-----	-----	82.36	34.75	13.96	29.97	0.00	100	95	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.90</td><td>-----</td><td>-----</td><td>74.24</td><td>34.74</td><td>13.86</td><td>29.94</td><td>0.00</td><td>100</td><td>95</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	92.90	-----	-----	74.24	34.74	13.86	29.94	0.00	100	95	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	92.90	-----	-----	74.24	34.74	13.86	29.94	0.00	100	95	AVERAGE																																																																																																																														



Mode	38																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																									
ANT	0																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.88</td><td>111.36</td><td>-51.48</td><td>41.45</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>66.87</td><td>106.92</td><td>-40.05</td><td>48.41</td><td>34.98</td><td>13.86</td><td>30.38</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.46</td><td>68.64</td><td>-14.18</td><td>35.98</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr><tr><td>4</td><td>5949.60</td><td>56.33</td><td>68.20</td><td>-11.87</td><td>37.90</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	59.88	111.36	-51.48	41.45	34.92	13.88	30.37	0.00	100	95 PEAK	2	5869.20	66.87	106.92	-40.05	48.41	34.98	13.86	30.38	0.00	100	95 PEAK	3	5924.40	54.46	68.64	-14.18	35.98	35.15	13.73	30.40	0.00	100	95 PEAK	4	5949.60	56.33	68.20	-11.87	37.90	35.20	13.65	30.42	0.00	100	95 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.80	59.88	111.36	-51.48	41.45	34.92	13.88	30.37	0.00	100	95 PEAK																																																																															
2	5869.20	66.87	106.92	-40.05	48.41	34.98	13.86	30.38	0.00	100	95 PEAK																																																																															
3	5924.40	54.46	68.64	-14.18	35.98	35.15	13.73	30.40	0.00	100	95 PEAK																																																																															
4	5949.60	56.33	68.20	-11.87	37.90	35.20	13.65	30.42	0.00	100	95 PEAK																																																																															





Mode	38																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																							
ANT	0																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11550.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>54.22</td><td>38.40</td><td>18.67</td><td>64.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	47.28	74.00	-26.72	54.22	38.40	18.67	64.01	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11550.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>53.98</td><td>38.40</td><td>18.67</td><td>64.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	47.04	74.00	-26.96	53.98	38.40	18.67	64.01	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 11550.00	47.28	74.00	-26.72	54.22	38.40	18.67	64.01	0.00	--	--	PEAK																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 11550.00	47.04	74.00	-26.96	53.98	38.40	18.67	64.01	0.00	--	--	PEAK																																																																																													





Mode	30																																																																																																																																																	
	LF																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																	
ANT	0																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak QP	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line and a blue test signal. Peaks are labeled 1 through 6. <table><tr><th></th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>47.46</td><td>23.55</td><td>40.00</td><td>-16.45</td><td>39.25</td><td>15.76</td><td>0.74 32.20 --- --- Peak</td></tr><tr><td>2</td><td>324.88</td><td>19.16</td><td>46.00</td><td>-26.84</td><td>29.30</td><td>19.38</td><td>2.63 32.15 --- --- Peak</td></tr><tr><td>3</td><td>421.88</td><td>23.22</td><td>46.00</td><td>-22.78</td><td>30.25</td><td>22.23</td><td>3.00 32.26 --- --- Peak</td></tr><tr><td>4</td><td>740.04</td><td>27.87</td><td>46.00</td><td>-18.13</td><td>28.61</td><td>27.57</td><td>3.97 32.28 --- --- Peak</td></tr><tr><td>5</td><td>841.89</td><td>28.83</td><td>46.00</td><td>-17.17</td><td>28.24</td><td>28.75</td><td>4.22 32.38 --- --- Peak</td></tr><tr><td>6</td><td>954.41</td><td>31.59</td><td>46.00</td><td>-14.41</td><td>29.02</td><td>30.27</td><td>4.49 32.19 --- --- Peak</td></tr></table>		Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Line	Limit	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	47.46	23.55	40.00	-16.45	39.25	15.76	0.74 32.20 --- --- Peak	2	324.88	19.16	46.00	-26.84	29.30	19.38	2.63 32.15 --- --- Peak	3	421.88	23.22	46.00	-22.78	30.25	22.23	3.00 32.26 --- --- Peak	4	740.04	27.87	46.00	-18.13	28.61	27.57	3.97 32.28 --- --- Peak	5	841.89	28.83	46.00	-17.17	28.24	28.75	4.22 32.38 --- --- Peak	6	954.41	31.59	46.00	-14.41	29.02	30.27	4.49 32.19 --- --- Peak	Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line and a blue test signal. Peaks are labeled 1 through 6. <table><tr><th></th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>49.40</td><td>23.62</td><td>40.00</td><td>-16.38</td><td>40.33</td><td>14.73</td><td>0.76 32.20 --- --- Peak</td></tr><tr><td>2</td><td>250.19</td><td>16.75</td><td>46.00</td><td>-29.25</td><td>28.20</td><td>18.45</td><td>2.30 32.20 --- --- Peak</td></tr><tr><td>3</td><td>325.85</td><td>20.67</td><td>46.00</td><td>-25.33</td><td>30.78</td><td>19.40</td><td>2.64 32.15 --- --- Peak</td></tr><tr><td>4</td><td>629.46</td><td>26.38</td><td>46.00</td><td>-19.62</td><td>28.77</td><td>26.19</td><td>3.66 32.24 --- --- Peak</td></tr><tr><td>5</td><td>744.89</td><td>28.64</td><td>46.00</td><td>-17.36</td><td>29.25</td><td>27.70</td><td>3.98 32.29 --- --- Peak</td></tr><tr><td>6</td><td>851.59</td><td>29.82</td><td>46.00</td><td>-16.18</td><td>29.04</td><td>28.93</td><td>4.24 32.39 --- --- Peak</td></tr></table>		Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Line	Limit	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	49.40	23.62	40.00	-16.38	40.33	14.73	0.76 32.20 --- --- Peak	2	250.19	16.75	46.00	-29.25	28.20	18.45	2.30 32.20 --- --- Peak	3	325.85	20.67	46.00	-25.33	30.78	19.40	2.64 32.15 --- --- Peak	4	629.46	26.38	46.00	-19.62	28.77	26.19	3.66 32.24 --- --- Peak	5	744.89	28.64	46.00	-17.36	29.25	27.70	3.98 32.29 --- --- Peak	6	851.59	29.82	46.00	-16.18	29.04	28.93	4.24 32.39 --- --- Peak
		Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																											
Freq	Level	Line	Limit	Level Factor	Loss Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																												
1	47.46	23.55	40.00	-16.45	39.25	15.76	0.74 32.20 --- --- Peak																																																																																																																																											
2	324.88	19.16	46.00	-26.84	29.30	19.38	2.63 32.15 --- --- Peak																																																																																																																																											
3	421.88	23.22	46.00	-22.78	30.25	22.23	3.00 32.26 --- --- Peak																																																																																																																																											
4	740.04	27.87	46.00	-18.13	28.61	27.57	3.97 32.28 --- --- Peak																																																																																																																																											
5	841.89	28.83	46.00	-17.17	28.24	28.75	4.22 32.38 --- --- Peak																																																																																																																																											
6	954.41	31.59	46.00	-14.41	29.02	30.27	4.49 32.19 --- --- Peak																																																																																																																																											
	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																												
Freq	Level	Line	Limit	Level Factor	Loss Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																												
1	49.40	23.62	40.00	-16.38	40.33	14.73	0.76 32.20 --- --- Peak																																																																																																																																											
2	250.19	16.75	46.00	-29.25	28.20	18.45	2.30 32.20 --- --- Peak																																																																																																																																											
3	325.85	20.67	46.00	-25.33	30.78	19.40	2.64 32.15 --- --- Peak																																																																																																																																											
4	629.46	26.38	46.00	-19.62	28.77	26.19	3.66 32.24 --- --- Peak																																																																																																																																											
5	744.89	28.64	46.00	-17.36	29.25	27.70	3.98 32.29 --- --- Peak																																																																																																																																											
6	851.59	29.82	46.00	-16.18	29.04	28.93	4.24 32.39 --- --- Peak																																																																																																																																											





Mode	39																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																													
ANT	0																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>55.53</td><td>74.00</td><td>-18.47</td><td>62.59</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>331</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>53.00</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>331</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	55.53	74.00	-18.47	62.59	38.30	18.59	63.95	0.00	331	306	PEAK	2	11440.00	45.94	54.00	-8.06	53.00	38.30	18.59	63.95	0.00	331	306	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>62.57</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>202</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>53.37</td><td>38.30</td><td>18.58</td><td>63.95</td><td>0.00</td><td>202</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	55.51	74.00	-18.49	62.57	38.30	18.59	63.95	0.00	202	311	PEAK	2	11440.00	46.30	54.00	-7.70	53.37	38.30	18.58	63.95	0.00	202	311	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	55.53	74.00	-18.47	62.59	38.30	18.59	63.95	0.00	331	306	PEAK																																																																																																																		
2	11440.00	45.94	54.00	-8.06	53.00	38.30	18.59	63.95	0.00	331	306	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	55.51	74.00	-18.49	62.57	38.30	18.59	63.95	0.00	202	311	PEAK																																																																																																																		
2	11440.00	46.30	54.00	-7.70	53.37	38.30	18.58	63.95	0.00	202	311	AVERAGE																																																																																																																		





Mode	40																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.85_802.11ac VHT20_CH144_5720MHz																																																																																																																													
ANT	0																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>56.82</td><td>74.00</td><td>-17.18</td><td>63.88</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>345</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>53.15</td><td>38.30</td><td>18.58</td><td>63.95</td><td>0.00</td><td>345</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	56.82	74.00	-17.18	63.88	38.30	18.59	63.95	0.00	345	303	PEAK	2	11440.00	46.08	54.00	-7.92	53.15	38.30	18.58	63.95	0.00	345	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>61.04</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>50.39</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	53.98	74.00	-20.02	61.04	38.30	18.59	63.95	0.00	100	274	PEAK	2	11440.00	43.33	54.00	-10.67	50.39	38.30	18.59	63.95	0.00	100	274	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	56.82	74.00	-17.18	63.88	38.30	18.59	63.95	0.00	345	303	PEAK																																																																																																																		
2	11440.00	46.08	54.00	-7.92	53.15	38.30	18.58	63.95	0.00	345	303	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	53.98	74.00	-20.02	61.04	38.30	18.59	63.95	0.00	100	274	PEAK																																																																																																																		
2	11440.00	43.33	54.00	-10.67	50.39	38.30	18.59	63.95	0.00	100	274	AVERAGE																																																																																																																		



Mode	41																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																																															
ANT	0																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>54.22</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.05	74.00	-26.95	54.22	38.30	18.50	63.97	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>53.78</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	46.61	74.00	-27.39	53.78	38.30	18.50	63.97	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11420.00	47.05	74.00	-26.95	54.22	38.30	18.50	63.97	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11420.00	46.61	74.00	-27.39	53.78	38.30	18.50	63.97	0.00	--	PEAK																																																																																					




Mode	42																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																																				
ANT	0																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>52.77</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.46	74.00	-28.54	52.77	38.32	18.39	64.02	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>53.38</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	46.07	74.00	-27.93	53.38	38.32	18.39	64.02	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11380.00	45.46	74.00	-28.54	52.77	38.32	18.39	64.02	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11380.00	46.07	74.00	-27.93	53.38	38.32	18.39	64.02	0.00	--	--	PEAK																																																																																									



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.38	1.399	0.715	0.75KHz
802.11ac VHT20	97.10	1.312	0.762	0.82KHz
802.11ac VHT40	94.95	0.654	1.530	1.6KHz
802.11ac VHT80	90.32	0.325	3.080	3.1KHz


802.11a



Date: 27.FEB.2024 01:16:42




802.11ac VHT20



Date: 27.FEB.2024 01:24:30


802.11ac VHT40



Date: 27.FEB.2024 01:19:47



802.11ac VHT80



Date: 27.FEB.2024 01:26:57