



	15																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																													
	2400-2483.5_802.11ax HE20_CH11_RU106/54_2462MHz																																																																													
<b>ANT</b>	1+2																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2492.23</td> <td>57.97</td> <td>74.00</td> <td>-16.03</td> <td>41.39</td> <td>32.14</td> <td>9.07</td> <td>30.63</td> <td>6.00</td> <td>125 308 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2492.23	57.97	74.00	-16.03	41.39	32.14	9.07	30.63	6.00	125 308 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>109.83</td> <td>-----</td> <td>-----</td> <td>93.43</td> <td>32.10</td> <td>9.00</td> <td>30.70</td> <td>6.00</td> <td>125 308 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	109.83	-----	-----	93.43	32.10	9.00	30.70	6.00	125 308 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2492.23	57.97	74.00	-16.03	41.39	32.14	9.07	30.63	6.00	125 308 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2462.00	109.83	-----	-----	93.43	32.10	9.00	30.70	6.00	125 308 PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.96</td> <td>45.49</td> <td>54.00</td> <td>-8.51</td> <td>28.95</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>125 308 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.96	45.49	54.00	-8.51	28.95	32.13	9.05	30.64	6.00	125 308 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>99.14</td> <td>-----</td> <td>-----</td> <td>82.74</td> <td>32.10</td> <td>9.00</td> <td>30.70</td> <td>6.00</td> <td>125 308 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	99.14	-----	-----	82.74	32.10	9.00	30.70	6.00	125 308 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.96	45.49	54.00	-8.51	28.95	32.13	9.05	30.64	6.00	125 308 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2462.00	99.14	-----	-----	82.74	32.10	9.00	30.70	6.00	125 308 AVERAGE																																																																					



	15																																																																																			
Mode	Band Edge																																																																																			
	2400-2483.5_802.11ax HE20_CH11_RU106/54_2462MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.28</td> <td>58.64</td> <td>74.00</td> <td>-15.36</td> <td>42.09</td> <td>32.13</td> <td>9.06</td> <td>30.64</td> <td>6.00</td> <td>203</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.28	58.64	74.00	-15.36	42.09	32.13	9.06	30.64	6.00	203	190	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.88</td> <td>-----</td> <td>-----</td> <td>90.47</td> <td>32.10</td> <td>9.00</td> <td>30.69</td> <td>6.00</td> <td>203</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.88	-----	-----	90.47	32.10	9.00	30.69	6.00	203	190	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2486.28	58.64	74.00	-15.36	42.09	32.13	9.06	30.64	6.00	203	190	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	106.88	-----	-----	90.47	32.10	9.00	30.69	6.00	203	190	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>45.29</td> <td>54.00</td> <td>-8.71</td> <td>28.76</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>203</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	45.29	54.00	-8.71	28.76	32.13	9.05	30.65	6.00	203	190	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>95.82</td> <td>-----</td> <td>-----</td> <td>79.42</td> <td>32.10</td> <td>9.00</td> <td>30.70</td> <td>6.00</td> <td>203</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.82	-----	-----	79.42	32.10	9.00	30.70	6.00	203	190	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.51	45.29	54.00	-8.71	28.76	32.13	9.05	30.65	6.00	203	190	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	95.82	-----	-----	79.42	32.10	9.00	30.70	6.00	203	190	AVERAGE																																																																								



	16																																																																																			
<b>Mode</b>	Band Edge - L																																																																																			
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																			
<b>ANT</b>	1+2																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.94</td> <td>66.49</td> <td>74.00</td> <td>-7.51</td> <td>50.65</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>103</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.94	66.49	74.00	-7.51	50.65	31.97	8.76	30.89	6.00	103	350	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>104.04</td> <td>-----</td> <td>-----</td> <td>88.01</td> <td>32.02</td> <td>8.85</td> <td>30.84</td> <td>6.00</td> <td>103</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	104.04	-----	-----	88.01	32.02	8.85	30.84	6.00	103	350	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.94	66.49	74.00	-7.51	50.65	31.97	8.76	30.89	6.00	103	350	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	104.04	-----	-----	88.01	32.02	8.85	30.84	6.00	103	350	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.94</td> <td>49.46</td> <td>54.00</td> <td>-4.54</td> <td>33.62</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>103</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.94	49.46	54.00	-4.54	33.62	31.97	8.76	30.89	6.00	103	350	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>93.81</td> <td>-----</td> <td>-----</td> <td>77.74</td> <td>32.03</td> <td>8.86</td> <td>30.82</td> <td>6.00</td> <td>103</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.81	-----	-----	77.74	32.03	8.86	30.82	6.00	103	350	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.94	49.46	54.00	-4.54	33.62	31.97	8.76	30.89	6.00	103	350	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	93.81	-----	-----	77.74	32.03	8.86	30.82	6.00	103	350	AVERAGE																																																																								



Mode	16																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.19</td> <td>57.51</td> <td>74.00</td> <td>-16.49</td> <td>40.92</td> <td>32.14</td> <td>9.07</td> <td>30.62</td> <td>6.00</td> <td>103</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2491.19	57.51	74.00	-16.49	40.92	32.14	9.07	30.62	6.00	103	350	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2491.19	57.51	74.00	-16.49	40.92	32.14	9.07	30.62	6.00	103	350	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.34</td> <td>46.91</td> <td>54.00</td> <td>-7.09</td> <td>30.36</td> <td>32.13</td> <td>9.06</td> <td>30.64</td> <td>6.00</td> <td>103</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2485.34	46.91	54.00	-7.09	30.36	32.13	9.06	30.64	6.00	103	350	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2485.34	46.91	54.00	-7.09	30.36	32.13	9.06	30.64	6.00	103	350	AVERAGE																																							



	16																																																																																	
<b>Mode</b>	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																	
<b>ANT</b>	1+2																																																																																	
<b>Pol.</b>	Vertical	Fundamental																																																																																
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2386.72</td> <td>60.27</td> <td>74.00</td> <td>-13.73</td> <td>44.43</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2386.72	60.27	74.00	-13.73	44.43	31.97	8.76	30.89	6.00	100	181	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00</td> <td>100.51</td> <td>-----</td> <td>-----</td> <td>84.48</td> <td>32.02</td> <td>8.85</td> <td>30.84</td> <td>6.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2422.00	100.51	-----	-----	84.48	32.02	8.85	30.84	6.00	100	181	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2386.72	60.27	74.00	-13.73	44.43	31.97	8.76	30.89	6.00	100	181	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2422.00	100.51	-----	-----	84.48	32.02	8.85	30.84	6.00	100	181	PEAK																																																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.62</td> <td>49.71</td> <td>54.00</td> <td>-4.29</td> <td>33.86</td> <td>31.97</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.62	49.71	54.00	-4.29	33.86	31.97	8.77	30.89	6.00	100	181	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00</td> <td>90.84</td> <td>-----</td> <td>-----</td> <td>74.77</td> <td>32.03</td> <td>8.86</td> <td>30.82</td> <td>6.00</td> <td>100</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2422.00	90.84	-----	-----	74.77	32.03	8.86	30.82	6.00	100	181	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2388.62	49.71	54.00	-4.29	33.86	31.97	8.77	30.89	6.00	100	181	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2422.00	90.84	-----	-----	74.77	32.03	8.86	30.82	6.00	100	181	AVERAGE																																																																							



Mode	16																																									
	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.58</td> <td>57.48</td> <td>74.00</td> <td>-16.52</td> <td>40.93</td> <td>32.13</td> <td>9.06</td> <td>30.64</td> <td>6.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2486.58	57.48	74.00	-16.52	40.93	32.13	9.06	30.64	6.00	100	181	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2486.58	57.48	74.00	-16.52	40.93	32.13	9.06	30.64	6.00	100	181	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.30</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>30.21</td> <td>32.15</td> <td>9.10</td> <td>30.60</td> <td>6.00</td> <td>100</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2499.30	46.86	54.00	-7.14	30.21	32.15	9.10	30.60	6.00	100	181	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2499.30	46.86	54.00	-7.14	30.21	32.15	9.10	30.60	6.00	100	181	AVERAGE																														



Mode	16																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																																																																							
ANT	1+2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>53.27</td> <td>74.00</td> <td>-20.73</td> <td>72.20</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>100</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4844.00</td> <td>41.69</td> <td>54.00</td> <td>-12.31</td> <td>60.62</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>100</td> <td>128</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7266.00</td> <td>46.55</td> <td>74.00</td> <td>-27.45</td> <td>61.28</td> <td>35.00</td> <td>14.69</td> <td>65.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	53.27	74.00	-20.73	72.20	34.10	12.40	65.43	0.00	100	128	PEAK	2	4844.00	41.69	54.00	-12.31	60.62	34.10	12.40	65.43	0.00	100	128	AVERAGE	3	7266.00	46.55	74.00	-27.45	61.28	35.00	14.69	65.22	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>54.03</td> <td>74.00</td> <td>-19.97</td> <td>72.96</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>166</td> <td>312</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4844.00</td> <td>42.87</td> <td>54.00</td> <td>-11.13</td> <td>61.80</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>166</td> <td>312</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7266.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>59.80</td> <td>35.80</td> <td>14.69</td> <td>65.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	54.03	74.00	-19.97	72.96	34.10	12.40	65.43	0.00	166	312	PEAK	2	4844.00	42.87	54.00	-11.13	61.80	34.10	12.40	65.43	0.00	166	312	AVERAGE	3	7266.00	45.07	74.00	-28.93	59.80	35.80	14.69	65.22	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4844.00	53.27	74.00	-20.73	72.20	34.10	12.40	65.43	0.00	100	128	PEAK																																																																																																																												
2	4844.00	41.69	54.00	-12.31	60.62	34.10	12.40	65.43	0.00	100	128	AVERAGE																																																																																																																												
3	7266.00	46.55	74.00	-27.45	61.28	35.00	14.69	65.22	0.00	---	---	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4844.00	54.03	74.00	-19.97	72.96	34.10	12.40	65.43	0.00	166	312	PEAK																																																																																																																												
2	4844.00	42.87	54.00	-11.13	61.80	34.10	12.40	65.43	0.00	166	312	AVERAGE																																																																																																																												
3	7266.00	45.07	74.00	-28.93	59.80	35.80	14.69	65.22	0.00	---	---	PEAK																																																																																																																												



Mode	17																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.71</td> <td>74.00</td> <td>-32.29</td> <td>60.76</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>49.92</td> <td>74.00</td> <td>-24.08</td> <td>64.64</td> <td>35.00</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4874.00	41.71	74.00	-32.29	60.76	34.10	12.29	65.44	0.00	---	---	Peak	2	7311.00	49.92	74.00	-24.08	64.64	35.00	14.73	65.25	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>40.63</td> <td>74.00</td> <td>-33.37</td> <td>59.68</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>60.11</td> <td>35.80</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4874.00	40.63	74.00	-33.37	59.68	34.10	12.29	65.44	0.00	---	---	PEAK	2	7311.00	45.39	74.00	-28.61	60.11	35.80	14.73	65.25	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4874.00	41.71	74.00	-32.29	60.76	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																
2	7311.00	49.92	74.00	-24.08	64.64	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4874.00	40.63	74.00	-33.37	59.68	34.10	12.29	65.44	0.00	---	---	PEAK																																																																																																
2	7311.00	45.39	74.00	-28.61	60.11	35.80	14.73	65.25	0.00	---	---	PEAK																																																																																																





	<b>18</b>																																																																															
<b>Mode</b>	<b>Band Edge - L</b>																																																																															
	<b>2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz</b>																																																																															
<b>ANT</b>	<b>1+2</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.81</td> <td>57.68</td> <td>74.00</td> <td>-16.32</td> <td>41.82</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>347 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.81	57.68	74.00	-16.32	41.82	31.98	8.77	30.89	6.00	100	347 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>104.55</td> <td>-----</td> <td>-----</td> <td>88.26</td> <td>32.88</td> <td>8.95</td> <td>30.74</td> <td>6.00</td> <td>100</td> <td>347 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	104.55	-----	-----	88.26	32.88	8.95	30.74	6.00	100	347 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2388.81	57.68	74.00	-16.32	41.82	31.98	8.77	30.89	6.00	100	347 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2452.00	104.55	-----	-----	88.26	32.88	8.95	30.74	6.00	100	347 PEAK																																																																						
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.24</td> <td>45.99</td> <td>54.00</td> <td>-8.01</td> <td>30.15</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>347 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.24	45.99	54.00	-8.01	30.15	31.97	8.76	30.89	6.00	100	347 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>95.51</td> <td>-----</td> <td>-----</td> <td>79.18</td> <td>32.88</td> <td>8.97</td> <td>30.72</td> <td>6.00</td> <td>100</td> <td>347 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	95.51	-----	-----	79.18	32.88	8.97	30.72	6.00	100	347 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2388.24	45.99	54.00	-8.01	30.15	31.97	8.76	30.89	6.00	100	347 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2452.00	95.51	-----	-----	79.18	32.88	8.97	30.72	6.00	100	347 AVERAGE																																																																						



Mode	18																																																																				
	Band Edge - R																																																																				
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal	Fundamental																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.02</td> <td>63.25</td> <td>74.00</td> <td>-10.75</td> <td>46.71</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2484.02	63.25	74.00	-10.75	46.71	32.13	9.05	30.64	6.00	100	347	PEAK	Blank									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																													
								cm																																																													
								deg																																																													
1	2484.02	63.25	74.00	-10.75	46.71	32.13	9.05	30.64	6.00	100	347	PEAK																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.21</td> <td>50.65</td> <td>54.00</td> <td>-3.35</td> <td>34.11</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>100</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																		cm									deg	1	2484.21	50.65	54.00	-3.35	34.11	32.13	9.05	30.64	6.00	100	347	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																													
								cm																																																													
								deg																																																													
1	2484.21	50.65	54.00	-3.35	34.11	32.13	9.05	30.64	6.00	100	347	AVERAGE																																																									



	<b>18</b>																																																																																			
<b>Mode</b>	<b>Band Edge - L</b>																																																																																			
	<b>2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz</b>																																																																																			
<b>ANT</b>	<b>1+2</b>																																																																																			
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.64</td> <td>56.63</td> <td>74.00</td> <td>-17.37</td> <td>40.89</td> <td>31.93</td> <td>8.71</td> <td>30.90</td> <td>6.00</td> <td>287</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.64	56.63	74.00	-17.37	40.89	31.93	8.71	30.90	6.00	287	171	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>100.30</td> <td>-----</td> <td>-----</td> <td>83.99</td> <td>32.08</td> <td>8.96</td> <td>30.73</td> <td>6.00</td> <td>287</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	100.30	-----	-----	83.99	32.08	8.96	30.73	6.00	287	171	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2369.64	56.63	74.00	-17.37	40.89	31.93	8.71	30.90	6.00	287	171	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	100.30	-----	-----	83.99	32.08	8.96	30.73	6.00	287	171	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.17</td> <td>45.82</td> <td>54.00</td> <td>-8.18</td> <td>30.04</td> <td>31.95</td> <td>8.73</td> <td>30.90</td> <td>6.00</td> <td>287</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.17	45.82	54.00	-8.18	30.04	31.95	8.73	30.90	6.00	287	171	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>90.74</td> <td>-----</td> <td>-----</td> <td>74.43</td> <td>32.08</td> <td>8.96</td> <td>30.73</td> <td>6.00</td> <td>287</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	90.74	-----	-----	74.43	32.08	8.96	30.73	6.00	287	171	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2377.17	45.82	54.00	-8.18	30.04	31.95	8.73	30.90	6.00	287	171	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	90.74	-----	-----	74.43	32.08	8.96	30.73	6.00	287	171	AVERAGE																																																																								



Mode	18																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																		
ANT	1+2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.77</td> <td>57.97</td> <td>74.00</td> <td>-16.03</td> <td>41.40</td> <td>32.13</td> <td>9.07</td> <td>30.63</td> <td>6.00</td> <td>287</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2488.77	57.97	74.00	-16.03	41.40	32.13	9.07	30.63	6.00	287	171	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2488.77	57.97	74.00	-16.03	41.40	32.13	9.07	30.63	6.00	287	171	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.06</td> <td>47.43</td> <td>54.00</td> <td>-6.57</td> <td>30.89</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>287</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2484.06	47.43	54.00	-6.57	30.89	32.13	9.05	30.64	6.00	287	171	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2484.06	47.43	54.00	-6.57	30.89	32.13	9.05	30.64	6.00	287	171	AVERAGE																																							







Mode	18																																																																																																																										
	Harmonic																																																																																																																										
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																																																										
ANT	1+2																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>56.51</td> <td>74.00</td> <td>-17.49</td> <td>75.65</td> <td>34.10</td> <td>12.20</td> <td>65.44</td> <td>0.00</td> <td>123</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>44.98</td> <td>54.00</td> <td>-9.02</td> <td>64.12</td> <td>34.10</td> <td>12.20</td> <td>65.44</td> <td>0.00</td> <td>123</td> <td>120</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7356.00</td> <td>46.57</td> <td>74.00</td> <td>-27.43</td> <td>61.28</td> <td>35.80</td> <td>14.76</td> <td>65.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	56.51	74.00	-17.49	75.65	34.10	12.20	65.44	0.00	123	120	PEAK	2	4904.00	44.98	54.00	-9.02	64.12	34.10	12.20	65.44	0.00	123	120	AVERAGE	3	7356.00	46.57	74.00	-27.43	61.28	35.80	14.76	65.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>48.18</td> <td>74.00</td> <td>-25.82</td> <td>67.32</td> <td>34.10</td> <td>12.20</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.19</td> <td>74.00</td> <td>-30.81</td> <td>57.90</td> <td>35.80</td> <td>14.76</td> <td>65.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	48.18	74.00	-25.82	67.32	34.10	12.20	65.44	0.00	---	---	PEAK	2	7356.00	43.19	74.00	-30.81	57.90	35.80	14.76	65.27	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	4904.00	56.51	74.00	-17.49	75.65	34.10	12.20	65.44	0.00	123	120	PEAK																																																																																																															
2	4904.00	44.98	54.00	-9.02	64.12	34.10	12.20	65.44	0.00	123	120	AVERAGE																																																																																																															
3	7356.00	46.57	74.00	-27.43	61.28	35.80	14.76	65.27	0.00	---	---	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	4904.00	48.18	74.00	-25.82	67.32	34.10	12.20	65.44	0.00	---	---	PEAK																																																																																																															
2	7356.00	43.19	74.00	-30.81	57.90	35.80	14.76	65.27	0.00	---	---	PEAK																																																																																																															



Mode	19																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>64.65</td> <td>74.00</td> <td>-9.35</td> <td>48.79</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>304</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	64.65	74.00	-9.35	48.79	31.98	8.77	30.89	6.00	100	304	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.21</td> <td>74.00</td> <td>32.21</td> <td>90.20</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>100</td> <td>304</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.21	74.00	32.21	90.20	32.02	8.84	30.85	6.00	100	304	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.30	64.65	74.00	-9.35	48.79	31.98	8.77	30.89	6.00	100	304	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	106.21	74.00	32.21	90.20	32.02	8.84	30.85	6.00	100	304	Peak																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>50.98</td> <td>54.00</td> <td>-3.02</td> <td>35.12</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>304</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	50.98	54.00	-3.02	35.12	31.98	8.77	30.89	6.00	100	304	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.83</td> <td>54.00</td> <td>43.83</td> <td>81.82</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>100</td> <td>304</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.83	54.00	43.83	81.82	32.02	8.84	30.85	6.00	100	304	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.82	50.98	54.00	-3.02	35.12	31.98	8.77	30.89	6.00	100	304	Average																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	97.83	54.00	43.83	81.82	32.02	8.84	30.85	6.00	100	304	Average																																																																								



Mode	19																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>60.70</td> <td>74.00</td> <td>-13.30</td> <td>44.84</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>180</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	60.70	74.00	-13.30	44.84	31.98	8.77	30.89	6.00	100	180	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>104.01</td> <td>74.00</td> <td>30.01</td> <td>88.00</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>100</td> <td>180</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.01	74.00	30.01	88.00	32.02	8.84	30.85	6.00	100	180	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	60.70	74.00	-13.30	44.84	31.98	8.77	30.89	6.00	100	180	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	104.01	74.00	30.01	88.00	32.02	8.84	30.85	6.00	100	180	Peak																																																																								
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.81</td> <td>54.00</td> <td>-5.19</td> <td>32.95</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>180</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.81	54.00	-5.19	32.95	31.98	8.77	30.89	6.00	100	180	Average	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>95.14</td> <td>54.00</td> <td>41.14</td> <td>79.13</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>100</td> <td>180</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.14	54.00	41.14	79.13	32.02	8.84	30.85	6.00	100	180	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	48.81	54.00	-5.19	32.95	31.98	8.77	30.89	6.00	100	180	Average																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	95.14	54.00	41.14	79.13	32.02	8.84	30.85	6.00	100	180	Average																																																																								



Mode	19																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>59.32</td> <td>74.00</td> <td>-14.68</td> <td>78.17</td> <td>34.10</td> <td>12.48</td> <td>65.43</td> <td>0.00</td> <td>144</td> <td>163</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>48.16</td> <td>54.00</td> <td>-5.84</td> <td>67.00</td> <td>34.10</td> <td>12.49</td> <td>65.43</td> <td>0.00</td> <td>144</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	59.32	74.00	-14.68	78.17	34.10	12.48	65.43	0.00	144	163	PEAK	2	4824.00	48.16	54.00	-5.84	67.00	34.10	12.49	65.43	0.00	144	163	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>56.35</td> <td>74.00</td> <td>-17.65</td> <td>75.20</td> <td>34.10</td> <td>12.48</td> <td>65.43</td> <td>0.00</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>45.98</td> <td>54.00</td> <td>-8.02</td> <td>64.83</td> <td>34.10</td> <td>12.48</td> <td>65.43</td> <td>0.00</td> <td>100</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	56.35	74.00	-17.65	75.20	34.10	12.48	65.43	0.00	100	306	PEAK	2	4824.00	45.98	54.00	-8.02	64.83	34.10	12.48	65.43	0.00	100	306	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4824.00	59.32	74.00	-14.68	78.17	34.10	12.48	65.43	0.00	144	163	PEAK																																																																																																		
2	4824.00	48.16	54.00	-5.84	67.00	34.10	12.49	65.43	0.00	144	163	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4824.00	56.35	74.00	-17.65	75.20	34.10	12.48	65.43	0.00	100	306	PEAK																																																																																																		
2	4824.00	45.98	54.00	-8.02	64.83	34.10	12.48	65.43	0.00	100	306	AVERAGE																																																																																																		





Mode	20																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																																																																																	
ANT	1+2																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>60.06</td> <td>74.00</td> <td>-13.94</td> <td>79.11</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>176</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>49.95</td> <td>54.00</td> <td>-4.05</td> <td>69.00</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>176</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>54.53</td> <td>74.00</td> <td>-19.47</td> <td>69.25</td> <td>35.00</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>386</td> <td>148</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>42.55</td> <td>54.00</td> <td>-11.45</td> <td>57.26</td> <td>35.00</td> <td>14.73</td> <td>65.24</td> <td>0.00</td> <td>386</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	60.06	74.00	-13.94	79.11	34.10	12.29	65.44	0.00	176	0	PEAK	2	4874.00	49.95	54.00	-4.05	69.00	34.10	12.29	65.44	0.00	176	0	AVERAGE	3	7311.00	54.53	74.00	-19.47	69.25	35.00	14.73	65.25	0.00	386	148	PEAK	4	7311.00	42.55	54.00	-11.45	57.26	35.00	14.73	65.24	0.00	386	148	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>60.39</td> <td>74.00</td> <td>-13.61</td> <td>79.44</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>236</td> <td>313</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>49.68</td> <td>54.00</td> <td>-4.32</td> <td>68.73</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>236</td> <td>313</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>53.77</td> <td>74.00</td> <td>-20.23</td> <td>68.49</td> <td>35.00</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>170</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>42.07</td> <td>54.00</td> <td>-11.93</td> <td>56.79</td> <td>35.00</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>170</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	60.39	74.00	-13.61	79.44	34.10	12.29	65.44	0.00	236	313	PEAK	2	4874.00	49.68	54.00	-4.32	68.73	34.10	12.29	65.44	0.00	236	313	AVERAGE	3	7311.00	53.77	74.00	-20.23	68.49	35.00	14.73	65.25	0.00	170	311	PEAK	4	7311.00	42.07	54.00	-11.93	56.79	35.00	14.73	65.25	0.00	170	311	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4874.00	60.06	74.00	-13.94	79.11	34.10	12.29	65.44	0.00	176	0	PEAK																																																																																																																																																						
2	4874.00	49.95	54.00	-4.05	69.00	34.10	12.29	65.44	0.00	176	0	AVERAGE																																																																																																																																																						
3	7311.00	54.53	74.00	-19.47	69.25	35.00	14.73	65.25	0.00	386	148	PEAK																																																																																																																																																						
4	7311.00	42.55	54.00	-11.45	57.26	35.00	14.73	65.24	0.00	386	148	AVERAGE																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4874.00	60.39	74.00	-13.61	79.44	34.10	12.29	65.44	0.00	236	313	PEAK																																																																																																																																																						
2	4874.00	49.68	54.00	-4.32	68.73	34.10	12.29	65.44	0.00	236	313	AVERAGE																																																																																																																																																						
3	7311.00	53.77	74.00	-20.23	68.49	35.00	14.73	65.25	0.00	170	311	PEAK																																																																																																																																																						
4	7311.00	42.07	54.00	-11.93	56.79	35.00	14.73	65.25	0.00	170	311	AVERAGE																																																																																																																																																						



	21																																																																													
Mode	Band Edge																																																																													
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.62</td> <td>65.64</td> <td>74.00</td> <td>-8.36</td> <td>49.11</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>128 307 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.62	65.64	74.00	-8.36	49.11	32.13	9.05	30.65	6.00	128 307 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>109.64</td> <td>-----</td> <td>-----</td> <td>93.25</td> <td>32.10</td> <td>8.99</td> <td>30.70</td> <td>6.00</td> <td>128 307 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	109.64	-----	-----	93.25	32.10	8.99	30.70	6.00	128 307 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.62	65.64	74.00	-8.36	49.11	32.13	9.05	30.65	6.00	128 307 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2462.00	109.64	-----	-----	93.25	32.10	8.99	30.70	6.00	128 307 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.70</td> <td>50.30</td> <td>54.00</td> <td>-3.70</td> <td>33.77</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>128 307 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.70	50.30	54.00	-3.70	33.77	32.13	9.05	30.65	6.00	128 307 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>101.34</td> <td>-----</td> <td>-----</td> <td>84.97</td> <td>32.09</td> <td>8.99</td> <td>30.71</td> <td>6.00</td> <td>128 307 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	101.34	-----	-----	84.97	32.09	8.99	30.71	6.00	128 307 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.70	50.30	54.00	-3.70	33.77	32.13	9.05	30.65	6.00	128 307 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2462.00	101.34	-----	-----	84.97	32.09	8.99	30.71	6.00	128 307 AVERAGE																																																																					



Mode	21																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.19</td> <td>57.89</td> <td>74.00</td> <td>-16.11</td> <td>41.35</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>233</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.19	57.89	74.00	-16.11	41.35	32.13	9.05	30.64	6.00	233	188	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.53</td> <td>-----</td> <td>-----</td> <td>87.16</td> <td>32.09</td> <td>8.99</td> <td>30.71</td> <td>6.00</td> <td>233</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.53	-----	-----	87.16	32.09	8.99	30.71	6.00	233	188	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2484.19	57.89	74.00	-16.11	41.35	32.13	9.05	30.64	6.00	233	188	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	103.53	-----	-----	87.16	32.09	8.99	30.71	6.00	233	188	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>46.78</td> <td>54.00</td> <td>-7.22</td> <td>30.25</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>233</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	46.78	54.00	-7.22	30.25	32.13	9.05	30.65	6.00	233	188	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>94.22</td> <td>-----</td> <td>-----</td> <td>77.86</td> <td>32.09</td> <td>8.98</td> <td>30.71</td> <td>6.00</td> <td>233</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.22	-----	-----	77.86	32.09	8.98	30.71	6.00	233	188	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.66	46.78	54.00	-7.22	30.25	32.13	9.05	30.65	6.00	233	188	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	94.22	-----	-----	77.86	32.09	8.98	30.71	6.00	233	188	AVERAGE																																																																								





Mode	21																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																																																	
ANT	1+2																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>54.88</td> <td>74.00</td> <td>-19.12</td> <td>74.00</td> <td>34.10</td> <td>12.22</td> <td>65.44</td> <td>0.00</td> <td>137</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>44.04</td> <td>54.00</td> <td>-9.96</td> <td>63.16</td> <td>34.10</td> <td>12.22</td> <td>65.44</td> <td>0.00</td> <td>137</td> <td>130</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>57.03</td> <td>74.00</td> <td>-16.97</td> <td>71.74</td> <td>35.00</td> <td>14.78</td> <td>65.29</td> <td>0.00</td> <td>300</td> <td>182</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7386.00</td> <td>44.48</td> <td>54.00</td> <td>-9.52</td> <td>59.19</td> <td>35.00</td> <td>14.78</td> <td>65.29</td> <td>0.00</td> <td>300</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	54.88	74.00	-19.12	74.00	34.10	12.22	65.44	0.00	137	130	PEAK	2	4924.00	44.04	54.00	-9.96	63.16	34.10	12.22	65.44	0.00	137	130	AVERAGE	3	7386.00	57.03	74.00	-16.97	71.74	35.00	14.78	65.29	0.00	300	182	PEAK	4	7386.00	44.48	54.00	-9.52	59.19	35.00	14.78	65.29	0.00	300	182	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>52.50</td> <td>74.00</td> <td>-21.50</td> <td>71.62</td> <td>34.10</td> <td>12.22</td> <td>65.44</td> <td>0.00</td> <td>163</td> <td>331</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>43.39</td> <td>54.00</td> <td>-10.61</td> <td>62.51</td> <td>34.10</td> <td>12.22</td> <td>65.44</td> <td>0.00</td> <td>163</td> <td>331</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>51.27</td> <td>74.00</td> <td>-22.73</td> <td>65.98</td> <td>35.00</td> <td>14.78</td> <td>65.29</td> <td>0.00</td> <td>163</td> <td>331</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7386.00</td> <td>40.49</td> <td>54.00</td> <td>-13.51</td> <td>55.20</td> <td>35.00</td> <td>14.78</td> <td>65.29</td> <td>0.00</td> <td>163</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	52.50	74.00	-21.50	71.62	34.10	12.22	65.44	0.00	163	331	PEAK	2	4924.00	43.39	54.00	-10.61	62.51	34.10	12.22	65.44	0.00	163	331	AVERAGE	3	7386.00	51.27	74.00	-22.73	65.98	35.00	14.78	65.29	0.00	163	331	PEAK	4	7386.00	40.49	54.00	-13.51	55.20	35.00	14.78	65.29	0.00	163	331	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4924.00	54.88	74.00	-19.12	74.00	34.10	12.22	65.44	0.00	137	130	PEAK																																																																																																																																																						
2	4924.00	44.04	54.00	-9.96	63.16	34.10	12.22	65.44	0.00	137	130	AVERAGE																																																																																																																																																						
3	7386.00	57.03	74.00	-16.97	71.74	35.00	14.78	65.29	0.00	300	182	PEAK																																																																																																																																																						
4	7386.00	44.48	54.00	-9.52	59.19	35.00	14.78	65.29	0.00	300	182	AVERAGE																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4924.00	52.50	74.00	-21.50	71.62	34.10	12.22	65.44	0.00	163	331	PEAK																																																																																																																																																						
2	4924.00	43.39	54.00	-10.61	62.51	34.10	12.22	65.44	0.00	163	331	AVERAGE																																																																																																																																																						
3	7386.00	51.27	74.00	-22.73	65.98	35.00	14.78	65.29	0.00	163	331	PEAK																																																																																																																																																						
4	7386.00	40.49	54.00	-13.51	55.20	35.00	14.78	65.29	0.00	163	331	AVERAGE																																																																																																																																																						







	22																																																																																			
<b>Mode</b>	Band Edge - L																																																																																			
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																			
<b>ANT</b>	1+2																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.94</td> <td>61.81</td> <td>74.00</td> <td>-12.19</td> <td>45.97</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>195</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.94	61.81	74.00	-12.19	45.97	31.97	8.76	30.89	6.00	195	307	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>91.93</td> <td>32.03</td> <td>8.86</td> <td>30.82</td> <td>6.00</td> <td>195</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	108.00	-----	-----	91.93	32.03	8.86	30.82	6.00	195	307	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.94	61.81	74.00	-12.19	45.97	31.97	8.76	30.89	6.00	195	307	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	108.00	-----	-----	91.93	32.03	8.86	30.82	6.00	195	307	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>46.99</td> <td>54.00</td> <td>-7.01</td> <td>31.13</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>195</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	46.99	54.00	-7.01	31.13	31.98	8.77	30.89	6.00	195	307	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>99.91</td> <td>-----</td> <td>-----</td> <td>83.84</td> <td>32.03</td> <td>8.86</td> <td>30.82</td> <td>6.00</td> <td>195</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	99.91	-----	-----	83.84	32.03	8.86	30.82	6.00	195	307	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.30	46.99	54.00	-7.01	31.13	31.98	8.77	30.89	6.00	195	307	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	99.91	-----	-----	83.84	32.03	8.86	30.82	6.00	195	307	AVERAGE																																																																								



	<b>22</b>																																													
<b>Mode</b>	<b>Band Edge - R</b>																																													
<b>ANT</b>	<b>1+2</b>																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																												
<b>Peak</b>	 <table border="1" data-bbox="268 1115 794 1238"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.19</td> <td>58.38</td> <td>74.00</td> <td>-15.62</td> <td>41.83</td> <td>32.13</td> <td>9.06</td> <td>30.64</td> <td>6.00</td> <td>195</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.19	58.38	74.00	-15.62	41.83	32.13	9.06	30.64	6.00	195	307	PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2486.19	58.38	74.00	-15.62	41.83	32.13	9.06	30.64	6.00	195	307	PEAK																																		
<b>Avg</b>	 <table border="1" data-bbox="268 1796 794 1919"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.06</td> <td>46.38</td> <td>54.00</td> <td>-7.62</td> <td>29.78</td> <td>32.14</td> <td>9.06</td> <td>30.62</td> <td>6.00</td> <td>195</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.06	46.38	54.00	-7.62	29.78	32.14	9.06	30.62	6.00	195	307	AVERAGE	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2493.06	46.38	54.00	-7.62	29.78	32.14	9.06	30.62	6.00	195	307	AVERAGE																																		



	22																																																																																			
<b>Mode</b>	Band Edge - L																																																																																			
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																			
<b>ANT</b>	1+2																																																																																			
<b>Pol.</b>	Vertical	Fundamental																																																																																		
<b>Peak</b>	 <table border="1" data-bbox="263 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>59.09</td> <td>74.00</td> <td>-14.91</td> <td>43.23</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.52	59.09	74.00	-14.91	43.23	31.98	8.77	30.89	6.00	100	179	PEAK	 <table border="1" data-bbox="901 1108 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>104.39</td> <td>-----</td> <td>-----</td> <td>88.31</td> <td>32.03</td> <td>8.87</td> <td>30.82</td> <td>6.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	104.39	-----	-----	88.31	32.03	8.87	30.82	6.00	100	179	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.52	59.09	74.00	-14.91	43.23	31.98	8.77	30.89	6.00	100	179	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	104.39	-----	-----	88.31	32.03	8.87	30.82	6.00	100	179	PEAK																																																																								
<b>Avg</b>	 <table border="1" data-bbox="263 1792 774 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.62</td> <td>46.41</td> <td>54.00</td> <td>-7.59</td> <td>30.56</td> <td>31.97</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.62	46.41	54.00	-7.59	30.56	31.97	8.77	30.89	6.00	100	179	AVERAGE	 <table border="1" data-bbox="901 1792 1412 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>95.69</td> <td>-----</td> <td>-----</td> <td>79.62</td> <td>32.03</td> <td>8.86</td> <td>30.82</td> <td>6.00</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	95.69	-----	-----	79.62	32.03	8.86	30.82	6.00	100	179	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2388.62	46.41	54.00	-7.59	30.56	31.97	8.77	30.89	6.00	100	179	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	95.69	-----	-----	79.62	32.03	8.86	30.82	6.00	100	179	AVERAGE																																																																								



Mode	22																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																		
ANT	1+2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.83</td> <td>57.74</td> <td>74.00</td> <td>-16.26</td> <td>41.18</td> <td>32.13</td> <td>9.06</td> <td>30.63</td> <td>6.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2487.83	57.74	74.00	-16.26	41.18	32.13	9.06	30.63	6.00	100	179	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2487.83	57.74	74.00	-16.26	41.18	32.13	9.06	30.63	6.00	100	179	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.28</td> <td>46.27</td> <td>54.00</td> <td>-7.73</td> <td>29.63</td> <td>32.15</td> <td>9.09</td> <td>30.60</td> <td>6.00</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2498.28	46.27	54.00	-7.73	29.63	32.15	9.09	30.60	6.00	100	179	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2498.28	46.27	54.00	-7.73	29.63	32.15	9.09	30.60	6.00	100	179	AVERAGE																																							





Mode	22																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																																																																																	
ANT	1+2																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>56.34</td> <td>74.00</td> <td>-17.66</td> <td>75.27</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>105</td> <td>153</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4844.00</td> <td>45.38</td> <td>54.00</td> <td>-8.62</td> <td>64.31</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>105</td> <td>153</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7266.00</td> <td>52.69</td> <td>74.00</td> <td>-21.31</td> <td>67.42</td> <td>35.80</td> <td>14.69</td> <td>65.22</td> <td>0.00</td> <td>122</td> <td>163</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7266.00</td> <td>41.90</td> <td>54.00</td> <td>-12.10</td> <td>56.63</td> <td>35.80</td> <td>14.69</td> <td>65.22</td> <td>0.00</td> <td>122</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	56.34	74.00	-17.66	75.27	34.10	12.40	65.43	0.00	105	153	PEAK	2	4844.00	45.38	54.00	-8.62	64.31	34.10	12.40	65.43	0.00	105	153	AVERAGE	3	7266.00	52.69	74.00	-21.31	67.42	35.80	14.69	65.22	0.00	122	163	PEAK	4	7266.00	41.90	54.00	-12.10	56.63	35.80	14.69	65.22	0.00	122	163	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>58.08</td> <td>74.00</td> <td>-15.92</td> <td>77.01</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>158</td> <td>315</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4844.00</td> <td>46.67</td> <td>54.00</td> <td>-7.33</td> <td>65.60</td> <td>34.10</td> <td>12.40</td> <td>65.43</td> <td>0.00</td> <td>158</td> <td>315</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7266.00</td> <td>49.46</td> <td>74.00</td> <td>-24.54</td> <td>64.19</td> <td>35.80</td> <td>14.69</td> <td>65.22</td> <td>0.00</td> <td>158</td> <td>315</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7266.00</td> <td>39.00</td> <td>54.00</td> <td>-15.00</td> <td>53.73</td> <td>35.80</td> <td>14.70</td> <td>65.23</td> <td>0.00</td> <td>158</td> <td>315</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	58.08	74.00	-15.92	77.01	34.10	12.40	65.43	0.00	158	315	PEAK	2	4844.00	46.67	54.00	-7.33	65.60	34.10	12.40	65.43	0.00	158	315	AVERAGE	3	7266.00	49.46	74.00	-24.54	64.19	35.80	14.69	65.22	0.00	158	315	PEAK	4	7266.00	39.00	54.00	-15.00	53.73	35.80	14.70	65.23	0.00	158	315	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4844.00	56.34	74.00	-17.66	75.27	34.10	12.40	65.43	0.00	105	153	PEAK																																																																																																																																																						
2	4844.00	45.38	54.00	-8.62	64.31	34.10	12.40	65.43	0.00	105	153	AVERAGE																																																																																																																																																						
3	7266.00	52.69	74.00	-21.31	67.42	35.80	14.69	65.22	0.00	122	163	PEAK																																																																																																																																																						
4	7266.00	41.90	54.00	-12.10	56.63	35.80	14.69	65.22	0.00	122	163	AVERAGE																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4844.00	58.08	74.00	-15.92	77.01	34.10	12.40	65.43	0.00	158	315	PEAK																																																																																																																																																						
2	4844.00	46.67	54.00	-7.33	65.60	34.10	12.40	65.43	0.00	158	315	AVERAGE																																																																																																																																																						
3	7266.00	49.46	74.00	-24.54	64.19	35.80	14.69	65.22	0.00	158	315	PEAK																																																																																																																																																						
4	7266.00	39.00	54.00	-15.00	53.73	35.80	14.70	65.23	0.00	158	315	AVERAGE																																																																																																																																																						



Mode	23																																																																																																																																																			
	Harmonic																																																																																																																																																			
	2400-2483.5_802.11n_HT40_CH06_2437MHz																																																																																																																																																			
ANT	1+2																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>56.18</td> <td>74.00</td> <td>-17.82</td> <td>75.23</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>175</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>46.88</td> <td>54.00</td> <td>-7.12</td> <td>65.93</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>175</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>45.59</td> <td>74.00</td> <td>-28.41</td> <td>60.31</td> <td>35.00</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	56.18	74.00	-17.82	75.23	34.10	12.29	65.44	0.00	175	0	PEAK	2	4874.00	46.88	54.00	-7.12	65.93	34.10	12.29	65.44	0.00	175	0	AVERAGE	3	7311.00	45.59	74.00	-28.41	60.31	35.00	14.73	65.25	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>59.75</td> <td>74.00</td> <td>-14.25</td> <td>78.00</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>239</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>47.34</td> <td>54.00</td> <td>-6.66</td> <td>66.39</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>239</td> <td>314</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>49.01</td> <td>74.00</td> <td>-24.99</td> <td>63.73</td> <td>35.00</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>239</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>38.97</td> <td>54.00</td> <td>-15.03</td> <td>53.68</td> <td>35.00</td> <td>14.74</td> <td>65.25</td> <td>0.00</td> <td>239</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	59.75	74.00	-14.25	78.00	34.10	12.29	65.44	0.00	239	314	PEAK	2	4874.00	47.34	54.00	-6.66	66.39	34.10	12.29	65.44	0.00	239	314	AVERAGE	3	7311.00	49.01	74.00	-24.99	63.73	35.00	14.73	65.25	0.00	239	314	PEAK	4	7311.00	38.97	54.00	-15.03	53.68	35.00	14.74	65.25	0.00	239	314
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4874.00	56.18	74.00	-17.82	75.23	34.10	12.29	65.44	0.00	175	0	PEAK																																																																																																																																								
2	4874.00	46.88	54.00	-7.12	65.93	34.10	12.29	65.44	0.00	175	0	AVERAGE																																																																																																																																								
3	7311.00	45.59	74.00	-28.41	60.31	35.00	14.73	65.25	0.00	---	---	PEAK																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4874.00	59.75	74.00	-14.25	78.00	34.10	12.29	65.44	0.00	239	314	PEAK																																																																																																																																								
2	4874.00	47.34	54.00	-6.66	66.39	34.10	12.29	65.44	0.00	239	314	AVERAGE																																																																																																																																								
3	7311.00	49.01	74.00	-24.99	63.73	35.00	14.73	65.25	0.00	239	314	PEAK																																																																																																																																								
4	7311.00	38.97	54.00	-15.03	53.68	35.00	14.74	65.25	0.00	239	314	AVERAGE																																																																																																																																								



	24																																																																																			
Mode	Band Edge - L																																																																																			
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2336.13</td> <td>57.39</td> <td>74.00</td> <td>-16.61</td> <td>41.85</td> <td>31.86</td> <td>8.61</td> <td>30.93</td> <td>6.00</td> <td>104</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2336.13	57.39	74.00	-16.61	41.85	31.86	8.61	30.93	6.00	104	302	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>109.02</td> <td>-----</td> <td>-----</td> <td>92.73</td> <td>32.08</td> <td>8.95</td> <td>30.74</td> <td>6.00</td> <td>104</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	109.02	-----	-----	92.73	32.08	8.95	30.74	6.00	104	302	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2336.13	57.39	74.00	-16.61	41.85	31.86	8.61	30.93	6.00	104	302	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	109.02	-----	-----	92.73	32.08	8.95	30.74	6.00	104	302	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.00</td> <td>45.36</td> <td>54.00</td> <td>-8.64</td> <td>29.50</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>104</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.00	45.36	54.00	-8.64	29.50	31.98	8.77	30.89	6.00	104	302	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>100.79</td> <td>-----</td> <td>-----</td> <td>84.48</td> <td>32.08</td> <td>8.96</td> <td>30.73</td> <td>6.00</td> <td>104</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	100.79	-----	-----	84.48	32.08	8.96	30.73	6.00	104	302	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.00	45.36	54.00	-8.64	29.50	31.98	8.77	30.89	6.00	104	302	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	100.79	-----	-----	84.48	32.08	8.96	30.73	6.00	104	302	AVERAGE																																																																								



	<b>24</b>																																												
<b>Mode</b>	<b>Band Edge - R</b>																																												
	<b>2400-2483.5_802.11n HT40_CH09_2452MHz</b>																																												
<b>ANT</b>	<b>1+2</b>																																												
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																											
<b>Peak</b>	<table border="1" data-bbox="263 1115 774 1238"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>60.45</td> <td>74.00</td> <td>-13.55</td> <td>43.92</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>104</td> <td>302 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	60.45	74.00	-13.55	43.92	32.13	9.05	30.65	6.00	104	302 PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2483.54	60.45	74.00	-13.55	43.92	32.13	9.05	30.65	6.00	104	302 PEAK																																		
<b>Avg</b>	<table border="1" data-bbox="263 1794 774 1917"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.78</td> <td>46.65</td> <td>54.00</td> <td>-7.35</td> <td>30.11</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>104</td> <td>302 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.78	46.65	54.00	-7.35	30.11	32.13	9.05	30.64	6.00	104	302 AVERAGE	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2484.78	46.65	54.00	-7.35	30.11	32.13	9.05	30.64	6.00	104	302 AVERAGE																																		



	24																																																																													
<b>Mode</b>	Band Edge - L																																																																													
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																													
<b>ANT</b>	1+2																																																																													
<b>Pol.</b>	Vertical	Fundamental																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.24</td> <td>56.88</td> <td>74.00</td> <td>-17.12</td> <td>41.04</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>261 173 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.24	56.88	74.00	-17.12	41.04	31.97	8.76	30.89	6.00	261 173 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>103.31</td> <td>-----</td> <td>-----</td> <td>87.00</td> <td>32.08</td> <td>8.96</td> <td>30.73</td> <td>6.00</td> <td>261 173 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	103.31	-----	-----	87.00	32.08	8.96	30.73	6.00	261 173 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2388.24	56.88	74.00	-17.12	41.04	31.97	8.76	30.89	6.00	261 173 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2452.00	103.31	-----	-----	87.00	32.08	8.96	30.73	6.00	261 173 PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2383.98</td> <td>45.21</td> <td>54.00</td> <td>-8.79</td> <td>29.39</td> <td>31.96</td> <td>8.75</td> <td>30.89</td> <td>6.00</td> <td>261 173 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2383.98	45.21	54.00	-8.79	29.39	31.96	8.75	30.89	6.00	261 173 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>94.92</td> <td>-----</td> <td>-----</td> <td>78.61</td> <td>32.08</td> <td>8.96</td> <td>30.73</td> <td>6.00</td> <td>261 173 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	94.92	-----	-----	78.61	32.08	8.96	30.73	6.00	261 173 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2383.98	45.21	54.00	-8.79	29.39	31.96	8.75	30.89	6.00	261 173 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2452.00	94.92	-----	-----	78.61	32.08	8.96	30.73	6.00	261 173 AVERAGE																																																																					







Mode	24																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																		
ANT	1+2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.71</td> <td>57.69</td> <td>74.00</td> <td>-16.31</td> <td>41.13</td> <td>32.13</td> <td>9.06</td> <td>30.63</td> <td>6.00</td> <td>261</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2487.71	57.69	74.00	-16.31	41.13	32.13	9.06	30.63	6.00	261	173	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2487.71	57.69	74.00	-16.31	41.13	32.13	9.06	30.63	6.00	261	173	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.12</td> <td>46.11</td> <td>54.00</td> <td>-7.89</td> <td>29.52</td> <td>32.14</td> <td>9.07</td> <td>30.62</td> <td>6.00</td> <td>261</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2491.12	46.11	54.00	-7.89	29.52	32.14	9.07	30.62	6.00	261	173	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2491.12	46.11	54.00	-7.89	29.52	32.14	9.07	30.62	6.00	261	173	AVERAGE																																							



Mode	24																																																																																																																																						
	Harmonic																																																																																																																																						
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																																																																																						
ANT	1+2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>57.01</td> <td>74.00</td> <td>-16.99</td> <td>76.15</td> <td>34.10</td> <td>12.20</td> <td>65.44</td> <td>0.00</td> <td>111</td> <td>291</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>47.42</td> <td>54.00</td> <td>-6.58</td> <td>66.56</td> <td>34.10</td> <td>12.20</td> <td>65.44</td> <td>0.00</td> <td>111</td> <td>291</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7356.00</td> <td>44.47</td> <td>74.00</td> <td>-29.53</td> <td>59.18</td> <td>35.00</td> <td>14.76</td> <td>65.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	57.01	74.00	-16.99	76.15	34.10	12.20	65.44	0.00	111	291	PEAK	2	4904.00	47.42	54.00	-6.58	66.56	34.10	12.20	65.44	0.00	111	291	AVERAGE	3	7356.00	44.47	74.00	-29.53	59.18	35.00	14.76	65.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>58.04</td> <td>74.00</td> <td>-15.96</td> <td>77.18</td> <td>34.10</td> <td>12.20</td> <td>65.44</td> <td>0.00</td> <td>225</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>47.83</td> <td>54.00</td> <td>-6.17</td> <td>66.97</td> <td>34.10</td> <td>12.20</td> <td>65.44</td> <td>0.00</td> <td>225</td> <td>311</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7356.00</td> <td>46.60</td> <td>74.00</td> <td>-27.40</td> <td>61.31</td> <td>35.80</td> <td>14.76</td> <td>65.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	58.04	74.00	-15.96	77.18	34.10	12.20	65.44	0.00	225	311	PEAK	2	4904.00	47.83	54.00	-6.17	66.97	34.10	12.20	65.44	0.00	225	311	AVERAGE	3	7356.00	46.60	74.00	-27.40	61.31	35.80	14.76	65.27	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4904.00	57.01	74.00	-16.99	76.15	34.10	12.20	65.44	0.00	111	291	PEAK																																																																																																																											
2	4904.00	47.42	54.00	-6.58	66.56	34.10	12.20	65.44	0.00	111	291	AVERAGE																																																																																																																											
3	7356.00	44.47	74.00	-29.53	59.18	35.00	14.76	65.27	0.00	---	---	PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4904.00	58.04	74.00	-15.96	77.18	34.10	12.20	65.44	0.00	225	311	PEAK																																																																																																																											
2	4904.00	47.83	54.00	-6.17	66.97	34.10	12.20	65.44	0.00	225	311	AVERAGE																																																																																																																											
3	7356.00	46.60	74.00	-27.40	61.31	35.80	14.76	65.27	0.00	---	---	PEAK																																																																																																																											



Mode	18-25G	
	Emission above 18GHz	
	2400-2483.5_802.11n HT20_CH01_2412MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak		
Avg		





30M-1G																																																																																																																																																												
Emission below 1GHz																																																																																																																																																												
2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																																																																												
ANT 1+2																																																																																																																																																												
Pol.	Horizontal																																																																																																																																																											
Pol.	Vertical																																																																																																																																																											
Peak QP	<p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with peaks labeled 1 through 6. A red line indicates the FCC PART 15C limit, which is constant at 46.7 dBuV/m. The signal level is generally below this limit.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>85.29</td><td>24.86</td><td>-15.14</td><td>46.00</td><td>42.29</td><td>14.20</td><td>1.26</td><td>32.89</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>156.10</td><td>25.53</td><td>-17.97</td><td>43.50</td><td>39.91</td><td>16.72</td><td>1.81</td><td>32.91</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>248.25</td><td>28.92</td><td>-17.08</td><td>46.00</td><td>41.31</td><td>18.33</td><td>2.29</td><td>33.01</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>293.84</td><td>26.40</td><td>-19.60</td><td>46.00</td><td>37.69</td><td>19.20</td><td>2.51</td><td>33.00</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>441.28</td><td>23.71</td><td>-22.29</td><td>46.00</td><td>31.04</td><td>22.77</td><td>3.06</td><td>33.16</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>587.75</td><td>27.47</td><td>-18.53</td><td>46.00</td><td>31.31</td><td>25.92</td><td>3.53</td><td>33.29</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	85.29	24.86	-15.14	46.00	42.29	14.20	1.26	32.89	---	Peak	2	156.10	25.53	-17.97	43.50	39.91	16.72	1.81	32.91	---	Peak	3	248.25	28.92	-17.08	46.00	41.31	18.33	2.29	33.01	---	Peak	4	293.84	26.40	-19.60	46.00	37.69	19.20	2.51	33.00	---	Peak	5	441.28	23.71	-22.29	46.00	31.04	22.77	3.06	33.16	---	Peak	6	587.75	27.47	-18.53	46.00	31.31	25.92	3.53	33.29	---	Peak	<p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with peaks labeled 1 through 6. A red line indicates the FCC PART 15C limit, which is constant at 46.7 dBuV/m. The signal level is generally below this limit.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>41.64</td><td>36.65</td><td>-3.35</td><td>40.00</td><td>50.20</td><td>18.71</td><td>0.65</td><td>32.91</td><td>100</td><td>284 QP</td></tr> <tr><td>2</td><td>82.38</td><td>27.15</td><td>-12.85</td><td>40.00</td><td>45.03</td><td>13.82</td><td>1.21</td><td>32.91</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>157.07</td><td>28.56</td><td>-14.94</td><td>43.50</td><td>42.99</td><td>16.67</td><td>1.81</td><td>32.91</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>250.19</td><td>21.73</td><td>-24.27</td><td>46.00</td><td>33.88</td><td>18.56</td><td>2.30</td><td>33.01</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>329.73</td><td>20.55</td><td>-25.45</td><td>46.00</td><td>30.76</td><td>20.09</td><td>2.65</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>441.28</td><td>26.92</td><td>-19.08</td><td>46.00</td><td>34.25</td><td>22.77</td><td>3.06</td><td>33.16</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	41.64	36.65	-3.35	40.00	50.20	18.71	0.65	32.91	100	284 QP	2	82.38	27.15	-12.85	40.00	45.03	13.82	1.21	32.91	---	Peak	3	157.07	28.56	-14.94	43.50	42.99	16.67	1.81	32.91	---	Peak	4	250.19	21.73	-24.27	46.00	33.88	18.56	2.30	33.01	---	Peak	5	329.73	20.55	-25.45	46.00	30.76	20.09	2.65	32.95	---	Peak	6	441.28	26.92	-19.08	46.00	34.25	22.77	3.06	33.16	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	85.29	24.86	-15.14	46.00	42.29	14.20	1.26	32.89	---	Peak																																																																																																																																																		
2	156.10	25.53	-17.97	43.50	39.91	16.72	1.81	32.91	---	Peak																																																																																																																																																		
3	248.25	28.92	-17.08	46.00	41.31	18.33	2.29	33.01	---	Peak																																																																																																																																																		
4	293.84	26.40	-19.60	46.00	37.69	19.20	2.51	33.00	---	Peak																																																																																																																																																		
5	441.28	23.71	-22.29	46.00	31.04	22.77	3.06	33.16	---	Peak																																																																																																																																																		
6	587.75	27.47	-18.53	46.00	31.31	25.92	3.53	33.29	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	41.64	36.65	-3.35	40.00	50.20	18.71	0.65	32.91	100	284 QP																																																																																																																																																		
2	82.38	27.15	-12.85	40.00	45.03	13.82	1.21	32.91	---	Peak																																																																																																																																																		
3	157.07	28.56	-14.94	43.50	42.99	16.67	1.81	32.91	---	Peak																																																																																																																																																		
4	250.19	21.73	-24.27	46.00	33.88	18.56	2.30	33.01	---	Peak																																																																																																																																																		
5	329.73	20.55	-25.45	46.00	30.76	20.09	2.65	32.95	---	Peak																																																																																																																																																		
6	441.28	26.92	-19.08	46.00	34.25	22.77	3.06	33.16	---	Peak																																																																																																																																																		

## Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	96.97	1.393	0.718	0.75kHz
802.11n HT20	96.78	1.306	0.766	0.82kHz
802.11n HT40	93.68	0.645	1.551	1.7kHz
802.11ax HE20	95.90	1.017	0.983	1kHz
802.11ax HE40	92.44	0.532	1.880	2kHz
802.11ax HE20-26RU	98.84	-	-	10Hz
802.11ax HE20-52RU	100.00	-	-	10Hz
802.11ax HE20-106RU	98.82	-	-	10Hz

### 802.11b






802.11g




802.11n HT20






802.11n HT40




802.11ax HE20






802.11ax HE40




802.11ax HE20 – 26RU



Date: 24.APR.2023 14:36:31



802.11ax HE20 – 52RU



802.11ax HE20 – 106RU

