





11AX40MIMO_Ant2_5230




11AX40MIMO_Ant1_5230








11AX40MIMO_Ant2_5270




11AX40MIMO_Ant1_5270












11AX40MIMO_Ant2_5510







11AX40MIMO_Ant1_5510



































11AX80MIMO_Ant2_5530






11AX80MIMO_Ant1_5530













Partial RU

Power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant2	5180	26Tone	RU0	5.92	≤11.00	PASS
			52Tone	RU37	5.69	≤11.00	PASS
			106Tone	RU53	6.43	≤11.00	PASS
	Ant1	5180	26Tone	RU0	6.19	≤11.00	PASS
			52Tone	RU37	6	≤11.00	PASS
			106Tone	RU53	6.33	≤11.00	PASS
	total	5180	26Tone	RU0	9.07	≤11.00	PASS
			52Tone	RU37	8.86	≤11.00	PASS
			106Tone	RU53	9.39	≤11.00	PASS
	Ant2	5220	26Tone	RU0	6.08	≤11.00	PASS
			52Tone	RU37	5.88	≤11.00	PASS
			106Tone	RU53	6.44	≤11.00	PASS
	Ant1	5220	26Tone	RU0	6.02	≤11.00	PASS
			52Tone	RU37	5.8	≤11.00	PASS
			106Tone	RU53	6.17	≤11.00	PASS
	total	5220	26Tone	RU0	9.06	≤11.00	PASS
			52Tone	RU37	8.85	≤11.00	PASS
			106Tone	RU53	9.32	≤11.00	PASS
	Ant2	5240	26Tone	RU8	6.25	≤11.00	PASS
			52Tone	RU40	6.14	≤11.00	PASS
			106Tone	RU54	6.69	≤11.00	PASS
	Ant1	5240	26Tone	RU8	5.97	≤11.00	PASS
			52Tone	RU40	5.77	≤11.00	PASS
			106Tone	RU54	6.23	≤11.00	PASS
	total	5240	26Tone	RU8	9.12	≤11.00	PASS
			52Tone	RU40	8.97	≤11.00	PASS
			106Tone	RU54	9.48	≤11.00	PASS
	Ant2	5260	26Tone	RU0	7.08	≤11.00	PASS
			52Tone	RU37	6.72	≤11.00	PASS
			106Tone	RU53	6.97	≤11.00	PASS
	Ant1	5260	26Tone	RU0	5.54	≤11.00	PASS
			52Tone	RU37	6.17	≤11.00	PASS
			106Tone	RU53	6.27	≤11.00	PASS



	total	5260	26Tone	RU0	9.39	≤11.00	PASS
			52Tone	RU37	9.46	≤11.00	PASS
			106Tone	RU53	9.64	≤11.00	PASS
	Ant2	5300	26Tone	RU0	7.36	≤11.00	PASS
			52Tone	RU37	7.05	≤11.00	PASS
			106Tone	RU53	7.19	≤11.00	PASS
	Ant1	5300	26Tone	RU0	4.17	≤11.00	PASS
			52Tone	RU37	4.76	≤11.00	PASS
			106Tone	RU53	5.66	≤11.00	PASS
	total	5300	26Tone	RU0	9.06	≤11.00	PASS
			52Tone	RU37	9.06	≤11.00	PASS
			106Tone	RU53	9.50	≤11.00	PASS
	Ant2	5320	26Tone	RU8	7.18	≤11.00	PASS
			52Tone	RU40	6.66	≤11.00	PASS
			106Tone	RU54	6.86	≤11.00	PASS
	Ant1	5320	26Tone	RU8	5.25	≤11.00	PASS
			52Tone	RU40	5.84	≤11.00	PASS
			106Tone	RU54	6.09	≤11.00	PASS
	total	5320	26Tone	RU8	9.33	≤11.00	PASS
			52Tone	RU40	9.28	≤11.00	PASS
			106Tone	RU54	9.50	≤11.00	PASS
	Ant2	5500	26Tone	RU0	3.77	≤11.00	PASS
			52Tone	RU37	4.19	≤11.00	PASS
			106Tone	RU53	3.94	≤11.00	PASS
Ant1	5500	26Tone	RU0	4.47	≤11.00	PASS	
		52Tone	RU37	4.87	≤11.00	PASS	
		106Tone	RU53	4.62	≤11.00	PASS	
total	5500	26Tone	RU0	7.14	≤11.00	PASS	
		52Tone	RU37	7.55	≤11.00	PASS	
		106Tone	RU53	7.30	≤11.00	PASS	
Ant2	5580	26Tone	RU0	4.04	≤11.00	PASS	
		52Tone	RU37	3.95	≤11.00	PASS	
		106Tone	RU53	3.84	≤11.00	PASS	
Ant1	5580	26Tone	RU0	4.2	≤11.00	PASS	
		52Tone	RU37	4.03	≤11.00	PASS	
		106Tone	RU53	4.06	≤11.00	PASS	
total	5580	26Tone	RU0	7.13	≤11.00	PASS	
		52Tone	RU37	7.00	≤11.00	PASS	
		106Tone	RU53	6.96	≤11.00	PASS	
Ant2	5700	26Tone	RU8	3.95	≤11.00	PASS	
		52Tone	RU40	4.26	≤11.00	PASS	



			106Tone	RU54	3.92	≤11.00	PASS
	Ant1	5700	26Tone	RU8	3.37	≤11.00	PASS
			52Tone	RU40	3.76	≤11.00	PASS
			106Tone	RU54	3.64	≤11.00	PASS
	total	5700	26Tone	RU8	6.68	≤11.00	PASS
			52Tone	RU40	7.03	≤11.00	PASS
			106Tone	RU54	6.79	≤11.00	PASS
	Ant2	5720	26Tone	RU8	3.43	≤11.00	PASS
			52Tone	RU40	3.8	≤11.00	PASS
			106Tone	RU54	3.52	≤11.00	PASS
	Ant1	5720	26Tone	RU8	4.02	≤11.00	PASS
			52Tone	RU40	4.35	≤11.00	PASS
			106Tone	RU54	3.87	≤11.00	PASS
	total	5720	26Tone	RU8	6.75	≤11.00	PASS
			52Tone	RU40	7.09	≤11.00	PASS
			106Tone	RU54	6.71	≤11.00	PASS
	Ant2	5745	26Tone	RU0	1.71	≤30.00	PASS
			52Tone	RU37	2.12	≤30.00	PASS
			106Tone	RU53	1.91	≤30.00	PASS
	Ant1	5745	26Tone	RU0	1.11	≤30.00	PASS
			52Tone	RU37	1.24	≤30.00	PASS
			106Tone	RU53	1.68	≤30.00	PASS
	total	5745	26Tone	RU0	4.43	≤30.00	PASS
			52Tone	RU37	4.71	≤30.00	PASS
			106Tone	RU53	4.81	≤30.00	PASS
	Ant2	5785	26Tone	RU0	1.52	≤30.00	PASS
			52Tone	RU37	1.81	≤30.00	PASS
			106Tone	RU53	1.65	≤30.00	PASS
	Ant1	5785	26Tone	RU0	1.41	≤30.00	PASS
			52Tone	RU37	1.75	≤30.00	PASS
			106Tone	RU53	1.52	≤30.00	PASS
	total	5785	26Tone	RU0	4.48	≤30.00	PASS
			52Tone	RU37	4.79	≤30.00	PASS
			106Tone	RU53	4.60	≤30.00	PASS
	Ant2	5825	26Tone	RU8	1.2	≤30.00	PASS
			52Tone	RU40	1.62	≤30.00	PASS
			106Tone	RU54	1.44	≤30.00	PASS
	Ant1	5825	26Tone	RU8	0.86	≤30.00	PASS
			52Tone	RU40	1.07	≤30.00	PASS
			106Tone	RU54	1.18	≤30.00	PASS
	total	5825	26Tone	RU8	4.04	≤30.00	PASS





			52Tone	RU40	4.36	≤30.00	PASS
			106Tone	RU54	4.32	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant2_5180_106Tone_RU53







Date: 18.APR.2023 02:58:19

11AX20MIMO_Ant1_5180_26Tone_RU0




Date: 18.APR.2023 12:45:51








11AX20MIMO_Ant2_5220_106Tone_RU53





Date: 18.APR.2023 03:02:56

11AX20MIMO_Ant1_5220_26Tone_RU0




Date: 18.APR.2023 03:01:07






11AX20MIMO_Ant2_5240_26Tone_RU8



Date: 18.APR.2023 03:05:17


11AX20MIMO_Ant2_5240_52Tone_RU40



Date: 18.APR.2023 03:07:15




11AX20MIMO_Ant2_5240_106Tone_RU54



Date: 18.APR.2023 03:07:52


11AX20MIMO_Ant1_5240_26Tone_RU8



Date: 18.APR.2023 03:06:08




11AX20MIMO_Ant1_5240_52Tone_RU40





Date: 18.APR.2023 03:07:30

11AX20MIMO_Ant1_5240_106Tone_RU54




Date: 18.APR.2023 03:08:08






11AX20MIMO_Ant2_5260_106Tone_RU53





Date: 18.APR.2023 03:12:37

11AX20MIMO_Ant1_5260_26Tone_RU0




Date: 18.APR.2023 03:11:23






11AX20MIMO_Ant2_5300_106Tone_RU53



Date: 18.APR.2023 03:15:12


11AX20MIMO_Ant1_5300_26Tone_RU0




Date: 18.APR.2023 03:13:37



11AX20MIMO_Ant1_5300_52Tone_RU37




11AX20MIMO_Ant1_5300_106Tone_RU53






11AX20MIMO_Ant2_5320_26Tone_RU8



Date: 18.APR.2023 03:16:24


11AX20MIMO_Ant2_5320_52Tone_RU40



Date: 18.APR.2023 03:17:31




11AX20MIMO_Ant2_5320_106Tone_RU54



Date: 18.APR.2023 03:18:07


11AX20MIMO_Ant1_5320_26Tone_RU8



Date: 18.APR.2023 03:16:53




11AX20MIMO_Ant1_5320_52Tone_RU40





Date: 18.APR.2023 03:17:47

11AX20MIMO_Ant1_5320_106Tone_RU54




Date: 18.APR.2023 03:18:23






11AX20MIMO_Ant2_5500_106Tone_RU53





Date: 18.APR.2023 12:51:45

11AX20MIMO_Ant1_5500_26Tone_RU0




Date: 18.APR.2023 12:47:14






11AX20MIMO_Ant2_5580_26Tone_RU0



Date: 18.APR.2023 13:04:22


11AX20MIMO_Ant2_5580_52Tone_RU37



Date: 18.APR.2023 13:05:27




11AX20MIMO_Ant2_5580_106Tone_RU53



Date: 18.APR.2023 13:08:18


11AX20MIMO_Ant1_5580_26Tone_RU0



Date: 18.APR.2023 13:04:32




11AX20MIMO_Ant1_5580_52Tone_RU37



Date: 18.APR.2023 13:05:44


11AX20MIMO_Ant1_5580_106Tone_RU53



Date: 18.APR.2023 13:08:28




11AX20MIMO_Ant2_5700_26Tone_RU8



Date: 18.APR.2023 13:10:27


11AX20MIMO_Ant2_5700_52Tone_RU40




Date: 18.APR.2023 13:11:35



11AX20MIMO_Ant2_5700_106Tone_RU54




11AX20MIMO_Ant1_5700_26Tone_RU8






11AX20MIMO_Ant1_5700_52Tone_RU40



Date: 18.APR.2023 13:11:51


11AX20MIMO_Ant1_5700_106Tone_RU54




Date: 18.APR.2023 13:14:26



11AX20MIMO_Ant2_5720_26Tone_RU8




11AX20MIMO_Ant2_5720_52Tone_RU40






11AX20MIMO_Ant2_5720_106Tone_RU54



Date: 18.APR.2023 13:22:47


11AX20MIMO_Ant1_5720_26Tone_RU8



Date: 18.APR.2023 13:16:48




11AX20MIMO_Ant1_5720_52Tone_RU40



Date: 18.APR.2023 13:18:03


11AX20MIMO_Ant1_5720_106Tone_RU54



Date: 18.APR.2023 13:22:57




11AX20MIMO_Ant2_5745_26Tone_RU0



Date: 18.APR.2023 13:25:20


11AX20MIMO_Ant2_5745_52Tone_RU37



Date: 18.APR.2023 13:39:35




11AX20MIMO_Ant2_5745_106Tone_RU53






Date: 18.APR.2023 13:38:04



11AX20MIMO_Ant1_5745_26Tone_RU0



Date: 18.APR.2023 13:25:30











11AX20MIMO_Ant1_5785_52Tone_RU37



Date: 18.APR.2023 13:43:56


11AX20MIMO_Ant1_5785_106Tone_RU53



Date: 18.APR.2023 13:47:05




11AX20MIMO_Ant2_5825_26Tone_RU8



Date: 18.APR.2023 13:48:04


11AX20MIMO_Ant2_5825_52Tone_RU40




Date: 18.APR.2023 13:50:02



11AX20MIMO_Ant2_5825_106Tone_RU54




11AX20MIMO_Ant1_5825_26Tone_RU8






11AX20MIMO_Ant1_5825_52Tone_RU40



Date: 18.APR.2023 13:50:12

11AX20MIMO_Ant1_5825_106Tone_RU54




Date: 18.APR.2023 13:51:48



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.150	56.70	-9.30	66.00	46.20	0.07	10.43	QP
2	0.150	41.00	-15.00	56.00	30.50	0.07	10.43	Average
3 *	0.191	57.25	-6.73	63.98	46.80	0.03	10.42	QP
4	0.191	37.05	-16.93	53.98	26.60	0.03	10.42	Average
5	0.240	54.33	-7.75	62.08	43.90	0.04	10.39	QP
6	0.240	31.63	-20.45	52.08	21.20	0.04	10.39	Average
7	0.296	45.61	-14.76	60.37	35.20	0.06	10.35	QP
8	0.296	27.01	-23.36	50.37	16.60	0.06	10.35	Average
9	0.570	35.94	-20.06	56.00	25.80	-0.05	10.19	QP
10	0.570	21.34	-24.66	46.00	11.20	-0.05	10.19	Average
11	14.517	38.79	-21.21	60.00	27.80	-0.21	11.20	QP
12	14.517	29.19	-20.81	50.00	18.20	-0.21	11.20	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.153	51.96	-13.86	65.82	41.50	0.03	10.43	QP
2	0.153	36.36	-19.46	55.82	25.90	0.03	10.43	Average
3 *	0.187	50.97	-13.18	64.15	40.50	0.05	10.42	QP
4	0.187	32.07	-22.08	54.15	21.60	0.05	10.42	Average
5	0.283	44.82	-15.90	60.72	34.50	-0.04	10.36	QP
6	0.283	26.12	-24.60	50.72	15.80	-0.04	10.36	Average
7	0.329	39.78	-19.71	59.49	29.51	-0.06	10.33	QP
8	0.329	24.48	-25.01	49.49	14.21	-0.06	10.33	Average
9	0.440	40.69	-16.38	57.07	30.50	-0.07	10.26	QP
10	0.440	30.79	-16.28	47.07	20.60	-0.07	10.26	Average
11	0.535	37.62	-18.38	56.00	27.50	-0.08	10.20	QP
12	0.535	28.22	-17.78	46.00	18.10	-0.08	10.20	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ren qiang ji	Relative Humidity :	41~42%
		Temperature :	22~23°C



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1+2	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1+2	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1+2	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1+2	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1+2	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1+2	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1+2	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	1+2	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	1+2	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	1+2	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	1+2	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 13	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 14	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 15	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 16	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 17	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 18	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 19	U-NII-2C	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2C	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2A	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	140	5700	MCS0	RU26/8	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-1	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2C	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2C	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	1+2	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 32	U-NII-1	5.15-5.25	1+2	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 33	U-NII-2A	5.25-5.35	1+2	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 34	U-NII-2A	5.25-5.35	1+2	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 35	U-NII-2C	5.47-5.725	1+2	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 36	U-NII-2C	5.47-5.725	1+2	802.11ax HE40	110	5550	MCS0	Full RU	-
Mode 37	U-NII-2C	5.47-5.725	1+2	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 38	U-NII-1	5.15-5.25	1+2	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 39	U-NII-2A	5.25-5.35	1+2	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 40	U-NII-2C	5.47-5.725	1+2	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 41	U-NII-2C	5.47-5.725	1+2	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 42	U-NII-3	5.725-5.85	1+2	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	1+2	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	1+2	802.11a	165	5825	6Mbps	-	-



Mode 45	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 46	U-NII-3	5.725-5.85	1+2	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 47	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 48	U-NII-3	5.725-5.85	1+2	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 49	U-NII-3	5.725-5.85	1+2	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 50	U-NII-3	5.725-5.85	1+2	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 51	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 52	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 53	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 54	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 55	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 57	U-NII-1	5.15-5.25	1+2	802.11n HT20	36	5180	MCS0	-	-
Mode 58	U-NII-1	5.15-5.25	1+2	802.11n HT20	44	5220	MCS0	-	-
Mode 59	U-NII-1	5.15-5.25	1+2	802.11n HT20	48	5240	MCS0	-	-

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 60	U-NII-2A	5.25-5.35	1+2	802.11n HT20	52	5260	MCS0	-	-
Mode 61	U-NII-2A	5.25-5.35	1+2	802.11n HT20	60	5300	MCS0	-	-
Mode 62	U-NII-2A	5.25-5.35	1+2	802.11n HT20	64	5320	MCS0	-	-
Mode 63	U-NII-2C	5.47-5.725	1+2	802.11n HT20	100	5500	MCS0	-	-
Mode 64	U-NII-2C	5.47-5.725	1+2	802.11n HT20	116	5580	MCS0	-	-
Mode 65	U-NII-2C	5.47-5.725	1+2	802.11n HT20	140	5700	MCS0	-	-
Mode 66	U-NII-1	5.15-5.25	1+2	802.11n HT40	38	5190	MCS0	-	-



Mode 67	U-NII-1	5.15-5.25	1+2	802.11n HT40	46	5230	MCS0	-	-
Mode 68	U-NII-2A	5.25-5.35	1+2	802.11n HT40	54	5270	MCS0	-	-
Mode 69	U-NII-2A	5.25-5.35	1+2	802.11n HT40	62	5310	MCS0	-	-
Mode 70	U-NII-2C	5.47-5.725	1+2	802.11n HT40	102	5510	MCS0	-	-
Mode 71	U-NII-2C	5.47-5.725	1+2	802.11n HT40	110	5550	MCS0	-	-
Mode 72	U-NII-2C	5.47-5.725	1+2	802.11n HT40	134	5670	MCS0	-	-
Mode 73	U-NII-3	5.725-5.85	1+2	802.11n HT20	149	5745	MCS0	-	-
Mode 74	U-NII-3	5.725-5.85	1+2	802.11n HT20	157	5785	MCS0	-	-
Mode 75	U-NII-3	5.725-5.85	1+2	802.11n HT20	165	5825	MCS0	-	-
Mode 76	U-NII-3	5.725-5.85	1+2	802.11n HT40	151	5755	MCS0	-	-
Mode 77	U-NII-3	5.725-5.85	1+2	802.11n HT40	159	5795	MCS0	-	-
Mode 78	U-NII-2C	5.47-5.85	1+2	802.11a	144	-	6Mbps	-	-
Mode 79	U-NII-2C	5.47-5.85	1+2	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 80	U-NII-2C	5.47-5.85	1+2	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 81	U-NII-2C	5.47-5.85	1+2	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 82	U-NII-2C	5.47-5.85	1+2	802.11n HT20	144	5720	MCS0	-	-
Mode 83	U-NII-2C	5.47-5.85	1+2	802.11n HT40	142	5710	MCS0	-	-
Mode 84	U-NII-2C	5.47-5.725	2	802.11n HT20	140	5700	MCS0	-	-
	2400-2483.5	2.4-2.4835	1	802.11n HT20	01	2412	MCS0	-	-
Mode 85	U-NII-2C	5.47-5.725	1	802.11n HT20	140	5700	MCS0	-	-
	2400-2483.5	2.4-2.4835	2	802.11n HT20	01	2412	MCS0	-	-
Mode 86	U-NII-2C	5.47-5.725	1+2	802.11n HT20	140	5700	MCS0	-	-
	2400-2483.5	2.4-2.4835	2	Bluetooth LE	39	2480	2Mbps	-	-
Mode 87	U-NII-2C	5.47-5.725	1+2	802.11n HT20	140	5700	MCS0	-	LF
Mode 88	U-NII-3	5.725-5.85	1+2	802.11ax HE80	155	5775	MCS0	Full RU	LF