






Mode	50																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																		
ANT	1+2																																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																																	
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.55</td> <td>58.82</td> <td>68.30</td> <td>-9.48</td> <td>40.62</td> <td>34.68</td> <td>13.30</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>1</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.23</td> <td>56.71</td> <td>68.47</td> <td>-11.76</td> <td>38.48</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>1</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.65</td> <td>67.57</td> <td>110.52</td> <td>-42.95</td> <td>48.89</td> <td>34.82</td> <td>13.65</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>1</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.58</td> <td>63.79</td> <td>112.21</td> <td>-48.42</td> <td>45.09</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>1</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.55	58.82	68.30	-9.48	40.62	34.68	13.30	29.78	0.00	100	1	PEAK	2	5650.23	56.71	68.47	-11.76	38.48	34.69	13.32	29.78	0.00	100	1	PEAK	3	5718.65	67.57	110.52	-42.95	48.89	34.82	13.65	29.79	0.00	100	1	PEAK	4	5728.58	63.79	112.21	-48.42	45.09	34.83	13.66	29.79	0.00	100	1	PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>98.85</td> <td>-----</td> <td>-----</td> <td>79.39</td> <td>34.97</td> <td>14.26</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>1</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	98.85	-----	-----	79.39	34.97	14.26	29.77	0.00	100	1	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5646.55	58.82	68.30	-9.48	40.62	34.68	13.30	29.78	0.00	100	1	PEAK																																																																																																																							
2	5650.23	56.71	68.47	-11.76	38.48	34.69	13.32	29.78	0.00	100	1	PEAK																																																																																																																							
3	5718.65	67.57	110.52	-42.95	48.89	34.82	13.65	29.79	0.00	100	1	PEAK																																																																																																																							
4	5728.58	63.79	112.21	-48.42	45.09	34.83	13.66	29.79	0.00	100	1	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5775.00	98.85	-----	-----	79.39	34.97	14.26	29.77	0.00	100	1	PEAK																																																																																																																							
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.61</td> <td>-----</td> <td>-----</td> <td>72.42</td> <td>34.92</td> <td>14.05</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>1</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	91.61	-----	-----	72.42	34.92	14.05	29.78	0.00	100	1	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5775.00	91.61	-----	-----	72.42	34.92	14.05	29.78	0.00	100	1	AVERAGE																																																																																																																							



Mode	50																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																			
ANT	1+2																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5853.40</td> <td>65.90</td> <td>114.55</td> <td>-48.65</td> <td>46.58</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> <tr> <td>2 5862.15</td> <td>64.35</td> <td>108.90</td> <td>-44.55</td> <td>45.07</td> <td>35.09</td> <td>13.98</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> <tr> <td>3 5923.93</td> <td>57.33</td> <td>69.09</td> <td>-11.76</td> <td>38.27</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> <tr> <td>4 5947.20</td> <td>58.82</td> <td>68.30</td> <td>-9.48</td> <td>39.79</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5853.40	65.90	114.55	-48.65	46.58	35.08	14.03	29.79	0.00	100	1 PEAK	2 5862.15	64.35	108.90	-44.55	45.07	35.09	13.98	29.79	0.00	100	1 PEAK	3 5923.93	57.33	69.09	-11.76	38.27	35.19	13.69	29.82	0.00	100	1 PEAK	4 5947.20	58.82	68.30	-9.48	39.79	35.22	13.65	29.84	0.00	100	1 PEAK	Blank
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5853.40	65.90	114.55	-48.65	46.58	35.08	14.03	29.79	0.00	100	1 PEAK																																																										
2 5862.15	64.35	108.90	-44.55	45.07	35.09	13.98	29.79	0.00	100	1 PEAK																																																										
3 5923.93	57.33	69.09	-11.76	38.27	35.19	13.69	29.82	0.00	100	1 PEAK																																																										
4 5947.20	58.82	68.30	-9.48	39.79	35.22	13.65	29.84	0.00	100	1 PEAK																																																										



Mode	50																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Horizontal	Vertical																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>52.54</td> <td>74.00</td> <td>-21.46</td> <td>61.03</td> <td>38.43</td> <td>18.50</td> <td>65.42</td> <td>0.00</td> <td>308</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11550.00</td> <td>44.14</td> <td>54.00</td> <td>-9.86</td> <td>52.62</td> <td>38.43</td> <td>18.51</td> <td>65.42</td> <td>0.00</td> <td>308</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	52.54	74.00	-21.46	61.03	38.43	18.50	65.42	0.00	308	105	PEAK	2	11550.00	44.14	54.00	-9.86	52.62	38.43	18.51	65.42	0.00	308	105	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>59.16</td> <td>74.00</td> <td>-14.84</td> <td>67.65</td> <td>38.43</td> <td>18.50</td> <td>65.42</td> <td>0.00</td> <td>203</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11550.00</td> <td>50.93</td> <td>54.00</td> <td>-3.07</td> <td>59.42</td> <td>38.43</td> <td>18.50</td> <td>65.42</td> <td>0.00</td> <td>203</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	59.16	74.00	-14.84	67.65	38.43	18.50	65.42	0.00	203	78	PEAK	2	11550.00	50.93	54.00	-3.07	59.42	38.43	18.50	65.42	0.00	203	78	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11550.00	52.54	74.00	-21.46	61.03	38.43	18.50	65.42	0.00	308	105	PEAK																																																																																																					
2	11550.00	44.14	54.00	-9.86	52.62	38.43	18.51	65.42	0.00	308	105	AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	11550.00	59.16	74.00	-14.84	67.65	38.43	18.50	65.42	0.00	203	78	PEAK																																																																																																					
2	11550.00	50.93	54.00	-3.07	59.42	38.43	18.50	65.42	0.00	203	78	AVERAGE																																																																																																					



51																																																																																	
Mode	Band Edge																																																																																
U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																	
ANT	1+2																																																																																
Pol.	Horizontal																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.75</td> <td>58.26</td> <td>68.30</td> <td>-10.04</td> <td>40.09</td> <td>34.67</td> <td>13.28</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>160</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.19</td> <td>56.50</td> <td>69.18</td> <td>-12.68</td> <td>38.27</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>160</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.78</td> <td>58.11</td> <td>105.52</td> <td>-47.41</td> <td>39.64</td> <td>34.78</td> <td>13.49</td> <td>29.00</td> <td>0.00</td> <td>300</td> <td>160</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.79</td> <td>57.40</td> <td>112.69</td> <td>-55.29</td> <td>38.70</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.75	58.26	68.30	-10.04	40.09	34.67	13.28	29.78	0.00	300	160	PEAK	2	5651.19	56.50	69.18	-12.68	38.27	34.69	13.32	29.78	0.00	300	160	PEAK	3	5700.78	58.11	105.52	-47.41	39.64	34.78	13.49	29.00	0.00	300	160	PEAK	4	5720.79	57.40	112.69	-55.29	38.70	34.83	13.66	29.79	0.00	300	160	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5640.75	58.26	68.30	-10.04	40.09	34.67	13.28	29.78	0.00	300	160	PEAK																																																																					
2	5651.19	56.50	69.18	-12.68	38.27	34.69	13.32	29.78	0.00	300	160	PEAK																																																																					
3	5700.78	58.11	105.52	-47.41	39.64	34.78	13.49	29.00	0.00	300	160	PEAK																																																																					
4	5720.79	57.40	112.69	-55.29	38.70	34.83	13.66	29.79	0.00	300	160	PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.23</td> <td>-----</td> <td>-----</td> <td>88.39</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.23	-----	-----	88.39	34.85	13.78	29.79	0.00	300	160	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	107.23	-----	-----	88.39	34.85	13.78	29.79	0.00	300	160	PEAK																																																																					
Avg	Blank																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.85</td> <td>-----</td> <td>-----</td> <td>80.01</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.85	-----	-----	80.01	34.85	13.78	29.79	0.00	300	160	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	98.85	-----	-----	80.01	34.85	13.78	29.79	0.00	300	160	AVERAGE																																																																					



		51																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.95</td> <td>58.59</td> <td>68.30</td> <td>-9.71</td> <td>40.43</td> <td>34.66</td> <td>13.27</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>56.20</td> <td>68.43</td> <td>-12.23</td> <td>37.97</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5785.56</td> <td>57.92</td> <td>106.86</td> <td>-48.94</td> <td>39.40</td> <td>34.79</td> <td>13.53</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.64</td> <td>59.56</td> <td>112.36</td> <td>-52.80</td> <td>40.86</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.95	58.59	68.30	-9.71	40.43	34.66	13.27	29.77	0.00	100	350	PEAK	2	5650.17	56.20	68.43	-12.23	37.97	34.69	13.32	29.78	0.00	100	350	PEAK	3	5785.56	57.92	106.86	-48.94	39.40	34.79	13.53	29.80	0.00	100	350	PEAK	4	5728.64	59.56	112.36	-52.80	40.86	34.83	13.66	29.79	0.00	100	350	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.07</td> <td>-----</td> <td>-----</td> <td>84.23</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.07	-----	-----	84.23	34.85	13.78	29.79	0.00	100	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5634.95	58.59	68.30	-9.71	40.43	34.66	13.27	29.77	0.00	100	350	PEAK																																																																																																																					
2	5650.17	56.20	68.43	-12.23	37.97	34.69	13.32	29.78	0.00	100	350	PEAK																																																																																																																					
3	5785.56	57.92	106.86	-48.94	39.40	34.79	13.53	29.80	0.00	100	350	PEAK																																																																																																																					
4	5728.64	59.56	112.36	-52.80	40.86	34.83	13.66	29.79	0.00	100	350	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	103.07	-----	-----	84.23	34.85	13.78	29.79	0.00	100	350	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.20</td> <td>-----</td> <td>-----</td> <td>78.28</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.20	-----	-----	78.28	34.87	13.84	29.79	0.00	100	350	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	97.20	-----	-----	78.28	34.87	13.84	29.79	0.00	100	350	AVERAGE																																																																																																																					



Mode	52																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																										
ANT	1+2																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>59.22</td> <td>111.47</td> <td>-52.25</td> <td>39.90</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>107</td> <td>151</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.13</td> <td>58.97</td> <td>105.82</td> <td>-46.85</td> <td>39.74</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>107</td> <td>151</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>55.86</td> <td>68.76</td> <td>-12.90</td> <td>36.80</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>107</td> <td>151</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.50</td> <td>59.02</td> <td>68.30</td> <td>-9.28</td> <td>39.96</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>107</td> <td>151</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.75	59.22	111.47	-52.25	39.90	35.08	14.03	29.79	0.00	107	151	PEAK	2	5873.13	58.97	105.82	-46.85	39.74	35.11	13.91	29.79	0.00	107	151	PEAK	3	5924.38	55.86	68.76	-12.90	36.80	35.19	13.69	29.82	0.00	107	151	PEAK	4	5925.50	59.02	68.30	-9.28	39.96	35.19	13.69	29.82	0.00	107	151	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.93</td> <td>-----</td> <td>-----</td> <td>88.52</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>107</td> <td>151</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.93	-----	-----	88.52	35.05	14.14	29.78	0.00	107	151	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.75	59.22	111.47	-52.25	39.90	35.08	14.03	29.79	0.00	107	151	PEAK																																																																																																															
2	5873.13	58.97	105.82	-46.85	39.74	35.11	13.91	29.79	0.00	107	151	PEAK																																																																																																															
3	5924.38	55.86	68.76	-12.90	36.80	35.19	13.69	29.82	0.00	107	151	PEAK																																																																																																															
4	5925.50	59.02	68.30	-9.28	39.96	35.19	13.69	29.82	0.00	107	151	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	107.93	-----	-----	88.52	35.05	14.14	29.78	0.00	107	151	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.07</td> <td>-----</td> <td>-----</td> <td>80.66</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>107</td> <td>151</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.07	-----	-----	80.66	35.05	14.14	29.78	0.00	107	151	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	100.07	-----	-----	80.66	35.05	14.14	29.78	0.00	107	151	AVERAGE																																																																																																															






	52																																																																																																																					
Mode	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																					
ANT	1+2																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.75</td> <td>56.17</td> <td>111.47</td> <td>-55.30</td> <td>36.85</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>107</td> <td>197</td> <td>PEAK</td> </tr> <tr> <td>2 5874.50</td> <td>57.22</td> <td>105.44</td> <td>-48.22</td> <td>38.00</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>107</td> <td>197</td> <td>PEAK</td> </tr> <tr> <td>3 5924.63</td> <td>57.96</td> <td>68.58</td> <td>-10.62</td> <td>38.90</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>107</td> <td>197</td> <td>PEAK</td> </tr> <tr> <td>4 5935.38</td> <td>59.07</td> <td>68.30</td> <td>-9.23</td> <td>40.03</td> <td>35.20</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>107</td> <td>197</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.75	56.17	111.47	-55.30	36.85	35.08	14.03	29.79	0.00	107	197	PEAK	2 5874.50	57.22	105.44	-48.22	38.00	35.11	13.90	29.79	0.00	107	197	PEAK	3 5924.63	57.96	68.58	-10.62	38.90	35.19	13.69	29.82	0.00	107	197	PEAK	4 5935.38	59.07	68.30	-9.23	40.03	35.20	13.67	29.83	0.00	107	197	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>103.37</td> <td>-----</td> <td>-----</td> <td>83.96</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>107</td> <td>197</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	103.37	-----	-----	83.96	35.05	14.14	29.78	0.00	107	197	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5854.75	56.17	111.47	-55.30	36.85	35.08	14.03	29.79	0.00	107	197	PEAK																																																																																																											
2 5874.50	57.22	105.44	-48.22	38.00	35.11	13.90	29.79	0.00	107	197	PEAK																																																																																																											
3 5924.63	57.96	68.58	-10.62	38.90	35.19	13.69	29.82	0.00	107	197	PEAK																																																																																																											
4 5935.38	59.07	68.30	-9.23	40.03	35.20	13.67	29.83	0.00	107	197	PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5825.00	103.37	-----	-----	83.96	35.05	14.14	29.78	0.00	107	197	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>95.91</td> <td>-----</td> <td>-----</td> <td>76.50</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>107</td> <td>197</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	95.91	-----	-----	76.50	35.05	14.14	29.78	0.00	107	197	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5825.00	95.91	-----	-----	76.50	35.05	14.14	29.78	0.00	107	197	AVERAGE																																																																																																											



		53																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.05</td> <td>58.30</td> <td>68.30</td> <td>-10.00</td> <td>40.11</td> <td>34.68</td> <td>13.29</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>55.93</td> <td>68.32</td> <td>-12.39</td> <td>37.70</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.53</td> <td>58.15</td> <td>106.29</td> <td>-48.14</td> <td>39.65</td> <td>34.79</td> <td>13.51</td> <td>29.00</td> <td>0.00</td> <td>300</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>56.41</td> <td>111.70</td> <td>-55.29</td> <td>37.72</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.05	58.30	68.30	-10.00	40.11	34.68	13.29	29.78	0.00	300	150	PEAK	2	5650.03	55.93	68.32	-12.39	37.70	34.69	13.32	29.78	0.00	300	150	PEAK	3	5703.53	58.15	106.29	-48.14	39.65	34.79	13.51	29.00	0.00	300	150	PEAK	4	5720.35	56.41	111.70	-55.29	37.72	34.82	13.66	29.79	0.00	300	150	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.65</td> <td>-----</td> <td>-----</td> <td>88.73</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.65	-----	-----	88.73	34.87	13.84	29.79	0.00	300	150	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5642.05	58.30	68.30	-10.00	40.11	34.68	13.29	29.78	0.00	300	150	PEAK																																																																																																																					
2	5650.03	55.93	68.32	-12.39	37.70	34.69	13.32	29.78	0.00	300	150	PEAK																																																																																																																					
3	5703.53	58.15	106.29	-48.14	39.65	34.79	13.51	29.00	0.00	300	150	PEAK																																																																																																																					
4	5720.35	56.41	111.70	-55.29	37.72	34.82	13.66	29.79	0.00	300	150	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	107.65	-----	-----	88.73	34.87	13.84	29.79	0.00	300	150	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.22</td> <td>-----</td> <td>-----</td> <td>81.30</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.22	-----	-----	81.30	34.87	13.84	29.79	0.00	300	150	AVERAGE																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	100.22	-----	-----	81.30	34.87	13.84	29.79	0.00	300	150	AVERAGE																																																																																																																					



		53																																																																																					
Mode		Band Edge																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																					
ANT		1+2																																																																																					
Pol.	Vertical	Fundamental																																																																																					
Peak	 <table border="1" data-bbox="263 1052 766 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>1</th> <th>5629.73</th> <th>58.19</th> <th>68.30</th> <th>-10.11</th> <th>40.06</th> <th>34.65</th> <th>13.25</th> <th>29.77</th> <th>0.00</th> <th>100</th> <th>186</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5651.62</td> <td>57.92</td> <td>69.50</td> <td>-11.58</td> <td>39.69</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.40</td> <td>57.24</td> <td>106.53</td> <td>-49.29</td> <td>38.73</td> <td>34.79</td> <td>13.52</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.06</td> <td>55.09</td> <td>111.04</td> <td>-55.95</td> <td>36.40</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		1	5629.73	58.19	68.30	-10.11	40.06	34.65	13.25	29.77	0.00	100	186	PEAK	2	5651.62	57.92	69.50	-11.58	39.69	34.69	13.32	29.78	0.00	100	186	PEAK	3	5704.40	57.24	106.53	-49.29	38.73	34.79	13.52	29.80	0.00	100	186	PEAK	4	5728.06	55.09	111.04	-55.95	36.40	34.82	13.66	29.79	0.00	100	186	PEAK	 <table border="1" data-bbox="893 1097 1404 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>1</th> <th>5745.00</th> <th>102.75</th> <th>-----</th> <th>-----</th> <th>83.83</th> <th>34.87</th> <th>13.84</th> <th>29.79</th> <th>0.00</th> <th>100</th> <th>186</th> <th>PEAK</th> </tr> </thead> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		1	5745.00	102.75	-----	-----	83.83	34.87	13.84	29.79	0.00	100	186	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
1	5629.73	58.19	68.30	-10.11	40.06	34.65	13.25	29.77	0.00	100	186	PEAK																																																																											
2	5651.62	57.92	69.50	-11.58	39.69	34.69	13.32	29.78	0.00	100	186	PEAK																																																																											
3	5704.40	57.24	106.53	-49.29	38.73	34.79	13.52	29.80	0.00	100	186	PEAK																																																																											
4	5728.06	55.09	111.04	-55.95	36.40	34.82	13.66	29.79	0.00	100	186	PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
1	5745.00	102.75	-----	-----	83.83	34.87	13.84	29.79	0.00	100	186	PEAK																																																																											
Avg	Blank	 <table border="1" data-bbox="893 1769 1404 1904"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>1</th> <th>5745.00</th> <th>95.37</th> <th>-----</th> <th>-----</th> <th>76.45</th> <th>34.87</th> <th>13.84</th> <th>29.79</th> <th>0.00</th> <th>100</th> <th>186</th> <th>AVERAGE</th> </tr> </thead> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		1	5745.00	95.37	-----	-----	76.45	34.87	13.84	29.79	0.00	100	186	AVERAGE																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
1	5745.00	95.37	-----	-----	76.45	34.87	13.84	29.79	0.00	100	186	AVERAGE																																																																											



		54																																																																																																																														
Mode	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																															
ANT	1+2																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>59.62</td> <td>111.75</td> <td>-52.13</td> <td>40.30</td> <td>35.08</td> <td>14.83</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>1 PEAK</td> </tr> <tr> <td>2</td> <td>5871.50</td> <td>60.12</td> <td>106.28</td> <td>-46.16</td> <td>40.88</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>1 PEAK</td> </tr> <tr> <td>3</td> <td>5923.13</td> <td>57.52</td> <td>69.68</td> <td>-12.16</td> <td>38.46</td> <td>35.18</td> <td>13.70</td> <td>29.82</td> <td>0.00</td> <td>300</td> <td>1 PEAK</td> </tr> <tr> <td>4</td> <td>5939.50</td> <td>58.55</td> <td>68.30</td> <td>-9.75</td> <td>39.52</td> <td>35.21</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>300</td> <td>1 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5854.63	59.62	111.75	-52.13	40.30	35.08	14.83	29.79	0.00	300	1 PEAK	2	5871.50	60.12	106.28	-46.16	40.88	35.11	13.92	29.79	0.00	300	1 PEAK	3	5923.13	57.52	69.68	-12.16	38.46	35.18	13.70	29.82	0.00	300	1 PEAK	4	5939.50	58.55	68.30	-9.75	39.52	35.21	13.66	29.84	0.00	300	1 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.34</td> <td>-----</td> <td>-----</td> <td>87.90</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>1 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5825.00	107.34	-----	-----	87.90	35.04	14.18	29.78	0.00	300	1 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																																																					
1	5854.63	59.62	111.75	-52.13	40.30	35.08	14.83	29.79	0.00	300	1 PEAK																																																																																																																					
2	5871.50	60.12	106.28	-46.16	40.88	35.11	13.92	29.79	0.00	300	1 PEAK																																																																																																																					
3	5923.13	57.52	69.68	-12.16	38.46	35.18	13.70	29.82	0.00	300	1 PEAK																																																																																																																					
4	5939.50	58.55	68.30	-9.75	39.52	35.21	13.66	29.84	0.00	300	1 PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																																																					
1	5825.00	107.34	-----	-----	87.90	35.04	14.18	29.78	0.00	300	1 PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.17</td> <td>-----</td> <td>-----</td> <td>79.73</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>1 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5825.00	99.17	-----	-----	79.73	35.04	14.18	29.78	0.00	300	1 AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																																																					
1	5825.00	99.17	-----	-----	79.73	35.04	14.18	29.78	0.00	300	1 AVERAGE																																																																																																																					



	54																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>57.56</td> <td>110.90</td> <td>-53.34</td> <td>38.25</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>174</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>58.06</td> <td>105.30</td> <td>-47.24</td> <td>38.84</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>174</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>57.23</td> <td>68.39</td> <td>-11.16</td> <td>38.17</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>174</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.00</td> <td>59.96</td> <td>68.30</td> <td>-8.34</td> <td>40.93</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	57.56	110.90	-53.34	38.25	35.08	14.02	29.79	0.00	100	174	PEAK	2	5875.00	58.06	105.30	-47.24	38.84	35.11	13.90	29.79	0.00	100	174	PEAK	3	5924.88	57.23	68.39	-11.16	38.17	35.19	13.69	29.82	0.00	100	174	PEAK	4	5946.00	59.96	68.30	-8.34	40.93	35.22	13.65	29.84	0.00	100	174	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.87</td> <td>-----</td> <td>-----</td> <td>82.46</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.87	-----	-----	82.46	35.05	14.14	29.78	0.00	100	174	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5855.00	57.56	110.90	-53.34	38.25	35.08	14.02	29.79	0.00	100	174	PEAK																																																																																																																					
2	5875.00	58.06	105.30	-47.24	38.84	35.11	13.90	29.79	0.00	100	174	PEAK																																																																																																																					
3	5924.88	57.23	68.39	-11.16	38.17	35.19	13.69	29.82	0.00	100	174	PEAK																																																																																																																					
4	5946.00	59.96	68.30	-8.34	40.93	35.22	13.65	29.84	0.00	100	174	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	101.87	-----	-----	82.46	35.05	14.14	29.78	0.00	100	174	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.56</td> <td>-----</td> <td>-----</td> <td>76.12</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.56	-----	-----	76.12	35.04	14.18	29.78	0.00	100	174	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	95.56	-----	-----	76.12	35.04	14.18	29.78	0.00	100	174	AVERAGE																																																																																																																					



	55																																																																																																																										
Mode	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																										
ANT	1+2																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.90</td> <td>59.37</td> <td>68.30</td> <td>-8.93</td> <td>41.22</td> <td>34.66</td> <td>13.26</td> <td>29.77</td> <td>0.00</td> <td>287</td> <td>151</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>56.49</td> <td>68.43</td> <td>-11.94</td> <td>38.26</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>287</td> <td>151</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.21</td> <td>57.62</td> <td>105.64</td> <td>-48.02</td> <td>39.15</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>287</td> <td>151</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.21</td> <td>56.40</td> <td>111.37</td> <td>-54.97</td> <td>37.71</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>287</td> <td>151</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.90	59.37	68.30	-8.93	41.22	34.66	13.26	29.77	0.00	287	151	PEAK	2	5650.17	56.49	68.43	-11.94	38.26	34.69	13.32	29.78	0.00	287	151	PEAK	3	5701.21	57.62	105.64	-48.02	39.15	34.78	13.49	29.80	0.00	287	151	PEAK	4	5728.21	56.40	111.37	-54.97	37.71	34.82	13.66	29.79	0.00	287	151	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.60</td> <td>-----</td> <td>-----</td> <td>90.68</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>287</td> <td>151</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.60	-----	-----	90.68	34.87	13.84	29.79	0.00	287	151	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5631.90	59.37	68.30	-8.93	41.22	34.66	13.26	29.77	0.00	287	151	PEAK																																																																																																															
2	5650.17	56.49	68.43	-11.94	38.26	34.69	13.32	29.78	0.00	287	151	PEAK																																																																																																															
3	5701.21	57.62	105.64	-48.02	39.15	34.78	13.49	29.80	0.00	287	151	PEAK																																																																																																															
4	5728.21	56.40	111.37	-54.97	37.71	34.82	13.66	29.79	0.00	287	151	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	109.60	-----	-----	90.68	34.87	13.84	29.79	0.00	287	151	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>81.47</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>287</td> <td>151</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.39	-----	-----	81.47	34.87	13.84	29.79	0.00	287	151	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.39	-----	-----	81.47	34.87	13.84	29.79	0.00	287	151	AVERAGE																																																																																																															



	55																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																											
ANT	1+2																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.27</td> <td>58.64</td> <td>68.30</td> <td>-9.66</td> <td>40.47</td> <td>34.67</td> <td>13.27</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>178 PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>58.37</td> <td>68.43</td> <td>-10.06</td> <td>40.14</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>178 PEAK</td> </tr> <tr> <td>3</td> <td>5700.49</td> <td>57.48</td> <td>105.44</td> <td>-47.96</td> <td>39.02</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>178 PEAK</td> </tr> <tr> <td>4</td> <td>5720.93</td> <td>57.63</td> <td>113.02</td> <td>-55.39</td> <td>38.92</td> <td>34.83</td> <td>13.67</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>178 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.27	58.64	68.30	-9.66	40.47	34.67	13.27	29.77	0.00	100	178 PEAK	2	5650.17	58.37	68.43	-10.06	40.14	34.69	13.32	29.78	0.00	100	178 PEAK	3	5700.49	57.48	105.44	-47.96	39.02	34.78	13.48	29.80	0.00	100	178 PEAK	4	5720.93	57.63	113.02	-55.39	38.92	34.83	13.67	29.79	0.00	100	178 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.67</td> <td>-----</td> <td>-----</td> <td>84.75</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>178 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.67	-----	-----	84.75	34.87	13.84	29.79	0.00	100	178 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5637.27	58.64	68.30	-9.66	40.47	34.67	13.27	29.77	0.00	100	178 PEAK																																																																																																																	
2	5650.17	58.37	68.43	-10.06	40.14	34.69	13.32	29.78	0.00	100	178 PEAK																																																																																																																	
3	5700.49	57.48	105.44	-47.96	39.02	34.78	13.48	29.80	0.00	100	178 PEAK																																																																																																																	
4	5720.93	57.63	113.02	-55.39	38.92	34.83	13.67	29.79	0.00	100	178 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	103.67	-----	-----	84.75	34.87	13.84	29.79	0.00	100	178 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.63</td> <td>-----</td> <td>-----</td> <td>76.71</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>178 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	95.63	-----	-----	76.71	34.87	13.84	29.79	0.00	100	178 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	95.63	-----	-----	76.71	34.87	13.84	29.79	0.00	100	178 AVERAGE																																																																																																																	







Mode	56																																																																																																																					
	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																					
ANT	1+2																																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>57.18</td> <td>110.90</td> <td>-53.72</td> <td>37.87</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> <tr> <td>2</td> <td>5873.00</td> <td>60.29</td> <td>105.86</td> <td>-45.57</td> <td>41.06</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>59.34</td> <td>68.85</td> <td>-9.51</td> <td>40.28</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> <tr> <td>4</td> <td>5925.13</td> <td>58.98</td> <td>68.30</td> <td>-9.32</td> <td>39.92</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	57.18	110.90	-53.72	37.87	35.08	14.02	29.79	0.00	300	2 PEAK	2	5873.00	60.29	105.86	-45.57	41.06	35.11	13.91	29.79	0.00	300	2 PEAK	3	5924.25	59.34	68.85	-9.51	40.28	35.19	13.69	29.82	0.00	300	2 PEAK	4	5925.13	58.98	68.30	-9.32	39.92	35.19	13.69	29.82	0.00	300	2 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.83</td> <td>-----</td> <td>-----</td> <td>88.39</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.83	-----	-----	88.39	35.04	14.18	29.78	0.00	300	2 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5855.00	57.18	110.90	-53.72	37.87	35.08	14.02	29.79	0.00	300	2 PEAK																																																																																																											
2	5873.00	60.29	105.86	-45.57	41.06	35.11	13.91	29.79	0.00	300	2 PEAK																																																																																																											
3	5924.25	59.34	68.85	-9.51	40.28	35.19	13.69	29.82	0.00	300	2 PEAK																																																																																																											
4	5925.13	58.98	68.30	-9.32	39.92	35.19	13.69	29.82	0.00	300	2 PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	107.83	-----	-----	88.39	35.04	14.18	29.78	0.00	300	2 PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.95</td> <td>-----</td> <td>-----</td> <td>79.51</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.95	-----	-----	79.51	35.04	14.18	29.78	0.00	300	2 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	98.95	-----	-----	79.51	35.04	14.18	29.78	0.00	300	2 AVERAGE																																																																																																											



		56																																																																																																																									
Mode	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																										
ANT	1+2																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.88</td> <td>58.40</td> <td>113.46</td> <td>-55.06</td> <td>39.08</td> <td>35.08</td> <td>14.83</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.13</td> <td>58.01</td> <td>106.10</td> <td>-48.09</td> <td>38.77</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>58.45</td> <td>68.30</td> <td>-9.85</td> <td>39.39</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.00</td> <td>59.00</td> <td>68.30</td> <td>-9.30</td> <td>39.94</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.88	58.40	113.46	-55.06	39.08	35.08	14.83	29.79	0.00	100	175	PEAK	2	5872.13	58.01	106.10	-48.09	38.77	35.11	13.92	29.79	0.00	100	175	PEAK	3	5925.00	58.45	68.30	-9.85	39.39	35.19	13.69	29.82	0.00	100	175	PEAK	4	5927.00	59.00	68.30	-9.30	39.94	35.19	13.69	29.82	0.00	100	175	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.36</td> <td>-----</td> <td>-----</td> <td>83.92</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.36	-----	-----	83.92	35.04	14.18	29.78	0.00	100	175	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5853.88	58.40	113.46	-55.06	39.08	35.08	14.83	29.79	0.00	100	175	PEAK																																																																																																															
2	5872.13	58.01	106.10	-48.09	38.77	35.11	13.92	29.79	0.00	100	175	PEAK																																																																																																															
3	5925.00	58.45	68.30	-9.85	39.39	35.19	13.69	29.82	0.00	100	175	PEAK																																																																																																															
4	5927.00	59.00	68.30	-9.30	39.94	35.19	13.69	29.82	0.00	100	175	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	103.36	-----	-----	83.92	35.04	14.18	29.78	0.00	100	175	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.42</td> <td>-----</td> <td>-----</td> <td>75.98</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.42	-----	-----	75.98	35.04	14.18	29.78	0.00	100	175	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	95.42	-----	-----	75.98	35.04	14.18	29.78	0.00	100	175	AVERAGE																																																																																																															



		57																																																																																		
Mode	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.73</td> <td>60.19</td> <td>74.00</td> <td>-13.81</td> <td>42.62</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>122</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.73	60.19	74.00	-13.81	42.62	34.40	12.48	29.31	0.00	122	140	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.41</td> <td>-----</td> <td>-----</td> <td>90.76</td> <td>34.46</td> <td>12.53</td> <td>29.34</td> <td>0.00</td> <td>122</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.41	-----	-----	90.76	34.46	12.53	29.34	0.00	122	140	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.73	60.19	74.00	-13.81	42.62	34.40	12.48	29.31	0.00	122	140	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	100.41	-----	-----	90.76	34.46	12.53	29.34	0.00	122	140	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>50.97</td> <td>54.00</td> <td>-3.03</td> <td>33.40</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>122</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.97	54.00	-3.03	33.40	34.40	12.48	29.31	0.00	122	140	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.11</td> <td>-----</td> <td>-----</td> <td>82.46</td> <td>34.46</td> <td>12.53</td> <td>29.34</td> <td>0.00</td> <td>122</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.11	-----	-----	82.46	34.46	12.53	29.34	0.00	122	140	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5150.00	50.97	54.00	-3.03	33.40	34.40	12.48	29.31	0.00	122	140	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	100.11	-----	-----	82.46	34.46	12.53	29.34	0.00	122	140	AVERAGE																																																																								



		57																																																																																		
Mode	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5128.41</td> <td>58.34</td> <td>74.00</td> <td>-15.66</td> <td>40.82</td> <td>34.36</td> <td>12.45</td> <td>29.29</td> <td>0.00</td> <td>130</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.41	58.34	74.00	-15.66	40.82	34.36	12.45	29.29	0.00	130	305	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.41</td> <td>-----</td> <td>-----</td> <td>80.76</td> <td>34.46</td> <td>12.53</td> <td>29.34</td> <td>0.00</td> <td>130</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.41	-----	-----	80.76	34.46	12.53	29.34	0.00	130	305
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5128.41	58.34	74.00	-15.66	40.82	34.36	12.45	29.29	0.00	130	305	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	98.41	-----	-----	80.76	34.46	12.53	29.34	0.00	130	305	PEAK																																																																								
Avg																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5109.69</td> <td>47.81</td> <td>54.00</td> <td>-6.19</td> <td>30.34</td> <td>34.32</td> <td>12.42</td> <td>29.27</td> <td>0.00</td> <td>130</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.69	47.81	54.00	-6.19	30.34	34.32	12.42	29.27	0.00	130	305	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>91.75</td> <td>-----</td> <td>-----</td> <td>74.10</td> <td>34.46</td> <td>12.53</td> <td>29.34</td> <td>0.00</td> <td>130</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	91.75	-----	-----	74.10	34.46	12.53	29.34	0.00	130	305
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5109.69	47.81	54.00	-6.19	30.34	34.32	12.42	29.27	0.00	130	305	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	91.75	-----	-----	74.10	34.46	12.53	29.34	0.00	130	305	AVERAGE																																																																								



Mode	57																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10368.00</td> <td>53.01</td> <td>68.30</td> <td>-15.29</td> <td>64.53</td> <td>37.40</td> <td>17.56</td> <td>66.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10368.00	53.01	68.30	-15.29	64.53	37.40	17.56	66.48	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10368.00</td> <td>52.27</td> <td>68.30</td> <td>-16.03</td> <td>63.79</td> <td>37.40</td> <td>17.56</td> <td>66.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10368.00	52.27	68.30	-16.03	63.79	37.40	17.56	66.48	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10368.00	53.01	68.30	-15.29	64.53	37.40	17.56	66.48	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10368.00	52.27	68.30	-16.03	63.79	37.40	17.56	66.48	0.00	---	---	PEAK																																																																							



Mode	58																																																																																													
	Harmonic																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>62.60</td> <td>68.30</td> <td>-5.70</td> <td>73.89</td> <td>37.48</td> <td>17.62</td> <td>66.39</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 10440.00</td> <td>52.50</td> <td>68.30</td> <td>-15.80</td> <td>63.77</td> <td>37.49</td> <td>17.62</td> <td>66.38</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.00	62.60	68.30	-5.70	73.89	37.48	17.62	66.39	0.00	100	360	PEAK	2 10440.00	52.50	68.30	-15.80	63.77	37.49	17.62	66.38	0.00	100	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>57.63</td> <td>68.30</td> <td>-10.67</td> <td>68.92</td> <td>37.48</td> <td>17.62</td> <td>66.39</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.00	57.63	68.30	-10.67	68.92	37.48	17.62	66.39	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 10440.00	62.60	68.30	-5.70	73.89	37.48	17.62	66.39	0.00	100	360	PEAK																																																																																			
2 10440.00	52.50	68.30	-15.80	63.77	37.49	17.62	66.38	0.00	100	360	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 10440.00	57.63	68.30	-10.67	68.92	37.48	17.62	66.39	0.00	---	---	PEAK																																																																																			



Mode	59																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>60.29</td> <td>68.30</td> <td>-8.01</td> <td>71.45</td> <td>37.53</td> <td>17.65</td> <td>66.34</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	60.29	68.30	-8.01	71.45	37.53	17.65	66.34	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>57.02</td> <td>68.30</td> <td>-11.28</td> <td>68.18</td> <td>37.53</td> <td>17.65</td> <td>66.34</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	57.02	68.30	-11.28	68.18	37.53	17.65	66.34	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10480.00	60.29	68.30	-8.01	71.45	37.53	17.65	66.34	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10480.00	57.02	68.30	-11.28	68.18	37.53	17.65	66.34	0.00	---	---	PEAK																																																																							







Mode	60																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>58.10</td> <td>68.30</td> <td>-10.20</td> <td>69.13</td> <td>37.57</td> <td>17.69</td> <td>66.29</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	58.10	68.30	-10.20	69.13	37.57	17.69	66.29	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>55.89</td> <td>68.30</td> <td>-12.41</td> <td>66.92</td> <td>37.57</td> <td>17.69</td> <td>66.29</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	55.89	68.30	-12.41	66.92	37.57	17.69	66.29	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10520.00	58.10	68.30	-10.20	69.13	37.57	17.69	66.29	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10520.00	55.89	68.30	-12.41	66.92	37.57	17.69	66.29	0.00	--- PEAK																																																																			



Mode	61																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>60.91</td> <td>74.00</td> <td>-13.09</td> <td>71.70</td> <td>37.66</td> <td>17.75</td> <td>66.20</td> <td>0.00</td> <td>100</td> <td>156 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>50.61</td> <td>54.00</td> <td>-3.39</td> <td>61.40</td> <td>37.66</td> <td>17.75</td> <td>66.20</td> <td>0.00</td> <td>100</td> <td>156 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	60.91	74.00	-13.09	71.70	37.66	17.75	66.20	0.00	100	156 PEAK	2 10600.00	50.61	54.00	-3.39	61.40	37.66	17.75	66.20	0.00	100	156 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>58.15</td> <td>74.00</td> <td>-15.85</td> <td>68.94</td> <td>37.66</td> <td>17.75</td> <td>66.20</td> <td>0.00</td> <td>136</td> <td>34 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>48.34</td> <td>54.00</td> <td>-5.66</td> <td>59.13</td> <td>37.66</td> <td>17.75</td> <td>66.20</td> <td>0.00</td> <td>136</td> <td>34 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	58.15	74.00	-15.85	68.94	37.66	17.75	66.20	0.00	136	34 PEAK	2 10600.00	48.34	54.00	-5.66	59.13	37.66	17.75	66.20	0.00	136	34 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10600.00	60.91	74.00	-13.09	71.70	37.66	17.75	66.20	0.00	100	156 PEAK																																																																																												
2 10600.00	50.61	54.00	-3.39	61.40	37.66	17.75	66.20	0.00	100	156 AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10600.00	58.15	74.00	-15.85	68.94	37.66	17.75	66.20	0.00	136	34 PEAK																																																																																												
2 10600.00	48.34	54.00	-5.66	59.13	37.66	17.75	66.20	0.00	136	34 AVERAGE																																																																																												



	62																																																																													
Mode	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.60</td> <td>61.63</td> <td>74.00</td> <td>-12.37</td> <td>43.78</td> <td>34.50</td> <td>12.87</td> <td>29.52</td> <td>0.00</td> <td>154 146 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.60	61.63	74.00	-12.37	43.78	34.50	12.87	29.52	0.00	154 146 PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.10</td> <td>-----</td> <td>-----</td> <td>92.32</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>154 146 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	110.10	-----	-----	92.32	34.50	12.77	29.49	0.00	154 146 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5350.60	61.63	74.00	-12.37	43.78	34.50	12.87	29.52	0.00	154 146 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	110.10	-----	-----	92.32	34.50	12.77	29.49	0.00	154 146 PEAK																																																																					
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.04</td> <td>50.59</td> <td>54.00</td> <td>-3.41</td> <td>32.74</td> <td>34.50</td> <td>12.87</td> <td>29.52</td> <td>0.00</td> <td>154 146 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.04	50.59	54.00	-3.41	32.74	34.50	12.87	29.52	0.00	154 146 AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.79</td> <td>-----</td> <td>-----</td> <td>84.01</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>154 146 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.79	-----	-----	84.01	34.50	12.77	29.49	0.00	154 146 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5350.04	50.59	54.00	-3.41	32.74	34.50	12.87	29.52	0.00	154 146 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	101.79	-----	-----	84.01	34.50	12.77	29.49	0.00	154 146 AVERAGE																																																																					







	62																																																																													
Mode	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																													
ANT	1+2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.81</td> <td>59.23</td> <td>74.00</td> <td>-14.77</td> <td>41.37</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>137 313 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5353.81	59.23	74.00	-14.77	41.37	34.50	12.88	29.52	0.00	137 313 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>104.84</td> <td>-----</td> <td>-----</td> <td>87.06</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>137 313 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	104.84	-----	-----	87.06	34.50	12.77	29.49	0.00	137 313 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5353.81	59.23	74.00	-14.77	41.37	34.50	12.88	29.52	0.00	137 313 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	104.84	-----	-----	87.06	34.50	12.77	29.49	0.00	137 313 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.29</td> <td>48.39</td> <td>54.00</td> <td>-5.61</td> <td>30.54</td> <td>34.50</td> <td>12.87</td> <td>29.52</td> <td>0.00</td> <td>137 313 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.29	48.39	54.00	-5.61	30.54	34.50	12.87	29.52	0.00	137 313 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>97.09</td> <td>-----</td> <td>-----</td> <td>79.31</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>137 313 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	97.09	-----	-----	79.31	34.50	12.77	29.49	0.00	137 313 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5351.29	48.39	54.00	-5.61	30.54	34.50	12.87	29.52	0.00	137 313 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	97.09	-----	-----	79.31	34.50	12.77	29.49	0.00	137 313 AVERAGE																																																																					



	63																																																																																																			
Mode	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.48</td> <td>60.09</td> <td>74.00</td> <td>-13.91</td> <td>42.01</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>144 PEAK</td> </tr> <tr> <td>2</td> <td>5467.53</td> <td>63.71</td> <td>68.30</td> <td>-4.59</td> <td>45.61</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>144 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.48	60.09	74.00	-13.91	42.01	34.53	13.17	29.62	0.00	100	144 PEAK	2	5467.53	63.71	68.30	-4.59	45.61	34.53	13.19	29.62	0.00	100	144 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.93</td> <td>-----</td> <td>-----</td> <td>90.77</td> <td>34.55</td> <td>13.25</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>144 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.93	-----	-----	90.77	34.55	13.25	29.64	0.00	100	144 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.48	60.09	74.00	-13.91	42.01	34.53	13.17	29.62	0.00	100	144 PEAK																																																																																									
2	5467.53	63.71	68.30	-4.59	45.61	34.53	13.19	29.62	0.00	100	144 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	108.93	-----	-----	90.77	34.55	13.25	29.64	0.00	100	144 PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.99</td> <td>50.06</td> <td>54.00</td> <td>-3.94</td> <td>31.98</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>144 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.99	50.06	54.00	-3.94	31.98	34.53	13.17	29.62	0.00	100	144 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.39</td> <td>-----</td> <td>-----</td> <td>83.23</td> <td>34.55</td> <td>13.26</td> <td>29.65</td> <td>0.00</td> <td>100</td> <td>144 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.39	-----	-----	83.23	34.55	13.26	29.65	0.00	100	144 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5459.99	50.06	54.00	-3.94	31.98	34.53	13.17	29.62	0.00	100	144 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	101.39	-----	-----	83.23	34.55	13.26	29.65	0.00	100	144 AVERAGE																																																																																									



		63																																																																								
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full RU_5500MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a rising signal level from 5350 MHz to 5500 MHz, with a red limit line for 5G BAND 1-3 at approximately 65.0 dBuV/m. Two peaks are marked with blue vertical lines at 5410 MHz and 5470 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5413.08</td> <td>58.46</td> <td>74.00</td> <td>-15.54</td> <td>40.47</td> <td>34.51</td> <td>13.06</td> </tr> <tr> <td>2</td> <td>5462.28</td> <td>59.38</td> <td>68.30</td> <td>-8.92</td> <td>41.29</td> <td>34.53</td> <td>13.18</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5413.08	58.46	74.00	-15.54	40.47	34.51	13.06	2	5462.28	59.38	68.30	-8.92	41.29	34.53	13.18	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a sharp peak at 5500 MHz. A red limit line for 5G BAND 1-3 is shown at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.26</td> <td>-----</td> <td>-----</td> <td>86.10</td> <td>34.55</td> <td>13.26</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	104.26	-----	-----	86.10	34.55	13.26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5413.08	58.46	74.00	-15.54	40.47	34.51	13.06																																																																			
2	5462.28	59.38	68.30	-8.92	41.29	34.53	13.18																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5500.00	104.26	-----	-----	86.10	34.55	13.26																																																																			
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. The plot shows a rising signal level from 5350 MHz to 5500 MHz. A red limit line for 5G BAND 1-3 (AVG) is shown at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.73</td> <td>48.44</td> <td>54.00</td> <td>-5.56</td> <td>30.36</td> <td>34.53</td> <td>13.17</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.73	48.44	54.00	-5.56	30.36	34.53	13.17	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The plot shows a sharp peak at 5500 MHz. A red limit line for 5G BAND 1-3 (AVG) is shown at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.01</td> <td>-----</td> <td>-----</td> <td>78.85</td> <td>34.55</td> <td>13.26</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	97.01	-----	-----	78.85	34.55	13.26								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5459.73	48.44	54.00	-5.56	30.36	34.53	13.17																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5500.00	97.01	-----	-----	78.85	34.55	13.26																																																																			



Mode	63																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>55.77</td> <td>74.00</td> <td>-18.23</td> <td>65.32</td> <td>38.10</td> <td>18.08</td> <td>65.73</td> <td>0.00</td> <td>111</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>46.55</td> <td>54.00</td> <td>-7.45</td> <td>56.10</td> <td>38.10</td> <td>18.08</td> <td>65.73</td> <td>0.00</td> <td>111</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	55.77	74.00	-18.23	65.32	38.10	18.08	65.73	0.00	111	158	PEAK	2	11000.00	46.55	54.00	-7.45	56.10	38.10	18.08	65.73	0.00	111	158	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>61.08</td> <td>74.00</td> <td>-12.92</td> <td>70.63</td> <td>38.10</td> <td>18.08</td> <td>65.73</td> <td>0.00</td> <td>213</td> <td>358</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>50.57</td> <td>54.00</td> <td>-3.43</td> <td>60.12</td> <td>38.10</td> <td>18.08</td> <td>65.73</td> <td>0.00</td> <td>213</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	61.08	74.00	-12.92	70.63	38.10	18.08	65.73	0.00	213	358	PEAK	2	11000.00	50.57	54.00	-3.43	60.12	38.10	18.08	65.73	0.00	213	358	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11000.00	55.77	74.00	-18.23	65.32	38.10	18.08	65.73	0.00	111	158	PEAK																																																																																																		
2	11000.00	46.55	54.00	-7.45	56.10	38.10	18.08	65.73	0.00	111	158	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11000.00	61.08	74.00	-12.92	70.63	38.10	18.08	65.73	0.00	213	358	PEAK																																																																																																		
2	11000.00	50.57	54.00	-3.43	60.12	38.10	18.08	65.73	0.00	213	358	AVERAGE																																																																																																		



Mode	64																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00 60.16 74.00 -13.84</td> <td>69.40</td> <td>38.20</td> <td>18.20</td> <td>65.64</td> <td>0.00</td> <td>198</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00 50.55 54.00 -3.45</td> <td>59.79</td> <td>38.20</td> <td>18.20</td> <td>65.64</td> <td>0.00</td> <td>198</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg		MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00 60.16 74.00 -13.84	69.40	38.20	18.20	65.64	0.00	198	162	PEAK	2 11160.00 50.55 54.00 -3.45	59.79	38.20	18.20	65.64	0.00	198	162	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00 60.00 74.00 -14.00</td> <td>69.24</td> <td>38.20</td> <td>18.20</td> <td>65.64</td> <td>0.00</td> <td>224</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00 50.65 54.00 -3.35</td> <td>59.89</td> <td>38.20</td> <td>18.20</td> <td>65.64</td> <td>0.00</td> <td>224</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg		MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00 60.00 74.00 -14.00	69.24	38.20	18.20	65.64	0.00	224	0	PEAK	2 11160.00 50.65 54.00 -3.35	59.89	38.20	18.20	65.64	0.00	224	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																					
MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 11160.00 60.16 74.00 -13.84	69.40	38.20	18.20	65.64	0.00	198	162	PEAK																																																																																				
2 11160.00 50.55 54.00 -3.45	59.79	38.20	18.20	65.64	0.00	198	162	AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																					
MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 11160.00 60.00 74.00 -14.00	69.24	38.20	18.20	65.64	0.00	224	0	PEAK																																																																																				
2 11160.00 50.65 54.00 -3.35	59.89	38.20	18.20	65.64	0.00	224	0	AVERAGE																																																																																				



	65																																																																																											
Mode	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.71</td> <td>63.77</td> <td>68.30</td> <td>-4.53</td> <td>45.01</td> <td>34.84</td> <td>13.71</td> <td>29.79</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>201 157 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5725.71	63.77	68.30	-4.53	45.01	34.84	13.71	29.79	0.00									201 157 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>109.91</td> <td>-----</td> <td>-----</td> <td>91.48</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>201 157 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	109.91	-----	-----	91.48	34.77	13.46	29.80	0.00									201 157 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5725.71	63.77	68.30	-4.53	45.01	34.84	13.71	29.79	0.00																																																																																				
								201 157 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5700.00	109.91	-----	-----	91.48	34.77	13.46	29.80	0.00																																																																																				
								201 157 PEAK																																																																																				
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>101.48</td> <td>-----</td> <td>-----</td> <td>83.05</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>201 157 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	101.48	-----	-----	83.05	34.77	13.46	29.80	0.00									201 157 AVERAGE																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5700.00	101.48	-----	-----	83.05	34.77	13.46	29.80	0.00																																																																																				
								201 157 AVERAGE																																																																																				



	65																																																																													
Mode	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																													
ANT	1+2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.26</td> <td>62.33</td> <td>68.30</td> <td>-5.97</td> <td>43.58</td> <td>34.84</td> <td>13.70</td> <td>29.79</td> <td>0.00</td> <td>169 302 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.26	62.33	68.30	-5.97	43.58	34.84	13.70	29.79	0.00	169 302 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>105.44</td> <td>-----</td> <td>-----</td> <td>87.81</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> <td>169 302 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	105.44	-----	-----	87.81	34.77	13.46	29.80	0.00	169 302 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5725.26	62.33	68.30	-5.97	43.58	34.84	13.70	29.79	0.00	169 302 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	105.44	-----	-----	87.81	34.77	13.46	29.80	0.00	169 302 PEAK																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.02</td> <td>-----</td> <td>-----</td> <td>79.55</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>169 302 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	98.02	-----	-----	79.55	34.78	13.49	29.80	0.00	169 302 AVERAGE																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	98.02	-----	-----	79.55	34.78	13.49	29.80	0.00	169 302 AVERAGE																																																																					



Mode	65																																																																																									
	Harmonic																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>58.22</td> <td>74.00</td> <td>-15.78</td> <td>67.00</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>211</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>48.92</td> <td>54.00</td> <td>-5.08</td> <td>57.70</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>211</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	11400.00	58.22	74.00	-15.78	67.00	38.34	18.39	65.51	0.00	211	350	PEAK	2	11400.00	48.92	54.00	-5.08	57.70	38.34	18.39	65.51	0.00	211	350	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>61.27</td> <td>74.00</td> <td>-12.73</td> <td>70.05</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>354</td> <td>356</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>50.98</td> <td>54.00</td> <td>-3.02</td> <td>59.75</td> <td>38.34</td> <td>18.39</td> <td>65.50</td> <td>0.00</td> <td>354</td> <td>356</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	11400.00	61.27	74.00	-12.73	70.05	38.34	18.39	65.51	0.00	354	356	PEAK	2	11400.00	50.98	54.00	-3.02	59.75	38.34	18.39	65.50	0.00	354	356	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																		
1	11400.00	58.22	74.00	-15.78	67.00	38.34	18.39	65.51	0.00	211	350	PEAK																																																																														
2	11400.00	48.92	54.00	-5.08	57.70	38.34	18.39	65.51	0.00	211	350	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																		
1	11400.00	61.27	74.00	-12.73	70.05	38.34	18.39	65.51	0.00	354	356	PEAK																																																																														
2	11400.00	50.98	54.00	-3.02	59.75	38.34	18.39	65.50	0.00	354	356	AVERAGE																																																																														







	66																																																																													
Mode	Band Edge - L																																																																													
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHZ																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5145.45</td> <td>63.93</td> <td>74.00</td> <td>-10.07</td> <td>46.37</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>201 141 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5145.45	63.93	74.00	-10.07	46.37	34.39	12.48	29.31	0.00	201 141 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>103.83</td> <td>-----</td> <td>-----</td> <td>86.17</td> <td>34.47</td> <td>12.54</td> <td>29.35</td> <td>0.00</td> <td>201 141 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	103.83	-----	-----	86.17	34.47	12.54	29.35	0.00	201 141 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5145.45	63.93	74.00	-10.07	46.37	34.39	12.48	29.31	0.00	201 141 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5190.00	103.83	-----	-----	86.17	34.47	12.54	29.35	0.00	201 141 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5101.75</td> <td>48.91</td> <td>54.00</td> <td>-5.09</td> <td>31.47</td> <td>34.30</td> <td>12.40</td> <td>29.26</td> <td>0.00</td> <td>201 141 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5101.75	48.91	54.00	-5.09	31.47	34.30	12.40	29.26	0.00	201 141 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>94.37</td> <td>-----</td> <td>-----</td> <td>76.68</td> <td>34.48</td> <td>12.56</td> <td>29.35</td> <td>0.00</td> <td>201 141 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	94.37	-----	-----	76.68	34.48	12.56	29.35	0.00	201 141 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5101.75	48.91	54.00	-5.09	31.47	34.30	12.40	29.26	0.00	201 141 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5190.00	94.37	-----	-----	76.68	34.48	12.56	29.35	0.00	201 141 AVERAGE																																																																					



	66																																										
Mode	Band Edge - R																																										
ANT	1+2																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1" data-bbox="263 1115 774 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.96</td> <td>58.48</td> <td>74.00</td> <td>-15.52</td> <td>40.59</td> <td>34.50</td> <td>12.93</td> <td>29.54</td> <td>0.00</td> <td>201</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.96	58.48	74.00	-15.52	40.59	34.50	12.93	29.54	0.00	201	141	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5369.96	58.48	74.00	-15.52	40.59	34.50	12.93	29.54	0.00	201	141	PEAK																															
Avg	<table border="1" data-bbox="263 1798 774 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.55</td> <td>48.33</td> <td>54.00</td> <td>-5.67</td> <td>30.25</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>201</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.55	48.33	54.00	-5.67	30.25	34.53	13.16	29.61	0.00	201	141	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5455.55	48.33	54.00	-5.67	30.25	34.53	13.16	29.61	0.00	201	141	AVERAGE																															



	66																																																																																			
Mode	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.65</td> <td>58.70</td> <td>74.00</td> <td>-15.30</td> <td>41.14</td> <td>34.39</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>111</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.65	58.70	74.00	-15.30	41.14	34.39	12.48	29.31	0.00	111	311	PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>97.23</td> <td>-----</td> <td>-----</td> <td>79.54</td> <td>34.48</td> <td>12.56</td> <td>29.35</td> <td>0.00</td> <td>111</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.23	-----	-----	79.54	34.48	12.56	29.35	0.00	111	311	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.65	58.70	74.00	-15.30	41.14	34.39	12.48	29.31	0.00	111	311	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	97.23	-----	-----	79.54	34.48	12.56	29.35	0.00	111	311	PEAK																																																																								
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.35</td> <td>48.70</td> <td>54.00</td> <td>-5.30</td> <td>31.26</td> <td>34.30</td> <td>12.40</td> <td>29.26</td> <td>0.00</td> <td>111</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.35	48.70	54.00	-5.30	31.26	34.30	12.40	29.26	0.00	111	311	AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>88.98</td> <td>-----</td> <td>-----</td> <td>71.29</td> <td>34.48</td> <td>12.56</td> <td>29.35</td> <td>0.00</td> <td>111</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	88.98	-----	-----	71.29	34.48	12.56	29.35	0.00	111	311	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5101.35	48.70	54.00	-5.30	31.26	34.30	12.40	29.26	0.00	111	311	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	88.98	-----	-----	71.29	34.48	12.56	29.35	0.00	111	311	AVERAGE																																																																								



Mode	66																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																		
ANT	1+2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.04</td> <td>58.74</td> <td>74.00</td> <td>-15.26</td> <td>40.79</td> <td>34.50</td> <td>13.02</td> <td>29.57</td> <td>0.00</td> <td>111</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5398.04	58.74	74.00	-15.26	40.79	34.50	13.02	29.57	0.00	111	311	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5398.04	58.74	74.00	-15.26	40.79	34.50	13.02	29.57	0.00	111	311	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.06</td> <td>48.38</td> <td>54.00</td> <td>-5.62</td> <td>30.30</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>111</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5459.06	48.38	54.00	-5.62	30.30	34.53	13.17	29.62	0.00	111	311	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5459.06	48.38	54.00	-5.62	30.30	34.53	13.17	29.62	0.00	111	311	AVERAGE																																							



Mode	66																																																																																							
	Harmonic																																																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>57.45</td> <td>68.30</td> <td>-10.85</td> <td>68.92</td> <td>37.42</td> <td>17.57</td> <td>66.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	10380.00	57.45	68.30	-10.85	68.92	37.42	17.57	66.46	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>47.77</td> <td>68.30</td> <td>-20.53</td> <td>59.24</td> <td>37.42</td> <td>17.57</td> <td>66.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	10380.00	47.77	68.30	-20.53	59.24	37.42	17.57	66.46	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																													
1	10380.00	57.45	68.30	-10.85	68.92	37.42	17.57	66.46	0.00	---	---	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																													
1	10380.00	47.77	68.30	-20.53	59.24	37.42	17.57	66.46	0.00	---	---	PEAK																																																																												







	67																																																																													
Mode	Band Edge - L																																																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5148.70</td> <td>60.87</td> <td>74.00</td> <td>-13.13</td> <td>43.30</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>190 143 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5148.70	60.87	74.00	-13.13	43.30	34.40	12.48	29.31	0.00	190 143 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>111.15</td> <td>-----</td> <td>-----</td> <td>93.43</td> <td>34.50</td> <td>12.61</td> <td>29.39</td> <td>0.00</td> <td>190 143 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	111.15	-----	-----	93.43	34.50	12.61	29.39	0.00	190 143 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5148.70	60.87	74.00	-13.13	43.30	34.40	12.48	29.31	0.00	190 143 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5230.00	111.15	-----	-----	93.43	34.50	12.61	29.39	0.00	190 143 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.85</td> <td>50.44</td> <td>54.00</td> <td>-3.56</td> <td>32.87</td> <td>34.40</td> <td>12.48</td> <td>29.31</td> <td>0.00</td> <td>190 143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.85	50.44	54.00	-3.56	32.87	34.40	12.48	29.31	0.00	190 143 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>102.92</td> <td>-----</td> <td>-----</td> <td>85.20</td> <td>34.50</td> <td>12.61</td> <td>29.39</td> <td>0.00</td> <td>190 143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	102.92	-----	-----	85.20	34.50	12.61	29.39	0.00	190 143 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5149.85	50.44	54.00	-3.56	32.87	34.40	12.48	29.31	0.00	190 143 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5230.00	102.92	-----	-----	85.20	34.50	12.61	29.39	0.00	190 143 AVERAGE																																																																					



	67																																														
Mode	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																														
ANT	1+2																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1" data-bbox="263 1115 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5394.80</td> <td>59.22</td> <td>74.00</td> <td>-14.78</td> <td>41.27</td> <td>34.50</td> <td>13.01</td> <td>29.56</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190 143 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5394.80	59.22	74.00	-14.78	41.27	34.50	13.01	29.56	0.00									190 143 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5394.80	59.22	74.00	-14.78	41.27	34.50	13.01	29.56	0.00																																							
								190 143 PEAK																																							
Avg	<table border="1" data-bbox="263 1798 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5453.22</td> <td>48.66</td> <td>54.00</td> <td>-5.34</td> <td>30.58</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190 143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5453.22	48.66	54.00	-5.34	30.58	34.53	13.16	29.61	0.00									190 143 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5453.22	48.66	54.00	-5.34	30.58	34.53	13.16	29.61	0.00																																							
								190 143 AVERAGE																																							



	67																																																																													
Mode	Band Edge - L																																																																													
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																													
ANT	1+2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <table border="1" data-bbox="263 1108 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5036.91</td> <td>59.92</td> <td>74.00</td> <td>-14.08</td> <td>42.61</td> <td>34.17</td> <td>12.36</td> <td>29.22</td> <td>0.00</td> <td>114 315 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5036.91	59.92	74.00	-14.08	42.61	34.17	12.36	29.22	0.00	114 315 PEAK	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>104.53</td> <td>-----</td> <td>-----</td> <td>86.81</td> <td>34.50</td> <td>12.60</td> <td>29.38</td> <td>0.00</td> <td>114 315 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	104.53	-----	-----	86.81	34.50	12.60	29.38	0.00	114 315 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5036.91	59.92	74.00	-14.08	42.61	34.17	12.36	29.22	0.00	114 315 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5230.00	104.53	-----	-----	86.81	34.50	12.60	29.38	0.00	114 315 PEAK																																																																					
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5044.05</td> <td>49.51</td> <td>54.00</td> <td>-4.49</td> <td>32.19</td> <td>34.19</td> <td>12.36</td> <td>29.23</td> <td>0.00</td> <td>114 315 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5044.05	49.51	54.00	-4.49	32.19	34.19	12.36	29.23	0.00	114 315 AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>97.88</td> <td>-----</td> <td>-----</td> <td>80.16</td> <td>34.50</td> <td>12.61</td> <td>29.39</td> <td>0.00</td> <td>114 315 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	97.88	-----	-----	80.16	34.50	12.61	29.39	0.00	114 315 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5044.05	49.51	54.00	-4.49	32.19	34.19	12.36	29.23	0.00	114 315 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5230.00	97.88	-----	-----	80.16	34.50	12.61	29.39	0.00	114 315 AVERAGE																																																																					



	67																																																		
Mode	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																		
ANT	1+2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1" data-bbox="263 1115 774 1240"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.83</td> <td>58.19</td> <td>74.00</td> <td>-15.81</td> <td>40.16</td> <td>34.52</td> <td>13.11</td> <td>29.60</td> <td>0.00</td> <td>114</td> <td>315</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5454.83	58.19	74.00	-15.81	40.16	34.52	13.11	29.60	0.00	114	315	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5454.83	58.19	74.00	-15.81	40.16	34.52	13.11	29.60	0.00	114	315	PEAK																																							
Avg	<table border="1" data-bbox="263 1792 774 1917"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.83</td> <td>48.51</td> <td>54.00</td> <td>-5.49</td> <td>30.43</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>114</td> <td>315</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5454.83	48.51	54.00	-5.49	30.43	34.53	13.16	29.61	0.00	114	315	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5454.83	48.51	54.00	-5.49	30.43	34.53	13.16	29.61	0.00	114	315	AVERAGE																																							



Mode	67																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>48.85</td> <td>68.30</td> <td>-19.45</td> <td>60.06</td> <td>37.51</td> <td>17.64</td> <td>66.36</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	48.85	68.30	-19.45	60.06	37.51	17.64	66.36	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>53.92</td> <td>68.30</td> <td>-14.38</td> <td>65.13</td> <td>37.51</td> <td>17.64</td> <td>66.36</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	53.92	68.30	-14.38	65.13	37.51	17.64	66.36	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10460.00	48.85	68.30	-19.45	60.06	37.51	17.64	66.36	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10460.00	53.92	68.30	-14.38	65.13	37.51	17.64	66.36	0.00	--- PEAK																																																																			







	68																																																																													
Mode	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5062.51</td> <td>59.53</td> <td>74.00</td> <td>-14.47</td> <td>42.17</td> <td>34.23</td> <td>12.37</td> <td>29.24</td> <td>0.00</td> <td>167 142 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5062.51	59.53	74.00	-14.47	42.17	34.23	12.37	29.24	0.00	167 142 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>109.77</td> <td>-----</td> <td>-----</td> <td>92.04</td> <td>34.50</td> <td>12.67</td> <td>29.44</td> <td>0.00</td> <td>167 142 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	109.77	-----	-----	92.04	34.50	12.67	29.44	0.00	167 142 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5062.51	59.53	74.00	-14.47	42.17	34.23	12.37	29.24	0.00	167 142 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5270.00	109.77	-----	-----	92.04	34.50	12.67	29.44	0.00	167 142 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5009.86</td> <td>49.58</td> <td>54.00</td> <td>-4.42</td> <td>32.33</td> <td>34.12</td> <td>12.34</td> <td>29.21</td> <td>0.00</td> <td>167 142 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5009.86	49.58	54.00	-4.42	32.33	34.12	12.34	29.21	0.00	167 142 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>102.07</td> <td>-----</td> <td>-----</td> <td>84.34</td> <td>34.50</td> <td>12.67</td> <td>29.44</td> <td>0.00</td> <td>167 142 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	102.07	-----	-----	84.34	34.50	12.67	29.44	0.00	167 142 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5009.86	49.58	54.00	-4.42	32.33	34.12	12.34	29.21	0.00	167 142 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5270.00	102.07	-----	-----	84.34	34.50	12.67	29.44	0.00	167 142 AVERAGE																																																																					



	68																																									
Mode	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1" data-bbox="263 1115 774 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.02</td> <td>59.02</td> <td>74.00</td> <td>-14.98</td> <td>40.94</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>167</td> <td>142</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5454.02	59.02	74.00	-14.98	40.94	34.53	13.16	29.61	0.00	167	142	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5454.02	59.02	74.00	-14.98	40.94	34.53	13.16	29.61	0.00	167	142	PEAK																														
Avg	<table border="1" data-bbox="263 1798 774 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.61</td> <td>48.66</td> <td>54.00</td> <td>-5.34</td> <td>30.80</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>167</td> <td>142</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5351.61	48.66	54.00	-5.34	30.80	34.50	12.88	29.52	0.00	167	142	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5351.61	48.66	54.00	-5.34	30.80	34.50	12.88	29.52	0.00	167	142	AVERAGE																														



	68																																																																													
Mode	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																													
ANT	1+2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <table border="1" data-bbox="263 1108 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5118.91</td> <td>59.58</td> <td>74.00</td> <td>-14.42</td> <td>42.09</td> <td>34.34</td> <td>12.43</td> <td>29.28</td> <td>0.00</td> <td>135 315 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5118.91	59.58	74.00	-14.42	42.09	34.34	12.43	29.28	0.00	135 315 PEAK	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>106.25</td> <td>-----</td> <td>-----</td> <td>88.52</td> <td>34.50</td> <td>12.67</td> <td>29.44</td> <td>0.00</td> <td>135 315 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	106.25	-----	-----	88.52	34.50	12.67	29.44	0.00	135 315 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5118.91	59.58	74.00	-14.42	42.09	34.34	12.43	29.28	0.00	135 315 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5270.00	106.25	-----	-----	88.52	34.50	12.67	29.44	0.00	135 315 PEAK																																																																					
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5023.09</td> <td>49.52</td> <td>54.00</td> <td>-4.48</td> <td>32.23</td> <td>34.15</td> <td>12.35</td> <td>29.21</td> <td>0.00</td> <td>135 315 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5023.09	49.52	54.00	-4.48	32.23	34.15	12.35	29.21	0.00	135 315 AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>96.99</td> <td>-----</td> <td>-----</td> <td>79.26</td> <td>34.50</td> <td>12.66</td> <td>29.43</td> <td>0.00</td> <td>135 315 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	96.99	-----	-----	79.26	34.50	12.66	29.43	0.00	135 315 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5023.09	49.52	54.00	-4.48	32.23	34.15	12.35	29.21	0.00	135 315 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5270.00	96.99	-----	-----	79.26	34.50	12.66	29.43	0.00	135 315 AVERAGE																																																																					



Mode	68																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5397.97</td> <td>58.04</td> <td>74.00</td> <td>-15.96</td> <td>40.09</td> <td>34.50</td> <td>13.02</td> <td>29.57</td> <td>0.00</td> <td>135</td> <td>315</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.97	58.04	74.00	-15.96	40.09	34.50	13.02	29.57	0.00	135	315	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5397.97	58.04	74.00	-15.96	40.09	34.50	13.02	29.57	0.00	135	315	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.89</td> <td>48.38</td> <td>54.00</td> <td>-5.62</td> <td>30.32</td> <td>34.52</td> <td>13.15</td> <td>29.61</td> <td>0.00</td> <td>135</td> <td>315</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.89	48.38	54.00	-5.62	30.32	34.52	13.15	29.61	0.00	135	315	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5448.89	48.38	54.00	-5.62	30.32	34.52	13.15	29.61	0.00	135	315	AVERAGE																															



Mode	68																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>54.89</td> <td>68.30</td> <td>-13.41</td> <td>65.87</td> <td>37.59</td> <td>17.70</td> <td>66.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	54.89	68.30	-13.41	65.87	37.59	17.70	66.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>53.99</td> <td>68.30</td> <td>-14.31</td> <td>64.97</td> <td>37.59</td> <td>17.70</td> <td>66.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	53.99	68.30	-14.31	64.97	37.59	17.70	66.27	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	54.89	68.30	-13.41	65.87	37.59	17.70	66.27	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	53.99	68.30	-14.31	64.97	37.59	17.70	66.27	0.00	---	---	PEAK																																																																							



	69																																																																													
Mode	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5052.56</td> <td>59.83</td> <td>74.00</td> <td>-14.17</td> <td>42.48</td> <td>34.21</td> <td>12.37</td> <td>29.23</td> <td>0.00</td> <td>156 146 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5052.56	59.83	74.00	-14.17	42.48	34.21	12.37	29.23	0.00	156 146 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>103.57</td> <td>-----</td> <td>-----</td> <td>85.82</td> <td>34.50</td> <td>12.73</td> <td>29.48</td> <td>0.00</td> <td>156 146 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	103.57	-----	-----	85.82	34.50	12.73	29.48	0.00	156 146 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5052.56	59.83	74.00	-14.17	42.48	34.21	12.37	29.23	0.00	156 146 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5310.00	103.57	-----	-----	85.82	34.50	12.73	29.48	0.00	156 146 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5000.48</td> <td>49.70</td> <td>54.00</td> <td>-4.30</td> <td>32.47</td> <td>34.10</td> <td>12.33</td> <td>29.20</td> <td>0.00</td> <td>156 146 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5000.48	49.70	54.00	-4.30	32.47	34.10	12.33	29.20	0.00	156 146 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>95.06</td> <td>-----</td> <td>-----</td> <td>77.29</td> <td>34.50</td> <td>12.75</td> <td>29.48</td> <td>0.00</td> <td>156 146 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	95.06	-----	-----	77.29	34.50	12.75	29.48	0.00	156 146 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5000.48	49.70	54.00	-4.30	32.47	34.10	12.33	29.20	0.00	156 146 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5310.00	95.06	-----	-----	77.29	34.50	12.75	29.48	0.00	156 146 AVERAGE																																																																					



	69																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																						
ANT	1+2																																						
Pol.	Horizontal	Fundamental																																					
Peak	<table border="1" data-bbox="263 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.98</td> <td>69.26</td> <td>74.00</td> <td>-4.74</td> <td>51.40</td> <td>34.50</td> <td>12.88</td> <td>29.52</td> <td>0.00</td> <td>156 146 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5352.98	69.26	74.00	-4.74	51.40	34.50	12.88	29.52	0.00	156 146 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5352.98	69.26	74.00	-4.74	51.40	34.50	12.88	29.52	0.00	156 146 PEAK																														
Avg	<table border="1" data-bbox="263 1792 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>50.03</td> <td>54.00</td> <td>-3.97</td> <td>32.18</td> <td>34.50</td> <td>12.87</td> <td>29.52</td> <td>0.00</td> <td>156 146 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.00	50.03	54.00	-3.97	32.18	34.50	12.87	29.52	0.00	156 146 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5350.00	50.03	54.00	-3.97	32.18	34.50	12.87	29.52	0.00	156 146 AVERAGE																														



		69																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5016.29</td> <td>59.99</td> <td>74.00</td> <td>-14.01</td> <td>42.73</td> <td>34.13</td> <td>12.34</td> <td>29.21</td> <td>0.00</td> <td>111</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5016.29	59.99	74.00	-14.01	42.73	34.13	12.34	29.21	0.00	111	314	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.33</td> <td>-----</td> <td>-----</td> <td>79.58</td> <td>34.50</td> <td>12.73</td> <td>29.48</td> <td>0.00</td> <td>111</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.33	-----	-----	79.58	34.50	12.73	29.48	0.00	111	314	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5016.29	59.99	74.00	-14.01	42.73	34.13	12.34	29.21	0.00	111	314	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	97.33	-----	-----	79.58	34.50	12.73	29.48	0.00	111	314	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5011.02</td> <td>49.84</td> <td>54.00</td> <td>-4.16</td> <td>32.59</td> <td>34.12</td> <td>12.34</td> <td>29.21</td> <td>0.00</td> <td>111</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5011.02	49.84	54.00	-4.16	32.59	34.12	12.34	29.21	0.00	111	314	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>89.20</td> <td>-----</td> <td>-----</td> <td>71.44</td> <td>34.50</td> <td>12.74</td> <td>29.48</td> <td>0.00</td> <td>111</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.20	-----	-----	71.44	34.50	12.74	29.48	0.00	111	314	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5011.02	49.84	54.00	-4.16	32.59	34.12	12.34	29.21	0.00	111	314	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	89.20	-----	-----	71.44	34.50	12.74	29.48	0.00	111	314	AVERAGE																																																																								



Mode	69																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																		
ANT	1+2																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.48</td> <td>59.18</td> <td>74.00</td> <td>-14.82</td> <td>41.33</td> <td>34.50</td> <td>12.87</td> <td>29.52</td> <td>0.00</td> <td>111</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	5351.48	59.18	74.00	-14.82	41.33	34.50	12.87	29.52	0.00	111	314	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	5351.48	59.18	74.00	-14.82	41.33	34.50	12.87	29.52	0.00	111	314	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.28</td> <td>48.33</td> <td>54.00</td> <td>-5.67</td> <td>30.27</td> <td>34.52</td> <td>13.15</td> <td>29.61</td> <td>0.00</td> <td>111</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	5449.28	48.33	54.00	-5.67	30.27	34.52	13.15	29.61	0.00	111	314	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	5449.28	48.33	54.00	-5.67	30.27	34.52	13.15	29.61	0.00	111	314	AVERAGE																																							



Mode	69																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11n_HT40_CH62_5310MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal	Vertical																																																																																											
Peak Avg																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.95</td> <td>74.00</td> <td>-28.05</td> <td>56.67</td> <td>37.68</td> <td>17.77</td> <td>66.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	45.95	74.00	-28.05	56.67	37.68	17.77	66.17	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>53.33</td> <td>74.00</td> <td>-20.67</td> <td>64.05</td> <td>37.68</td> <td>17.77</td> <td>66.17</td> <td>0.00</td> <td>100</td> <td>331</td> <td>PEAK</td> </tr> <tr> <td>2 10620.00</td> <td>45.07</td> <td>54.00</td> <td>-8.93</td> <td>55.00</td> <td>37.68</td> <td>17.77</td> <td>66.18</td> <td>0.00</td> <td>100</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	53.33	74.00	-20.67	64.05	37.68	17.77	66.17	0.00	100	331	PEAK	2 10620.00	45.07	54.00	-8.93	55.00	37.68	17.77	66.18	0.00	100	331
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 10620.00	45.95	74.00	-28.05	56.67	37.68	17.77	66.17	0.00	---	---	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 10620.00	53.33	74.00	-20.67	64.05	37.68	17.77	66.17	0.00	100	331	PEAK																																																																																		
2 10620.00	45.07	54.00	-8.93	55.00	37.68	17.77	66.18	0.00	100	331	AVERAGE																																																																																		



	70																																																																																																						
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.29</td> <td>60.57</td> <td>74.00</td> <td>-13.43</td> <td>42.49</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.77</td> <td>62.14</td> <td>68.30</td> <td>-6.16</td> <td>44.05</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.29	60.57	74.00	-13.43	42.49	34.53	13.16	29.61	0.00	100	144	PEAK	2	5461.77	62.14	68.30	-6.16	44.05	34.53	13.18	29.62	0.00	100	144	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>101.01</td> <td>-----</td> <td>-----</td> <td>82.84</td> <td>34.55</td> <td>13.27</td> <td>29.65</td> <td>0.00</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.01	-----	-----	82.84	34.55	13.27	29.65	0.00	100	144	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5453.29	60.57	74.00	-13.43	42.49	34.53	13.16	29.61	0.00	100	144	PEAK																																																																																											
2	5461.77	62.14	68.30	-6.16	44.05	34.53	13.18	29.62	0.00	100	144	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5510.00	101.01	-----	-----	82.84	34.55	13.27	29.65	0.00	100	144	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.73</td> <td>50.83</td> <td>54.00</td> <td>-3.17</td> <td>32.75</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.73	50.83	54.00	-3.17	32.75	34.53	13.17	29.62	0.00	100	144	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>93.83</td> <td>-----</td> <td>-----</td> <td>75.68</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>100</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.83	-----	-----	75.68	34.55	13.26	29.66	0.00	100	144	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5458.73	50.83	54.00	-3.17	32.75	34.53	13.17	29.62	0.00	100	144	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5510.00	93.83	-----	-----	75.68	34.55	13.26	29.66	0.00	100	144	AVERAGE																																																																																											



Mode	70																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																								
ANT	1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5734.54</td> <td>58.97</td> <td>68.30</td> <td>-9.33</td> <td>40.11</td> <td>34.86</td> <td>13.79</td> <td>29.79</td> <td>0.00</td> <td>100 144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5734.54	58.97	68.30	-9.33	40.11	34.86	13.79	29.79	0.00	100 144	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5734.54	58.97	68.30	-9.33	40.11	34.86	13.79	29.79	0.00	100 144	PEAK																															



	70																																																																																														
Mode	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.09</td> <td>58.47</td> <td>74.00</td> <td>-15.53</td> <td>40.40</td> <td>34.53</td> <td>13.15</td> <td>29.61</td> <td>0.00</td> <td>181</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.17</td> <td>60.70</td> <td>68.30</td> <td>-7.60</td> <td>42.61</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>181</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5450.09	58.47	74.00	-15.53	40.40	34.53	13.15	29.61	0.00	181	311	PEAK	2	5464.17	60.70	68.30	-7.60	42.61	34.53	13.18	29.62	0.00	181	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.24</td> <td>-----</td> <td>-----</td> <td>79.07</td> <td>34.55</td> <td>13.27</td> <td>29.65</td> <td>0.00</td> <td>181</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	97.24	-----	-----	79.07	34.55	13.27	29.65	0.00	181	311	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5450.09	58.47	74.00	-15.53	40.40	34.53	13.15	29.61	0.00	181	311	PEAK																																																																																			
2	5464.17	60.70	68.30	-7.60	42.61	34.53	13.18	29.62	0.00	181	311	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	97.24	-----	-----	79.07	34.55	13.27	29.65	0.00	181	311	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>49.70</td> <td>54.00</td> <td>-4.30</td> <td>31.62</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>181</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	49.70	54.00	-4.30	31.62	34.53	13.17	29.62	0.00	181	311	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>89.66</td> <td>-----</td> <td>-----</td> <td>71.49</td> <td>34.55</td> <td>13.27</td> <td>29.65</td> <td>0.00</td> <td>181</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	89.66	-----	-----	71.49	34.55	13.27	29.65	0.00	181	311	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5460.00	49.70	54.00	-4.30	31.62	34.53	13.17	29.62	0.00	181	311	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	89.66	-----	-----	71.49	34.55	13.27	29.65	0.00	181	311	AVERAGE																																																																																			



Mode	70																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																							
ANT	1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5742.44</td> <td>59.60</td> <td>68.30</td> <td>-8.70</td> <td>40.66</td> <td>34.87</td> <td>13.86</td> <td>29.79</td> <td>0.00</td> <td>181 311 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5742.44	59.60	68.30	-8.70	40.66	34.87	13.86	29.79	0.00	181 311 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5742.44	59.60	68.30	-8.70	40.66	34.87	13.86	29.79	0.00	181 311 PEAK																															



Mode	70																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>48.72</td> <td>74.00</td> <td>-25.28</td> <td>58.23</td> <td>38.11</td> <td>18.10</td> <td>65.72</td> <td>0.00</td> <td>268</td> <td>234 PEAK</td> </tr> <tr> <td>2 11020.00</td> <td>39.74</td> <td>54.00</td> <td>-14.26</td> <td>49.25</td> <td>38.11</td> <td>18.10</td> <td>65.72</td> <td>0.00</td> <td>268</td> <td>234 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1 11020.00	48.72	74.00	-25.28	58.23	38.11	18.10	65.72	0.00	268	234 PEAK	2 11020.00	39.74	54.00	-14.26	49.25	38.11	18.10	65.72	0.00	268	234 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>56.68</td> <td>74.00</td> <td>-17.32</td> <td>66.19</td> <td>38.11</td> <td>18.10</td> <td>65.72</td> <td>0.00</td> <td>235</td> <td>320 PEAK</td> </tr> <tr> <td>2 11020.00</td> <td>48.49</td> <td>54.00</td> <td>-5.51</td> <td>58.00</td> <td>38.11</td> <td>18.10</td> <td>65.72</td> <td>0.00</td> <td>235</td> <td>320 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1 11020.00	56.68	74.00	-17.32	66.19	38.11	18.10	65.72	0.00	235	320 PEAK	2 11020.00	48.49	54.00	-5.51	58.00	38.11	18.10	65.72	0.00	235	320 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																										
1 11020.00	48.72	74.00	-25.28	58.23	38.11	18.10	65.72	0.00	268	234 PEAK																																																																								
2 11020.00	39.74	54.00	-14.26	49.25	38.11	18.10	65.72	0.00	268	234 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																										
1 11020.00	56.68	74.00	-17.32	66.19	38.11	18.10	65.72	0.00	235	320 PEAK																																																																								
2 11020.00	48.49	54.00	-5.51	58.00	38.11	18.10	65.72	0.00	235	320 AVERAGE																																																																								







	71																																																																																												
Mode	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>59.61</td> <td>74.00</td> <td>-14.39</td> <td>41.53</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.11</td> <td>59.75</td> <td>68.30</td> <td>-8.55</td> <td>41.67</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	59.61	74.00	-14.39	41.53	34.53	13.17	29.62	0.00	300	171	PEAK	2	5460.11	59.75	68.30	-8.55	41.67	34.53	13.17	29.62	0.00	300	171	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>107.42</td> <td>-----</td> <td>-----</td> <td>89.33</td> <td>34.57</td> <td>13.22</td> <td>29.70</td> <td>0.00</td> <td>300</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	107.42	-----	-----	89.33	34.57	13.22	29.70	0.00	300	171	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5460.00	59.61	74.00	-14.39	41.53	34.53	13.17	29.62	0.00	300	171	PEAK																																																																																	
2	5460.11	59.75	68.30	-8.55	41.67	34.53	13.17	29.62	0.00	300	171	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5550.00	107.42	-----	-----	89.33	34.57	13.22	29.70	0.00	300	171	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.31</td> <td>49.34</td> <td>54.00</td> <td>-4.66</td> <td>31.26</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>300</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.31	49.34	54.00	-4.66	31.26	34.53	13.17	29.62	0.00	300	171	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>99.80</td> <td>-----</td> <td>-----</td> <td>81.72</td> <td>34.58</td> <td>13.21</td> <td>29.71</td> <td>0.00</td> <td>300</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	99.80	-----	-----	81.72	34.58	13.21	29.71	0.00	300	171	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5457.31	49.34	54.00	-4.66	31.26	34.53	13.17	29.62	0.00	300	171	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5550.00	99.80	-----	-----	81.72	34.58	13.21	29.71	0.00	300	171	AVERAGE																																																																																	



	71																																									
Mode	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.71</td> <td>58.18</td> <td>68.30</td> <td>-10.12</td> <td>39.40</td> <td>34.84</td> <td>13.73</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5727.71	58.18	68.30	-10.12	39.40	34.84	13.73	29.79	0.00	300	171	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5727.71	58.18	68.30	-10.12	39.40	34.84	13.73	29.79	0.00	300	171	PEAK																															



	71																																																																												
Mode	Band Edge - L																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																												
ANT	1+2																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.71</td> <td>58.44</td> <td>74.00</td> <td>-15.56</td> <td>40.39</td> <td>34.52</td> <td>13.14</td> <td>29.61</td> <td>0.00</td> <td>125</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.51</td> <td>58.89</td> <td>68.30</td> <td>-9.41</td> <td>40.80</td> <td>34.53</td> <td>13.18</td> <td>29.62</td> <td>0.00</td> <td>125</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5447.71	58.44	74.00	-15.56	40.39	34.52	13.14	29.61	0.00	125	305	PEAK	2	5464.51	58.89	68.30	-9.41	40.80	34.53	13.18	29.62	0.00	125	305	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>103.77</td> <td>-----</td> <td>-----</td> <td>85.67</td> <td>34.57</td> <td>13.22</td> <td>29.69</td> <td>0.00</td> <td>125</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5550.00	103.77	-----	-----	85.67	34.57	13.22	29.69	0.00	125	305	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5447.71	58.44	74.00	-15.56	40.39	34.52	13.14	29.61	0.00	125	305	PEAK																																																																	
2	5464.51	58.89	68.30	-9.41	40.80	34.53	13.18	29.62	0.00	125	305	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5550.00	103.77	-----	-----	85.67	34.57	13.22	29.69	0.00	125	305	PEAK																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.31</td> <td>48.77</td> <td>54.00</td> <td>-5.23</td> <td>30.69</td> <td>34.53</td> <td>13.17</td> <td>29.62</td> <td>0.00</td> <td>125</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5457.31	48.77	54.00	-5.23	30.69	34.53	13.17	29.62	0.00	125	305	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>96.70</td> <td>-----</td> <td>-----</td> <td>78.62</td> <td>34.58</td> <td>13.21</td> <td>29.71</td> <td>0.00</td> <td>125</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5550.00	96.70	-----	-----	78.62	34.58	13.21	29.71	0.00	125	305	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5457.31	48.77	54.00	-5.23	30.69	34.53	13.17	29.62	0.00	125	305	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5550.00	96.70	-----	-----	78.62	34.58	13.21	29.71	0.00	125	305	AVERAGE																																																																	



Mode	71																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																								
ANT	1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5753.29</td> <td>59.13</td> <td>68.30</td> <td>-9.17</td> <td>40.06</td> <td>34.90</td> <td>13.95</td> <td>29.78</td> <td>0.00</td> <td>125 305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5753.29	59.13	68.30	-9.17	40.06	34.90	13.95	29.78	0.00	125 305	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5753.29	59.13	68.30	-9.17	40.06	34.90	13.95	29.78	0.00	125 305	PEAK																															



Mode	71																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>57.28</td> <td>74.00</td> <td>-16.72</td> <td>66.63</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>200</td> <td>154</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>48.51</td> <td>54.00</td> <td>-5.49</td> <td>57.86</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>200</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	57.28	74.00	-16.72	66.63	38.16	18.16	65.67	0.00	200	154	PEAK	2	11100.00	48.51	54.00	-5.49	57.86	38.16	18.16	65.67	0.00	200	154	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>56.31</td> <td>74.00</td> <td>-17.69</td> <td>65.66</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>215</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>47.81</td> <td>54.00</td> <td>-6.19</td> <td>57.16</td> <td>38.16</td> <td>18.16</td> <td>65.67</td> <td>0.00</td> <td>215</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	56.31	74.00	-17.69	65.66	38.16	18.16	65.67	0.00	215	360	PEAK	2	11100.00	47.81	54.00	-6.19	57.16	38.16	18.16	65.67	0.00	215	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11100.00	57.28	74.00	-16.72	66.63	38.16	18.16	65.67	0.00	200	154	PEAK																																																																																																		
2	11100.00	48.51	54.00	-5.49	57.86	38.16	18.16	65.67	0.00	200	154	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11100.00	56.31	74.00	-17.69	65.66	38.16	18.16	65.67	0.00	215	360	PEAK																																																																																																		
2	11100.00	47.81	54.00	-6.19	57.16	38.16	18.16	65.67	0.00	215	360	AVERAGE																																																																																																		



	72																																																																									
Mode	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.45</td> <td>58.82</td> <td>74.00</td> <td>-15.18</td> <td>40.81</td> <td>34.51</td> <td>13.09</td> </tr> <tr> <td>2</td> <td>5466.33</td> <td>57.45</td> <td>68.30</td> <td>-10.85</td> <td>39.35</td> <td>34.53</td> <td>13.19</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5423.45	58.82	74.00	-15.18	40.81	34.51	13.09	2	5466.33	57.45	68.30	-10.85	39.35	34.53	13.19	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>108.10</td> <td>-----</td> <td>-----</td> <td>89.82</td> <td>34.71</td> <td>13.35</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	108.10	-----	-----	89.82	34.71	13.35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5423.45	58.82	74.00	-15.18	40.81	34.51	13.09																																																																			
2	5466.33	57.45	68.30	-10.85	39.35	34.53	13.19																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5670.00	108.10	-----	-----	89.82	34.71	13.35																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.93</td> <td>48.45</td> <td>54.00</td> <td>-5.55</td> <td>30.38</td> <td>34.53</td> <td>13.15</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5451.93	48.45	54.00	-5.55	30.38	34.53	13.15	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.18</td> <td>-----</td> <td>-----</td> <td>81.86</td> <td>34.73</td> <td>13.38</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	100.18	-----	-----	81.86	34.73	13.38								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5451.93	48.45	54.00	-5.55	30.38	34.53	13.15																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5670.00	100.18	-----	-----	81.86	34.73	13.38																																																																			



Mode	72																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																							
ANT	1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.01</td> <td>63.98</td> <td>68.30</td> <td>-4.32</td> <td>45.23</td> <td>34.84</td> <td>13.70</td> <td>29.79</td> <td>0.00</td> <td>224 154 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.01	63.98	68.30	-4.32	45.23	34.84	13.70	29.79	0.00	224 154 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5725.01	63.98	68.30	-4.32	45.23	34.84	13.70	29.79	0.00	224 154 PEAK																															



		72																																																																								
Mode	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5424.41</td> <td>57.68</td> <td>74.00</td> <td>-16.32</td> <td>39.67</td> <td>34.51</td> <td>13.09</td> </tr> <tr> <td>2</td> <td>5469.85</td> <td>59.08</td> <td>68.30</td> <td>-9.22</td> <td>40.98</td> <td>34.53</td> <td>13.20</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5424.41	57.68	74.00	-16.32	39.67	34.51	13.09	2	5469.85	59.08	68.30	-9.22	40.98	34.53	13.20	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>103.92</td> <td>-----</td> <td>-----</td> <td>85.62</td> <td>34.72</td> <td>13.37</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	103.92	-----	-----	85.62	34.72	13.37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5424.41	57.68	74.00	-16.32	39.67	34.51	13.09																																																																			
2	5469.85	59.08	68.30	-9.22	40.98	34.53	13.20																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5670.00	103.92	-----	-----	85.62	34.72	13.37																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5435.93</td> <td>48.27</td> <td>54.00</td> <td>-5.73</td> <td>30.23</td> <td>34.52</td> <td>13.12</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5435.93	48.27	54.00	-5.73	30.23	34.52	13.12	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>96.58</td> <td>-----</td> <td>-----</td> <td>78.28</td> <td>34.72</td> <td>13.37</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	96.58	-----	-----	78.28	34.72	13.37								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5435.93	48.27	54.00	-5.73	30.23	34.52	13.12																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5670.00	96.58	-----	-----	78.28	34.72	13.37																																																																			



Mode	72																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																								
ANT	1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5756.98</td> <td>58.98</td> <td>68.30</td> <td>-9.32</td> <td>39.86</td> <td>34.91</td> <td>13.99</td> <td>29.78</td> <td>0.00</td> <td>171 303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5756.98	58.98	68.30	-9.32	39.86	34.91	13.99	29.78	0.00	171 303	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5756.98	58.98	68.30	-9.32	39.86	34.91	13.99	29.78	0.00	171 303	PEAK																															






Mode	72																																																																																									
	Harmonic																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>53.57</td> <td>74.00</td> <td>-20.43</td> <td>62.47</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>199</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>44.79</td> <td>54.00</td> <td>-9.21</td> <td>53.69</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>199</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	11340.00	53.57	74.00	-20.43	62.47	38.30	18.34	65.54	0.00	199	352	PEAK	2	11340.00	44.79	54.00	-9.21	53.69	38.30	18.34	65.54	0.00	199	352	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>57.69</td> <td>74.00</td> <td>-16.31</td> <td>66.59</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>212</td> <td>19</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>48.49</td> <td>54.00</td> <td>-5.51</td> <td>57.39</td> <td>38.30</td> <td>18.34</td> <td>65.54</td> <td>0.00</td> <td>212</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	11340.00	57.69	74.00	-16.31	66.59	38.30	18.34	65.54	0.00	212	19	PEAK	2	11340.00	48.49	54.00	-5.51	57.39	38.30	18.34	65.54	0.00	212	19	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																		
1	11340.00	53.57	74.00	-20.43	62.47	38.30	18.34	65.54	0.00	199	352	PEAK																																																																														
2	11340.00	44.79	54.00	-9.21	53.69	38.30	18.34	65.54	0.00	199	352	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																		
1	11340.00	57.69	74.00	-16.31	66.59	38.30	18.34	65.54	0.00	212	19	PEAK																																																																														
2	11340.00	48.49	54.00	-5.51	57.39	38.30	18.34	65.54	0.00	212	19	AVERAGE																																																																														



		73																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Horizontal		Fundamental																																																																																																																														
Peak																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.27</td> <td>60.10</td> <td>68.30</td> <td>-8.20</td> <td>42.07</td> <td>34.61</td> <td>13.18</td> <td>29.76</td> <td>0.00</td> <td>201</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>58.16</td> <td>68.64</td> <td>-10.48</td> <td>39.93</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>201</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.89</td> <td>70.37</td> <td>110.31</td> <td>-39.94</td> <td>51.70</td> <td>34.82</td> <td>13.64</td> <td>29.79</td> <td>0.00</td> <td>201</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.64</td> <td>65.33</td> <td>112.36</td> <td>-47.03</td> <td>46.63</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>201</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.27	60.10	68.30	-8.20	42.07	34.61	13.18	29.76	0.00	201	156	PEAK	2	5650.46	58.16	68.64	-10.48	39.93	34.69	13.32	29.78	0.00	201	156	PEAK	3	5717.89	70.37	110.31	-39.94	51.70	34.82	13.64	29.79	0.00	201	156	PEAK	4	5720.64	65.33	112.36	-47.03	46.63	34.83	13.66	29.79	0.00	201	156	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.17</td> <td>-----</td> <td>-----</td> <td>92.25</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>201</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.17	-----	-----	92.25	34.87	13.84	29.79	0.00	201	156
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5608.27	60.10	68.30	-8.20	42.07	34.61	13.18	29.76	0.00	201	156	PEAK																																																																																																																					
2	5650.46	58.16	68.64	-10.48	39.93	34.69	13.32	29.78	0.00	201	156	PEAK																																																																																																																					
3	5717.89	70.37	110.31	-39.94	51.70	34.82	13.64	29.79	0.00	201	156	PEAK																																																																																																																					
4	5720.64	65.33	112.36	-47.03	46.63	34.83	13.66	29.79	0.00	201	156	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	111.17	-----	-----	92.25	34.87	13.84	29.79	0.00	201	156	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.07</td> <td>-----</td> <td>-----</td> <td>84.09</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>201</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.07	-----	-----	84.09	34.88	13.89	29.79	0.00	201	156	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	103.07	-----	-----	84.09	34.88	13.89	29.79	0.00	201	156	AVERAGE																																																																																																																					



	73																																																																																																																																				
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																				
ANT	1+2																																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																																			
Peak	 <table border="1" data-bbox="263 1052 766 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5639.30</td> <td>58.70</td> <td>68.30</td> <td>-9.60</td> <td>40.53</td> <td>34.67</td> <td>13.28</td> <td>29.78</td> <td>0.00</td> <td>163</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>56.50</td> <td>68.75</td> <td>-12.25</td> <td>38.27</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>163</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.20</td> <td>61.51</td> <td>108.16</td> <td>-46.65</td> <td>42.94</td> <td>34.80</td> <td>13.57</td> <td>29.80</td> <td>0.00</td> <td>163</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.21</td> <td>64.37</td> <td>111.37</td> <td>-47.00</td> <td>45.68</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>163</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5639.30	58.70	68.30	-9.60	40.53	34.67	13.28	29.78	0.00	163	303	PEAK	2	5650.61	56.50	68.75	-12.25	38.27	34.69	13.32	29.78	0.00	163	303	PEAK	3	5710.20	61.51	108.16	-46.65	42.94	34.80	13.57	29.80	0.00	163	303	PEAK	4	5728.21	64.37	111.37	-47.00	45.68	34.82	13.66	29.79	0.00	163	303	PEAK	 <table border="1" data-bbox="901 1052 1404 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.24</td> <td>-----</td> <td>-----</td> <td>89.26</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>163</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	108.24	-----	-----	89.26	34.88	13.89	29.79	0.00	163	303	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5639.30	58.70	68.30	-9.60	40.53	34.67	13.28	29.78	0.00	163	303	PEAK																																																																																																																									
2	5650.61	56.50	68.75	-12.25	38.27	34.69	13.32	29.78	0.00	163	303	PEAK																																																																																																																									
3	5710.20	61.51	108.16	-46.65	42.94	34.80	13.57	29.80	0.00	163	303	PEAK																																																																																																																									
4	5728.21	64.37	111.37	-47.00	45.68	34.82	13.66	29.79	0.00	163	303	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	108.24	-----	-----	89.26	34.88	13.89	29.79	0.00	163	303	PEAK																																																																																																																									
Avg	Blank	 <table border="1" data-bbox="901 1736 1404 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.08</td> <td>-----</td> <td>-----</td> <td>81.10</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>163</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	100.08	-----	-----	81.10	34.88	13.89	29.79	0.00	163	303	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	100.08	-----	-----	81.10	34.88	13.89	29.79	0.00	163	303	AVERAGE																																																																																																																									



Mode	73																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>60.65</td> <td>74.00</td> <td>-13.35</td> <td>69.26</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>192</td> <td>0 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>50.41</td> <td>54.00</td> <td>-3.59</td> <td>59.01</td> <td>38.39</td> <td>18.46</td> <td>65.45</td> <td>0.00</td> <td>192</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	60.65	74.00	-13.35	69.26	38.39	18.46	65.46	0.00	192	0 PEAK	2 11490.00	50.41	54.00	-3.59	59.01	38.39	18.46	65.45	0.00	192	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>61.79</td> <td>74.00</td> <td>-12.21</td> <td>70.40</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>340</td> <td>355 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>50.57</td> <td>54.00</td> <td>-3.43</td> <td>59.18</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>340</td> <td>355 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	61.79	74.00	-12.21	70.40	38.39	18.46	65.46	0.00	340	355 PEAK	2 11490.00	50.57	54.00	-3.43	59.18	38.39	18.46	65.46	0.00	340
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 11490.00	60.65	74.00	-13.35	69.26	38.39	18.46	65.46	0.00	192	0 PEAK																																																																																											
2 11490.00	50.41	54.00	-3.59	59.01	38.39	18.46	65.45	0.00	192	0 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 11490.00	61.79	74.00	-12.21	70.40	38.39	18.46	65.46	0.00	340	355 PEAK																																																																																											
2 11490.00	50.57	54.00	-3.43	59.18	38.39	18.46	65.46	0.00	340	355 AVERAGE																																																																																											






Mode	74																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>59.02</td> <td>74.00</td> <td>-14.98</td> <td>67.47</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>196</td> <td>355 PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>50.10</td> <td>54.00</td> <td>-3.90</td> <td>58.55</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>196</td> <td>355 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	59.02	74.00	-14.98	67.47	38.44	18.52	65.41	0.00	196	355 PEAK	2 11570.00	50.10	54.00	-3.90	58.55	38.44	18.52	65.41	0.00	196	355 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>58.17</td> <td>74.00</td> <td>-15.83</td> <td>66.62</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>298</td> <td>0 PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>48.86</td> <td>54.00</td> <td>-5.14</td> <td>57.31</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>298</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	58.17	74.00	-15.83	66.62	38.44	18.52	65.41	0.00	298	0 PEAK	2 11570.00	48.86	54.00	-5.14	57.31	38.44	18.52	65.41	0.00	298	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11570.00	59.02	74.00	-14.98	67.47	38.44	18.52	65.41	0.00	196	355 PEAK																																																																																												
2 11570.00	50.10	54.00	-3.90	58.55	38.44	18.52	65.41	0.00	196	355 AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11570.00	58.17	74.00	-15.83	66.62	38.44	18.52	65.41	0.00	298	0 PEAK																																																																																												
2 11570.00	48.86	54.00	-5.14	57.31	38.44	18.52	65.41	0.00	298	0 AVERAGE																																																																																												



Mode	75																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11n_HT20_CH165_5825MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.25</td> <td>62.81</td> <td>112.61</td> <td>-49.80</td> <td>43.49</td> <td>35.08</td> <td>14.83</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.38</td> <td>59.74</td> <td>106.31</td> <td>-46.57</td> <td>40.50</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>57.42</td> <td>68.58</td> <td>-11.16</td> <td>38.36</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5942.38</td> <td>60.08</td> <td>68.30</td> <td>-8.22</td> <td>41.05</td> <td>35.21</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.25	62.81	112.61	-49.80	43.49	35.08	14.83	29.79	0.00	102	301	PEAK	2	5871.38	59.74	106.31	-46.57	40.50	35.11	13.92	29.79	0.00	102	301	PEAK	3	5924.63	57.42	68.58	-11.16	38.36	35.19	13.69	29.82	0.00	102	301	PEAK	4	5942.38	60.08	68.30	-8.22	41.05	35.21	13.66	29.84	0.00	102	301	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.89</td> <td>-----</td> <td>-----</td> <td>89.41</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.89	-----	-----	89.41	35.04	14.22	29.78	0.00	102	301	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5854.25	62.81	112.61	-49.80	43.49	35.08	14.83	29.79	0.00	102	301	PEAK																																																																																																																					
2	5871.38	59.74	106.31	-46.57	40.50	35.11	13.92	29.79	0.00	102	301	PEAK																																																																																																																					
3	5924.63	57.42	68.58	-11.16	38.36	35.19	13.69	29.82	0.00	102	301	PEAK																																																																																																																					
4	5942.38	60.08	68.30	-8.22	41.05	35.21	13.66	29.84	0.00	102	301	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	108.89	-----	-----	89.41	35.04	14.22	29.78	0.00	102	301	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.63</td> <td>-----</td> <td>-----</td> <td>82.15</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>102</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.63	-----	-----	82.15	35.04	14.22	29.78	0.00	102	301	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	101.63	-----	-----	82.15	35.04	14.22	29.78	0.00	102	301	AVERAGE																																																																																																																					



	75																																																																																																										
Mode	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																										
ANT	1+2																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1" data-bbox="263 1052 766 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>60.31</td> <td>111.18</td> <td>-50.87</td> <td>41.00</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.38</td> <td>58.89</td> <td>105.75</td> <td>-46.86</td> <td>39.66</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>57.12</td> <td>68.30</td> <td>-11.18</td> <td>38.06</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.75</td> <td>60.38</td> <td>68.30</td> <td>-7.92</td> <td>41.35</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		1	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Remark	1	5854.88	60.31	111.18	-50.87	41.00	35.08	14.02	29.79	0.00	100	194	PEAK	2	5873.38	58.89	105.75	-46.86	39.66	35.11	13.91	29.79	0.00	100	194	PEAK	3	5925.00	57.12	68.30	-11.18	38.06	35.19	13.69	29.82	0.00	100	194	PEAK	4	5945.75	60.38	68.30	-7.92	41.35	35.22	13.65	29.84	0.00	100	194	PEAK	 <table border="1" data-bbox="893 1097 1404 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.43</td> <td>-----</td> <td>-----</td> <td>84.95</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		1	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Remark	1	5825.00	104.43	-----	-----	84.95	35.04	14.22	29.78	0.00	100	194	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
1	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Remark																																																																																																		
1	5854.88	60.31	111.18	-50.87	41.00	35.08	14.02	29.79	0.00	100	194	PEAK																																																																																															
2	5873.38	58.89	105.75	-46.86	39.66	35.11	13.91	29.79	0.00	100	194	PEAK																																																																																															
3	5925.00	57.12	68.30	-11.18	38.06	35.19	13.69	29.82	0.00	100	194	PEAK																																																																																															
4	5945.75	60.38	68.30	-7.92	41.35	35.22	13.65	29.84	0.00	100	194	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
1	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Remark																																																																																																		
1	5825.00	104.43	-----	-----	84.95	35.04	14.22	29.78	0.00	100	194	PEAK																																																																																															
Avg	Blank	 <table border="1" data-bbox="893 1769 1404 1904"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.04</td> <td>-----</td> <td>-----</td> <td>77.56</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>194</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		1	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Remark	1	5825.00	97.04	-----	-----	77.56	35.04	14.22	29.78	0.00	100	194	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
1	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Remark																																																																																																		
1	5825.00	97.04	-----	-----	77.56	35.04	14.22	29.78	0.00	100	194	AVERAGE																																																																																															



Mode	75																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>57.49</td> <td>74.00</td> <td>-16.51</td> <td>65.79</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>197</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>48.19</td> <td>54.00</td> <td>-5.81</td> <td>56.49</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>197</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	57.49	74.00	-16.51	65.79	38.49	18.58	65.37	0.00	197	13	PEAK	2	11650.00	48.19	54.00	-5.81	56.49	38.49	18.58	65.37	0.00	197	13	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>60.61</td> <td>74.00</td> <td>-13.39</td> <td>68.91</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>326</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>50.33</td> <td>54.00</td> <td>-3.67</td> <td>58.62</td> <td>38.49</td> <td>18.58</td> <td>65.36</td> <td>0.00</td> <td>326</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	60.61	74.00	-13.39	68.91	38.49	18.58	65.37	0.00	326	347	PEAK	2	11650.00	50.33	54.00	-3.67	58.62	38.49	18.58	65.36	0.00	326	347	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11650.00	57.49	74.00	-16.51	65.79	38.49	18.58	65.37	0.00	197	13	PEAK																																																																																																		
2	11650.00	48.19	54.00	-5.81	56.49	38.49	18.58	65.37	0.00	197	13	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11650.00	60.61	74.00	-13.39	68.91	38.49	18.58	65.37	0.00	326	347	PEAK																																																																																																		
2	11650.00	50.33	54.00	-3.67	58.62	38.49	18.58	65.36	0.00	326	347	AVERAGE																																																																																																		






		76																																																																																																																															
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5612.71</td> <td>58.65</td> <td>68.30</td> <td>-9.65</td> <td>40.61</td> <td>34.62</td> <td>13.19</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.15</td> <td>58.02</td> <td>69.15</td> <td>-11.13</td> <td>39.79</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.11</td> <td>73.33</td> <td>110.37</td> <td>-37.04</td> <td>54.66</td> <td>34.82</td> <td>13.64</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.13</td> <td>71.45</td> <td>111.19</td> <td>-39.74</td> <td>52.76</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5612.71	58.65	68.30	-9.65	40.61	34.62	13.19	29.77	0.00	100	299	PEAK	2	5651.15	58.02	69.15	-11.13	39.79	34.69	13.32	29.78	0.00	100	299	PEAK	3	5718.11	73.33	110.37	-37.04	54.66	34.82	13.64	29.79	0.00	100	299	PEAK	4	5728.13	71.45	111.19	-39.74	52.76	34.82	13.66	29.79	0.00	100	299	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>107.89</td> <td>-----</td> <td>-----</td> <td>88.76</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.89	-----	-----	88.76	34.91	14.00	29.78	0.00	100	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5612.71	58.65	68.30	-9.65	40.61	34.62	13.19	29.77	0.00	100	299	PEAK																																																																																																																					
2	5651.15	58.02	69.15	-11.13	39.79	34.69	13.32	29.78	0.00	100	299	PEAK																																																																																																																					
3	5718.11	73.33	110.37	-37.04	54.66	34.82	13.64	29.79	0.00	100	299	PEAK																																																																																																																					
4	5728.13	71.45	111.19	-39.74	52.76	34.82	13.66	29.79	0.00	100	299	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	107.89	-----	-----	88.76	34.91	14.00	29.78	0.00	100	299	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>100.00</td> <td>-----</td> <td>-----</td> <td>80.87</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.00	-----	-----	80.87	34.91	14.00	29.78	0.00	100	299	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	100.00	-----	-----	80.87	34.91	14.00	29.78	0.00	100	299	AVERAGE																																																																																																																					



Mode	76																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.26</td> <td>58.71</td> <td>112.60</td> <td>-53.89</td> <td>39.39</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.64</td> <td>59.19</td> <td>106.52</td> <td>-47.33</td> <td>39.94</td> <td>35.11</td> <td>13.93</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.07</td> <td>57.71</td> <td>68.99</td> <td>-11.28</td> <td>38.65</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.35</td> <td>58.69</td> <td>68.30</td> <td>-9.61</td> <td>39.65</td> <td>35.20</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	58.71	112.60	-53.89	39.39	35.08	14.03	29.79	0.00	100	299	PEAK	2	5870.64	59.19	106.52	-47.33	39.94	35.11	13.93	29.79	0.00	100	299	PEAK	3	5924.07	57.71	68.99	-11.28	38.65	35.19	13.69	29.82	0.00	100	299	PEAK	4	5936.35	58.69	68.30	-9.61	39.65	35.20	13.67	29.83	0.00	100	299	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.26	58.71	112.60	-53.89	39.39	35.08	14.03	29.79	0.00	100	299	PEAK																																																																						
2	5870.64	59.19	106.52	-47.33	39.94	35.11	13.93	29.79	0.00	100	299	PEAK																																																																						
3	5924.07	57.71	68.99	-11.28	38.65	35.19	13.69	29.82	0.00	100	299	PEAK																																																																						
4	5936.35	58.69	68.30	-9.61	39.65	35.20	13.67	29.83	0.00	100	299	PEAK																																																																						



		76																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																															
ANT		1+2																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																															
Peak	 <table border="1" data-bbox="263 1052 766 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.82</td> <td>58.72</td> <td>68.30</td> <td>-9.58</td> <td>40.56</td> <td>34.67</td> <td>13.27</td> <td>29.78</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.53</td> <td>57.83</td> <td>68.69</td> <td>-10.86</td> <td>39.60</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.97</td> <td>79.11</td> <td>110.89</td> <td>-31.78</td> <td>60.42</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.13</td> <td>74.88</td> <td>111.19</td> <td>-36.31</td> <td>56.19</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.82	58.72	68.30	-9.58	40.56	34.67	13.27	29.78	0.00	162	302	PEAK	2	5650.53	57.83	68.69	-10.86	39.60	34.69	13.32	29.78	0.00	162	302	PEAK	3	5719.97	79.11	110.89	-31.78	60.42	34.82	13.66	29.79	0.00	162	302	PEAK	4	5728.13	74.88	111.19	-36.31	56.19	34.82	13.66	29.79	0.00	162	302	PEAK	 <table border="1" data-bbox="893 1052 1404 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>105.24</td> <td>-----</td> <td>-----</td> <td>86.11</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.24	-----	-----	86.11	34.91	14.00	29.78	0.00	162	302	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5637.82	58.72	68.30	-9.58	40.56	34.67	13.27	29.78	0.00	162	302	PEAK																																																																																																																					
2	5650.53	57.83	68.69	-10.86	39.60	34.69	13.32	29.78	0.00	162	302	PEAK																																																																																																																					
3	5719.97	79.11	110.89	-31.78	60.42	34.82	13.66	29.79	0.00	162	302	PEAK																																																																																																																					
4	5728.13	74.88	111.19	-36.31	56.19	34.82	13.66	29.79	0.00	162	302	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	105.24	-----	-----	86.11	34.91	14.00	29.78	0.00	162	302	PEAK																																																																																																																					
Avg	Blank	 <table border="1" data-bbox="893 1724 1404 1904"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>97.50</td> <td>-----</td> <td>-----</td> <td>78.45</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>162</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.50	-----	-----	78.45	34.89	13.94	29.78	0.00	162	302	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	97.50	-----	-----	78.45	34.89	13.94	29.78	0.00	162	302	AVERAGE																																																																																																																					



Mode	76																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>57.51</td> <td>111.26</td> <td>-53.75</td> <td>38.20</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.17</td> <td>58.91</td> <td>105.81</td> <td>-46.90</td> <td>39.68</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.87</td> <td>57.52</td> <td>69.13</td> <td>-11.61</td> <td>38.46</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.94</td> <td>59.29</td> <td>68.30</td> <td>-9.01</td> <td>40.24</td> <td>35.19</td> <td>13.69</td> <td>29.83</td> <td>0.00</td> <td>162</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	57.51	111.26	-53.75	38.20	35.08	14.02	29.79	0.00	162	302	PEAK	2	5873.17	58.91	105.81	-46.90	39.68	35.11	13.91	29.79	0.00	162	302	PEAK	3	5923.87	57.52	69.13	-11.61	38.46	35.19	13.69	29.82	0.00	162	302	PEAK	4	5928.94	59.29	68.30	-9.01	40.24	35.19	13.69	29.83	0.00	162	302	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	57.51	111.26	-53.75	38.20	35.08	14.02	29.79	0.00	162	302	PEAK																																																																						
2	5873.17	58.91	105.81	-46.90	39.68	35.11	13.91	29.79	0.00	162	302	PEAK																																																																						
3	5923.87	57.52	69.13	-11.61	38.46	35.19	13.69	29.82	0.00	162	302	PEAK																																																																						
4	5928.94	59.29	68.30	-9.01	40.24	35.19	13.69	29.83	0.00	162	302	PEAK																																																																						



Mode	76																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>57.38</td> <td>74.00</td> <td>-16.62</td> <td>65.94</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>199</td> <td>348</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11510.00</td> <td>47.46</td> <td>54.00</td> <td>-6.54</td> <td>56.02</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>199</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	57.38	74.00	-16.62	65.94	38.41	18.47	65.44	0.00	199	348	PEAK	2	11510.00	47.46	54.00	-6.54	56.02	38.41	18.47	65.44	0.00	199	348	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>55.87</td> <td>74.00</td> <td>-18.13</td> <td>64.43</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>296</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11510.00</td> <td>47.32</td> <td>54.00</td> <td>-6.68</td> <td>55.88</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>296</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	55.87	74.00	-18.13	64.43	38.41	18.47	65.44	0.00	296	360	PEAK	2	11510.00	47.32	54.00	-6.68	55.88	38.41	18.47	65.44	0.00	296	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11510.00	57.38	74.00	-16.62	65.94	38.41	18.47	65.44	0.00	199	348	PEAK																																																																																																		
2	11510.00	47.46	54.00	-6.54	56.02	38.41	18.47	65.44	0.00	199	348	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11510.00	55.87	74.00	-18.13	64.43	38.41	18.47	65.44	0.00	296	360	PEAK																																																																																																		
2	11510.00	47.32	54.00	-6.68	55.88	38.41	18.47	65.44	0.00	296	360	AVERAGE																																																																																																		



77																																																																																																																											
Mode	Band Edge - L																																																																																																																										
U-NII-3_5.725-5.85_802.11n_HT40_CH159_5795MHz																																																																																																																											
ANT	1+2																																																																																																																										
Pol.	Horizontal																																																																																																																										
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5621.84</td> <td>58.44</td> <td>68.30</td> <td>-9.86</td> <td>40.35</td> <td>34.64</td> <td>13.22</td> <td>29.77</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> <tr> <td>2</td> <td>5650.31</td> <td>56.29</td> <td>68.53</td> <td>-12.24</td> <td>38.06</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> <tr> <td>3</td> <td>5700.04</td> <td>57.63</td> <td>105.31</td> <td>-47.68</td> <td>39.17</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>55.55</td> <td>111.17</td> <td>-55.62</td> <td>36.86</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>106.09</td> <td>-----</td> <td>-----</td> <td>86.49</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.84	58.44	68.30	-9.86	40.35	34.64	13.22	29.77	0.00	298	11 PEAK	2	5650.31	56.29	68.53	-12.24	38.06	34.69	13.32	29.78	0.00	298	11 PEAK	3	5700.04	57.63	105.31	-47.68	39.17	34.78	13.48	29.80	0.00	298	11 PEAK	4	5720.12	55.55	111.17	-55.62	36.86	34.82	13.66	29.79	0.00	298	11 PEAK	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.09	-----	-----	86.49	35.00	14.37	29.77	0.00	298	11 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5621.84	58.44	68.30	-9.86	40.35	34.64	13.22	29.77	0.00	298	11 PEAK																																																																																																																
2	5650.31	56.29	68.53	-12.24	38.06	34.69	13.32	29.78	0.00	298	11 PEAK																																																																																																																
3	5700.04	57.63	105.31	-47.68	39.17	34.78	13.48	29.80	0.00	298	11 PEAK																																																																																																																
4	5720.12	55.55	111.17	-55.62	36.86	34.82	13.66	29.79	0.00	298	11 PEAK																																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5795.00	106.09	-----	-----	86.49	35.00	14.37	29.77	0.00	298	11 PEAK																																																																																																																
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p>Blank</p> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>99.86</td> <td>-----</td> <td>-----</td> <td>80.32</td> <td>34.99</td> <td>14.32</td> <td>29.77</td> <td>0.00</td> <td>298</td> <td>11 AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.86	-----	-----	80.32	34.99	14.32	29.77	0.00	298	11 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5795.00	99.86	-----	-----	80.32	34.99	14.32	29.77	0.00	298	11 AVERAGE																																																																																																																



Mode	77																																																																															
	Band Edge - R																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>59.58</td> <td>111.29</td> <td>-51.71</td> <td>40.27</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> <tr> <td>2</td> <td>5873.28</td> <td>63.08</td> <td>105.78</td> <td>-42.70</td> <td>43.85</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> <tr> <td>3</td> <td>5924.89</td> <td>58.04</td> <td>68.38</td> <td>-10.34</td> <td>38.98</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> <tr> <td>4</td> <td>5934.19</td> <td>59.09</td> <td>68.30</td> <td>-9.21</td> <td>40.04</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>298</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.83	59.58	111.29	-51.71	40.27	35.08	14.02	29.79	0.00	298	11 PEAK	2	5873.28	63.08	105.78	-42.70	43.85	35.11	13.91	29.79	0.00	298	11 PEAK	3	5924.89	58.04	68.38	-10.34	38.98	35.19	13.69	29.82	0.00	298	11 PEAK	4	5934.19	59.09	68.30	-9.21	40.04	35.20	13.68	29.83	0.00	298	11 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																							
1	5854.83	59.58	111.29	-51.71	40.27	35.08	14.02	29.79	0.00	298	11 PEAK																																																																					
2	5873.28	63.08	105.78	-42.70	43.85	35.11	13.91	29.79	0.00	298	11 PEAK																																																																					
3	5924.89	58.04	68.38	-10.34	38.98	35.19	13.69	29.82	0.00	298	11 PEAK																																																																					
4	5934.19	59.09	68.30	-9.21	40.04	35.20	13.68	29.83	0.00	298	11 PEAK																																																																					



	77																																																																																																																																
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5620.87</td> <td>59.54</td> <td>68.30</td> <td>-8.76</td> <td>41.45</td> <td>34.64</td> <td>13.22</td> <td>29.77</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>56.87</td> <td>68.97</td> <td>-12.10</td> <td>38.64</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.43</td> <td>58.70</td> <td>105.42</td> <td>-46.72</td> <td>40.24</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>57.84</td> <td>111.17</td> <td>-53.33</td> <td>39.15</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5620.87	59.54	68.30	-8.76	41.45	34.64	13.22	29.77	0.00	256	38	PEAK	2	5650.90	56.87	68.97	-12.10	38.64	34.69	13.32	29.78	0.00	256	38	PEAK	3	5700.43	58.70	105.42	-46.72	40.24	34.78	13.48	29.80	0.00	256	38	PEAK	4	5720.12	57.84	111.17	-53.33	39.15	34.82	13.66	29.79	0.00	256	38	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>102.49</td> <td>122.30</td> <td>-19.81</td> <td>82.94</td> <td>34.99</td> <td>14.33</td> <td>29.77</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	102.49	122.30	-19.81	82.94	34.99	14.33	29.77	0.00	256	38	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5620.87	59.54	68.30	-8.76	41.45	34.64	13.22	29.77	0.00	256	38	PEAK																																																																																																																					
2	5650.90	56.87	68.97	-12.10	38.64	34.69	13.32	29.78	0.00	256	38	PEAK																																																																																																																					
3	5700.43	58.70	105.42	-46.72	40.24	34.78	13.48	29.80	0.00	256	38	PEAK																																																																																																																					
4	5720.12	57.84	111.17	-53.33	39.15	34.82	13.66	29.79	0.00	256	38	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5795.00	102.49	122.30	-19.81	82.94	34.99	14.33	29.77	0.00	256	38	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.20</td> <td>122.30</td> <td>-27.10</td> <td>75.65</td> <td>34.99</td> <td>14.33</td> <td>29.77</td> <td>0.00</td> <td>256</td> <td>38</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.20	122.30	-27.10	75.65	34.99	14.33	29.77	0.00	256	38	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5795.00	95.20	122.30	-27.10	75.65	34.99	14.33	29.77	0.00	256	38	AVERAGE																																																																																																																					



Mode	77																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>60.12</td> <td>110.93</td> <td>-50.81</td> <td>40.81</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.97</td> <td>59.42</td> <td>105.87</td> <td>-46.45</td> <td>40.19</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.95</td> <td>58.96</td> <td>70.55</td> <td>-11.59</td> <td>39.90</td> <td>35.18</td> <td>13.70</td> <td>29.82</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.91</td> <td>59.00</td> <td>68.30</td> <td>-9.30</td> <td>39.94</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>256</td> <td>38</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.99	60.12	110.93	-50.81	40.81	35.08	14.02	29.79	0.00	256	38	PEAK	2	5872.97	59.42	105.87	-46.45	40.19	35.11	13.91	29.79	0.00	256	38	PEAK	3	5921.95	58.96	70.55	-11.59	39.90	35.18	13.70	29.82	0.00	256	38	PEAK	4	5926.91	59.00	68.30	-9.30	39.94	35.19	13.69	29.82	0.00	256	38	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	5854.99	60.12	110.93	-50.81	40.81	35.08	14.02	29.79	0.00	256	38	PEAK																																																																								
2	5872.97	59.42	105.87	-46.45	40.19	35.11	13.91	29.79	0.00	256	38	PEAK																																																																								
3	5921.95	58.96	70.55	-11.59	39.90	35.18	13.70	29.82	0.00	256	38	PEAK																																																																								
4	5926.91	59.00	68.30	-9.30	39.94	35.19	13.69	29.82	0.00	256	38	PEAK																																																																								



Mode	77																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>52.91</td> <td>74.00</td> <td>-21.09</td> <td>61.33</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>101</td> <td>215</td> <td>PEAK</td> </tr> <tr> <td>2 11590.00</td> <td>43.96</td> <td>54.00</td> <td>-10.04</td> <td>52.37</td> <td>38.45</td> <td>18.54</td> <td>65.40</td> <td>0.00</td> <td>101</td> <td>215</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1 11590.00	52.91	74.00	-21.09	61.33	38.45	18.53	65.40	0.00	101	215	PEAK	2 11590.00	43.96	54.00	-10.04	52.37	38.45	18.54	65.40	0.00	101	215	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>54.63</td> <td>74.00</td> <td>-19.37</td> <td>63.05</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>308</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11590.00</td> <td>46.18</td> <td>54.00</td> <td>-7.82</td> <td>54.60</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>308</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1 11590.00	54.63	74.00	-19.37	63.05	38.45	18.53	65.40	0.00	308	0	PEAK	2 11590.00	46.18	54.00	-7.82	54.60	38.45	18.53	65.40	0.00	308	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																														
1 11590.00	52.91	74.00	-21.09	61.33	38.45	18.53	65.40	0.00	101	215	PEAK																																																																											
2 11590.00	43.96	54.00	-10.04	52.37	38.45	18.54	65.40	0.00	101	215	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																														
1 11590.00	54.63	74.00	-19.37	63.05	38.45	18.53	65.40	0.00	308	0	PEAK																																																																											
2 11590.00	46.18	54.00	-7.82	54.60	38.45	18.53	65.40	0.00	308	0	AVERAGE																																																																											



Mode	78																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>60.24</td> <td>74.00</td> <td>-13.76</td> <td>68.94</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>240</td> <td>3 PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>50.58</td> <td>54.00</td> <td>-3.42</td> <td>59.28</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>240</td> <td>3 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	60.24	74.00	-13.76	68.94	38.36	18.42	65.48	0.00	240	3 PEAK	2 11440.00	50.58	54.00	-3.42	59.28	38.36	18.42	65.48	0.00	240	3 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>59.05</td> <td>74.00</td> <td>-14.95</td> <td>67.75</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>224</td> <td>360 PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>49.72</td> <td>54.00</td> <td>-4.28</td> <td>58.42</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>224</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	59.05	74.00	-14.95	67.75	38.36	18.42	65.48	0.00	224	360 PEAK	2 11440.00	49.72	54.00	-4.28	58.42	38.36	18.42	65.48	0.00	224	360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11440.00	60.24	74.00	-13.76	68.94	38.36	18.42	65.48	0.00	240	3 PEAK																																																																																												
2 11440.00	50.58	54.00	-3.42	59.28	38.36	18.42	65.48	0.00	240	3 AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11440.00	59.05	74.00	-14.95	67.75	38.36	18.42	65.48	0.00	224	360 PEAK																																																																																												
2 11440.00	49.72	54.00	-4.28	58.42	38.36	18.42	65.48	0.00	224	360 AVERAGE																																																																																												



Mode	79																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>54.86</td> <td>74.00</td> <td>-19.14</td> <td>63.56</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>215</td> <td>341</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>45.94</td> <td>54.00</td> <td>-8.06</td> <td>54.64</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>215</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	54.86	74.00	-19.14	63.56	38.36	18.42	65.48	0.00	215	341	PEAK	2	11440.00	45.94	54.00	-8.06	54.64	38.36	18.42	65.48	0.00	215	341	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>60.63</td> <td>74.00</td> <td>-13.37</td> <td>69.33</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>211</td> <td>353</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>50.54</td> <td>54.00</td> <td>-3.46</td> <td>59.24</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>211</td> <td>353</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	60.63	74.00	-13.37	69.33	38.36	18.42	65.48	0.00	211	353	PEAK	2	11440.00	50.54	54.00	-3.46	59.24	38.36	18.42	65.48	0.00	211	353	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11440.00	54.86	74.00	-19.14	63.56	38.36	18.42	65.48	0.00	215	341	PEAK																																																																																																		
2	11440.00	45.94	54.00	-8.06	54.64	38.36	18.42	65.48	0.00	215	341	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11440.00	60.63	74.00	-13.37	69.33	38.36	18.42	65.48	0.00	211	353	PEAK																																																																																																		
2	11440.00	50.54	54.00	-3.46	59.24	38.36	18.42	65.48	0.00	211	353	AVERAGE																																																																																																		



Mode	80																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>53.92</td> <td>74.00</td> <td>-20.08</td> <td>62.66</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>45.46</td> <td>54.00</td> <td>-8.54</td> <td>54.21</td> <td>38.35</td> <td>18.40</td> <td>65.50</td> <td>0.00</td> <td>100</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	53.92	74.00	-20.08	62.66	38.35	18.40	65.49	0.00	100	269	PEAK	2	11420.00	45.46	54.00	-8.54	54.21	38.35	18.40	65.50	0.00	100	269	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>59.57</td> <td>74.00</td> <td>-14.43</td> <td>68.31</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>210</td> <td>348</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>50.51</td> <td>54.00</td> <td>-3.49</td> <td>59.25</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>210</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	59.57	74.00	-14.43	68.31	38.35	18.40	65.49	0.00	100	210	348	PEAK	2	11420.00	50.51	54.00	-3.49	59.25	38.35	18.40	65.49	0.00	100	210	348	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11420.00	53.92	74.00	-20.08	62.66	38.35	18.40	65.49	0.00	100	269	PEAK																																																																																																				
2	11420.00	45.46	54.00	-8.54	54.21	38.35	18.40	65.50	0.00	100	269	AVERAGE																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11420.00	59.57	74.00	-14.43	68.31	38.35	18.40	65.49	0.00	100	210	348	PEAK																																																																																																			
2	11420.00	50.51	54.00	-3.49	59.25	38.35	18.40	65.49	0.00	100	210	348	AVERAGE																																																																																																			



Mode	81																																																																																												
	Harmonic																																																																																												
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal	Vertical																																																																																											
Peak Avg																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.42</td> <td>74.00</td> <td>-27.58</td> <td>55.24</td> <td>38.33</td> <td>18.37</td> <td>65.52</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	46.42	74.00	-27.58	55.24	38.33	18.37	65.52	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>59.48</td> <td>74.00</td> <td>-14.52</td> <td>68.30</td> <td>38.33</td> <td>18.37</td> <td>65.52</td> <td>0.00</td> <td>204</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>2 11380.00</td> <td>50.44</td> <td>54.00</td> <td>-3.56</td> <td>59.22</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>204</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	59.48	74.00	-14.52	68.30	38.33	18.37	65.52	0.00	204	352	PEAK	2 11380.00	50.44	54.00	-3.56	59.22	38.34	18.39	65.51	0.00	204	352
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11380.00	46.42	74.00	-27.58	55.24	38.33	18.37	65.52	0.00	---	---	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11380.00	59.48	74.00	-14.52	68.30	38.33	18.37	65.52	0.00	204	352	PEAK																																																																																		
2 11380.00	50.44	54.00	-3.56	59.22	38.34	18.39	65.51	0.00	204	352	AVERAGE																																																																																		



Mode	82																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>59.20</td> <td>74.00</td> <td>-14.80</td> <td>67.90</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>233</td> <td>5 PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>57.42</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>233</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	59.20	74.00	-14.80	67.90	38.36	18.42	65.48	0.00	233	5 PEAK	2 11440.00	48.72	54.00	-5.28	57.42	38.36	18.42	65.48	0.00	233	5 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>59.31</td> <td>74.00</td> <td>-14.69</td> <td>68.01</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>208</td> <td>360 PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>49.06</td> <td>54.00</td> <td>-4.94</td> <td>57.76</td> <td>38.36</td> <td>18.42</td> <td>65.48</td> <td>0.00</td> <td>208</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	59.31	74.00	-14.69	68.01	38.36	18.42	65.48	0.00	208	360 PEAK	2 11440.00	49.06	54.00	-4.94	57.76	38.36	18.42	65.48	0.00	208	360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11440.00	59.20	74.00	-14.80	67.90	38.36	18.42	65.48	0.00	233	5 PEAK																																																																																												
2 11440.00	48.72	54.00	-5.28	57.42	38.36	18.42	65.48	0.00	233	5 AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11440.00	59.31	74.00	-14.69	68.01	38.36	18.42	65.48	0.00	208	360 PEAK																																																																																												
2 11440.00	49.06	54.00	-4.94	57.76	38.36	18.42	65.48	0.00	208	360 AVERAGE																																																																																												



Mode	83																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>56.91</td> <td>74.00</td> <td>-17.09</td> <td>65.65</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>197</td> <td>5 PEAK</td> </tr> <tr> <td>2 11420.00</td> <td>48.01</td> <td>54.00</td> <td>-5.99</td> <td>56.76</td> <td>38.35</td> <td>18.40</td> <td>65.50</td> <td>0.00</td> <td>197</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	56.91	74.00	-17.09	65.65	38.35	18.40	65.49	0.00	197	5 PEAK	2 11420.00	48.01	54.00	-5.99	56.76	38.35	18.40	65.50	0.00	197	5 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>57.84</td> <td>74.00</td> <td>-16.16</td> <td>66.58</td> <td>38.35</td> <td>18.40</td> <td>65.49</td> <td>0.00</td> <td>177</td> <td>359 PEAK</td> </tr> <tr> <td>2 11420.00</td> <td>49.19</td> <td>54.00</td> <td>-4.81</td> <td>57.94</td> <td>38.35</td> <td>18.40</td> <td>65.50</td> <td>0.00</td> <td>177</td> <td>359 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	57.84	74.00	-16.16	66.58	38.35	18.40	65.49	0.00	177	359 PEAK	2 11420.00	49.19	54.00	-4.81	57.94	38.35	18.40	65.50	0.00	177
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 11420.00	56.91	74.00	-17.09	65.65	38.35	18.40	65.49	0.00	197	5 PEAK																																																																																											
2 11420.00	48.01	54.00	-5.99	56.76	38.35	18.40	65.50	0.00	197	5 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 11420.00	57.84	74.00	-16.16	66.58	38.35	18.40	65.49	0.00	177	359 PEAK																																																																																											
2 11420.00	49.19	54.00	-4.81	57.94	38.35	18.40	65.50	0.00	177	359 AVERAGE																																																																																											



		84																																																																																																	
Mode		Band Edge - L																																																																																																	
		802.11n HT20_CH140_5700MHz_Ant.2 + 802.11n HT20_CH01_2412MHz_Ant.1																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.74</td> <td>63.72</td> <td>68.30</td> <td>-4.58</td> <td>44.92</td> <td>34.85</td> <td>13.74</td> <td>29.79</td> <td>0.00</td> <td>200</td> <td>134</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5729.74	63.72	68.30	-4.58	44.92	34.85	13.74	29.79	0.00	200	134	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>93.04</td> <td>74.00</td> <td>19.04</td> <td>83.03</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>0.00</td> <td>200</td> <td>134</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>107.00</td> <td>74.00</td> <td>33.00</td> <td>89.34</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>200</td> <td>134</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	93.04	74.00	19.04	83.03	32.02	8.84	30.85	0.00	200	134	Peak	2	5700.00	107.00	74.00	33.00	89.34	34.78	13.48	29.80	0.00	200	134	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5729.74	63.72	68.30	-4.58	44.92	34.85	13.74	29.79	0.00	200	134	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	93.04	74.00	19.04	83.03	32.02	8.84	30.85	0.00	200	134	Peak																																																																																							
2	5700.00	107.00	74.00	33.00	89.34	34.78	13.48	29.80	0.00	200	134	Peak																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>86.89</td> <td>54.00</td> <td>32.89</td> <td>76.87</td> <td>32.02</td> <td>8.84</td> <td>30.84</td> <td>0.00</td> <td>200</td> <td>134</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>100.15</td> <td>54.00</td> <td>46.15</td> <td>81.72</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> <td>200</td> <td>134</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	86.89	54.00	32.89	76.87	32.02	8.84	30.84	0.00	200	134	Average	2	5700.00	100.15	54.00	46.15	81.72	34.77	13.46	29.80	0.00	200	134	Average																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	86.89	54.00	32.89	76.87	32.02	8.84	30.84	0.00	200	134	Average																																																																																							
2	5700.00	100.15	54.00	46.15	81.72	34.77	13.46	29.80	0.00	200	134	Average																																																																																							



		84																																																																																																	
Mode		Band Edge - L																																																																																																	
		802.11n HT20_CH140_5700MHz_Ant.2 + 802.11n HT20_CH01_2412MHz_Ant.1																																																																																																	
Pol.	Vertical	Fundamental																																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.01</td> <td>60.32</td> <td>68.30</td> <td>-7.98</td> <td>41.55</td> <td>34.84</td> <td>13.72</td> <td>29.79</td> <td>0.00</td> <td>276</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.01	60.32	68.30	-7.98	41.55	34.84	13.72	29.79	0.00	276	156	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>86.40</td> <td>74.00</td> <td>12.40</td> <td>76.43</td> <td>32.01</td> <td>8.82</td> <td>30.86</td> <td>0.00</td> <td>276</td> <td>156</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>101.54</td> <td>74.00</td> <td>27.54</td> <td>83.07</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>276</td> <td>156</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	86.40	74.00	12.40	76.43	32.01	8.82	30.86	0.00	276	156	Peak	2	5700.00	101.54	74.00	27.54	83.07	34.78	13.49	29.80	0.00	276	156	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5727.01	60.32	68.30	-7.98	41.55	34.84	13.72	29.79	0.00	276	156	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	86.40	74.00	12.40	76.43	32.01	8.82	30.86	0.00	276	156	Peak																																																																																							
2	5700.00	101.54	74.00	27.54	83.07	34.78	13.49	29.80	0.00	276	156	Peak																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>78.70</td> <td>54.00</td> <td>24.70</td> <td>68.73</td> <td>32.01</td> <td>8.82</td> <td>30.86</td> <td>0.00</td> <td>276</td> <td>156</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>92.50</td> <td>54.00</td> <td>38.50</td> <td>74.04</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>276</td> <td>156</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	78.70	54.00	24.70	68.73	32.01	8.82	30.86	0.00	276	156	Average	2	5700.00	92.50	54.00	38.50	74.04	34.78	13.48	29.80	0.00	276	156	Average																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	78.70	54.00	24.70	68.73	32.01	8.82	30.86	0.00	276	156	Average																																																																																							
2	5700.00	92.50	54.00	38.50	74.04	34.78	13.48	29.80	0.00	276	156	Average																																																																																							



Mode	84																																																																											
	Harmonic																																																																											
	802.11n HT20_CH140_5700MHz_Ant.2 + 802.11n HT20_CH01_2412MHz_Ant.1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>47.67</td> <td>74.00</td> <td>-26.33</td> <td>56.45</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	47.67	74.00	-26.33	56.45	38.34	18.39	65.51	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>54.03</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	45.25	74.00	-28.75	54.03	38.34	18.39	65.51	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11400.00	47.67	74.00	-26.33	56.45	38.34	18.39	65.51	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11400.00	45.25	74.00	-28.75	54.03	38.34	18.39	65.51	0.00	--- --- PEAK																																																																			



		84																																														
Mode		Band Edge																																														
		802.11n HT20_CH140_5700MHz_Ant.2 + 802.11n HT20_CH01_2412MHz_Ant.1																																														
Pol.		Horizontal					Fundamental																																									
Peak	Horizontal	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>60.96</td> <td>74.00</td> <td>-13.04</td> <td>45.11</td> <td>31.97</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>209</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg	1	2388.52	60.96	74.00	-13.04	45.11	31.97	8.77	30.89	6.00	209	317	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg																																					
1	2388.52	60.96	74.00	-13.04	45.11	31.97	8.77	30.89	6.00	209	317	PEAK																																				
Fundamental	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.41</td> <td>-----</td> <td>-----</td> <td>89.40</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>209</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg	1	2412.00	105.41	-----	-----	89.40	32.02	8.84	30.85	6.00	209	317	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg																																					
1	2412.00	105.41	-----	-----	89.40	32.02	8.84	30.85	6.00	209	317	PEAK																																				
Avg	Horizontal	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>47.49</td> <td>54.00</td> <td>-6.51</td> <td>31.63</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>209</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg	1	2389.43	47.49	54.00	-6.51	31.63	31.98	8.77	30.89	6.00	209	317	AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg																																					
1	2389.43	47.49	54.00	-6.51	31.63	31.98	8.77	30.89	6.00	209	317	AVERAGE																																				
Fundamental	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>96.82</td> <td>-----</td> <td>-----</td> <td>80.81</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>209</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg	1	2412.00	96.82	-----	-----	80.81	32.02	8.84	30.85	6.00	209	317	AVERAGE	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg																																					
1	2412.00	96.82	-----	-----	80.81	32.02	8.84	30.85	6.00	209	317	AVERAGE																																				



		84																																																																																
Mode		Band Edge																																																																																
		802.11n HT20_CH140_5700MHz_Ant.2 + 802.11n HT20_CH01_2412MHz_Ant.1																																																																																
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2352.12</td> <td>56.59</td> <td>74.00</td> <td>-17.41</td> <td>40.96</td> <td>31.89</td> <td>8.66</td> <td>30.92</td> <td>6.00</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2352.12	56.59	74.00	-17.41	40.96	31.89	8.66	30.92	6.00	203	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.27</td> <td>-----</td> <td>-----</td> <td>81.26</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	97.27	-----	-----	81.26	32.02	8.84	30.85	6.00	203	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2352.12	56.59	74.00	-17.41	40.96	31.89	8.66	30.92	6.00	203	0	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2412.00	97.27	-----	-----	81.26	32.02	8.84	30.85	6.00	203	0	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.86</td> <td>45.61</td> <td>54.00</td> <td>-8.39</td> <td>29.83</td> <td>31.95</td> <td>8.73</td> <td>30.90</td> <td>6.00</td> <td>203</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2377.86	45.61	54.00	-8.39	29.83	31.95	8.73	30.90	6.00	203	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>87.63</td> <td>-----</td> <td>-----</td> <td>71.64</td> <td>32.01</td> <td>8.83</td> <td>30.85</td> <td>6.00</td> <td>203</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	87.63	-----	-----	71.64	32.01	8.83	30.85	6.00	203	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2377.86	45.61	54.00	-8.39	29.83	31.95	8.73	30.90	6.00	203	0	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2412.00	87.63	-----	-----	71.64	32.01	8.83	30.85	6.00	203	0	AVERAGE																																																																						



Mode	84																																																																																																											
	Harmonic																																																																																																											
	802.11n HT20_CH140_5700MHz_Ant.2 + 802.11n HT20_CH01_2412MHz_Ant.1																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.60</td> <td>74.00</td> <td>-33.40</td> <td>59.45</td> <td>34.10</td> <td>12.48</td> <td>65.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>60.03</td> <td></td> <td></td> <td>77.34</td> <td>34.78</td> <td>13.48</td> <td>65.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	40.60	74.00	-33.40	59.45	34.10	12.48	65.43	0.00	---	---	Peak	2	5700.00	60.03			77.34	34.78	13.48	65.57	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.66</td> <td>74.00</td> <td>-33.34</td> <td>59.51</td> <td>34.10</td> <td>12.48</td> <td>65.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>59.43</td> <td></td> <td></td> <td>76.74</td> <td>34.78</td> <td>13.48</td> <td>65.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	40.66	74.00	-33.34	59.51	34.10	12.48	65.43	0.00	---	---	Peak	2	5700.00	59.43			76.74	34.78	13.48	65.57	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4824.00	40.60	74.00	-33.40	59.45	34.10	12.48	65.43	0.00	---	---	Peak																																																																																																
2	5700.00	60.03			77.34	34.78	13.48	65.57	0.00	---	---	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4824.00	40.66	74.00	-33.34	59.51	34.10	12.48	65.43	0.00	---	---	Peak																																																																																																
2	5700.00	59.43			76.74	34.78	13.48	65.57	0.00	---	---	Peak																																																																																																



		85																																																																																													
Mode		Band Edge - L																																																																																													
		802.11n HT20_CH140_5700MHz_Ant.1 + 802.11n HT20_CH01_2412MHz_Ant.2																																																																																													
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.08</td> <td>63.46</td> <td>68.30</td> <td>-4.84</td> <td>44.69</td> <td>34.84</td> <td>13.72</td> <td>29.79</td> <td>0.00</td> <td>283</td> <td>139</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5727.08	63.46	68.30	-4.84	44.69	34.84	13.72	29.79	0.00	283	139	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.47</td> <td>74.00</td> <td>20.47</td> <td>84.45</td> <td>32.02</td> <td>8.84</td> <td>30.84</td> <td>0.00</td> <td>283</td> <td>139</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>109.18</td> <td>74.00</td> <td>35.18</td> <td>90.75</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> <td>283</td> <td>139</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	94.47	74.00	20.47	84.45	32.02	8.84	30.84	0.00	283	139	Peak	2	5700.00	109.18	74.00	35.18	90.75	34.77	13.46	29.80	0.00	283	139	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5727.08	63.46	68.30	-4.84	44.69	34.84	13.72	29.79	0.00	283	139	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2412.00	94.47	74.00	20.47	84.45	32.02	8.84	30.84	0.00	283	139	Peak																																																																																			
2	5700.00	109.18	74.00	35.18	90.75	34.77	13.46	29.80	0.00	283	139	Peak																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>87.78</td> <td>54.00</td> <td>33.78</td> <td>77.81</td> <td>32.01</td> <td>8.82</td> <td>30.86</td> <td>0.00</td> <td>283</td> <td>139</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>100.07</td> <td>54.00</td> <td>46.07</td> <td>81.64</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> <td>283</td> <td>139</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	87.78	54.00	33.78	77.81	32.01	8.82	30.86	0.00	283	139	Average	2	5700.00	100.07	54.00	46.07	81.64	34.77	13.46	29.80	0.00	283	139	Average																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2412.00	87.78	54.00	33.78	77.81	32.01	8.82	30.86	0.00	283	139	Average																																																																																			
2	5700.00	100.07	54.00	46.07	81.64	34.77	13.46	29.80	0.00	283	139	Average																																																																																			



		85																																																																																													
Mode		Band Edge - L																																																																																													
		802.11n HT20_CH140_5700MHz_Ant.1 + 802.11n HT20_CH01_2412MHz_Ant.2																																																																																													
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.04</td> <td>62.06</td> <td>68.30</td> <td>-6.24</td> <td>43.30</td> <td>34.84</td> <td>13.71</td> <td>29.79</td> <td>0.00</td> <td>224</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5726.04	62.06	68.30	-6.24	43.30	34.84	13.71	29.79	0.00	224	181	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>87.25</td> <td>74.00</td> <td>13.25</td> <td>77.28</td> <td>32.01</td> <td>8.82</td> <td>30.86</td> <td>0.00</td> <td>224</td> <td>181</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>104.59</td> <td>74.00</td> <td>30.59</td> <td>86.16</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> <td>224</td> <td>181</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	87.25	74.00	13.25	77.28	32.01	8.82	30.86	0.00	224	181	Peak	2	5700.00	104.59	74.00	30.59	86.16	34.77	13.46	29.80	0.00	224	181	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5726.04	62.06	68.30	-6.24	43.30	34.84	13.71	29.79	0.00	224	181	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2412.00	87.25	74.00	13.25	77.28	32.01	8.82	30.86	0.00	224	181	Peak																																																																																			
2	5700.00	104.59	74.00	30.59	86.16	34.77	13.46	29.80	0.00	224	181	Peak																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>79.87</td> <td>54.00</td> <td>25.87</td> <td>69.90</td> <td>32.01</td> <td>8.82</td> <td>30.86</td> <td>0.00</td> <td>224</td> <td>181</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>95.99</td> <td>54.00</td> <td>41.99</td> <td>77.56</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> <td>224</td> <td>181</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	79.87	54.00	25.87	69.90	32.01	8.82	30.86	0.00	224	181	Average	2	5700.00	95.99	54.00	41.99	77.56	34.77	13.46	29.80	0.00	224	181	Average																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2412.00	79.87	54.00	25.87	69.90	32.01	8.82	30.86	0.00	224	181	Average																																																																																			
2	5700.00	95.99	54.00	41.99	77.56	34.77	13.46	29.80	0.00	224	181	Average																																																																																			







Mode	85																																																				
	Harmonic																																																				
	802.11n HT20_CH140_5700MHz_Ant.1 + 802.11n HT20_CH01_2412MHz_Ant.2																																																				
Pol.	Horizontal	Vertical																																																			
Peak Avg																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.94</td> <td>74.00</td> <td>-27.06</td> <td>55.72</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.94	74.00	-27.06	55.72	38.34	18.39	65.51	0.00	---	---	PEAK											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 11400.00	46.94	74.00	-27.06	55.72	38.34	18.39	65.51	0.00	---	---	PEAK																																										
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>53.59</td> <td>74.00</td> <td>-20.41</td> <td>62.37</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>101</td> <td>168</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>43.06</td> <td>54.00</td> <td>-10.94</td> <td>51.84</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>101</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	53.59	74.00	-20.41	62.37	38.34	18.39	65.51	0.00	101	168	PEAK	2 11400.00	43.06	54.00	-10.94	51.84	38.34	18.39	65.51	0.00	101	168	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 11400.00	53.59	74.00	-20.41	62.37	38.34	18.39	65.51	0.00	101	168	PEAK																																										
2 11400.00	43.06	54.00	-10.94	51.84	38.34	18.39	65.51	0.00	101	168	AVERAGE																																										



		85																																																																																
Mode		Band Edge																																																																																
		802.11n HT20_CH140_5700MHz_Ant.1 + 802.11n HT20_CH01_2412MHz_Ant.2																																																																																
Pol.		Horizontal				Fundamental																																																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>58.17</td> <td>74.00</td> <td>-15.83</td> <td>42.31</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>267</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	58.17	74.00	-15.83	42.31	31.98	8.77	30.89	6.00	267	309	PEAK	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.47</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>32.02</td> <td>8.84</td> <td>30.84</td> <td>6.00</td> <td>267</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.47	-----	-----	89.45	32.02	8.84	30.84	6.00	267	309	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2389.82	58.17	74.00	-15.83	42.31	31.98	8.77	30.89	6.00	267	309	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2412.00	105.47	-----	-----	89.45	32.02	8.84	30.84	6.00	267	309	PEAK																																																																						
Avg	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>47.45</td> <td>54.00</td> <td>-6.55</td> <td>31.59</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>267</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.45	54.00	-6.55	31.59	31.98	8.77	30.89	6.00	267	309	AVERAGE	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>96.74</td> <td>-----</td> <td>-----</td> <td>80.73</td> <td>32.02</td> <td>8.84</td> <td>30.85</td> <td>6.00</td> <td>267</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.74	-----	-----	80.73	32.02	8.84	30.85	6.00	267	309	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2389.95	47.45	54.00	-6.55	31.59	31.98	8.77	30.89	6.00	267	309	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2412.00	96.74	-----	-----	80.73	32.02	8.84	30.85	6.00	267	309	AVERAGE																																																																						



		85																																																																
Mode		Band Edge																																																																
		802.11n HT20_CH140_5700MHz_Ant.1 + 802.11n HT20_CH01_2412MHz_Ant.2																																																																
Pol.		Vertical					Fundamental																																																											
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2378.25</td> <td>57.17</td> <td>74.00</td> <td>-16.83</td> <td>41.39</td> <td>31.95</td> <td>8.73</td> <td>30.90</td> <td>6.00</td> <td>131</td> <td>30 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2378.25	57.17	74.00	-16.83	41.39	31.95	8.73	30.90	6.00	131	30 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>96.94</td> <td>-----</td> <td>-----</td> <td>80.95</td> <td>32.01</td> <td>8.83</td> <td>30.85</td> <td>6.00</td> <td>131</td> <td>30 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2412.00	96.94	-----	-----	80.95	32.01	8.83	30.85	6.00	131	30 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																									
1	2378.25	57.17	74.00	-16.83	41.39	31.95	8.73	30.90	6.00	131	30 PEAK																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																									
1	2412.00	96.94	-----	-----	80.95	32.01	8.83	30.85	6.00	131	30 PEAK																																																							
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.55</td> <td>45.26</td> <td>54.00</td> <td>-8.74</td> <td>29.46</td> <td>31.96</td> <td>8.74</td> <td>30.90</td> <td>6.00</td> <td>131</td> <td>30 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2379.55	45.26	54.00	-8.74	29.46	31.96	8.74	30.90	6.00	131	30 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>87.82</td> <td>-----</td> <td>-----</td> <td>71.83</td> <td>32.01</td> <td>8.83</td> <td>30.85</td> <td>6.00</td> <td>131</td> <td>30 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2412.00	87.82	-----	-----	71.83	32.01	8.83	30.85	6.00	131	30 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																									
1	2379.55	45.26	54.00	-8.74	29.46	31.96	8.74	30.90	6.00	131	30 AVERAGE																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																									
1	2412.00	87.82	-----	-----	71.83	32.01	8.83	30.85	6.00	131	30 AVERAGE																																																							






Mode	85																																																																																																											
	Harmonic																																																																																																											
	802.11n HT20_CH140_5700MHz_Ant.1 + 802.11n HT20_CH01_2412MHz_Ant.2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.87</td> <td>74.00</td> <td>-33.13</td> <td>59.72</td> <td>34.10</td> <td>12.48</td> <td>65.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>62.81</td> <td></td> <td></td> <td>80.12</td> <td>34.78</td> <td>13.48</td> <td>65.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	40.87	74.00	-33.13	59.72	34.10	12.48	65.43	0.00	---	---	Peak	2	5700.00	62.81			80.12	34.78	13.48	65.57	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.05</td> <td>74.00</td> <td>-33.95</td> <td>58.90</td> <td>34.10</td> <td>12.48</td> <td>65.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>59.45</td> <td></td> <td></td> <td>76.76</td> <td>34.78</td> <td>13.48</td> <td>65.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	40.05	74.00	-33.95	58.90	34.10	12.48	65.43	0.00	---	---	Peak	2	5700.00	59.45			76.76	34.78	13.48	65.57	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4824.00	40.87	74.00	-33.13	59.72	34.10	12.48	65.43	0.00	---	---	Peak																																																																																																
2	5700.00	62.81			80.12	34.78	13.48	65.57	0.00	---	---	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4824.00	40.05	74.00	-33.95	58.90	34.10	12.48	65.43	0.00	---	---	Peak																																																																																																
2	5700.00	59.45			76.76	34.78	13.48	65.57	0.00	---	---	Peak																																																																																																



		86																																																																																																	
Mode		Band Edge - L																																																																																																	
		802.11n HT20_CH140_5700MHz_Ant.1+2 + Bluetooth LE 2Mbps_CH39_2480MHz_Ant.2																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.84</td> <td>62.43</td> <td>68.30</td> <td>-5.87</td> <td>43.67</td> <td>34.84</td> <td>13.71</td> <td>29.79</td> <td>0.00</td> <td>355</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.84	62.43	68.30	-5.87	43.67	34.84	13.71	29.79	0.00	355	138	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>75.08</td> <td>74.00</td> <td>1.08</td> <td>64.58</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>355</td> <td>138</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>109.04</td> <td>74.00</td> <td>35.04</td> <td>90.58</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>355</td> <td>138</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	75.08	74.00	1.08	64.58	32.12	9.04	30.66	0.00	355	138	Peak	2	5700.00	109.04	74.00	35.04	90.58	34.78	13.48	29.80	0.00	355	138	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5725.84	62.43	68.30	-5.87	43.67	34.84	13.71	29.79	0.00	355	138	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2480.00	75.08	74.00	1.08	64.58	32.12	9.04	30.66	0.00	355	138	Peak																																																																																							
2	5700.00	109.04	74.00	35.04	90.58	34.78	13.48	29.80	0.00	355	138	Peak																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>71.05</td> <td>54.00</td> <td>17.05</td> <td>60.55</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>355</td> <td>138</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>101.42</td> <td>54.00</td> <td>47.42</td> <td>82.95</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>355</td> <td>138</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	71.05	54.00	17.05	60.55	32.12	9.04	30.66	0.00	355	138	Average	2	5700.00	101.42	54.00	47.42	82.95	34.78	13.49	29.80	0.00	355	138	Average																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2480.00	71.05	54.00	17.05	60.55	32.12	9.04	30.66	0.00	355	138	Average																																																																																							
2	5700.00	101.42	54.00	47.42	82.95	34.78	13.49	29.80	0.00	355	138	Average																																																																																							







		86																																																																																																	
Mode		Band Edge - L																																																																																																	
		802.11n HT20_CH140_5700MHz_Ant.1+2 + Bluetooth LE 2Mbps_CH39_2480MHz_Ant.2																																																																																																	
Pol.	Vertical	Fundamental																																																																																																	
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.25</td> <td>60.23</td> <td>68.30</td> <td>-8.07</td> <td>41.45</td> <td>34.84</td> <td>13.73</td> <td>29.79</td> <td>0.00</td> <td>211</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.25	60.23	68.30	-8.07	41.45	34.84	13.73	29.79	0.00	211	182	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>70.01</td> <td>74.00</td> <td>-3.99</td> <td>59.51</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>211</td> <td>182</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>104.37</td> <td>74.00</td> <td>30.37</td> <td>85.90</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>211</td> <td>182</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	70.01	74.00	-3.99	59.51	32.12	9.04	30.66	0.00	211	182	Peak	2	5700.00	104.37	74.00	30.37	85.90	34.78	13.49	29.80	0.00	211	182	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5728.25	60.23	68.30	-8.07	41.45	34.84	13.73	29.79	0.00	211	182	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2480.00	70.01	74.00	-3.99	59.51	32.12	9.04	30.66	0.00	211	182	Peak																																																																																							
2	5700.00	104.37	74.00	30.37	85.90	34.78	13.49	29.80	0.00	211	182	Peak																																																																																							
Avg	Blank	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2479.20</td> <td>65.70</td> <td>54.00</td> <td>11.70</td> <td>55.20</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>211</td> <td>182</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>96.88</td> <td>54.00</td> <td>42.88</td> <td>78.45</td> <td>34.77</td> <td>13.46</td> <td>29.80</td> <td>0.00</td> <td>211</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2479.20	65.70	54.00	11.70	55.20	32.12	9.04	30.66	0.00	211	182	Average	2	5700.00	96.88	54.00	42.88	78.45	34.77	13.46	29.80	0.00	211	182	Average																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2479.20	65.70	54.00	11.70	55.20	32.12	9.04	30.66	0.00	211	182	Average																																																																																							
2	5700.00	96.88	54.00	42.88	78.45	34.77	13.46	29.80	0.00	211	182	Average																																																																																							



Mode	86																																																																																																								
	Harmonic																																																																																																								
	802.11n HT20_CH140_5700MHz_Ant.1+2 + Bluetooth LE 2Mbps_CH39_2480MHz_Ant.2																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>59.32</td> <td>74.00</td> <td>-14.68</td> <td>68.10</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>301</td> <td>83</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>50.02</td> <td>54.00</td> <td>-3.98</td> <td>58.00</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>301</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	59.32	74.00	-14.68	68.10	38.34	18.39	65.51	0.00	301	83	PEAK	2 11400.00	50.02	54.00	-3.98	58.00	38.34	18.39	65.51	0.00	301	83	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>59.39</td> <td>74.00</td> <td>-14.61</td> <td>68.17</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>248</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>49.98</td> <td>54.00</td> <td>-4.02</td> <td>58.76</td> <td>38.34</td> <td>18.39</td> <td>65.51</td> <td>0.00</td> <td>248</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	59.39	74.00	-14.61	68.17	38.34	18.39	65.51	0.00	248	0	PEAK	2 11400.00	49.98	54.00	-4.02	58.76	38.34	18.39	65.51	0.00	248	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 11400.00	59.32	74.00	-14.68	68.10	38.34	18.39	65.51	0.00	301	83	PEAK																																																																																														
2 11400.00	50.02	54.00	-3.98	58.00	38.34	18.39	65.51	0.00	301	83	AVERAGE																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 11400.00	59.39	74.00	-14.61	68.17	38.34	18.39	65.51	0.00	248	0	PEAK																																																																																														
2 11400.00	49.98	54.00	-4.02	58.76	38.34	18.39	65.51	0.00	248	0	AVERAGE																																																																																														



		86																																																																		
Mode		Band Edge																																																																		
		802.11n HT20_CH140_5700MHz_Ant.1+2 + Bluetooth LE 2Mbps_CH39_2480MHz_Ant.2																																																																		
Pol.		Horizontal					Fundamental																																																													
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.76</td> <td>57.78</td> <td>74.00</td> <td>-16.22</td> <td>41.18</td> <td>32.14</td> <td>9.08</td> <td>30.62</td> <td>6.00</td> <td>169</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2493.76	57.78	74.00	-16.22	41.18	32.14	9.08	30.62	6.00	169	305	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>88.88</td> <td>-----</td> <td>-----</td> <td>72.38</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>169</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2480.00	88.88	-----	-----	72.38	32.12	9.04	30.66	6.00	169	305	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2493.76	57.78	74.00	-16.22	41.18	32.14	9.08	30.62	6.00	169	305	PEAK																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2480.00	88.88	-----	-----	72.38	32.12	9.04	30.66	6.00	169	305	PEAK																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.54</td> <td>47.19</td> <td>54.00</td> <td>-6.81</td> <td>30.56</td> <td>32.15</td> <td>9.09</td> <td>30.61</td> <td>6.00</td> <td>169</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2497.54	47.19	54.00	-6.81	30.56	32.15	9.09	30.61	6.00	169	305	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>86.31</td> <td>-----</td> <td>-----</td> <td>69.81</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>169</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2480.00	86.31	-----	-----	69.81	32.12	9.04	30.66	6.00	169	305	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2497.54	47.19	54.00	-6.81	30.56	32.15	9.09	30.61	6.00	169	305	AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2480.00	86.31	-----	-----	69.81	32.12	9.04	30.66	6.00	169	305	AVERAGE																																																								





		86																																																																																
Mode		Band Edge																																																																																
		802.11n HT20_CH140_5700MHz_Ant.1+2 + Bluetooth LE 2Mbps_CH39_2480MHz_Ant.2																																																																																
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.54</td> <td>57.85</td> <td>74.00</td> <td>-16.15</td> <td>41.25</td> <td>32.14</td> <td>9.08</td> <td>30.62</td> <td>6.00</td> <td>100</td> <td>21</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2494.54	57.85	74.00	-16.15	41.25	32.14	9.08	30.62	6.00	100	21	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>78.00</td> <td>-----</td> <td>-----</td> <td>62.30</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>100</td> <td>21</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	78.00	-----	-----	62.30	32.12	9.04	30.66	6.00	100	21	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2494.54	57.85	74.00	-16.15	41.25	32.14	9.08	30.62	6.00	100	21	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2480.00	78.00	-----	-----	62.30	32.12	9.04	30.66	6.00	100	21	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.40</td> <td>46.87</td> <td>54.00</td> <td>-7.13</td> <td>30.25</td> <td>32.14</td> <td>9.09</td> <td>30.61</td> <td>6.00</td> <td>100</td> <td>21</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2496.40	46.87	54.00	-7.13	30.25	32.14	9.09	30.61	6.00	100	21	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>75.92</td> <td>-----</td> <td>-----</td> <td>59.42</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>100</td> <td>21</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	75.92	-----	-----	59.42	32.12	9.04	30.66	6.00	100	21	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2496.40	46.87	54.00	-7.13	30.25	32.14	9.09	30.61	6.00	100	21	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2480.00	75.92	-----	-----	59.42	32.12	9.04	30.66	6.00	100	21	AVERAGE																																																																						



Mode	86																																																																																																											
	Harmonic																																																																																																											
	802.11n HT20_CH140_5700MHz_Ant.1+2 + Bluetooth LE 2Mbps_CH39_2480MHz_Ant.2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.92</td> <td>74.00</td> <td>-33.08</td> <td>60.00</td> <td>34.10</td> <td>12.27</td> <td>65.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>62.90</td> <td></td> <td></td> <td>80.21</td> <td>34.78</td> <td>13.48</td> <td>65.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	40.92	74.00	-33.08	60.00	34.10	12.27	65.45	0.00	---	---	Peak	2	5700.00	62.90			80.21	34.78	13.48	65.57	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.95</td> <td>74.00</td> <td>-33.05</td> <td>60.03</td> <td>34.10</td> <td>12.27</td> <td>65.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>60.25</td> <td></td> <td></td> <td>35.56</td> <td>34.78</td> <td>13.48</td> <td>65.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	40.95	74.00	-33.05	60.03	34.10	12.27	65.45	0.00	---	---	Peak	2	5700.00	60.25			35.56	34.78	13.48	65.57	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4960.00	40.92	74.00	-33.08	60.00	34.10	12.27	65.45	0.00	---	---	Peak																																																																																																
2	5700.00	62.90			80.21	34.78	13.48	65.57	0.00	---	---	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4960.00	40.95	74.00	-33.05	60.03	34.10	12.27	65.45	0.00	---	---	Peak																																																																																																
2	5700.00	60.25			35.56	34.78	13.48	65.57	0.00	---	---	Peak																																																																																																





Mode	-	
	Emission above 18GHz	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		





87																																																																																	
Mode	Emission below 1GHz																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																
ANT	1+2																																																																																
Pol.	Horizontal																																																																																
Peak Avg	<p>Site : 03CH08-KS Condition : 5G BAND 1----3 3m 49921 HORIZONTAL Project : 332406</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>87.23</td><td>24.69</td><td>-15.31</td><td>40.00</td><td>41.84</td><td>14.46</td><td>1.28</td><td>32.89</td><td>--- Peak</td></tr> <tr><td>2</td><td>159.98</td><td>27.13</td><td>-16.37</td><td>43.50</td><td>41.70</td><td>16.52</td><td>1.83</td><td>32.92</td><td>--- Peak</td></tr> <tr><td>3</td><td>263.77</td><td>27.75</td><td>-18.25</td><td>46.00</td><td>38.86</td><td>19.53</td><td>2.37</td><td>33.01</td><td>--- Peak</td></tr> <tr><td>4</td><td>587.75</td><td>28.11</td><td>-17.89</td><td>46.00</td><td>31.95</td><td>25.92</td><td>3.53</td><td>33.29</td><td>--- Peak</td></tr> <tr><td>5</td><td>856.44</td><td>29.28</td><td>-16.72</td><td>46.00</td><td>29.00</td><td>28.70</td><td>4.26</td><td>32.68</td><td>--- Peak</td></tr> <tr><td>6</td><td>973.81</td><td>31.01</td><td>-22.99</td><td>54.00</td><td>27.88</td><td>30.20</td><td>4.54</td><td>31.61</td><td>--- Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	87.23	24.69	-15.31	40.00	41.84	14.46	1.28	32.89	--- Peak	2	159.98	27.13	-16.37	43.50	41.70	16.52	1.83	32.92	--- Peak	3	263.77	27.75	-18.25	46.00	38.86	19.53	2.37	33.01	--- Peak	4	587.75	28.11	-17.89	46.00	31.95	25.92	3.53	33.29	--- Peak	5	856.44	29.28	-16.72	46.00	29.00	28.70	4.26	32.68	--- Peak	6	973.81	31.01	-22.99	54.00	27.88	30.20	4.54	31.61	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	87.23	24.69	-15.31	40.00	41.84	14.46	1.28	32.89	--- Peak																																																																								
2	159.98	27.13	-16.37	43.50	41.70	16.52	1.83	32.92	--- Peak																																																																								
3	263.77	27.75	-18.25	46.00	38.86	19.53	2.37	33.01	--- Peak																																																																								
4	587.75	28.11	-17.89	46.00	31.95	25.92	3.53	33.29	--- Peak																																																																								
5	856.44	29.28	-16.72	46.00	29.00	28.70	4.26	32.68	--- Peak																																																																								
6	973.81	31.01	-22.99	54.00	27.88	30.20	4.54	31.61	--- Peak																																																																								
Vertical	<p>Site : 03CH08-KS Condition : 5G BAND 1----3 3m 49921 VERTICAL Project : 332406</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>41.64</td><td>36.76</td><td>-3.24</td><td>40.00</td><td>50.31</td><td>18.71</td><td>0.65</td><td>32.91</td><td>100 261 QP</td></tr> <tr><td>2</td><td>79.47</td><td>25.64</td><td>-14.36</td><td>40.00</td><td>43.64</td><td>13.75</td><td>1.17</td><td>32.92</td><td>--- Peak</td></tr> <tr><td>3</td><td>159.98</td><td>25.84</td><td>-17.66</td><td>43.50</td><td>40.41</td><td>16.52</td><td>1.83</td><td>32.92</td><td>--- Peak</td></tr> <tr><td>4</td><td>263.77</td><td>21.82</td><td>-24.18</td><td>46.00</td><td>32.93</td><td>19.53</td><td>2.37</td><td>33.01</td><td>--- Peak</td></tr> <tr><td>5</td><td>389.87</td><td>23.73</td><td>-22.27</td><td>46.00</td><td>32.22</td><td>21.62</td><td>2.88</td><td>32.99</td><td>--- Peak</td></tr> <tr><td>6</td><td>461.65</td><td>25.91</td><td>-20.09</td><td>46.00</td><td>32.80</td><td>23.21</td><td>3.13</td><td>33.23</td><td>--- Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	41.64	36.76	-3.24	40.00	50.31	18.71	0.65	32.91	100 261 QP	2	79.47	25.64	-14.36	40.00	43.64	13.75	1.17	32.92	--- Peak	3	159.98	25.84	-17.66	43.50	40.41	16.52	1.83	32.92	--- Peak	4	263.77	21.82	-24.18	46.00	32.93	19.53	2.37	33.01	--- Peak	5	389.87	23.73	-22.27	46.00	32.22	21.62	2.88	32.99	--- Peak	6	461.65	25.91	-20.09	46.00	32.80	23.21	3.13	33.23	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	41.64	36.76	-3.24	40.00	50.31	18.71	0.65	32.91	100 261 QP																																																																								
2	79.47	25.64	-14.36	40.00	43.64	13.75	1.17	32.92	--- Peak																																																																								
3	159.98	25.84	-17.66	43.50	40.41	16.52	1.83	32.92	--- Peak																																																																								
4	263.77	21.82	-24.18	46.00	32.93	19.53	2.37	33.01	--- Peak																																																																								
5	389.87	23.73	-22.27	46.00	32.22	21.62	2.88	32.99	--- Peak																																																																								
6	461.65	25.91	-20.09	46.00	32.80	23.21	3.13	33.23	--- Peak																																																																								



Mode	-	
	Emission above 18GHz	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	88																																																																																																																																																																									
	Emission below 1GHz																																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																																									
ANT	1+2																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak Avg	 <p>Site : 03CH08-KS Condition : 56 BAND 4 3m 49921 HORIZONTAL Project : 332406</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>87.23</td><td>24.55</td><td>-15.45</td><td>40.00</td><td>41.70</td><td>14.46</td><td>1.28</td><td>32.89</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>156.10</td><td>27.29</td><td>-16.21</td><td>43.50</td><td>41.67</td><td>16.72</td><td>1.81</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>261.83</td><td>26.97</td><td>-19.03</td><td>46.00</td><td>38.02</td><td>19.60</td><td>2.36</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>390.84</td><td>23.23</td><td>-22.77</td><td>46.00</td><td>31.68</td><td>21.65</td><td>2.89</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>587.75</td><td>27.59</td><td>-18.41</td><td>46.00</td><td>31.43</td><td>25.92</td><td>3.53</td><td>33.29</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>891.36</td><td>30.41</td><td>-15.59</td><td>46.00</td><td>29.50</td><td>29.01</td><td>4.35</td><td>32.45</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	87.23	24.55	-15.45	40.00	41.70	14.46	1.28	32.89	---	---	Peak	2	156.10	27.29	-16.21	43.50	41.67	16.72	1.81	32.91	---	---	Peak	3	261.83	26.97	-19.03	46.00	38.02	19.60	2.36	33.01	---	---	Peak	4	390.84	23.23	-22.77	46.00	31.68	21.65	2.89	32.99	---	---	Peak	5	587.75	27.59	-18.41	46.00	31.43	25.92	3.53	33.29	---	---	Peak	6	891.36	30.41	-15.59	46.00	29.50	29.01	4.35	32.45	---	---	Peak	 <p>Site : 03CH08-KS Condition : 56 BAND 4 3m 49921 VERTICAL Project : 332406</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>41.64</td><td>36.83</td><td>-3.17</td><td>40.00</td><td>50.38</td><td>18.71</td><td>0.65</td><td>32.91</td><td>100</td><td>251</td><td>QP</td></tr> <tr><td>2</td><td>82.38</td><td>27.16</td><td>-12.84</td><td>40.00</td><td>45.04</td><td>13.82</td><td>1.21</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>160.95</td><td>28.81</td><td>-14.69</td><td>43.50</td><td>43.45</td><td>16.45</td><td>1.83</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>252.13</td><td>22.24</td><td>-23.76</td><td>46.00</td><td>34.16</td><td>18.78</td><td>2.31</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>441.28</td><td>28.25</td><td>-17.75</td><td>46.00</td><td>35.58</td><td>22.77</td><td>3.06</td><td>33.16</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>477.17</td><td>26.21</td><td>-19.79</td><td>46.00</td><td>32.78</td><td>23.54</td><td>3.18</td><td>33.29</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	41.64	36.83	-3.17	40.00	50.38	18.71	0.65	32.91	100	251	QP	2	82.38	27.16	-12.84	40.00	45.04	13.82	1.21	32.91	---	---	Peak	3	160.95	28.81	-14.69	43.50	43.45	16.45	1.83	32.92	---	---	Peak	4	252.13	22.24	-23.76	46.00	34.16	18.78	2.31	33.01	---	---	Peak	5	441.28	28.25	-17.75	46.00	35.58	22.77	3.06	33.16	---	---	Peak	6	477.17	26.21	-19.79	46.00	32.78	23.54	3.18	33.29	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																														
1	87.23	24.55	-15.45	40.00	41.70	14.46	1.28	32.89	---	---	Peak																																																																																																																																																															
2	156.10	27.29	-16.21	43.50	41.67	16.72	1.81	32.91	---	---	Peak																																																																																																																																																															
3	261.83	26.97	-19.03	46.00	38.02	19.60	2.36	33.01	---	---	Peak																																																																																																																																																															
4	390.84	23.23	-22.77	46.00	31.68	21.65	2.89	32.99	---	---	Peak																																																																																																																																																															
5	587.75	27.59	-18.41	46.00	31.43	25.92	3.53	33.29	---	---	Peak																																																																																																																																																															
6	891.36	30.41	-15.59	46.00	29.50	29.01	4.35	32.45	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	41.64	36.83	-3.17	40.00	50.38	18.71	0.65	32.91	100	251	QP																																																																																																																																																															
2	82.38	27.16	-12.84	40.00	45.04	13.82	1.21	32.91	---	---	Peak																																																																																																																																																															
3	160.95	28.81	-14.69	43.50	43.45	16.45	1.83	32.92	---	---	Peak																																																																																																																																																															
4	252.13	22.24	-23.76	46.00	34.16	18.78	2.31	33.01	---	---	Peak																																																																																																																																																															
5	441.28	28.25	-17.75	46.00	35.58	22.77	3.06	33.16	---	---	Peak																																																																																																																																																															
6	477.17	26.21	-19.79	46.00	32.78	23.54	3.18	33.29	---	---	Peak																																																																																																																																																															

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.67	1.390	0.719	0.75 kHz
802.11n HT20	96.75	1.293	0.774	0.82 kHz
802.11n HT40	93.28	0.643	1.554	1.70 kHz
802.11ax HE20	95.89	1.014	0.986	1.00 kHz
802.11ax HE40	92.50	0.536	1.865	2.10 kHz
802.11ax HE80	86.84	0.287	3.485	3.70 kHz
802.11ax HE20 RU26	99.30	-	-	10Hz
802.11ax HE20 RU52	99.29	-	-	10Hz
802.11ax HE20 RU106	97.65	2.413	0.414	0.51 kHz

802.11a






802.11n HT20




802.11n HT40






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE20 RU 26





802.11ax HE20 RU 52



802.11ax HE20 RU 106

