





11BE20MIMO_Ant1_6435_26Tone_RU0



Date: 15.AUG.2024 07:19:08


11BE20MIMO_Ant1_6435_52Tone_RU37



Date: 15.AUG.2024 07:22:14




11BE20MIMO_Ant1_6435_106Tone_RU53



Date: 15.AUG.2024 07:26:02


11BE20MIMO_Ant2_6435_26Tone_RU0



Date: 15.AUG.2024 07:20:08




11BE20MIMO_Ant2_6435_52Tone_RU37



Date: 15.AUG.2024 07:22:49


11BE20MIMO_Ant2_6435_106Tone_RU53



Date: 15.AUG.2024 07:26:36




11BE20MIMO_Ant1_6535_26Tone_RU0



Date: 15.AUG.2024 07:28:27


11BE20MIMO_Ant1_6535_52Tone_RU37



Date: 15.AUG.2024 07:30:57




11BE20MIMO_Ant1_6535_106Tone_RU53



Date: 15.AUG.2024 07:33:00


11BE20MIMO_Ant2_6535_26Tone_RU0



Date: 15.AUG.2024 07:29:06




11BE20MIMO_Ant2_6535_52Tone_RU37



Date: 15.AUG.2024 07:31:38


11BE20MIMO_Ant2_6535_106Tone_RU53



Date: 15.AUG.2024 07:35:07




11BE20MIMO_Ant1_7095_26Tone_RU8



Date: 15.AUG.2024 07:39:02


11BE20MIMO_Ant1_7095_52Tone_RU40



Date: 15.AUG.2024 07:46:54




11BE20MIMO_Ant1_7095_106Tone_RU54



Date: 15.AUG.2024 07:48:00


11BE20MIMO_Ant2_7095_26Tone_RU8



Date: 15.AUG.2024 07:40:25




11BE20MIMO_Ant2_7095_52Tone_RU40



Date: 15.AUG.2024 07:47:59

11BE20MIMO_Ant2_7095_106Tone_RU54



Date: 15.AUG.2024 07:50:13



<Large RU>

Maximum power spectral density



Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant1	6105	3*996Tone	RU4	-8.44	-3.5	-11.94	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-8.33	-3.5	-11.83	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-8.53	-3.5	-12.03	≤-1.00	PASS
	Ant2	6105	3*996Tone	RU4	-8.47	-3.5	-11.97	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-8.42	-3.5	-11.92	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-8.38	-3.5	-11.88	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-5.44	-0.49	-5.93	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.36	-0.49	-5.85	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.44	-0.49	-5.93	≤-1.00	PASS
	Ant1	6905	3*996Tone	RU1	-7.28	-3.5	-10.78	≤-1.00	PASS
			3*996Tone+484Tone	RU1	-7.3	-3.5	-10.80	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-7.53	-3.5	-11.03	≤-1.00	PASS
	Ant2	6905	3*996Tone+484Tone	RU1	-8.54	-4	-12.54	≤-1.00	PASS
			3*996Tone	RU1	-8.6	-4	-12.60	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-8.48	-4	-12.48	≤-1.00	PASS
total	6905	3*996Tone+484Tone	RU1	-4.87	-0.74	-5.61	≤-1.00	PASS	
		3*996Tone	RU1	-4.88	-0.74	-5.62	≤-1.00	PASS	
		2*996Tone+484Tone	RU7	-4.97	-0.74	-5.71	≤-1.00	PASS	
11BE80MIMO	Ant1	5985	484Tone+242Tone	RU4	-5.49	-3.5	-8.99	≤-1.00	PASS
	Ant2	5985	484Tone+242Tone	RU4	-5.59	-3.5	-9.09	≤-1.00	PASS
	total	5985	484Tone+242Tone	RU4	-2.53	-0.49	-3.02	≤-1.00	PASS
	Ant1	7025	484Tone+242Tone	RU1	-4.01	-4.1	-8.11	≤-1.00	PASS
	Ant2	7025	484Tone+242Tone	RU1	-4.83	-4.2	-9.03	≤-1.00	PASS
	total	7025	484Tone+242Tone	RU1	-1.39	-1.14	-2.53	≤-1.00	PASS
11BE160MIMO	Ant1	6025	996Tone+484Tone	RU4	-4.92	-3.5	-8.42	≤-1.00	PASS
	Ant2	6025	996Tone+484Tone	RU4	-4.91	-3.5	-8.41	≤-1.00	PASS
	total	6025	996Tone+484Tone	RU4	-1.90	-0.49	-2.39	≤-1.00	PASS
	Ant1	6985	996Tone+484Tone	RU1	-4.27	-4.1	-8.37	≤-1.00	PASS
	Ant2	6985	996Tone+484Tone	RU1	-5.01	-4.2	-9.21	≤-1.00	PASS
	total	6985	996Tone+484Tone	RU1	-1.61	-1.14	-2.75	≤-1.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant1_6105_3*996Tone+484Tone_RU8



Date: 31.AUG.2024 13:01:12


11BE320MIMO_Ant2_6105_3*996Tone_RU4



Date: 31.AUG.2024 12:56:21




11BE320MIMO_Ant2_6105_2*996Tone+484Tone_RU6



Date: 31.AUG.2024 12:59:52


11BE320MIMO_Ant2_6105_3*996Tone+484Tone_RU8



Date: 31.AUG.2024 13:01:36




11BE320MIMO_Ant1_6905_3*996Tone_RU1



Date: 31.AUG.2024 13:12:41


11BE320MIMO_Ant1_6905_3*996Tone+484Tone_RU1



Date: 31.AUG.2024 13:06:54




11BE320MIMO_Ant1_6905_2*996Tone+484Tone_RU7



Date: 31.AUG.2024 13:16:07


11BE320MIMO_Ant2_6905_3*996Tone+484Tone_RU1



Date: 31.AUG.2024 13:07:03




11BE320MIMO_Ant2_6905_3*996Tone_RU1



Date: 31.AUG.2024 13:13:05


11BE320MIMO_Ant2_6905_2*996Tone+484Tone_RU7



Date: 31.AUG.2024 13:16:31




11BE80MIMO_Ant1_5985_484Tone+242Tone_RU4



Date: 31.AUG.2024 12:18:57


11BE80MIMO_Ant2_5985_484Tone+242Tone_RU4



Date: 31.AUG.2024 12:19:20




11BE80MIMO_Ant1_7025_484Tone+242Tone_RU1



Date: 31.AUG.2024 12:30:47


11BE80MIMO_Ant2_7025_484Tone+242Tone_RU1



Date: 31.AUG.2024 12:31:12




11BE160MIMO_Ant1_6025_996Tone+484Tone_RU4



Date: 31.AUG.2024 12:36:58


11BE160MIMO_Ant2_6025_996Tone+484Tone_RU4



Date: 31.AUG.2024 12:37:08




11BE160MIMO_Ant1_6985_996Tone+484Tone_RU1



Date: 31.AUG.2024 12:38:12

11BE160MIMO_Ant2_6985_996Tone+484Tone_RU1



Date: 31.AUG.2024 12:38:36



<Puncturing Mode>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320MIMO	Ant1	6105	Puncturing 80M	RU4	-8.3	-3.5	-11.80	≤-1.00	PASS
			Puncturing 80+40M	RU6	-8.53	-3.5	-12.03	≤-1.00	PASS
			Puncturing 40M	RU8	-8.31	-3.5	-11.81	≤-1.00	PASS
	Ant2	6105	Puncturing 80M	RU4	-8.65	-3.5	-12.15	≤-1.00	PASS
			Puncturing 80+40M	RU6	-8.53	-3.5	-12.03	≤-1.00	PASS
			Puncturing 40M	RU8	-8.61	-3.5	-12.11	≤-1.00	PASS
	total	6105	Puncturing 80M	RU4	-5.46	-0.49	-5.95	≤-1.00	PASS
			Puncturing 80+40M	RU6	-5.52	-0.49	-6.01	≤-1.00	PASS
			Puncturing 40M	RU8	-5.45	-0.49	-5.94	≤-1.00	PASS
	Ant1	6905	Puncturing 40M	RU1	-7.8	-3.5	-11.30	≤-1.00	PASS
			Puncturing 80M	RU1	-7.27	-3.5	-10.77	≤-1.00	PASS
			Puncturing 80+40M	RU7	-7.57	-3.5	-11.07	≤-1.00	PASS
	Ant2	6905	Puncturing 40M	RU1	-8.64	-4	-12.64	≤-1.00	PASS
			Puncturing 80M	RU1	-8.77	-4	-12.77	≤-1.00	PASS
			Puncturing 80+40M	RU7	-8.59	-4	-12.59	≤-1.00	PASS
total	6905	Puncturing 40M	RU1	-5.19	-0.74	-5.93	≤-1.00	PASS	
		Puncturing 80M	RU1	-4.95	-0.74	-5.69	≤-1.00	PASS	
		Puncturing 80+40M	RU7	-5.04	-0.74	-5.78	≤-1.00	PASS	
11BE80MIMO	Ant1	5985	Puncturing 20M	RU4	-5.48	-3.5	-8.98	≤-1.00	PASS
	Ant2	5985	Puncturing 20M	RU4	-5.84	-3.5	-9.34	≤-1.00	PASS
	total	5985	Puncturing 20M	RU4	-2.65	-0.49	-3.14	≤-1.00	PASS
	Ant1	7025	Puncturing 20M	RU1	-4.65	-4.1	-8.75	≤-1.00	PASS
	Ant2	7025	Puncturing 20M	RU1	-5.59	-4.2	-9.79	≤-1.00	PASS
	total	7025	Puncturing 20M	RU1	-2.08	-1.14	-3.22	≤-1.00	PASS
11BE160MIMO	Ant1	6025	Puncturing 40M	RU4	-4.62	-3.5	-8.12	≤-1.00	PASS
			Puncturing 20M	RU8	-4.69	-3.5	-8.19	≤-1.00	PASS
	Ant2	6025	Puncturing 40M	RU4	-4.68	-3.5	-8.18	≤-1.00	PASS
			Puncturing 20M	RU8	-4.71	-3.5	-8.21	≤-1.00	PASS
	total	6025	Puncturing 40M	RU4	-1.64	-0.49	-2.13	≤-1.00	PASS
			Puncturing 20M	RU8	-1.69	-0.49	-2.18	≤-1.00	PASS





	Ant1	6985	Puncturing 40M	RU1	-4.54	-4.1	-8.64	≤-1.00	PASS
			Puncturing 20M	RU1	-4.48	-4.1	-8.58	≤-1.00	PASS
	Ant2	6985	Puncturing 20M	RU1	-5.33	-4.2	-9.53	≤-1.00	PASS
			Puncturing 40M	RU1	-5.35	-4.2	-9.55	≤-1.00	PASS
	total	6985	Puncturing 20M	RU1	-1.87	-1.14	-3.01	≤-1.00	PASS
			Puncturing 40M	RU1	-1.92	-1.14	-3.06	≤-1.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant1_6105_Puncturing 40M_RU8



Date: 31.AUG.2024 05:04:52


11BE320MIMO_Ant2_6105_Puncturing 80M_RU4



Date: 31.AUG.2024 04:16:18




11BE320MIMO_Ant2_6105_Puncturing 80+40M_RU6



Date: 31.AUG.2024 04:18:53


11BE320MIMO_Ant2_6105_Puncturing 40M_RU8



Date: 31.AUG.2024 05:05:01




11BE320MIMO_Ant1_6905_Puncturing 40M_RU1



Date: 31.AUG.2024 05:06:21


11BE320MIMO_Ant1_6905_Puncturing 80M_RU1



Date: 31.AUG.2024 05:09:01




11BE320MIMO_Ant1_6905_Puncturing 80+40M_RU7



Date: 31.AUG.2024 05:10:38


11BE320MIMO_Ant2_6905_Puncturing 40M_RU1



Date: 31.AUG.2024 05:06:49




11BE320MIMO_Ant2_6905_Puncturing 80M_RU1



Date: 31.AUG.2024 05:09:28


11BE320MIMO_Ant2_6905_Puncturing 80+40M_RU7



Date: 31.AUG.2024 05:11:05




11BE80MIMO_Ant1_5985_Puncturing 20M_RU4



Date: 31.AUG.2024 03:32:12


11BE80MIMO_Ant2_5985_Puncturing 20M_RU4



Date: 31.AUG.2024 03:32:21




11BE80MIMO_Ant1_7025_Puncturing 20M_RU1



Date: 31.AUG.2024 03:42:36


11BE80MIMO_Ant2_7025_Puncturing 20M_RU1



Date: 31.AUG.2024 03:42:45




11BE160MIMO_Ant1_6025_Puncturing 40M_RU4



Date: 31.AUG.2024 03:46:09


11BE160MIMO_Ant1_6025_Puncturing 20M_RU8



Date: 31.AUG.2024 03:48:00




11BE160MIMO_Ant2_6025_Puncturing 40M_RU4



Date: 31.AUG.2024 03:46:19


11BE160MIMO_Ant2_6025_Puncturing 20M_RU8



Date: 31.AUG.2024 03:48:09




11BE160MIMO_Ant1_6985_Puncturing 40M_RU1



Date: 31.AUG.2024 04:12:28


11BE160MIMO_Ant1_6985_Puncturing 20M_RU1



Date: 31.AUG.2024 04:10:13




11BE160MIMO_Ant2_6985_Puncturing 20M_RU1



Date: 31.AUG.2024 04:10:23

11BE160MIMO_Ant2_6985_Puncturing 40M_RU1




Date: 31.AUG.2024 04:12:37



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.502	49.31	-6.69	56.00	39.20	-0.11	10.22	QP
2	0.502	34.91	-11.09	46.00	24.80	-0.11	10.22	Average
3	0.617	48.94	-7.06	56.00	38.90	-0.13	10.17	QP
4	0.617	31.24	-14.76	46.00	21.20	-0.13	10.17	Average
5	0.792	49.15	-6.85	56.00	39.20	-0.16	10.11	QP
6	0.792	31.85	-14.15	46.00	21.90	-0.16	10.11	Average
7	1.117	50.50	-5.50	56.00	40.60	-0.19	10.09	QP
8	1.117	34.80	-11.20	46.00	24.90	-0.19	10.09	Average
9 *	1.352	51.49	-4.51	56.00	41.61	-0.20	10.08	QP
10	1.352	35.09	-10.91	46.00	25.21	-0.20	10.08	Average
11	1.464	50.18	-5.82	56.00	40.30	-0.20	10.08	QP
12	1.464	33.48	-12.52	46.00	23.60	-0.20	10.08	Average
13	1.716	50.47	-5.53	56.00	40.60	-0.21	10.08	QP
14	1.716	35.47	-10.53	46.00	25.60	-0.21	10.08	Average
15	2.650	48.09	-7.91	56.00	38.20	-0.18	10.07	QP
16	2.650	34.19	-11.81	46.00	24.30	-0.18	10.07	Average
17	3.310	48.50	-7.50	56.00	38.60	-0.17	10.07	QP
18	3.310	35.10	-10.90	46.00	25.20	-0.17	10.07	Average
19	4.430	45.76	-10.24	56.00	35.91	-0.21	10.06	QP
20	4.430	31.36	-14.64	46.00	21.51	-0.21	10.06	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.595	41.22	-14.78	56.00	31.20	-0.16	10.18	QP
2	0.595	23.32	-22.68	46.00	13.30	-0.16	10.18	Average
3	0.779	42.15	-13.85	56.00	32.20	-0.17	10.12	QP
4	0.779	22.15	-23.85	46.00	12.20	-0.17	10.12	Average
5	1.223	43.40	-12.60	56.00	33.49	-0.18	10.09	QP
6	1.223	25.10	-20.90	46.00	15.19	-0.18	10.09	Average
7	1.662	43.69	-12.31	56.00	33.80	-0.19	10.08	QP
8	1.662	27.09	-18.91	46.00	17.20	-0.19	10.08	Average
9	3.346	44.06	-11.94	56.00	34.20	-0.21	10.07	QP
10	3.346	29.76	-16.24	46.00	19.90	-0.21	10.07	Average
11	13.057	47.06	-12.94	60.00	36.21	-0.22	11.07	QP
12 *	13.057	38.36	-11.64	50.00	27.51	-0.22	11.07	Average
13	14.907	45.52	-14.48	60.00	34.50	-0.18	11.20	QP
14	14.907	36.22	-13.78	50.00	25.20	-0.18	11.20	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer:	Levi zhao	Relative Humidity :	22 ~ 23°C
		Temperature :	41 ~ 42%

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	Full	-
Mode 2	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	45	6175	MCS0	Full	-
Mode 3	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	93	6415	MCS0	Full	-
Mode 4	UNII-6	5.925-6.425	CDD 1+2	802.11BE EHT20	97	6435	MCS0	Full	-
Mode 5	UNII-6	6.425-6.525	CDD 1+2	802.11BE EHT20	105	6475	MCS0	Full	-
Mode 6	UNII-6	6.425-6.525	CDD 1+2	802.11BE EHT20	113	6515	MCS0	Full	-
Mode 7	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT20	117	6535	MCS0	Full	-
Mode 8	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT20	149	6695	MCS0	Full	-
Mode 9	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT20	181	6855	MCS0	Full	-
Mode 10	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT20	189	6895	MCS0	Full	-
Mode 11	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT20	209	6995	MCS0	Full	-
Mode 12	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT20	229	7095	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT40	3	5965	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT40	43	6165	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT40	91	6405	MCS0	Full	-
Mode 16	U-NII-6	6.425-6.525	CDD 1+2	802.11BE EHT40	99	6445	MCS0	Full	-
Mode 17	U-NII-6	6.425-6.525	CDD 1+2	802.11BE EHT40	107	6485	MCS0	Full	-
Mode 18	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT40	123	6565	MCS0	Full	-
Mode 19	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT40	147	6685	MCS0	Full	-
Mode 20	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT40	179	6845	MCS0	Full	-
Mode 21	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT40	195	6925	MCS0	Full	-
Mode 22	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT40	203	6965	MCS0	Full	-
Mode 23	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT40	227	7085	MCS0	Full	-
Mode 24	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT80	7	5985	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT80	39	6145	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT80	87	6385	MCS0	Full	-
Mode 27	U-NII-6	6.425-6.525	CDD 1+2	802.11BE EHT80	103	6465	MCS0	Full	-
Mode 28	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT80	135	6625	MCS0	Full	-
Mode 29	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT80	151	6705	MCS0	Full	-
Mode 30	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT80	167	6785	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT80	199	6945	MCS0	Full	-
Mode 32	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT80	215	7025	MCS0	Full	-
Mode 33	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT160	15	6025	MCS0	Full	-
Mode 34	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT160	47	6185	MCS0	Full	-
Mode 35	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT160	79	6345	MCS0	Full	-
Mode 36	U-NII-7	6.525-6.875	CDD 1+2	802.11BE EHT160	143	6665	MCS0	Full	-
Mode 37	U-NII-8	6.875-7.125	CDD 1+2	802.11BE EHT160	207	6985	MCS0	Full	-
Mode 38	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT320	31	6105	MCS0	Full	-
Mode 39	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT320	67	6265	MCS0	Full	-
Mode 40	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT20	185	6875	MCS0	Full	-
Mode 41	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT40	187	6885	MCS0	Full	-
Mode 42	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT80	183	6865	MCS0	Full	-
Mode 43	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT160	175	6825	MCS0	Full	-
Mode 44	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT320	159	6745	MCS0	Full	-
Mode 45	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT320	191	6905	MCS0	Full	-
Mode 46	U-NII-6-7	6.425-6.525	CDD 1+2	802.11BE EHT40	115	6525	MCS0	Full	-
Mode 47	U-NII-6-7	6.425-6.525	CDD 1+2	802.11BE EHT80	119	6545	MCS0	Full	-
Mode 48	U-NII-6-7	6.425-6.525	CDD 1+2	802.11BE EHT160	111	6505	MCS0	Full	-
Mode 49	U-NII-5-6	5.925-6.425	CDD 1+2	802.11BE EHT320	95	6425	MCS0	Full	-
Mode 50	U-NII-5-6	6.425-6.525	CDD 1+2	802.11BE EHT320	127	6585	MCS0	Full	-
Mode 51	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	Single RU26/0	-
Mode 52	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	Single RU52/37	-
Mode 53	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	Single RU106/53	-
Mode 54	U-NII-8	5.925-6.425	CDD 1+2	802.11BE EHT20	229	7095	MCS0	Single RU26/8	-
Mode 55	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT20	229	7095	MCS0	Single RU52/40	-
Mode 56	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT20	229	7095	MCS0	Single RU106/54	-
Mode 57	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	Small RU Index 38+1	-
Mode 58	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	Small RU Index 53+4	-
Mode 59	U-NII-8	6.425-6.525	CDD 1+2	802.11BE EHT20	229	7095	MCS0	Small RU Index 39+7	-
Mode 60	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT20	229	7095	MCS0	Small RU Index 54+4-	-
Mode 61	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 62	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 63	U-NII-5	6.425-6.525	CDD 1+2	802.11BE EHT160	15	6025	MCS0	Puncturing 40M ④	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 64	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 65	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 66	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 67	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	-
Mode 68	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	-
Mode 69	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 70	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 71	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 72	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 73	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 74	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 75	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 76	U-NII-8	6.525-7.125	CDD 1+2	802.11BE EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 77	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 78	U-NII-7-8	6.525-7.125	CDD 1+2	802.11BE EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 79	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 80	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 81	U-NII-7-8	6.875-7.125	CDD 1+2	802.11BE EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 82	U-NII-7-8	6.875-7.125	CDD 1+2	802.11BE EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-



Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 83	2400-2483.5	2400-2483.5	1	Bluetooth-LE_GSKF	39	2480	2Mbps	-	-
	2400-2483.5	2400-2483.5	2	802.11BE EHT20	01	2412	MCS0	-	-
	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	-	-
Mode 84	2400-2483.5	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	2Mbps	-	-
	2400-2483.5	2400-2483.5	1	802.11BE EHT20	01	2412	MCS0	-	-
	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	-	-
Mode 85	2400-2483.5	2400-2483.5	CDD 1+2	802.11BE EHT20	01	2412	MCS0	-	-
	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	-	-
Mode 86	2400-2483.5	2400-2483.5	1	Bluetooth-LE_GSKF	39	2480	2Mbps	-	-
	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	64	5320	6Mbps	-	-
	U-NII-5	5.925-6.425	CDD 1+2	802.11BE EHT20	1	5955	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11BE EHT20	1	5923.54	46.52	68.20	-21.68	V	AVERAGE	Pass	Band Edge
1	802.11BE EHT20	1	11910.00	45.06	54.00	-8.94	H	AVERAGE	Pass	Harmonic
2	802.11BE EHT20	45	-	-	-	-	-	-	-	Band Edge
2	802.11BE EHT20	45	12350.00	46.11	74.00	-27.89	V	PEAK	Pass	Harmonic
3	802.11BE EHT20	93	-	-	-	-	-	-	-	Band Edge
3	802.11BE EHT20	93	12830.00	46.45	88.20	-41.75	V	PEAK	Pass	Harmonic
4	802.11BE EHT20	97	-	-	-	-	-	-	-	Band Edge
4	802.11BE EHT20	97	12870.00	47.14	88.20	-41.06	H	PEAK	Pass	Harmonic
5	802.11BE EHT20	105	-	-	-	-	-	-	-	Band Edge
5	802.11BE EHT20	105	12950.00	47.03	88.20	-41.17	H	PEAK	Pass	Harmonic
6	802.11BE EHT20	113	-	-	-	-	-	-	-	Band Edge
6	802.11BE EHT20	113	13030.00	47.01	88.20	-41.19	H	PEAK	Pass	Harmonic
7	802.11BE EHT20	117	-	-	-	-	-	-	-	Band Edge
7	802.11BE EHT20	117	13070.00	46.36	88.20	-41.84	V	PEAK	Pass	Harmonic
8	802.11BE EHT20	149	-	-	-	-	-	-	-	Band Edge
8	802.11BE EHT20	149	13390.00	47.54	74.00	-26.46	V	PEAK	Pass	Harmonic
9	802.11BE EHT20	181	-	-	-	-	-	-	-	Band Edge
9	802.11BE EHT20	181	13710.00	48.72	88.20	-39.48	V	PEAK	Pass	Harmonic
10	802.11BE EHT20	189	-	-	-	-	-	-	-	Band Edge
10	802.11BE EHT20	189	13790.00	48.32	88.20	-39.88	V	PEAK	Pass	Harmonic
11	802.11BE EHT20	209	-	-	-	-	-	-	-	Band Edge
11	802.11BE EHT20	209	13990.00	47.76	88.20	-40.44	V	PEAK	Pass	Harmonic
12	802.11BE EHT20	229	7204.52	45.04	68.20	-23.16	V	AVERAGE	Pass	Band Edge
12	802.11BE EHT20	229	14190.00	47.18	88.20	-41.02	H	PEAK	Pass	Harmonic
13	802.11BE EHT40	3	5923.84	44.42	68.20	-23.78	V	AVERAGE	Pass	Band Edge
13	802.11BE EHT40	3	11930.00	46.88	74.00	-27.12	V	PEAK	Pass	Harmonic
14	802.11BE EHT40	43	-	-	-	-	-	-	-	Band Edge
14	802.11BE EHT40	43	12330.00	46.30	74.00	-27.70	H	PEAK	Pass	Harmonic
15	802.11BE EHT40	91	-	-	-	-	-	-	-	Band Edge
15	802.11BE EHT40	91	12810.00	48.04	88.20	-40.16	H	PEAK	Pass	Harmonic
16	802.11BE EHT40	99	-	-	-	-	-	-	-	Band Edge
16	802.11BE EHT40	99	12890.00	46.44	88.20	-41.76	H	PEAK	Pass	Harmonic
17	802.11BE EHT40	107	-	-	-	-	-	-	-	Band Edge
17	802.11BE EHT40	107	12970.00	47.17	88.20	-41.03	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11BE EHT40	123	-	-	-	-	-	-	-	Band Edge
18	802.11BE EHT40	123	13130.00	46.89	88.20	-41.31	V	PEAK	Pass	Harmonic
19	802.11BE EHT40	147	-	-	-	-	-	-	-	Band Edge
19	802.11BE EHT40	147	13370.00	45.94	74.00	-28.06	H	PEAK	Pass	Harmonic
20	802.11BE EHT40	179	-	-	-	-	-	-	-	Band Edge
20	802.11BE EHT40	179	13690.00	47.82	88.20	-40.38	V	PEAK	Pass	Harmonic
21	802.11BE EHT40	195	-	-	-	-	-	-	-	Band Edge
21	802.11BE EHT40	195	13850.00	47.21	88.20	-40.99	V	PEAK	Pass	Harmonic
22	802.11BE EHT40	203	-	-	-	-	-	-	-	Band Edge
22	802.11BE EHT40	203	13930.00	47.29	88.20	-40.91	V	PEAK	Pass	Harmonic
23	802.11BE EHT40	227	7198.76	45.13	68.20	-23.07	V	AVERAGE	Pass	Band Edge
23	802.11BE EHT40	227	14170.00	47.29	88.20	-40.91	V	PEAK	Pass	Harmonic
24	802.11BE EHT80	7	5898.60	44.81	68.20	-23.39	V	AVERAGE	Pass	Band Edge
24	802.11BE EHT80	7	11970.00	46.50	74.00	-27.50	H	PEAK	Pass	Harmonic
25	802.11BE EHT80	39	-	-	-	-	-	-	-	Band Edge
25	802.11BE EHT80	39	12290.00	46.03	74.00	-27.97	H	PEAK	Pass	Harmonic
26	802.11BE EHT80	87	-	-	-	-	-	-	-	Band Edge
26	802.11BE EHT80	87	12770.00	45.93	88.20	-42.27	V	PEAK	Pass	Harmonic
27	802.11BE EHT80	103	-	-	-	-	-	-	-	Band Edge
27	802.11BE EHT80	103	12930.00	46.11	88.20	-42.09	V	PEAK	Pass	Harmonic
28	802.11BE EHT80	135	-	-	-	-	-	-	-	Band Edge
28	802.11BE EHT80	135	13250.00	45.67	74.00	-28.33	H	PEAK	Pass	Harmonic
29	802.11BE EHT80	151	-	-	-	-	-	-	-	Band Edge
29	802.11BE EHT80	151	13410.00	46.18	88.20	-42.02	H	PEAK	Pass	Harmonic
30	802.11BE EHT80	167	-	-	-	-	-	-	-	Band Edge
30	802.11BE EHT80	167	13570.00	45.23	88.20	-42.97	V	PEAK	Pass	Harmonic
31	802.11BE EHT80	199	-	-	-	-	-	-	-	Band Edge
31	802.11BE EHT80	199	13890.00	44.94	88.20	-43.26	V	PEAK	Pass	Harmonic
32	802.11BE EHT80	215	7125.76	45.69	68.20	-22.51	V	AVERAGE	Pass	Band Edge
32	802.11BE EHT80	215	14050.00	44.32	88.20	-43.88	V	PEAK	Pass	Harmonic
33	802.11BE EHT160	15	5897.40	46.82	68.20	-21.38	V	AVERAGE	Pass	Band Edge
33	802.11BE EHT160	15	12050.00	46.16	74.00	-27.84	V	PEAK	Pass	Harmonic
34	802.11BE EHT160	47	-	-	-	-	-	-	-	Band Edge
34	802.11BE EHT160	47	12370.00	46.38	74.00	-27.62	V	PEAK	Pass	Harmonic
35	802.11BE EHT160	79	-	-	-	-	-	-	-	Band Edge
35	802.11BE EHT160	79	12690.00	45.83	74.00	-28.17	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	802.11BE EHT160	143	-	-	-	-	-	-	-	Band Edge
36	802.11BE EHT160	143	13330.00	45.36	74.00	-28.64	V	PEAK	Pass	Harmonic
37	802.11BE EHT160	207	7145.80	50.31	68.20	-17.89	V	AVERAGE	Pass	Band Edge
37	802.11BE EHT160	207	13970.00	45.00	88.20	-43.20	V	PEAK	Pass	Harmonic
38	802.11BE EHT320	31	5912.68	52.39	68.20	-15.81	V	AVERAGE	Pass	Band Edge
38	802.11BE EHT320	31	12210.00	46.09	74.00	-27.91	H	PEAK	Pass	Harmonic
39	802.11BE EHT320	67	-	-	-	-	-	-	-	Band Edge
39	802.11BE EHT320	67	12530.00	46.08	74.00	-27.92	V	PEAK	Pass	Harmonic
40	802.11BE EHT20	185	-	-	-	-	-	-	-	Band Edge
40	802.11BE EHT20	185	13750.00	45.11	88.20	-43.09	H	PEAK	Pass	Harmonic
41	802.11BE EHT40	187	-	-	-	-	-	-	-	Band Edge
41	802.11BE EHT40	187	13770.00	45.00	88.20	-43.20	V	PEAK	Pass	Harmonic
42	802.11BE EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11BE EHT80	183	13730.00	46.45	88.20	-41.75	V	PEAK	Pass	Harmonic
43	802.11BE EHT160	175	-	-	-	-	-	-	-	Band Edge
43	802.11BE EHT160	175	13650.00	45.69	88.20	-42.51	V	PEAK	Pass	Harmonic
44	802.11BE EHT320	159	-	-	-	-	-	-	-	Band Edge
44	802.11BE EHT320	159	13490.00	45.68	88.20	-42.52	V	PEAK	Pass	Harmonic
45	802.11BE EHT320	191	7252.60	50.00	54.00	-4.00	V	AVERAGE	Pass	Band Edge
45	802.11BE EHT320	191	13810.00	46.43	88.20	-41.77	V	PEAK	Pass	Harmonic
46	802.11BE EHT40	115	-	-	-	-	-	-	-	Band Edge
46	802.11BE EHT40	115	13050.00	48.32	88.20	-39.88	H	PEAK	Pass	Harmonic
47	802.11BE EHT80	119	-	-	-	-	-	-	-	Band Edge
47	802.11BE EHT80	119	13090.00	46.83	88.20	-41.37	H	PEAK	Pass	Harmonic
48	802.11BE EHT160	111	-	-	-	-	-	-	-	Band Edge
48	802.11BE EHT160	111	13010.00	48.15	88.20	-40.05	H	PEAK	Pass	Harmonic
49	802.11BE EHT320	95	-	-	-	-	-	-	-	Band Edge
49	802.11BE EHT320	95	12850.00	46.21	88.20	-41.99	H	PEAK	Pass	Harmonic
50	802.11BE EHT320	127	-	-	-	-	-	-	-	Band Edge
50	802.11BE EHT320	127	13170.00	46.21	88.20	-41.99	H	PEAK	Pass	Harmonic
51	802.11BE EHT20	1	5923.28	44.04	68.20	-24.16	V	AVERAGE	Pass	Band Edge
51	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
52	802.11BE EHT20	1	5924.06	44.06	68.20	-24.14	V	AVERAGE	Pass	Band Edge
52	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
53	802.11BE EHT20	1	5924.19	44.08	68.20	-24.12	V	AVERAGE	Pass	Band Edge
53	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
54	802.11BE EHT20	229	7201.64	45.05	68.20	-23.15	H	AVERAGE	Pass	Band Edge
54	802.11BE EHT20	229	-	-	-	-	-	-	-	Harmonic
55	802.11BE EHT20	229	7183.72	45.03	68.20	-23.17	V	AVERAGE	Pass	Band Edge
55	802.11BE EHT20	229	-	-	-	-	-	-	-	Harmonic
56	802.11BE EHT20	229	7211.56	45.02	68.20	-23.18	V	AVERAGE	Pass	Band Edge
56	802.11BE EHT20	229	-	-	-	-	-	-	-	Harmonic
57	802.11BE EHT20	1	5914.96	44.39	68.20	-23.81	V	AVERAGE	Pass	Band Edge
57	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
58	802.11BE EHT20	1	5924.84	44.38	68.20	-23.82	V	AVERAGE	Pass	Band Edge
58	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
59	802.11BE EHT20	229	7148.68	45.25	68.20	-22.95	V	AVERAGE	Pass	Band Edge
59	802.11BE EHT20	229	-	-	-	-	-	-	-	Harmonic
60	802.11BE EHT20	229	7185.64	45.19	68.20	-23.01	V	AVERAGE	Pass	Band Edge
60	802.11BE EHT20	229	-	-	-	-	-	-	-	Harmonic
61	802.11BE EHT80	7	5908.68	45.37	68.20	-22.83	V	AVERAGE	Pass	Band Edge
61	802.11BE EHT80	7	-	-	-	-	-	-	-	Harmonic
62	802.11BE EHT80	215	7125.10	46.23	68.20	-21.97	V	AVERAGE	Pass	Band Edge
62	802.11BE EHT80	215	-	-	-	-	-	-	-	Harmonic
63	802.11BE EHT160	15	5868.80	57.21	68.20	-10.99	V	AVERAGE	Pass	Band Edge
63	802.11BE EHT160	15	-	-	-	-	-	-	-	Harmonic
64	802.11BE EHT160	207	7140.52	56.37	68.20	-11.83	V	AVERAGE	Pass	Band Edge
64	802.11BE EHT160	207	-	-	-	-	-	-	-	Harmonic
65	802.11BE EHT160	15	5868.80	54.93	68.20	-13.27	V	AVERAGE	Pass	Band Edge
65	802.11BE EHT160	15	-	-	-	-	-	-	-	Harmonic
66	802.11BE EHT160	207	7125.88	58.75	68.20	-9.45	V	AVERAGE	Pass	Band Edge
66	802.11BE EHT160	207	-	-	-	-	-	-	-	Harmonic
67	802.11BE EHT320	31	5840.68	48.04	68.20	-20.16	V	AVERAGE	Pass	Band Edge
67	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
68	802.11BE EHT320	191	7264.84	46.65	54.00	-7.35	V	AVERAGE	Pass	Band Edge
68	802.11BE EHT320	191	-	-	-	-	-	-	-	Harmonic
69	802.11BE EHT320	31	5791.08	47.02	68.20	-21.18	V	AVERAGE	Pass	Band Edge
69	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
70	802.11BE EHT320	191	7250.44	47.39	54.00	-6.61	V	AVERAGE	Pass	Band Edge
70	802.11BE EHT320	191	-	-	-	-	-	-	-	Harmonic
71	802.11BE EHT320	31	5797.80	48.43	68.20	-19.77	V	AVERAGE	Pass	Band Edge
71	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
72	802.11BE EHT320	191	7251.88	47.34	54.00	-6.66	V	AVERAGE	Pass	Band Edge
72	802.11BE EHT320	191	-	-	-	-	-	-	-	Harmonic
73	802.11BE EHT80	7	5916.36	46.75	68.20	-21.45	V	AVERAGE	Pass	Band Edge
73	802.11BE EHT80	7	-	-	-	-	-	-	-	Harmonic
74	802.11BE EHT80	215	7125.10	46.45	68.20	-21.75	V	AVERAGE	Pass	Band Edge
74	802.11BE EHT80	215	-	-	-	-	-	-	-	Harmonic
75	802.11BE EHT160	15	5874.80	47.01	68.20	-21.19	V	AVERAGE	Pass	Band Edge
75	802.11BE EHT160	15	-	-	-	-	-	-	-	Harmonic
76	802.11BE EHT160	207	7134.76	69.37	88.20	-18.83	V	PEAK	Pass	Band Edge
76	802.11BE EHT160	207	-	-	-	-	-	-	-	Harmonic
77	802.11BE EHT320	31	5884.84	51.93	68.20	-16.27	V	AVERAGE	Pass	Band Edge
77	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
78	802.11BE EHT320	191	7296.52	46.64	54.00	-7.36	H	AVERAGE	Pass	Band Edge
78	802.11BE EHT320	191	-	-	-	-	-	-	-	Harmonic
79	802.11BE EHT320	31	5921.32	51.10	68.20	-17.10	V	AVERAGE	Pass	Band Edge
79	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
80	802.11BE EHT320	31	5789.80	47.75	68.20	-20.45	V	AVERAGE	Pass	Band Edge
80	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
81	802.11BE EHT320	191	7252.60	48.44	54.00	-5.56	V	AVERAGE	Pass	Band Edge
81	802.11BE EHT320	191	-	-	-	-	-	-	-	Harmonic
82	802.11BE EHT320	191	7281.40	46.86	54.00	-7.14	H	AVERAGE	Pass	Band Edge
82	802.11BE EHT320	191	-	-	-	-	-	-	-	Harmonic







Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
83	Bluetooth-LE_GSKF	39	2483.56	48.95	54.00	-5.05	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.10	40.52	74.00	-33.48	H	PEAK	Pass	Harmonic
	802.11BE EHT20	01	2389.95	48.06	54.00	-5.94	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	01	7236.00	44.04	74.00	-29.96	V	PEAK	Pass	Harmonic
	802.11BE EHT20	1	5923.93	44.28	68.20	-23.92	V	AVERAGE	Pass	Band Edge
	802.11BE EHT20	1	11910.00	47.14	74.00	-26.86	H	PEAK	Pass	Harmonic
84	Bluetooth BR_GFSK	78	2498.70	55.81	74.00	-18.19	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	78	7440.10	40.66	74.00	-33.34	H	PEAK	Pass	Harmonic
	802.11BE EHT20	01	2389.95	50.92	54.00	-3.08	V	AVERAGE	Pass	Band Edge
	802.11BE EHT20	01	5955.00	45.23	74.00	-28.77	V	Peak	Pass	Harmonic
	802.11BE EHT20	1	5917.04	44.28	68.20	-23.92	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	1	11910.00	47.35	74.00	-26.65	H	PEAK	Pass	Harmonic
85	802.11BE EHT20	01	2389.95	47.37	54.00	-6.63	V	AVERAGE	Pass	Band Edge
	802.11BE EHT20	01	4824.00	40.77	74.00	-33.23	V	Peak	Pass	Harmonic
	802.11BE EHT20	1	5923.54	44.43	68.20	-23.77	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	1	11910.00	46.69	74.00	-27.31	V	PEAK	Pass	Harmonic
86	Bluetooth-LE_GSKF	39	2483.56	46.88	54.00	-7.12	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	4960.00	41.00	74.00	-33	V	Peak	Pass	Harmonic
	802.11a	64	5350.00	50.37	54.00	-3.63	V	AVERAGE	Pass	Band Edge
	802.11a	64	10640.80	43.59	54.00	-10.41	V	AVERAGE	Pass	Harmonic
	802.11BE EHT20	1	5909.24	44.40	68.20	-23.80	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	1	11910.00	47.02	74.00	-26.98	V	Average	Pass	Harmonic



1																																													
Mode	Band Edge																																												
U-NII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz																																													
ANT	CDD 1+2																																												
Pol.	Horizontal																																												
Peak	Fundamental																																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5865.56</td> <td>56.08</td> <td>88.20</td> <td>-32.12</td> <td>43.02</td> <td>34.76</td> <td>10.46</td> <td>32.16</td> <td>0.00</td> <td>352</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5865.56	56.08	88.20	-32.12	43.02	34.76	10.46	32.16	0.00	352	55	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5865.56	56.08	88.20	-32.12	43.02	34.76	10.46	32.16	0.00	352	55	PEAK																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.76</td> <td>-----</td> <td>-----</td> <td>79.14</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>352</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	92.76	-----	-----	79.14	35.24	10.55	32.17	0.00	352	55	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5955.00	92.76	-----	-----	79.14	35.24	10.55	32.17	0.00	352	55	PEAK																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.61</td> <td>46.45</td> <td>68.20</td> <td>-21.75</td> <td>33.11</td> <td>34.99</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>352</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5915.61	46.45	68.20	-21.75	33.11	34.99	10.51	32.16	0.00	352	55	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5915.61	46.45	68.20	-21.75	33.11	34.99	10.51	32.16	0.00	352	55	AVERAGE																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>84.82</td> <td>-----</td> <td>-----</td> <td>71.20</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>352</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	84.82	-----	-----	71.20	35.24	10.55	32.17	0.00	352	55	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5955.00	84.82	-----	-----	71.20	35.24	10.55	32.17	0.00	352	55	AVERAGE																																	



	1																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.00</td> <td>57.60</td> <td>88.20</td> <td>-30.60</td> <td>44.25</td> <td>35.00</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>274</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5916.00	57.60	88.20	-30.60	44.25	35.00	10.51	32.16	0.00	274	360	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>100.10</td> <td>-----</td> <td>-----</td> <td>86.48</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>274</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	100.10	-----	-----	86.48	35.24	10.55	32.17	0.00	274	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5916.00	57.60	88.20	-30.60	44.25	35.00	10.51	32.16	0.00	274	360	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	100.10	-----	-----	86.48	35.24	10.55	32.17	0.00	274	360	PEAK																																																																														
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.54</td> <td>46.52</td> <td>68.20</td> <td>-21.68</td> <td>33.13</td> <td>35.04</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>274</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.54	46.52	68.20	-21.68	33.13	35.04	10.51	32.16	0.00	274	360	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>91.62</td> <td>-----</td> <td>-----</td> <td>78.00</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>274</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	91.62	-----	-----	78.00	35.24	10.55	32.17	0.00	274	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5923.54	46.52	68.20	-21.68	33.13	35.04	10.51	32.16	0.00	274	360	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	91.62	-----	-----	78.00	35.24	10.55	32.17	0.00	274	360	AVERAGE																																																																														



Mode	1																																																																																																						
	Harmonic																																																																																																						
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz																																																																																																						
ANT	CDD 1+2																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>53.21</td> <td>74.00</td> <td>-20.79</td> <td>60.59</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11910.00</td> <td>45.06</td> <td>54.00</td> <td>-8.94</td> <td>52.44</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	53.21	74.00	-20.79	60.59	38.70	15.21	61.29	0.00	300	0	PEAK	2	11910.00	45.06	54.00	-8.94	52.44	38.70	15.21	61.29	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>46.79</td> <td>74.00</td> <td>-27.21</td> <td>54.17</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.79	74.00	-27.21	54.17	38.70	15.21	61.29	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11910.00	53.21	74.00	-20.79	60.59	38.70	15.21	61.29	0.00	300	0	PEAK																																																																																											
2	11910.00	45.06	54.00	-8.94	52.44	38.70	15.21	61.29	0.00	300	0	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11910.00	46.79	74.00	-27.21	54.17	38.70	15.21	61.29	0.00	---	---	PEAK																																																																																											



Mode	2																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT20_CH45_6175MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12350.00</td> <td>45.92</td> <td>74.00</td> <td>-28.08</td> <td>53.16</td> <td>38.80</td> <td>15.54</td> <td>61.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12350.00	45.92	74.00	-28.08	53.16	38.80	15.54	61.58	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12350.00</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>53.35</td> <td>38.80</td> <td>15.54</td> <td>61.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12350.00	46.11	74.00	-27.89	53.35	38.80	15.54	61.58	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12350.00	45.92	74.00	-28.08	53.16	38.80	15.54	61.58	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12350.00	46.11	74.00	-27.89	53.35	38.80	15.54	61.58	0.00	---	---	PEAK																																																																														



Mode	3																																																																																								
	Harmonic																																																																																								
	U-NII-5_5.925-6.425_802.11BE EHT20_CH93_6415MHz																																																																																								
ANT	CDD 1+2																																																																																								
Pol.	Horizontal	Vertical																																																																																							
Peak Avg																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12838.00</td> <td>46.42</td> <td>88.20</td> <td>-41.78</td> <td>53.12</td> <td>39.33</td> <td>15.92</td> <td>61.95</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12838.00	46.42	88.20	-41.78	53.12	39.33	15.92	61.95	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12838.00</td> <td>46.45</td> <td>88.20</td> <td>-41.75</td> <td>53.15</td> <td>39.33</td> <td>15.92</td> <td>61.95</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12838.00	46.45	88.20	-41.75	53.15	39.33	15.92	61.95	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	12838.00	46.42	88.20	-41.78	53.12	39.33	15.92	61.95	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	12838.00	46.45	88.20	-41.75	53.15	39.33	15.92	61.95	0.00	---	---	PEAK																																																																													



Mode	4																																																																																									
	Harmonic																																																																																									
	U-NII-6_5.925-6.425_802.11BE EHT20_CH97_6435MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12870.00</td> <td>47.14</td> <td>88.20</td> <td>-41.06</td> <td>53.80</td> <td>39.37</td> <td>15.95</td> <td>61.98</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	47.14	88.20	-41.06	53.80	39.37	15.95	61.98	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12870.00</td> <td>46.86</td> <td>88.20</td> <td>-41.34</td> <td>53.52</td> <td>39.37</td> <td>15.95</td> <td>61.98</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	46.86	88.20	-41.34	53.52	39.37	15.95	61.98	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12870.00	47.14	88.20	-41.06	53.80	39.37	15.95	61.98	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12870.00	46.86	88.20	-41.34	53.52	39.37	15.95	61.98	0.00	---	---	PEAK																																																																														



Mode	5																																																																																									
	Harmonic																																																																																									
	U-NII-6_5.925-6.425_802.11BE EHT20_CH105_6475MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>47.03</td> <td>88.20</td> <td>-41.17</td> <td>53.66</td> <td>39.40</td> <td>16.01</td> <td>62.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	47.03	88.20	-41.17	53.66	39.40	16.01	62.04	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>46.72</td> <td>88.20</td> <td>-41.48</td> <td>53.35</td> <td>39.40</td> <td>16.01</td> <td>62.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	46.72	88.20	-41.48	53.35	39.40	16.01	62.04	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12950.00	47.03	88.20	-41.17	53.66	39.40	16.01	62.04	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12950.00	46.72	88.20	-41.48	53.35	39.40	16.01	62.04	0.00	---	---	PEAK																																																																														



Mode	6																																																																																							
	Harmonic																																																																																							
	U-NII-6_5.925-6.425_802.11BE EHT20_CH113_6515MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>47.01</td> <td>88.20</td> <td>-41.19</td> <td>53.71</td> <td>39.34</td> <td>16.06</td> <td>62.10</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13030.00	47.01	88.20	-41.19	53.71	39.34	16.06	62.10	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>45.96</td> <td>88.20</td> <td>-42.24</td> <td>52.66</td> <td>39.34</td> <td>16.06</td> <td>62.10</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13030.00	45.96	88.20	-42.24	52.66	39.34	16.06	62.10	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13030.00	47.01	88.20	-41.19	53.71	39.34	16.06	62.10	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13030.00	45.96	88.20	-42.24	52.66	39.34	16.06	62.10	0.00	---	---	PEAK																																																																													



Mode	7																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11BE EHT20_CH117_Full_6535MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.10</td> <td>88.20</td> <td>-42.10</td> <td>52.89</td> <td>39.26</td> <td>16.08</td> <td>62.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	46.10	88.20	-42.10	52.89	39.26	16.08	62.13	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.36</td> <td>88.20</td> <td>-41.84</td> <td>53.15</td> <td>39.26</td> <td>16.08</td> <td>62.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	46.36	88.20	-41.84	53.15	39.26	16.08	62.13	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13070.00	46.10	88.20	-42.10	52.89	39.26	16.08	62.13	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13070.00	46.36	88.20	-41.84	53.15	39.26	16.08	62.13	0.00	---	---	PEAK																																																																													



Mode	8																																																																																									
	Harmonic																																																																																									
	U-NII-7_6.525-6.875_802.11BE EHT20_CH149_Full_6695MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13390.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>52.49</td> <td>38.92</td> <td>16.23</td> <td>62.37</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	45.27	74.00	-28.73	52.49	38.92	16.23	62.37	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13390.00</td> <td>47.54</td> <td>74.00</td> <td>-26.46</td> <td>54.76</td> <td>38.92</td> <td>16.23</td> <td>62.37</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	47.54	74.00	-26.46	54.76	38.92	16.23	62.37	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13390.00	45.27	74.00	-28.73	52.49	38.92	16.23	62.37	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13390.00	47.54	74.00	-26.46	54.76	38.92	16.23	62.37	0.00	---	---	PEAK																																																																														



Mode	9																																																																																									
	Harmonic																																																																																									
	U-NII-7_6.525-6.875_802.11BE EHT20_CH181_6855MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13710.00</td> <td>46.72</td> <td>88.20</td> <td>-41.48</td> <td>54.32</td> <td>38.60</td> <td>16.38</td> <td>62.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	46.72	88.20	-41.48	54.32	38.60	16.38	62.58	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13710.00</td> <td>48.72</td> <td>88.20</td> <td>-39.48</td> <td>56.32</td> <td>38.60</td> <td>16.38</td> <td>62.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	48.72	88.20	-39.48	56.32	38.60	16.38	62.58	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13710.00	46.72	88.20	-41.48	54.32	38.60	16.38	62.58	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13710.00	48.72	88.20	-39.48	56.32	38.60	16.38	62.58	0.00	---	---	PEAK																																																																														



Mode	10																																																																																									
	Harmonic																																																																																									
	U-NII-8_6.875-7.125_802.11BE EHT20_CH189_Full_6895MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13790.00</td> <td>47.03</td> <td>88.20</td> <td>-41.17</td> <td>54.63</td> <td>38.60</td> <td>16.42</td> <td>62.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	47.03	88.20	-41.17	54.63	38.60	16.42	62.62	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13790.00</td> <td>48.32</td> <td>88.20</td> <td>-39.88</td> <td>55.92</td> <td>38.60</td> <td>16.42</td> <td>62.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	48.32	88.20	-39.88	55.92	38.60	16.42	62.62	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13790.00	47.03	88.20	-41.17	54.63	38.60	16.42	62.62	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13790.00	48.32	88.20	-39.88	55.92	38.60	16.42	62.62	0.00	---	---	PEAK																																																																														







Mode	11																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11BE EHT20_CH209_Full_6995MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13998.00</td> <td>44.99</td> <td>88.20</td> <td>-43.21</td> <td>52.43</td> <td>38.79</td> <td>16.51</td> <td>62.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13998.00	44.99	88.20	-43.21	52.43	38.79	16.51	62.74	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13998.00</td> <td>47.76</td> <td>88.20</td> <td>-40.44</td> <td>55.20</td> <td>38.79</td> <td>16.51</td> <td>62.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13998.00	47.76	88.20	-40.44	55.20	38.79	16.51	62.74	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13998.00	44.99	88.20	-43.21	52.43	38.79	16.51	62.74	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13998.00	47.76	88.20	-40.44	55.20	38.79	16.51	62.74	0.00	---	---	PEAK																																																																													



	12																																																																																									
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_7095MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7212.68</td> <td>55.99</td> <td>88.20</td> <td>-32.21</td> <td>41.35</td> <td>35.60</td> <td>11.65</td> <td>32.61</td> <td>0.00</td> <td>400</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7212.68	55.99	88.20	-32.21	41.35	35.60	11.65	32.61	0.00	400	86	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>95.53</td> <td>-----</td> <td>-----</td> <td>80.88</td> <td>35.60</td> <td>11.57</td> <td>32.52</td> <td>0.00</td> <td>400</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	95.53	-----	-----	80.88	35.60	11.57	32.52	0.00	400	86	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7212.68	55.99	88.20	-32.21	41.35	35.60	11.65	32.61	0.00	400	86	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7095.00	95.53	-----	-----	80.88	35.60	11.57	32.52	0.00	400	86	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7212.68</td> <td>45.04</td> <td>68.20</td> <td>-23.16</td> <td>30.40</td> <td>35.60</td> <td>11.65</td> <td>32.61</td> <td>0.00</td> <td>400</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7212.68	45.04	68.20	-23.16	30.40	35.60	11.65	32.61	0.00	400	86	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>87.05</td> <td>-----</td> <td>-----</td> <td>72.40</td> <td>35.60</td> <td>11.57</td> <td>32.52</td> <td>0.00</td> <td>400</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	87.05	-----	-----	72.40	35.60	11.57	32.52	0.00	400	86	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7212.68	45.04	68.20	-23.16	30.40	35.60	11.65	32.61	0.00	400	86	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7095.00	87.05	-----	-----	72.40	35.60	11.57	32.52	0.00	400	86	AVERAGE																																																																														



	12																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT20_CH229_7095MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.52</td> <td>56.34</td> <td>88.20</td> <td>-31.86</td> <td>41.69</td> <td>35.60</td> <td>11.65</td> <td>32.60</td> <td>0.00</td> <td>292</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7200.52	56.34	88.20	-31.86	41.69	35.60	11.65	32.60	0.00	292	360	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>99.40</td> <td>-----</td> <td>-----</td> <td>84.75</td> <td>35.60</td> <td>11.56</td> <td>32.51</td> <td>0.00</td> <td>292</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	99.40	-----	-----	84.75	35.60	11.56	32.51	0.00	292	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7200.52	56.34	88.20	-31.86	41.69	35.60	11.65	32.60	0.00	292	360	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7095.00	99.40	-----	-----	84.75	35.60	11.56	32.51	0.00	292	360	PEAK																																																																														
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7204.52</td> <td>45.04</td> <td>68.20</td> <td>-23.16</td> <td>30.40</td> <td>35.60</td> <td>11.65</td> <td>32.61</td> <td>0.00</td> <td>292</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7204.52	45.04	68.20	-23.16	30.40	35.60	11.65	32.61	0.00	292	360	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>90.45</td> <td>-----</td> <td>-----</td> <td>75.80</td> <td>35.60</td> <td>11.56</td> <td>32.51</td> <td>0.00</td> <td>292</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	90.45	-----	-----	75.80	35.60	11.56	32.51	0.00	292	360	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7204.52	45.04	68.20	-23.16	30.40	35.60	11.65	32.61	0.00	292	360	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7095.00	90.45	-----	-----	75.80	35.60	11.56	32.51	0.00	292	360	AVERAGE																																																																														







Mode	12																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT20_CH229_7095MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14190.00</td> <td>47.18</td> <td>88.20</td> <td>-41.02</td> <td>54.48</td> <td>38.99</td> <td>16.65</td> <td>62.94</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	47.18	88.20	-41.02	54.48	38.99	16.65	62.94	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14190.00</td> <td>46.02</td> <td>88.20</td> <td>-42.18</td> <td>53.32</td> <td>38.99</td> <td>16.65</td> <td>62.94</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	46.02	88.20	-42.18	53.32	38.99	16.65	62.94	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	14190.00	47.18	88.20	-41.02	54.48	38.99	16.65	62.94	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	14190.00	46.02	88.20	-42.18	53.32	38.99	16.65	62.94	0.00	---	---	PEAK																																																																														



	13																																																																																							
Mode	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11BE EHT40_CH3_5965MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.52</td> <td>55.75</td> <td>88.20</td> <td>-32.45</td> <td>42.74</td> <td>34.72</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>389</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.52	55.75	88.20	-32.45	42.74	34.72	10.45	32.16	0.00	389	51 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>95.12</td> <td>-----</td> <td>-----</td> <td>81.42</td> <td>35.31</td> <td>10.56</td> <td>32.17</td> <td>0.00</td> <td>389</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	95.12	-----	-----	81.42	35.31	10.56	32.17	0.00	389	51 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.52	55.75	88.20	-32.45	42.74	34.72	10.45	32.16	0.00	389	51 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5965.00	95.12	-----	-----	81.42	35.31	10.56	32.17	0.00	389	51 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.14</td> <td>44.13</td> <td>68.20</td> <td>-24.07</td> <td>30.74</td> <td>35.04</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>389</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.14	44.13	68.20	-24.07	30.74	35.04	10.51	32.16	0.00	389	51 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>84.69</td> <td>-----</td> <td>-----</td> <td>71.07</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>389</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	84.69	-----	-----	71.07	35.24	10.55	32.17	0.00	389	51 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5923.14	44.13	68.20	-24.07	30.74	35.04	10.51	32.16	0.00	389	51 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5965.00	84.69	-----	-----	71.07	35.24	10.55	32.17	0.00	389	51 AVERAGE																																																																													



	13																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT40_CH3_5965MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Peak at 5965 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5849.78</td> <td>56.37</td> <td>88.20</td> <td>-31.83</td> <td>43.37</td> <td>34.70</td> <td>10.45</td> <td>32.15</td> <td>0.00</td> <td>258</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5849.78	56.37	88.20	-31.83	43.37	34.70	10.45	32.15	0.00	258	360	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 5965 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>99.37</td> <td>-----</td> <td>-----</td> <td>85.72</td> <td>35.27</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>258</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	99.37	-----	-----	85.72	35.27	10.55	32.17	0.00	258	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5849.78	56.37	88.20	-31.83	43.37	34.70	10.45	32.15	0.00	258	360	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5965.00	99.37	-----	-----	85.72	35.27	10.55	32.17	0.00	258	360	PEAK																																																																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Average peak at 5965 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.84</td> <td>44.42</td> <td>68.20</td> <td>-23.78</td> <td>31.03</td> <td>35.04</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>258</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.84	44.42	68.20	-23.78	31.03	35.04	10.51	32.16	0.00	258	360	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average peak at 5965 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>90.88</td> <td>-----</td> <td>-----</td> <td>77.23</td> <td>35.27</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>258</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	90.88	-----	-----	77.23	35.27	10.55	32.17	0.00	258	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5923.84	44.42	68.20	-23.78	31.03	35.04	10.51	32.16	0.00	258	360	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5965.00	90.88	-----	-----	77.23	35.27	10.55	32.17	0.00	258	360	AVERAGE																																																																														





Mode	13																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT40_CH3_5965MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>11930.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>53.49</td><td>38.70</td><td>15.22</td><td>61.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	46.11	74.00	-27.89	53.49	38.70	15.22	61.30	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>11930.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>54.26</td><td>38.70</td><td>15.22</td><td>61.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	46.88	74.00	-27.12	54.26	38.70	15.22	61.30	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11930.00	46.11	74.00	-27.89	53.49	38.70	15.22	61.30	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11930.00	46.88	74.00	-27.12	54.26	38.70	15.22	61.30	0.00	---	---	PEAK																																																																														



Mode	14																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT40_CH43_6165MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12330.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>53.54</td> <td>38.80</td> <td>15.53</td> <td>61.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	46.30	74.00	-27.70	53.54	38.80	15.53	61.57	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12330.00</td> <td>46.22</td> <td>74.00</td> <td>-27.78</td> <td>53.46</td> <td>38.80</td> <td>15.53</td> <td>61.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	46.22	74.00	-27.78	53.46	38.80	15.53	61.57	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12330.00	46.30	74.00	-27.70	53.54	38.80	15.53	61.57	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12330.00	46.22	74.00	-27.78	53.46	38.80	15.53	61.57	0.00	---	---	PEAK																																																																														



Mode	15																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT40_CH91_6405MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12818.00</td> <td>48.04</td> <td>88.20</td> <td>-40.16</td> <td>54.76</td> <td>39.31</td> <td>15.90</td> <td>61.93</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12818.00	48.04	88.20	-40.16	54.76	39.31	15.90	61.93	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12818.00</td> <td>47.27</td> <td>88.20</td> <td>-40.93</td> <td>53.99</td> <td>39.31</td> <td>15.90</td> <td>61.93</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12818.00	47.27	88.20	-40.93	53.99	39.31	15.90	61.93	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12818.00	48.04	88.20	-40.16	54.76	39.31	15.90	61.93	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12818.00	47.27	88.20	-40.93	53.99	39.31	15.90	61.93	0.00	---	---	PEAK																																																																														



Mode	16																																																																																									
	Harmonic																																																																																									
	U-NII-6_6.425-6.525_802.11BE EHT40_CH99_Full_6445MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12890.00</td> <td>46.44</td> <td>88.20</td> <td>-41.76</td> <td>53.08</td> <td>39.39</td> <td>15.96</td> <td>61.99</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12890.00	46.44	88.20	-41.76	53.08	39.39	15.96	61.99	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12890.00</td> <td>45.93</td> <td>88.20</td> <td>-42.27</td> <td>52.57</td> <td>39.39</td> <td>15.96</td> <td>61.99</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12890.00	45.93	88.20	-42.27	52.57	39.39	15.96	61.99	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12890.00	46.44	88.20	-41.76	53.08	39.39	15.96	61.99	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12890.00	45.93	88.20	-42.27	52.57	39.39	15.96	61.99	0.00	---	---	PEAK																																																																														



Mode	17																																																																																									
	Harmonic																																																																																									
	U-NII-5_6.425-6.525_802.11BE EHT40_CH107_Full_6485MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12978.00</td> <td>47.17</td> <td>88.20</td> <td>-41.03</td> <td>53.79</td> <td>39.40</td> <td>16.03</td> <td>62.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12978.00	47.17	88.20	-41.03	53.79	39.40	16.03	62.05	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12978.00</td> <td>46.45</td> <td>88.20</td> <td>-41.75</td> <td>53.07</td> <td>39.40</td> <td>16.03</td> <td>62.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12978.00	46.45	88.20	-41.75	53.07	39.40	16.03	62.05	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12978.00	47.17	88.20	-41.03	53.79	39.40	16.03	62.05	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12978.00	46.45	88.20	-41.75	53.07	39.40	16.03	62.05	0.00	---	---	PEAK																																																																														



Mode	18																																																																																								
	Harmonic																																																																																								
	U-NII-7_6.525-6.875_802.11BE EHT40_CH123_Full_6565MHz																																																																																								
ANT	CDD 1+2																																																																																								
Pol.	Horizontal	Vertical																																																																																							
Peak Avg																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13130.00</td> <td>45.50</td> <td>88.20</td> <td>-42.70</td> <td>52.36</td> <td>39.20</td> <td>16.11</td> <td>62.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	45.50	88.20	-42.70	52.36	39.20	16.11	62.17	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13130.00</td> <td>46.89</td> <td>88.20</td> <td>-41.31</td> <td>53.75</td> <td>39.20</td> <td>16.11</td> <td>62.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	46.89	88.20	-41.31	53.75	39.20	16.11	62.17	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	13130.00	45.50	88.20	-42.70	52.36	39.20	16.11	62.17	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	13130.00	46.89	88.20	-41.31	53.75	39.20	16.11	62.17	0.00	---	---	PEAK																																																																													



Mode	19																																																																																									
	Harmonic																																																																																									
	U-NII-7_6.525-6.875_802.11BE EHT40_CH147_Full_6685MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13378.00</td> <td>45.94</td> <td>74.00</td> <td>-28.06</td> <td>53.11</td> <td>38.96</td> <td>16.22</td> <td>62.35</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13378.00	45.94	74.00	-28.06	53.11	38.96	16.22	62.35	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13378.00</td> <td>45.53</td> <td>74.00</td> <td>-28.47</td> <td>52.70</td> <td>38.96</td> <td>16.22</td> <td>62.35</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13378.00	45.53	74.00	-28.47	52.70	38.96	16.22	62.35	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13378.00	45.94	74.00	-28.06	53.11	38.96	16.22	62.35	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13378.00	45.53	74.00	-28.47	52.70	38.96	16.22	62.35	0.00	---	---	PEAK																																																																														



Mode	20																																																																																									
	Harmonic																																																																																									
	U-NII-7_6.525-6.875_802.11BE EHT40_CH179_Full_6845MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13690.00</td> <td>46.60</td> <td>88.20</td> <td>-41.60</td> <td>54.19</td> <td>38.60</td> <td>16.37</td> <td>62.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	46.60	88.20	-41.60	54.19	38.60	16.37	62.56	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13690.00</td> <td>47.82</td> <td>88.20</td> <td>-40.38</td> <td>55.41</td> <td>38.60</td> <td>16.37</td> <td>62.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	47.82	88.20	-40.38	55.41	38.60	16.37	62.56	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13690.00	46.60	88.20	-41.60	54.19	38.60	16.37	62.56	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13690.00	47.82	88.20	-40.38	55.41	38.60	16.37	62.56	0.00	---	---	PEAK																																																																														



Mode	21																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11BE EHT40_CH195_Full_6925MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>47.11</td> <td>88.20</td> <td>-41.09</td> <td>54.67</td> <td>38.65</td> <td>16.45</td> <td>62.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13850.00	47.11	88.20	-41.09	54.67	38.65	16.45	62.66	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>47.21</td> <td>88.20</td> <td>-40.99</td> <td>54.77</td> <td>38.65</td> <td>16.45</td> <td>62.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13850.00	47.21	88.20	-40.99	54.77	38.65	16.45	62.66	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13850.00	47.11	88.20	-41.09	54.67	38.65	16.45	62.66	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13850.00	47.21	88.20	-40.99	54.77	38.65	16.45	62.66	0.00	---	---	PEAK																																																																													







Mode	22																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11BE EHT40_CH203_Full_6965MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>44.65</td> <td>88.20</td> <td>-43.55</td> <td>52.15</td> <td>38.73</td> <td>16.48</td> <td>62.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13930.00	44.65	88.20	-43.55	52.15	38.73	16.48	62.71	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>47.29</td> <td>88.20</td> <td>-40.91</td> <td>54.79</td> <td>38.73</td> <td>16.48</td> <td>62.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13930.00	47.29	88.20	-40.91	54.79	38.73	16.48	62.71	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13930.00	44.65	88.20	-43.55	52.15	38.73	16.48	62.71	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 13930.00	47.29	88.20	-40.91	54.79	38.73	16.48	62.71	0.00	---	---	PEAK																																																																													



	23																																																																																									
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11BE EHT40_CH227_7085MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7225.96</td> <td>56.55</td> <td>88.20</td> <td>-31.65</td> <td>41.91</td> <td>35.60</td> <td>11.66</td> <td>32.62</td> <td>0.00</td> <td>368</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7225.96	56.55	88.20	-31.65	41.91	35.60	11.66	32.62	0.00	368	82	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>96.05</td> <td>-----</td> <td>-----</td> <td>81.39</td> <td>35.60</td> <td>11.56</td> <td>32.50</td> <td>0.00</td> <td>368</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	96.05	-----	-----	81.39	35.60	11.56	32.50	0.00	368	82	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7225.96	56.55	88.20	-31.65	41.91	35.60	11.66	32.62	0.00	368	82	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7085.00	96.05	-----	-----	81.39	35.60	11.56	32.50	0.00	368	82	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.04</td> <td>45.09</td> <td>68.20</td> <td>-23.11</td> <td>30.44</td> <td>35.60</td> <td>11.65</td> <td>32.60</td> <td>0.00</td> <td>368</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7200.04	45.09	68.20	-23.11	30.44	35.60	11.65	32.60	0.00	368	82	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>86.99</td> <td>-----</td> <td>-----</td> <td>72.33</td> <td>35.60</td> <td>11.56</td> <td>32.50</td> <td>0.00</td> <td>368</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	86.99	-----	-----	72.33	35.60	11.56	32.50	0.00	368	82	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7200.04	45.09	68.20	-23.11	30.44	35.60	11.65	32.60	0.00	368	82	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7085.00	86.99	-----	-----	72.33	35.60	11.56	32.50	0.00	368	82	AVERAGE																																																																														







	23																																																																																									
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11BE EHT40_CH227_7085MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7201.16</td> <td>56.92</td> <td>88.20</td> <td>-31.28</td> <td>42.27</td> <td>35.60</td> <td>11.65</td> <td>32.60</td> <td>0.00</td> <td>300</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7201.16	56.92	88.20	-31.28	42.27	35.60	11.65	32.60	0.00	300	25	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>99.13</td> <td>-----</td> <td>-----</td> <td>84.47</td> <td>35.60</td> <td>11.56</td> <td>32.50</td> <td>0.00</td> <td>300</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	99.13	-----	-----	84.47	35.60	11.56	32.50	0.00	300	25	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7201.16	56.92	88.20	-31.28	42.27	35.60	11.65	32.60	0.00	300	25	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7085.00	99.13	-----	-----	84.47	35.60	11.56	32.50	0.00	300	25	PEAK																																																																														
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7198.76</td> <td>45.13</td> <td>68.20</td> <td>-23.07</td> <td>30.48</td> <td>35.60</td> <td>11.65</td> <td>32.60</td> <td>0.00</td> <td>300</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7198.76	45.13	68.20	-23.07	30.48	35.60	11.65	32.60	0.00	300	25	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>90.10</td> <td>-----</td> <td>-----</td> <td>75.44</td> <td>35.60</td> <td>11.56</td> <td>32.50</td> <td>0.00</td> <td>300</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	90.10	-----	-----	75.44	35.60	11.56	32.50	0.00	300	25	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7198.76	45.13	68.20	-23.07	30.48	35.60	11.65	32.60	0.00	300	25	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7085.00	90.10	-----	-----	75.44	35.60	11.56	32.50	0.00	300	25	AVERAGE																																																																														







Mode	23																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11BE EHT40_CH227_7085MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>45.44</td> <td>88.20</td> <td>-42.76</td> <td>52.75</td> <td>38.97</td> <td>16.64</td> <td>62.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14170.00	45.44	88.20	-42.76	52.75	38.97	16.64	62.92	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>47.29</td> <td>88.20</td> <td>-40.91</td> <td>54.60</td> <td>38.97</td> <td>16.64</td> <td>62.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14170.00	47.29	88.20	-40.91	54.60	38.97	16.64	62.92	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 14170.00	45.44	88.20	-42.76	52.75	38.97	16.64	62.92	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 14170.00	47.29	88.20	-40.91	54.60	38.97	16.64	62.92	0.00	---	---	PEAK																																																																													



	24																																																																																							
Mode	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_5985MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5891.72</td> <td>56.42</td> <td>88.20</td> <td>-31.78</td> <td>43.22</td> <td>34.87</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>399</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5891.72	56.42	88.20	-31.78	43.22	34.87	10.49	32.16	0.00	399	53 PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>96.18</td> <td>-----</td> <td>-----</td> <td>82.39</td> <td>35.36</td> <td>10.60</td> <td>32.17</td> <td>0.00</td> <td>399</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	96.18	-----	-----	82.39	35.36	10.60	32.17	0.00	399	53 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5891.72	56.42	88.20	-31.78	43.22	34.87	10.49	32.16	0.00	399	53 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5985.00	96.18	-----	-----	82.39	35.36	10.60	32.17	0.00	399	53 PEAK																																																																													
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.12</td> <td>44.33</td> <td>68.20</td> <td>-23.87</td> <td>31.00</td> <td>34.98</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>399</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5914.12	44.33	68.20	-23.87	31.00	34.98	10.51	32.16	0.00	399	53 AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>86.94</td> <td>-----</td> <td>-----</td> <td>73.15</td> <td>35.36</td> <td>10.60</td> <td>32.17</td> <td>0.00</td> <td>399</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	86.94	-----	-----	73.15	35.36	10.60	32.17	0.00	399	53 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5914.12	44.33	68.20	-23.87	31.00	34.98	10.51	32.16	0.00	399	53 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5985.00	86.94	-----	-----	73.15	35.36	10.60	32.17	0.00	399	53 AVERAGE																																																																													



	24																																																																																							
Mode	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_5985MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.96</td> <td>55.87</td> <td>88.20</td> <td>-32.33</td> <td>42.59</td> <td>34.94</td> <td>10.50</td> <td>32.16</td> <td>0.00</td> <td>284</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.96	55.87	88.20	-32.33	42.59	34.94	10.50	32.16	0.00	284	8 PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>101.03</td> <td>-----</td> <td>-----</td> <td>87.24</td> <td>35.36</td> <td>10.60</td> <td>32.17</td> <td>0.00</td> <td>284</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	101.03	-----	-----	87.24	35.36	10.60	32.17	0.00	284	8 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5985.96	55.87	88.20	-32.33	42.59	34.94	10.50	32.16	0.00	284	8 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5985.00	101.03	-----	-----	87.24	35.36	10.60	32.17	0.00	284	8 PEAK																																																																													
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5898.60</td> <td>44.81</td> <td>68.20</td> <td>-23.39</td> <td>31.59</td> <td>34.09</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>284</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5898.60	44.81	68.20	-23.39	31.59	34.09	10.49	32.16	0.00	284	8 AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>92.39</td> <td>-----</td> <td>-----</td> <td>78.60</td> <td>35.36</td> <td>10.60</td> <td>32.17</td> <td>0.00</td> <td>284</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	92.39	-----	-----	78.60	35.36	10.60	32.17	0.00	284	8 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5898.60	44.81	68.20	-23.39	31.59	34.09	10.49	32.16	0.00	284	8 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5985.00	92.39	-----	-----	78.60	35.36	10.60	32.17	0.00	284	8 AVERAGE																																																																													



Mode	24																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_5985MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>46.50</td> <td>74.00</td> <td>-27.50</td> <td>53.86</td> <td>38.70</td> <td>15.25</td> <td>61.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	46.50	74.00	-27.50	53.86	38.70	15.25	61.31	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>46.44</td> <td>74.00</td> <td>-27.56</td> <td>53.80</td> <td>38.70</td> <td>15.25</td> <td>61.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	46.44	74.00	-27.56	53.80	38.70	15.25	61.31	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11970.00	46.50	74.00	-27.50	53.86	38.70	15.25	61.31	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11970.00	46.44	74.00	-27.56	53.80	38.70	15.25	61.31	0.00	---	---	PEAK																																																																														



Mode	25																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT80_CH39_Full_6145MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12290.00</td> <td>46.03</td> <td>74.00</td> <td>-27.97</td> <td>53.27</td> <td>38.80</td> <td>15.50</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12290.00	46.03	74.00	-27.97	53.27	38.80	15.50	61.54	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12290.00</td> <td>45.45</td> <td>74.00</td> <td>-28.55</td> <td>52.69</td> <td>38.80</td> <td>15.50</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12290.00	45.45	74.00	-28.55	52.69	38.80	15.50	61.54	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12290.00	46.03	74.00	-27.97	53.27	38.80	15.50	61.54	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	12290.00	45.45	74.00	-28.55	52.69	38.80	15.50	61.54	0.00	---	---	PEAK																																																																														