







	78																																																																																							
Mode	Band Edge																																																																																							
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Large RU 996*2+484 ⑦_6905MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7300.12</td> <td>57.34</td> <td>74.00</td> <td>-16.66</td> <td>42.64</td> <td>35.70</td> <td>11.69</td> <td>32.69</td> <td>0.00</td> <td>300</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7300.12	57.34	74.00	-16.66	42.64	35.70	11.69	32.69	0.00	300	8 PEAK	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>95.72</td> <td>-----</td> <td>-----</td> <td>81.07</td> <td>35.60</td> <td>11.44</td> <td>32.39</td> <td>0.00</td> <td>300</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	95.72	-----	-----	81.07	35.60	11.44	32.39	0.00	300	8 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7300.12	57.34	74.00	-16.66	42.64	35.70	11.69	32.69	0.00	300	8 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	95.72	-----	-----	81.07	35.60	11.44	32.39	0.00	300	8 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7287.88</td> <td>46.64</td> <td>54.00</td> <td>-7.36</td> <td>31.96</td> <td>35.68</td> <td>11.68</td> <td>32.68</td> <td>0.00</td> <td>300</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7287.88	46.64	54.00	-7.36	31.96	35.68	11.68	32.68	0.00	300	8 AVERAGE	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>85.52</td> <td>-----</td> <td>-----</td> <td>70.83</td> <td>35.64</td> <td>11.43</td> <td>32.38</td> <td>0.00</td> <td>300</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	85.52	-----	-----	70.83	35.64	11.43	32.38	0.00	300	8 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7287.88	46.64	54.00	-7.36	31.96	35.68	11.68	32.68	0.00	300	8 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	85.52	-----	-----	70.83	35.64	11.43	32.38	0.00	300	8 AVERAGE																																																																													



	79																																																																																							
Mode	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Large RU 996*3 ④_6105MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.00</td> <td>59.14</td> <td>88.20</td> <td>-29.06</td> <td>45.76</td> <td>35.03</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>386</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5921.00	59.14	88.20	-29.06	45.76	35.03	10.51	32.16	0.00	386	59 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>90.68</td> <td>-----</td> <td>-----</td> <td>76.88</td> <td>35.33</td> <td>10.64</td> <td>32.17</td> <td>0.00</td> <td>386</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	90.68	-----	-----	76.88	35.33	10.64	32.17	0.00	386	59 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5921.00	59.14	88.20	-29.06	45.76	35.03	10.51	32.16	0.00	386	59 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6105.00	90.68	-----	-----	76.88	35.33	10.64	32.17	0.00	386	59 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.32</td> <td>47.40</td> <td>68.20</td> <td>-20.80</td> <td>34.02</td> <td>35.03</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>386</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5921.32	47.40	68.20	-20.80	34.02	35.03	10.51	32.16	0.00	386	59 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.35</td> <td>-----</td> <td>-----</td> <td>68.55</td> <td>35.33</td> <td>10.64</td> <td>32.17</td> <td>0.00</td> <td>386</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	82.35	-----	-----	68.55	35.33	10.64	32.17	0.00	386	59 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5921.32	47.40	68.20	-20.80	34.02	35.03	10.51	32.16	0.00	386	59 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6105.00	82.35	-----	-----	68.55	35.33	10.64	32.17	0.00	386	59 AVERAGE																																																																													







	79																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Large RU 996*3 ④_6105MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5841.96</td> <td>64.08</td> <td>88.20</td> <td>-24.12</td> <td>51.09</td> <td>34.68</td> <td>10.44</td> <td>32.13</td> <td>0.00</td> <td>300</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5841.96	64.08	88.20	-24.12	51.09	34.68	10.44	32.13	0.00	300	19	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>97.83</td> <td>-----</td> <td>-----</td> <td>83.93</td> <td>35.40</td> <td>10.68</td> <td>32.18</td> <td>0.00</td> <td>300</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	97.83	-----	-----	83.93	35.40	10.68	32.18	0.00	300	19	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5841.96	64.08	88.20	-24.12	51.09	34.68	10.44	32.13	0.00	300	19	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	6105.00	97.83	-----	-----	83.93	35.40	10.68	32.18	0.00	300	19	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.32</td> <td>51.10</td> <td>68.20</td> <td>-17.10</td> <td>37.72</td> <td>35.03</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>300</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5921.32	51.10	68.20	-17.10	37.72	35.03	10.51	32.16	0.00	300	19	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>87.70</td> <td>-----</td> <td>-----</td> <td>73.79</td> <td>35.40</td> <td>10.69</td> <td>32.18</td> <td>0.00</td> <td>300</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	87.70	-----	-----	73.79	35.40	10.69	32.18	0.00	300	19	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5921.32	51.10	68.20	-17.10	37.72	35.03	10.51	32.16	0.00	300	19	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	6105.00	87.70	-----	-----	73.79	35.40	10.69	32.18	0.00	300	19	AVERAGE																																																																														



80																																													
Mode	Band Edge																																												
U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Large RU 996*3+484 ⑧_6105MHz																																													
ANT	CDD 1+2																																												
Pol.	Horizontal																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5790.44</td> <td>55.71</td> <td>88.20</td> <td>-32.49</td> <td>42.71</td> <td>34.60</td> <td>10.40</td> <td>32.00</td> <td>0.00</td> <td>385</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5790.44	55.71	88.20	-32.49	42.71	34.60	10.40	32.00	0.00	385	59	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5790.44	55.71	88.20	-32.49	42.71	34.60	10.40	32.00	0.00	385	59	PEAK																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>87.26</td> <td>-----</td> <td>-----</td> <td>73.41</td> <td>35.37</td> <td>10.65</td> <td>32.17</td> <td>0.00</td> <td>385</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	87.26	-----	-----	73.41	35.37	10.65	32.17	0.00	385	59	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6105.00	87.26	-----	-----	73.41	35.37	10.65	32.17	0.00	385	59	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.56</td> <td>45.84</td> <td>68.20</td> <td>-22.36</td> <td>32.45</td> <td>35.04</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>385</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.56	45.84	68.20	-22.36	32.45	35.04	10.51	32.16	0.00	385	59	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5923.56	45.84	68.20	-22.36	32.45	35.04	10.51	32.16	0.00	385	59	AVERAGE																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>78.85</td> <td>-----</td> <td>-----</td> <td>65.05</td> <td>35.33</td> <td>10.64</td> <td>32.17</td> <td>0.00</td> <td>385</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	78.85	-----	-----	65.05	35.33	10.64	32.17	0.00	385	59	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6105.00	78.85	-----	-----	65.05	35.33	10.64	32.17	0.00	385	59	AVERAGE																																	



		80																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Large RU 996*3+484 ⑧_6105MHz																																																																																						
ANT		CDD 1+2																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 0</p> <p>5785 5849. 5913. 5977. 6041. 6105</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.68</td> <td>56.78</td> <td>88.20</td> <td>-31.42</td> <td>43.79</td> <td>34.65</td> <td>10.43</td> <td>32.09</td> <td>0.00</td> <td>269</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5824.68	56.78	88.20	-31.42	43.79	34.65	10.43	32.09	0.00	269	19 PEAK	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>93.27</td> <td>-----</td> <td>-----</td> <td>79.36</td> <td>35.40</td> <td>10.69</td> <td>32.18</td> <td>0.00</td> <td>269</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	93.27	-----	-----	79.36	35.40	10.69	32.18	0.00	269	19 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5824.68	56.78	88.20	-31.42	43.79	34.65	10.43	32.09	0.00	269	19 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6105.00	93.27	-----	-----	79.36	35.40	10.69	32.18	0.00	269	19 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>5785 5849. 5913. 5977. 6041. 6105</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5789.00</td> <td>47.75</td> <td>68.20</td> <td>-20.45</td> <td>34.75</td> <td>34.60</td> <td>10.40</td> <td>32.00</td> <td>0.00</td> <td>269</td> <td>19 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5789.00	47.75	68.20	-20.45	34.75	34.60	10.40	32.00	0.00	269	19 AVERAGE	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.69</td> <td>-----</td> <td>-----</td> <td>70.79</td> <td>35.40</td> <td>10.68</td> <td>32.18</td> <td>0.00</td> <td>269</td> <td>19 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	84.69	-----	-----	70.79	35.40	10.68	32.18	0.00	269	19 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5789.00	47.75	68.20	-20.45	34.75	34.60	10.40	32.00	0.00	269	19 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6105.00	84.69	-----	-----	70.79	35.40	10.68	32.18	0.00	269	19 AVERAGE																																																																													







	81																																																																																							
Mode	Band Edge																																																																																							
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Large RU 996*3 ①_6905MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7253.32</td> <td>57.56</td> <td>74.00</td> <td>-16.44</td> <td>42.93</td> <td>35.61</td> <td>11.67</td> <td>32.65</td> <td>0.00</td> <td>396</td> <td>87 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7253.32	57.56	74.00	-16.44	42.93	35.61	11.67	32.65	0.00	396	87 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>93.83</td> <td>-----</td> <td>-----</td> <td>79.18</td> <td>35.60</td> <td>11.51</td> <td>32.46</td> <td>0.00</td> <td>396</td> <td>87 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	93.83	-----	-----	79.18	35.60	11.51	32.46	0.00	396	87 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7253.32	57.56	74.00	-16.44	42.93	35.61	11.67	32.65	0.00	396	87 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	93.83	-----	-----	79.18	35.60	11.51	32.46	0.00	396	87 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7270.60</td> <td>47.74</td> <td>54.00</td> <td>-6.26</td> <td>33.09</td> <td>35.64</td> <td>11.67</td> <td>32.66</td> <td>0.00</td> <td>396</td> <td>87 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7270.60	47.74	54.00	-6.26	33.09	35.64	11.67	32.66	0.00	396	87 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>81.87</td> <td>-----</td> <td>-----</td> <td>67.22</td> <td>35.60</td> <td>11.51</td> <td>32.46</td> <td>0.00</td> <td>396</td> <td>87 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	81.87	-----	-----	67.22	35.60	11.51	32.46	0.00	396	87 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7270.60	47.74	54.00	-6.26	33.09	35.64	11.67	32.66	0.00	396	87 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	81.87	-----	-----	67.22	35.60	11.51	32.46	0.00	396	87 AVERAGE																																																																													







	81																																																																																							
Mode	Band Edge																																																																																							
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Large RU 996*3 ①_6905MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7251.88</td> <td>56.57</td> <td>74.00</td> <td>-17.43</td> <td>41.95</td> <td>35.60</td> <td>11.67</td> <td>32.65</td> <td>0.00</td> <td>300</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7251.88	56.57	74.00	-17.43	41.95	35.60	11.67	32.65	0.00	300	8 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>97.65</td> <td>-----</td> <td>-----</td> <td>83.00</td> <td>35.60</td> <td>11.51</td> <td>32.46</td> <td>0.00</td> <td>300</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	97.65	-----	-----	83.00	35.60	11.51	32.46	0.00	300	8 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7251.88	56.57	74.00	-17.43	41.95	35.60	11.67	32.65	0.00	300	8 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	97.65	-----	-----	83.00	35.60	11.51	32.46	0.00	300	8 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7252.60</td> <td>48.44</td> <td>54.00</td> <td>-5.56</td> <td>33.81</td> <td>35.61</td> <td>11.67</td> <td>32.65</td> <td>0.00</td> <td>300</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7252.60	48.44	54.00	-5.56	33.81	35.61	11.67	32.65	0.00	300	8 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>87.39</td> <td>-----</td> <td>-----</td> <td>72.74</td> <td>35.60</td> <td>11.44</td> <td>32.39</td> <td>0.00</td> <td>300</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	87.39	-----	-----	72.74	35.60	11.44	32.39	0.00	300	8 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7252.60	48.44	54.00	-5.56	33.81	35.61	11.67	32.65	0.00	300	8 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	87.39	-----	-----	72.74	35.60	11.44	32.39	0.00	300	8 AVERAGE																																																																													





	82																																																																																							
Mode	Band Edge																																																																																							
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Large RU 996*3+484 ①_6905MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7317.40</td> <td>56.35</td> <td>74.00</td> <td>-17.65</td> <td>41.66</td> <td>35.70</td> <td>11.69</td> <td>32.70</td> <td>0.00</td> <td>333</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7317.40	56.35	74.00	-17.65	41.66	35.70	11.69	32.70	0.00	333	77 PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>87.21</td> <td>-----</td> <td>-----</td> <td>72.48</td> <td>35.69</td> <td>11.40</td> <td>32.36</td> <td>0.00</td> <td>333</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	87.21	-----	-----	72.48	35.69	11.40	32.36	0.00	333	77 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7317.40	56.35	74.00	-17.65	41.66	35.70	11.69	32.70	0.00	333	77 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	87.21	-----	-----	72.48	35.69	11.40	32.36	0.00	333	77 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7281.40</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>32.19</td> <td>35.66</td> <td>11.68</td> <td>32.67</td> <td>0.00</td> <td>333</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7281.40	46.86	54.00	-7.14	32.19	35.66	11.68	32.67	0.00	333	77 AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>78.29</td> <td>-----</td> <td>-----</td> <td>63.56</td> <td>35.69</td> <td>11.40</td> <td>32.36</td> <td>0.00</td> <td>333</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	78.29	-----	-----	63.56	35.69	11.40	32.36	0.00	333	77 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7281.40	46.86	54.00	-7.14	32.19	35.66	11.68	32.67	0.00	333	77 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	78.29	-----	-----	63.56	35.69	11.40	32.36	0.00	333	77 AVERAGE																																																																													



	82																																																																																							
Mode	Band Edge																																																																																							
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Large RU 996*3+484 ①_6905MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7292.92</td> <td>56.00</td> <td>74.00</td> <td>-18.00</td> <td>41.31</td> <td>35.69</td> <td>11.68</td> <td>32.68</td> <td>0.00</td> <td>300</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7292.92	56.00	74.00	-18.00	41.31	35.69	11.68	32.68	0.00	300	8 PEAK	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>94.93</td> <td>-----</td> <td>-----</td> <td>80.24</td> <td>35.64</td> <td>11.43</td> <td>32.38</td> <td>0.00</td> <td>300</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	94.93	-----	-----	80.24	35.64	11.43	32.38	0.00	300	8 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7292.92	56.00	74.00	-18.00	41.31	35.69	11.68	32.68	0.00	300	8 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	94.93	-----	-----	80.24	35.64	11.43	32.38	0.00	300	8 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7309.48</td> <td>46.84</td> <td>54.00</td> <td>-7.16</td> <td>32.15</td> <td>35.70</td> <td>11.69</td> <td>32.70</td> <td>0.00</td> <td>300</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7309.48	46.84	54.00	-7.16	32.15	35.70	11.69	32.70	0.00	300	8 AVERAGE	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>84.04</td> <td>-----</td> <td>-----</td> <td>69.39</td> <td>35.60</td> <td>11.44</td> <td>32.39</td> <td>0.00</td> <td>300</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	84.04	-----	-----	69.39	35.60	11.44	32.39	0.00	300	8 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7309.48	46.84	54.00	-7.16	32.15	35.70	11.69	32.70	0.00	300	8 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6905.00	84.04	-----	-----	69.39	35.60	11.44	32.39	0.00	300	8 AVERAGE																																																																													



Mode	1	
	18G-40G	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	1																																																																																																																																																																																																																											
	30-1G																																																																																																																																																																																																																											
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz																																																																																																																																																																																																																											
ANT	CDD 1+2																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>26.08</td> <td>40.00</td> <td>-13.92</td> <td>33.19</td> <td>25.09</td> <td>0.76</td> <td>32.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>73.65</td> <td>20.55</td> <td>40.00</td> <td>-19.45</td> <td>36.68</td> <td>14.86</td> <td>1.20</td> <td>32.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>165.80</td> <td>25.04</td> <td>43.50</td> <td>-18.46</td> <td>39.76</td> <td>16.11</td> <td>1.88</td> <td>32.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>273.47</td> <td>23.07</td> <td>46.00</td> <td>-22.93</td> <td>34.55</td> <td>19.16</td> <td>2.31</td> <td>32.95</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>458.74</td> <td>22.47</td> <td>46.00</td> <td>-23.53</td> <td>29.35</td> <td>23.14</td> <td>3.14</td> <td>33.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>798.48</td> <td>26.22</td> <td>46.00</td> <td>-19.78</td> <td>27.26</td> <td>28.06</td> <td>4.19</td> <td>33.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	26.08	40.00	-13.92	33.19	25.09	0.76	32.96	0.00	---	---	Peak	2	73.65	20.55	40.00	-19.45	36.68	14.86	1.20	32.19	0.00	---	---	Peak	3	165.80	25.04	43.50	-18.46	39.76	16.11	1.88	32.71	0.00	---	---	Peak	4	273.47	23.07	46.00	-22.93	34.55	19.16	2.31	32.95	0.00	---	---	Peak	5	458.74	22.47	46.00	-23.53	29.35	23.14	3.14	33.16	0.00	---	---	Peak	6	798.48	26.22	46.00	-19.78	27.26	28.06	4.19	33.29	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>24.98</td> <td>40.00</td> <td>-15.02</td> <td>32.09</td> <td>25.09</td> <td>0.76</td> <td>32.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>49.40</td> <td>29.29</td> <td>40.00</td> <td>-10.71</td> <td>46.27</td> <td>14.95</td> <td>0.99</td> <td>32.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>164.83</td> <td>18.17</td> <td>43.50</td> <td>-25.33</td> <td>32.82</td> <td>16.18</td> <td>1.87</td> <td>32.70</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>269.59</td> <td>19.98</td> <td>46.00</td> <td>-26.02</td> <td>31.37</td> <td>19.31</td> <td>2.27</td> <td>32.97</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>598.42</td> <td>23.83</td> <td>46.00</td> <td>-22.17</td> <td>27.57</td> <td>26.15</td> <td>3.63</td> <td>33.52</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>865.17</td> <td>28.09</td> <td>46.00</td> <td>-17.91</td> <td>27.71</td> <td>28.78</td> <td>4.33</td> <td>32.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	24.98	40.00	-15.02	32.09	25.09	0.76	32.96	0.00	---	---	Peak	2	49.40	29.29	40.00	-10.71	46.27	14.95	0.99	32.92	0.00	---	---	Peak	3	164.83	18.17	43.50	-25.33	32.82	16.18	1.87	32.70	0.00	---	---	Peak	4	269.59	19.98	46.00	-26.02	31.37	19.31	2.27	32.97	0.00	---	---	Peak	5	598.42	23.83	46.00	-22.17	27.57	26.15	3.63	33.52	0.00	---	---	Peak	6	865.17	28.09	46.00	-17.91	27.71	28.78	4.33	32.73	0.00	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	30.97	26.08	40.00	-13.92	33.19	25.09	0.76	32.96	0.00	---	---	Peak																																																																																																																																																																																																																
2	73.65	20.55	40.00	-19.45	36.68	14.86	1.20	32.19	0.00	---	---	Peak																																																																																																																																																																																																																
3	165.80	25.04	43.50	-18.46	39.76	16.11	1.88	32.71	0.00	---	---	Peak																																																																																																																																																																																																																
4	273.47	23.07	46.00	-22.93	34.55	19.16	2.31	32.95	0.00	---	---	Peak																																																																																																																																																																																																																
5	458.74	22.47	46.00	-23.53	29.35	23.14	3.14	33.16	0.00	---	---	Peak																																																																																																																																																																																																																
6	798.48	26.22	46.00	-19.78	27.26	28.06	4.19	33.29	0.00	---	---	Peak																																																																																																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	30.97	24.98	40.00	-15.02	32.09	25.09	0.76	32.96	0.00	---	---	Peak																																																																																																																																																																																																																
2	49.40	29.29	40.00	-10.71	46.27	14.95	0.99	32.92	0.00	---	---	Peak																																																																																																																																																																																																																
3	164.83	18.17	43.50	-25.33	32.82	16.18	1.87	32.70	0.00	---	---	Peak																																																																																																																																																																																																																
4	269.59	19.98	46.00	-26.02	31.37	19.31	2.27	32.97	0.00	---	---	Peak																																																																																																																																																																																																																
5	598.42	23.83	46.00	-22.17	27.57	26.15	3.63	33.52	0.00	---	---	Peak																																																																																																																																																																																																																
6	865.17	28.09	46.00	-17.91	27.71	28.78	4.33	32.73	0.00	---	---	Peak																																																																																																																																																																																																																



Co-location

Mode	83																																																																																																		
Mode	Co-location Band Edge																																																																																																		
Mode	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>60.39</td> <td>74.00</td> <td>-13.61</td> <td>47.29</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>262 360 PEAK</td> </tr> </tbody> </table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	60.39	74.00	-13.61	47.29	32.60	6.73	32.23	6.00	262 360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>94.26</td> <td>-----</td> <td>-----</td> <td>81.27</td> <td>32.55</td> <td>6.63</td> <td>32.19</td> <td>6.00</td> <td>262 360 Peak</td> </tr> <tr> <td>2 2480.00</td> <td>98.56</td> <td>-----</td> <td>-----</td> <td>85.48</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>262 360 PEAK</td> </tr> </tbody> </table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	94.26	-----	-----	81.27	32.55	6.63	32.19	6.00	262 360 Peak	2 2480.00	98.56	-----	-----	85.48	32.58	6.73	32.23	6.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2483.50	60.39	74.00	-13.61	47.29	32.60	6.73	32.23	6.00	262 360 PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2412.00	94.26	-----	-----	81.27	32.55	6.63	32.19	6.00	262 360 Peak																																																																																										
2 2480.00	98.56	-----	-----	85.48	32.58	6.73	32.23	6.00	262 360 PEAK																																																																																										
Avg																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>46.92</td> <td>54.00</td> <td>-7.08</td> <td>33.82</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>262 360 AVERAGE</td> </tr> </tbody> </table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	46.92	54.00	-7.08	33.82	32.60	6.73	32.23	6.00	262 360 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>85.65</td> <td>-----</td> <td>-----</td> <td>72.66</td> <td>32.55</td> <td>6.63</td> <td>32.19</td> <td>6.00</td> <td>262 360 Average</td> </tr> <tr> <td>2 2480.00</td> <td>96.75</td> <td>-----</td> <td>-----</td> <td>83.67</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>262 360 AVERAGE</td> </tr> </tbody> </table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	85.65	-----	-----	72.66	32.55	6.63	32.19	6.00	262 360 Average	2 2480.00	96.75	-----	-----	83.67	32.58	6.73	32.23	6.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2483.50	46.92	54.00	-7.08	33.82	32.60	6.73	32.23	6.00	262 360 AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2412.00	85.65	-----	-----	72.66	32.55	6.63	32.19	6.00	262 360 Average																																																																																										
2 2480.00	96.75	-----	-----	83.67	32.58	6.73	32.23	6.00	262 360 AVERAGE																																																																																										



		83																																																																																																
Mode	Co-location Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	 <table border="1" data-bbox="279 1108 805 1243"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>64.28</td> <td>74.00</td> <td>-9.72</td> <td>51.18</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>238</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	64.28	74.00	-9.72	51.18	32.60	6.73	32.23	6.00	238	0 PEAK	 <table border="1" data-bbox="917 1108 1444 1243"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>86.78</td> <td>-----</td> <td>-----</td> <td>73.76</td> <td>32.58</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>238</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>103.19</td> <td>-----</td> <td>-----</td> <td>90.11</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>238</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	86.78	-----	-----	73.76	32.58	6.62	32.18	6.00	238	0 Peak	2	2480.00	103.19	-----	-----	90.11	32.58	6.73	32.23	6.00	238	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	64.28	74.00	-9.72	51.18	32.60	6.73	32.23	6.00	238	0 PEAK																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	86.78	-----	-----	73.76	32.58	6.62	32.18	6.00	238	0 Peak																																																																																							
2	2480.00	103.19	-----	-----	90.11	32.58	6.73	32.23	6.00	238	0 PEAK																																																																																							
Avg	 <table border="1" data-bbox="279 1803 805 1937"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>48.95</td> <td>54.00</td> <td>-5.05</td> <td>35.85</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>238</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	48.95	54.00	-5.05	35.85	32.60	6.73	32.23	6.00	238	0 AVERAGE	 <table border="1" data-bbox="917 1803 1444 1937"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>78.76</td> <td>-----</td> <td>-----</td> <td>65.74</td> <td>32.58</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>238</td> <td>0 AVERAGE</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>101.03</td> <td>-----</td> <td>-----</td> <td>87.95</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>238</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	78.76	-----	-----	65.74	32.58	6.62	32.18	6.00	238	0 AVERAGE	2	2480.00	101.03	-----	-----	87.95	32.58	6.73	32.23	6.00	238	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	48.95	54.00	-5.05	35.85	32.60	6.73	32.23	6.00	238	0 AVERAGE																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	78.76	-----	-----	65.74	32.58	6.62	32.18	6.00	238	0 AVERAGE																																																																																							
2	2480.00	101.03	-----	-----	87.95	32.58	6.73	32.23	6.00	238	0 AVERAGE																																																																																							



Mode	83																																																																																																						
	Co-location Band Edge																																																																																																						
	802.11BE EHT20_CH01_2412MHz																																																																																																						
ANT	2																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>61.66</td> <td>74.00</td> <td>-12.34</td> <td>48.76</td> <td>32.48</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>270</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	61.66	74.00	-12.34	48.76	32.48	6.00	32.18	6.00	270	137	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.57</td> <td>-----</td> <td>-----</td> <td>96.59</td> <td>32.52</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>270</td> <td>137</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>89.74</td> <td>-----</td> <td>-----</td> <td>76.66</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>270</td> <td>137</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	109.57	-----	-----	96.59	32.52	6.65	32.19	6.00	270	137	PEAK	2	2480.00	89.74	-----	-----	76.66	32.58	6.73	32.23	6.00	270	137	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2389.95	61.66	74.00	-12.34	48.76	32.48	6.00	32.18	6.00	270	137	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2412.00	109.57	-----	-----	96.59	32.52	6.65	32.19	6.00	270	137	PEAK																																																																																											
2	2480.00	89.74	-----	-----	76.66	32.58	6.73	32.23	6.00	270	137	Peak																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.06</td> <td>54.00</td> <td>-5.94</td> <td>35.16</td> <td>32.48</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>270</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	48.06	54.00	-5.94	35.16	32.48	6.00	32.18	6.00	270	137	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.61</td> <td>-----</td> <td>-----</td> <td>86.63</td> <td>32.52</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>270</td> <td>137</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>85.66</td> <td>-----</td> <td>-----</td> <td>72.58</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>270</td> <td>137</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	99.61	-----	-----	86.63	32.52	6.65	32.19	6.00	270	137	AVERAGE	2	2480.00	85.66	-----	-----	72.58	32.58	6.73	32.23	6.00	270	137	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2389.95	48.06	54.00	-5.94	35.16	32.48	6.00	32.18	6.00	270	137	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2412.00	99.61	-----	-----	86.63	32.52	6.65	32.19	6.00	270	137	AVERAGE																																																																																											
2	2480.00	85.66	-----	-----	72.58	32.58	6.73	32.23	6.00	270	137	Average																																																																																											







Mode	83																																																																																																			
	Co-location Band Edge																																																																																																			
	802.11BE EHT20_CH01_2412MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2371.36</td> <td>55.54</td> <td>74.00</td> <td>-18.46</td> <td>42.90</td> <td>32.26</td> <td>6.57</td> <td>32.19</td> <td>6.00</td> <td>104</td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2371.36	55.54	74.00	-18.46	42.90	32.26	6.57	32.19	6.00	104	80 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.20</td> <td>-----</td> <td>-----</td> <td>86.18</td> <td>32.58</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>104</td> <td>80 PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>89.92</td> <td>-----</td> <td>-----</td> <td>76.84</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>104</td> <td>80 Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	99.20	-----	-----	86.18	32.58	6.62	32.18	6.00	104	80 PEAK	2	2480.00	89.92	-----	-----	76.84	32.58	6.73	32.23	6.00	104	80 Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2371.36	55.54	74.00	-18.46	42.90	32.26	6.57	32.19	6.00	104	80 PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	99.20	-----	-----	86.18	32.58	6.62	32.18	6.00	104	80 PEAK																																																																																									
2	2480.00	89.92	-----	-----	76.84	32.58	6.73	32.23	6.00	104	80 Peak																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>43.19</td> <td>54.00</td> <td>-10.81</td> <td>30.29</td> <td>32.48</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>104</td> <td>80 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	43.19	54.00	-10.81	30.29	32.48	6.60	32.18	6.00	104	80 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>87.99</td> <td>-----</td> <td>-----</td> <td>74.98</td> <td>32.57</td> <td>6.63</td> <td>32.19</td> <td>6.00</td> <td>104</td> <td>80 AVERAGE</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>85.80</td> <td>-----</td> <td>-----</td> <td>72.72</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>104</td> <td>80 Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	87.99	-----	-----	74.98	32.57	6.63	32.19	6.00	104	80 AVERAGE	2	2480.00	85.80	-----	-----	72.72	32.58	6.73	32.23	6.00	104	80 Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2389.82	43.19	54.00	-10.81	30.29	32.48	6.60	32.18	6.00	104	80 AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	87.99	-----	-----	74.98	32.57	6.63	32.19	6.00	104	80 AVERAGE																																																																																									
2	2480.00	85.80	-----	-----	72.72	32.58	6.73	32.23	6.00	104	80 Average																																																																																									



Mode	83																																																																																																																																																																					
	Co-location Harmonic																																																																																																																																																																					
	802.11BE EHT20_CH01_2412MHz																																																																																																																																																																					
ANT	2																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>41.85</td> <td>74.00</td> <td>-32.15</td> <td>59.45</td> <td>34.20</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>36.90</td> <td>74.00</td> <td>-37.10</td> <td>54.45</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7236.00</td> <td>43.37</td> <td>74.00</td> <td>-30.63</td> <td>56.67</td> <td>35.60</td> <td>11.66</td> <td>60.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7440.10</td> <td>40.52</td> <td>74.00</td> <td>-33.48</td> <td>54.07</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	4824.00	41.85	74.00	-32.15	59.45	34.20	9.47	61.27	0.00	---	---	PEAK	2	4960.00	36.90	74.00	-37.10	54.45	34.00	9.61	61.16	0.00	---	---	Peak	3	7236.00	43.37	74.00	-30.63	56.67	35.60	11.66	60.56	0.00	---	---	PEAK	4	7440.10	40.52	74.00	-33.48	54.07	35.70	11.77	61.02	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>41.35</td> <td>74.00</td> <td>-32.65</td> <td>58.95</td> <td>34.20</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>37.69</td> <td>74.00</td> <td>-36.31</td> <td>55.24</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7236.00</td> <td>44.04</td> <td>74.00</td> <td>-29.96</td> <td>57.34</td> <td>35.60</td> <td>11.66</td> <td>60.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>40.23</td> <td>74.00</td> <td>-33.77</td> <td>53.78</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	4824.00	41.35	74.00	-32.65	58.95	34.20	9.47	61.27	0.00	---	---	PEAK	2	4960.00	37.69	74.00	-36.31	55.24	34.00	9.61	61.16	0.00	---	---	Peak	3	7236.00	44.04	74.00	-29.96	57.34	35.60	11.66	60.56	0.00	---	---	PEAK	4	7440.00	40.23	74.00	-33.77	53.78	35.70	11.77	61.02	0.00	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																																																																																													
1	4824.00	41.85	74.00	-32.15	59.45	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																																																																																										
2	4960.00	36.90	74.00	-37.10	54.45	34.00	9.61	61.16	0.00	---	---	Peak																																																																																																																																																										
3	7236.00	43.37	74.00	-30.63	56.67	35.60	11.66	60.56	0.00	---	---	PEAK																																																																																																																																																										
4	7440.10	40.52	74.00	-33.48	54.07	35.70	11.77	61.02	0.00	---	---	Peak																																																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																																																																																													
1	4824.00	41.35	74.00	-32.65	58.95	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																																																																																										
2	4960.00	37.69	74.00	-36.31	55.24	34.00	9.61	61.16	0.00	---	---	Peak																																																																																																																																																										
3	7236.00	44.04	74.00	-29.96	57.34	35.60	11.66	60.56	0.00	---	---	PEAK																																																																																																																																																										
4	7440.00	40.23	74.00	-33.77	53.78	35.70	11.77	61.02	0.00	---	---	Peak																																																																																																																																																										



		83																																																																																																														
Mode	Co-location Band Edge																																																																																																															
	802.11BE EHT20_CH1_5955MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Shows a peak at 5955 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5839.30</td> <td>56.83</td> <td>88.20</td> <td>-31.37</td> <td>43.83</td> <td>34.68</td> <td>10.44</td> <td>32.12</td> <td>0.00</td> <td>386</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5839.30	56.83	88.20	-31.37	43.83	34.68	10.44	32.12	0.00	386	62 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows peaks at 2422 MHz, 2476 MHz, and 5955 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>100.49</td> <td>-----</td> <td>-----</td> <td>93.52</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>386</td> <td>62 Peak</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>89.68</td> <td>-----</td> <td>-----</td> <td>82.83</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>386</td> <td>62 Peak</td> </tr> <tr> <td>3</td> <td>5955.00</td> <td>100.49</td> <td>-----</td> <td>-----</td> <td>93.52</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>386</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	100.49	-----	-----	93.52	32.51	6.65	32.19	0.00	386	62 Peak	2	2476.00	89.68	-----	-----	82.83	32.56	6.72	32.23	0.00	386	62 Peak	3	5955.00	100.49	-----	-----	93.52	32.51	6.65	32.19	0.00	386	62 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5839.30	56.83	88.20	-31.37	43.83	34.68	10.44	32.12	0.00	386	62 PEAK																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2422.00	100.49	-----	-----	93.52	32.51	6.65	32.19	0.00	386	62 Peak																																																																																																					
2	2476.00	89.68	-----	-----	82.83	32.56	6.72	32.23	0.00	386	62 Peak																																																																																																					
3	5955.00	100.49	-----	-----	93.52	32.51	6.65	32.19	0.00	386	62 PEAK																																																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Shows an average peak at 5955 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.61</td> <td>44.22</td> <td>68.20</td> <td>-23.98</td> <td>30.88</td> <td>34.99</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>386</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5915.61	44.22	68.20	-23.98	30.88	34.99	10.51	32.16	0.00	386	62 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows average peaks at 2422 MHz, 2476 MHz, and 5955 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>91.28</td> <td>-----</td> <td>-----</td> <td>84.31</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>386</td> <td>62 Average</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>79.53</td> <td>-----</td> <td>-----</td> <td>72.48</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>386</td> <td>62 Average</td> </tr> <tr> <td>3</td> <td>5968.00</td> <td>85.95</td> <td>-----</td> <td>-----</td> <td>72.30</td> <td>35.27</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>386</td> <td>62 Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	91.28	-----	-----	84.31	32.51	6.65	32.19	0.00	386	62 Average	2	2476.00	79.53	-----	-----	72.48	32.56	6.72	32.23	0.00	386	62 Average	3	5968.00	85.95	-----	-----	72.30	35.27	10.55	32.17	0.00	386	62 Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5915.61	44.22	68.20	-23.98	30.88	34.99	10.51	32.16	0.00	386	62 AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2422.00	91.28	-----	-----	84.31	32.51	6.65	32.19	0.00	386	62 Average																																																																																																					
2	2476.00	79.53	-----	-----	72.48	32.56	6.72	32.23	0.00	386	62 Average																																																																																																					
3	5968.00	85.95	-----	-----	72.30	35.27	10.55	32.17	0.00	386	62 Average																																																																																																					



83																																																																							
Mode	Co-location Band Edge																																																																						
802.11BE EHT20_CH1_5955MHz																																																																							
ANT	CDD 1+2																																																																						
Pol.	Vertical																																																																						
Peak	<p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows a sharp peak at 5929 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>56.44</td> <td>88.20</td> <td>-31.76</td> <td>43.03</td> <td>35.05</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>273</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	56.44	88.20	-31.76	43.03	35.05	10.52	32.16	0.00	273	360	PEAK																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5924.97	56.44	88.20	-31.76	43.03	35.05	10.52	32.16	0.00	273	360	PEAK																																																											
Fundamental	<p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows multiple peaks, with the highest at 5929 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>103.31</td> <td>-----</td> <td>-----</td> <td>96.34</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>273</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>89.98</td> <td>-----</td> <td>-----</td> <td>82.93</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>273</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5959.00</td> <td>100.21</td> <td>-----</td> <td>-----</td> <td>86.59</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>273</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	103.31	-----	-----	96.34	32.51	6.65	32.19	0.00	273	360	Peak	2	2476.00	89.98	-----	-----	82.93	32.56	6.72	32.23	0.00	273	360	Peak	3	5959.00	100.21	-----	-----	86.59	35.24	10.55	32.17	0.00	273	360	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	2422.00	103.31	-----	-----	96.34	32.51	6.65	32.19	0.00	273	360	Peak																																																											
2	2476.00	89.98	-----	-----	82.93	32.56	6.72	32.23	0.00	273	360	Peak																																																											
3	5959.00	100.21	-----	-----	86.59	35.24	10.55	32.17	0.00	273	360	Peak																																																											
Avg	<p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows a peak at 5929 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.93</td> <td>44.28</td> <td>68.20</td> <td>-23.92</td> <td>30.89</td> <td>35.04</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>273</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.93	44.28	68.20	-23.92	30.89	35.04	10.51	32.16	0.00	273	360	AVERAGE																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5923.93	44.28	68.20	-23.92	30.89	35.04	10.51	32.16	0.00	273	360	AVERAGE																																																											
Fundamental	<p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows multiple peaks, with the highest at 5929 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>95.31</td> <td>-----</td> <td>-----</td> <td>88.34</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>273</td> <td>360</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>89.09</td> <td>-----</td> <td>-----</td> <td>82.04</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>273</td> <td>360</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5968.00</td> <td>91.51</td> <td>-----</td> <td>-----</td> <td>77.86</td> <td>35.27</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>273</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	95.31	-----	-----	88.34	32.51	6.65	32.19	0.00	273	360	Average	2	2476.00	89.09	-----	-----	82.04	32.56	6.72	32.23	0.00	273	360	Average	3	5968.00	91.51	-----	-----	77.86	35.27	10.55	32.17	0.00	273	360	Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	2422.00	95.31	-----	-----	88.34	32.51	6.65	32.19	0.00	273	360	Average																																																											
2	2476.00	89.09	-----	-----	82.04	32.56	6.72	32.23	0.00	273	360	Average																																																											
3	5968.00	91.51	-----	-----	77.86	35.27	10.55	32.17	0.00	273	360	Average																																																											



Mode	83																																																																																						
	Co-location Harmonic																																																																																						
	802.11BE EHT20_CH1_5955MHz																																																																																						
ANT	CDD 1+2																																																																																						
Pol.	Horizontal	Vertical																																																																																					
Peak Avg																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11918.00</td> <td>47.14</td> <td>74.00</td> <td>-26.86</td> <td>54.52</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11918.00	47.14	74.00	-26.86	54.52	38.70	15.21	61.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11918.00</td> <td>46.60</td> <td>74.00</td> <td>-27.40</td> <td>53.98</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11918.00	46.60	74.00	-27.40	53.98	38.70	15.21	61.29	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 11918.00	47.14	74.00	-26.86	54.52	38.70	15.21	61.29	0.00	---	---	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 11918.00	46.60	74.00	-27.40	53.98	38.70	15.21	61.29	0.00	---	---	PEAK																																																																												



Mode	84																																																																																																																											
	Co-location Band Edge																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																											
ANT	2																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.87</td> <td>55.79</td> <td>74.00</td> <td>-18.21</td> <td>42.60</td> <td>32.68</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>226</td> <td>126 PEAK</td> </tr> <tr> <td>2</td> <td>2496.87</td> <td>31.00</td> <td>54.00</td> <td>-23.00</td> <td>17.81</td> <td>32.68</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>226</td> <td>126 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2496.87	55.79	74.00	-18.21	42.60	32.68	6.75	32.24	6.00	226	126 PEAK	2	2496.87	31.00	54.00	-23.00	17.81	32.68	6.75	32.24	6.00	226	126 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>97.80</td> <td>-----</td> <td>-----</td> <td>84.83</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>226</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>102.49</td> <td>-----</td> <td>-----</td> <td>89.41</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>226</td> <td>126 PEAK</td> </tr> <tr> <td>3</td> <td>2480.00</td> <td>77.70</td> <td>-----</td> <td>-----</td> <td>64.62</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>226</td> <td>126 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	97.80	-----	-----	84.83	32.51	6.65	32.19	6.00	226	126 Peak	2	2480.00	102.49	-----	-----	89.41	32.58	6.73	32.23	6.00	226	126 PEAK	3	2480.00	77.70	-----	-----	64.62	32.58	6.73	32.23	6.00	226	126 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2496.87	55.79	74.00	-18.21	42.60	32.68	6.75	32.24	6.00	226	126 PEAK																																																																																																																	
2	2496.87	31.00	54.00	-23.00	17.81	32.68	6.75	32.24	6.00	226	126 AVERAGE																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2422.00	97.80	-----	-----	84.83	32.51	6.65	32.19	6.00	226	126 Peak																																																																																																																	
2	2480.00	102.49	-----	-----	89.41	32.58	6.73	32.23	6.00	226	126 PEAK																																																																																																																	
3	2480.00	77.70	-----	-----	64.62	32.58	6.73	32.23	6.00	226	126 AVERAGE																																																																																																																	



Mode	84																																																																																																																															
	Co-location Band Edge																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																															
ANT	2																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																														
Peak																																																																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.70</td> <td>55.81</td> <td>74.00</td> <td>-18.19</td> <td>42.61</td> <td>32.69</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>132</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2498.70</td> <td>31.02</td> <td>54.00</td> <td>-22.98</td> <td>17.82</td> <td>32.69</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>132</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2498.70	55.81	74.00	-18.19	42.61	32.69	6.75	32.24	6.00	132	89	PEAK	2	2498.70	31.02	54.00	-22.98	17.82	32.69	6.75	32.24	6.00	132	89	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2410.00</td> <td>90.89</td> <td>74.00</td> <td>16.89</td> <td>77.89</td> <td>32.56</td> <td>6.63</td> <td>32.19</td> <td>6.00</td> <td>132</td> <td>89</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>92.11</td> <td>74.00</td> <td>18.11</td> <td>79.03</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>132</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>2480.00</td> <td>67.32</td> <td>74.00</td> <td>-6.68</td> <td>54.24</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>132</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2410.00	90.89	74.00	16.89	77.89	32.56	6.63	32.19	6.00	132	89	Peak	2	2480.00	92.11	74.00	18.11	79.03	32.58	6.73	32.23	6.00	132	89	PEAK	3	2480.00	67.32	74.00	-6.68	54.24	32.58	6.73	32.23	6.00	132	89
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	2498.70	55.81	74.00	-18.19	42.61	32.69	6.75	32.24	6.00	132	89	PEAK																																																																																																																				
2	2498.70	31.02	54.00	-22.98	17.82	32.69	6.75	32.24	6.00	132	89	AVERAGE																																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	2410.00	90.89	74.00	16.89	77.89	32.56	6.63	32.19	6.00	132	89	Peak																																																																																																																				
2	2480.00	92.11	74.00	18.11	79.03	32.58	6.73	32.23	6.00	132	89	PEAK																																																																																																																				
3	2480.00	67.32	74.00	-6.68	54.24	32.58	6.73	32.23	6.00	132	89	AVERAGE																																																																																																																				



		84																																																																																																			
Mode	Co-location Band Edge																																																																																																				
	802.11BE EHT20_CH01_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>67.19</td> <td>74.00</td> <td>-6.81</td> <td>54.29</td> <td>32.48</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>187</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	67.19	74.00	-6.81	54.29	32.48	6.00	32.18	6.00	187	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.85</td> <td>-----</td> <td>-----</td> <td>93.87</td> <td>32.53</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>187</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>92.71</td> <td>-----</td> <td>-----</td> <td>79.63</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>187</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.85	-----	-----	93.87	32.53	6.64	32.19	6.00	187	360	PEAK	2	2480.00	92.71	-----	-----	79.63	32.58	6.73	32.23	6.00	187	360
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2389.82	67.19	74.00	-6.81	54.29	32.48	6.00	32.18	6.00	187	360	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2412.00	106.85	-----	-----	93.87	32.53	6.64	32.19	6.00	187	360	PEAK																																																																																									
2	2480.00	92.71	-----	-----	79.63	32.58	6.73	32.23	6.00	187	360	Peak																																																																																									
Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>49.68</td> <td>54.00</td> <td>-4.32</td> <td>36.78</td> <td>32.48</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>187</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	49.68	54.00	-4.32	36.78	32.48	6.00	32.18	6.00	187	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.13</td> <td>-----</td> <td>-----</td> <td>84.15</td> <td>32.52</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>187</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>92.21</td> <td>-----</td> <td>-----</td> <td>79.13</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>187</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.13	-----	-----	84.15	32.52	6.65	32.19	6.00	187	360	AVERAGE	2	2480.00	92.21	-----	-----	79.13	32.58	6.73	32.23	6.00	187	360
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2389.82	49.68	54.00	-4.32	36.78	32.48	6.00	32.18	6.00	187	360	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2412.00	97.13	-----	-----	84.15	32.52	6.65	32.19	6.00	187	360	AVERAGE																																																																																									
2	2480.00	92.21	-----	-----	79.13	32.58	6.73	32.23	6.00	187	360	Average																																																																																									



Mode	84																																																																																																	
	Co-location Band Edge																																																																																																	
	802.11BE EHT20_CH01_2412MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>62.84</td> <td>74.00</td> <td>-11.16</td> <td>49.94</td> <td>32.48</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>224</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	62.84	74.00	-11.16	49.94	32.48	6.60	32.18	6.00	224	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.52</td> <td>74.00</td> <td>35.52</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>224</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>82.07</td> <td>74.00</td> <td>8.07</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>224</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	109.52	74.00	35.52	32.51	6.65	32.19	6.00	224	0 PEAK	2	2480.00	82.07	74.00	8.07	32.58	6.73	32.23	6.00	224	0 Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2389.82	62.84	74.00	-11.16	49.94	32.48	6.60	32.18	6.00	224	0 PEAK																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	109.52	74.00	35.52	32.51	6.65	32.19	6.00	224	0 PEAK																																																																																								
2	2480.00	82.07	74.00	8.07	32.58	6.73	32.23	6.00	224	0 Peak																																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.92</td> <td>54.00</td> <td>-3.08</td> <td>38.02</td> <td>32.48</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>224</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	50.92	54.00	-3.08	38.02	32.48	6.60	32.18	6.00	224	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.05</td> <td>54.00</td> <td>46.05</td> <td>32.52</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>224</td> <td>0 AVERAGE</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>81.44</td> <td>54.00</td> <td>27.44</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>224</td> <td>0 Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	100.05	54.00	46.05	32.52	6.65	32.19	6.00	224	0 AVERAGE	2	2480.00	81.44	54.00	27.44	32.58	6.73	32.23	6.00	224	0 Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2389.95	50.92	54.00	-3.08	38.02	32.48	6.60	32.18	6.00	224	0 AVERAGE																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	100.05	54.00	46.05	32.52	6.65	32.19	6.00	224	0 AVERAGE																																																																																								
2	2480.00	81.44	54.00	27.44	32.58	6.73	32.23	6.00	224	0 Average																																																																																								







Mode	84																																																																																																																																																																																																	
	Co-location Harmonic																																																																																																																																																																																																	
	802.11BE EHT20_CH01_2412MHz																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.63</td> <td>74.00</td> <td>-33.37</td> <td>58.23</td> <td>34.20</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>38.76</td> <td>74.00</td> <td>-35.24</td> <td>56.31</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5954.70</td> <td>41.11</td> <td>74.00</td> <td>-32.89</td> <td>56.06</td> <td>35.22</td> <td>10.54</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7236.00</td> <td>44.34</td> <td>74.00</td> <td>-29.66</td> <td>57.64</td> <td>35.60</td> <td>11.66</td> <td>60.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>7440.10</td> <td>40.66</td> <td>74.00</td> <td>-33.34</td> <td>54.21</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.63	74.00	-33.37	58.23	34.20	9.47	61.27	0.00	---	---	PEAK	2	4960.00	38.76	74.00	-35.24	56.31	34.00	9.61	61.16	0.00	---	---	Peak	3	5954.70	41.11	74.00	-32.89	56.06	35.22	10.54	60.71	0.00	---	---	Peak	4	7236.00	44.34	74.00	-29.66	57.64	35.60	11.66	60.56	0.00	---	---	PEAK	5	7440.10	40.66	74.00	-33.34	54.21	35.70	11.77	61.02	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.49</td> <td>74.00</td> <td>-33.51</td> <td>58.09</td> <td>34.20</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>37.73</td> <td>74.00</td> <td>-36.27</td> <td>55.28</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5955.00</td> <td>45.23</td> <td>74.00</td> <td>-28.77</td> <td>60.18</td> <td>35.22</td> <td>10.54</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7236.00</td> <td>44.61</td> <td>74.00</td> <td>-29.39</td> <td>57.91</td> <td>35.60</td> <td>11.66</td> <td>60.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>7440.10</td> <td>40.21</td> <td>74.00</td> <td>-33.79</td> <td>53.76</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.49	74.00	-33.51	58.09	34.20	9.47	61.27	0.00	---	---	PEAK	2	4960.00	37.73	74.00	-36.27	55.28	34.00	9.61	61.16	0.00	---	---	Peak	3	5955.00	45.23	74.00	-28.77	60.18	35.22	10.54	60.71	0.00	---	---	Peak	4	7236.00	44.61	74.00	-29.39	57.91	35.60	11.66	60.56	0.00	---	---	PEAK	5	7440.10	40.21	74.00	-33.79	53.76	35.70	11.77	61.02	0.00	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																								
1	4824.00	40.63	74.00	-33.37	58.23	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																																																																																																																						
2	4960.00	38.76	74.00	-35.24	56.31	34.00	9.61	61.16	0.00	---	---	Peak																																																																																																																																																																																						
3	5954.70	41.11	74.00	-32.89	56.06	35.22	10.54	60.71	0.00	---	---	Peak																																																																																																																																																																																						
4	7236.00	44.34	74.00	-29.66	57.64	35.60	11.66	60.56	0.00	---	---	PEAK																																																																																																																																																																																						
5	7440.10	40.66	74.00	-33.34	54.21	35.70	11.77	61.02	0.00	---	---	Peak																																																																																																																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																								
1	4824.00	40.49	74.00	-33.51	58.09	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																																																																																																																						
2	4960.00	37.73	74.00	-36.27	55.28	34.00	9.61	61.16	0.00	---	---	Peak																																																																																																																																																																																						
3	5955.00	45.23	74.00	-28.77	60.18	35.22	10.54	60.71	0.00	---	---	Peak																																																																																																																																																																																						
4	7236.00	44.61	74.00	-29.39	57.91	35.60	11.66	60.56	0.00	---	---	PEAK																																																																																																																																																																																						
5	7440.10	40.21	74.00	-33.79	53.76	35.70	11.77	61.02	0.00	---	---	Peak																																																																																																																																																																																						



		84																																																																																																															
Mode		Co-location Band Edge																																																																																																															
		802.11BE EHT20_CH1_5955MHz																																																																																																															
ANT		CDD 1+2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5848.01</td> <td>56.56</td> <td>88.20</td> <td>-31.64</td> <td>43.55</td> <td>34.70</td> <td>10.45</td> <td>32.14</td> <td>0.00</td> <td>198</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5848.01	56.56	88.20	-31.64	43.55	34.70	10.45	32.14	0.00	198	111	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>95.49</td> <td>-----</td> <td>88.47</td> <td>32.58</td> <td>6.62</td> <td>32.18</td> <td>0.00</td> <td>198</td> <td>111</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>97.73</td> <td>-----</td> <td>90.68</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>198</td> <td>111</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5955.00</td> <td>102.95</td> <td>-----</td> <td>89.38</td> <td>35.20</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>198</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2404.00	95.49	-----	88.47	32.58	6.62	32.18	0.00	198	111	Peak	2	2476.00	97.73	-----	90.68	32.56	6.72	32.23	0.00	198	111	Peak	3	5955.00	102.95	-----	89.38	35.20	10.54	32.17	0.00	198	111	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5848.01	56.56	88.20	-31.64	43.55	34.70	10.45	32.14	0.00	198	111	PEAK																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2404.00	95.49	-----	88.47	32.58	6.62	32.18	0.00	198	111	Peak																																																																																																						
2	2476.00	97.73	-----	90.68	32.56	6.72	32.23	0.00	198	111	Peak																																																																																																						
3	5955.00	102.95	-----	89.38	35.20	10.54	32.17	0.00	198	111	PEAK																																																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.04</td> <td>44.28</td> <td>68.20</td> <td>-23.92</td> <td>30.93</td> <td>35.00</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>198</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5917.04	44.28	68.20	-23.92	30.93	35.00	10.51	32.16	0.00	198	111	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>86.95</td> <td>-----</td> <td>79.93</td> <td>32.58</td> <td>6.62</td> <td>32.18</td> <td>0.00</td> <td>198</td> <td>111</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>95.31</td> <td>-----</td> <td>88.26</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>198</td> <td>111</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5955.00</td> <td>92.31</td> <td>-----</td> <td>78.74</td> <td>35.20</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>198</td> <td>111</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2404.00	86.95	-----	79.93	32.58	6.62	32.18	0.00	198	111	Average	2	2476.00	95.31	-----	88.26	32.56	6.72	32.23	0.00	198	111	Average	3	5955.00	92.31	-----	78.74	35.20	10.54	32.17	0.00	198	111	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5917.04	44.28	68.20	-23.92	30.93	35.00	10.51	32.16	0.00	198	111	AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2404.00	86.95	-----	79.93	32.58	6.62	32.18	0.00	198	111	Average																																																																																																						
2	2476.00	95.31	-----	88.26	32.56	6.72	32.23	0.00	198	111	Average																																																																																																						
3	5955.00	92.31	-----	78.74	35.20	10.54	32.17	0.00	198	111	Average																																																																																																						







		84																																																																																																														
Mode		Co-location Band Edge																																																																																																														
		802.11BE EHT20_CH1_5955MHz																																																																																																														
ANT		CDD 1+2																																																																																																														
Pol.		Vertical	Fundamental																																																																																																													
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows a peak at 5955 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5893.51</td> <td>56.37</td> <td>88.20</td> <td>-31.83</td> <td>43.17</td> <td>34.87</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5893.51	56.37	88.20	-31.83	43.17	34.87	10.49	32.16	0.00	100	0 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows multiple peaks, with the highest at 5955 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>105.14</td> <td>-----</td> <td>-----</td> <td>98.17</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>78.00</td> <td>-----</td> <td>-----</td> <td>71.03</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>3</td> <td>5959.00</td> <td>93.62</td> <td>-----</td> <td>-----</td> <td>80.00</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	105.14	-----	-----	98.17	32.51	6.65	32.19	0.00	100	0 Peak	2	2476.00	78.00	-----	-----	71.03	32.56	6.72	32.23	0.00	100	0 Peak	3	5959.00	93.62	-----	-----	80.00	35.24	10.55	32.17	0.00	100	0 Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5893.51	56.37	88.20	-31.83	43.17	34.87	10.49	32.16	0.00	100	0 PEAK																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2422.00	105.14	-----	-----	98.17	32.51	6.65	32.19	0.00	100	0 Peak																																																																																																					
2	2476.00	78.00	-----	-----	71.03	32.56	6.72	32.23	0.00	100	0 Peak																																																																																																					
3	5959.00	93.62	-----	-----	80.00	35.24	10.55	32.17	0.00	100	0 Peak																																																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows a peak at 5955 MHz labeled 'WIFI 6E (AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.15</td> <td>44.00</td> <td>68.20</td> <td>-24.12</td> <td>30.78</td> <td>34.96</td> <td>10.50</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5910.15	44.00	68.20	-24.12	30.78	34.96	10.50	32.16	0.00	100	0 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows multiple peaks, with the highest at 5955 MHz labeled 'WIFI 6E (AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>96.90</td> <td>-----</td> <td>-----</td> <td>89.93</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>0 Average</td> </tr> <tr> <td>2</td> <td>2476.00</td> <td>77.38</td> <td>-----</td> <td>-----</td> <td>70.33</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>100</td> <td>0 Average</td> </tr> <tr> <td>3</td> <td>5968.00</td> <td>84.58</td> <td>-----</td> <td>-----</td> <td>70.93</td> <td>35.27</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>0 Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	96.90	-----	-----	89.93	32.51	6.65	32.19	0.00	100	0 Average	2	2476.00	77.38	-----	-----	70.33	32.56	6.72	32.23	0.00	100	0 Average	3	5968.00	84.58	-----	-----	70.93	35.27	10.55	32.17	0.00	100	0 Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5910.15	44.00	68.20	-24.12	30.78	34.96	10.50	32.16	0.00	100	0 AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2422.00	96.90	-----	-----	89.93	32.51	6.65	32.19	0.00	100	0 Average																																																																																																					
2	2476.00	77.38	-----	-----	70.33	32.56	6.72	32.23	0.00	100	0 Average																																																																																																					
3	5968.00	84.58	-----	-----	70.93	35.27	10.55	32.17	0.00	100	0 Average																																																																																																					



Mode	84																																																																																							
	Co-location Harmonic																																																																																							
	802.11BE EHT20_CH1_5955MHZ																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak																																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>47.35</td> <td>74.00</td> <td>-26.65</td> <td>54.73</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	47.35	74.00	-26.65	54.73	38.70	15.21	61.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>47.23</td> <td>74.00</td> <td>-26.77</td> <td>54.61</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	47.23	74.00	-26.77	54.61	38.70	15.21	61.29	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11910.00	47.35	74.00	-26.65	54.73	38.70	15.21	61.29	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11910.00	47.23	74.00	-26.77	54.61	38.70	15.21	61.29	0.00	---	---	PEAK																																																																													



Mode	85																																																																																									
	Co-location Band Edge																																																																																									
	802.11BE EHT20_CH01_2412MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>58.42</td> <td>74.00</td> <td>-15.58</td> <td>45.52</td> <td>32.48</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>128</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	58.42	74.00	-15.58	45.52	32.48	6.00	32.18	6.00	128	136	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.57</td> <td>-----</td> <td>-----</td> <td>96.59</td> <td>32.52</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>128</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	109.57	-----	-----	96.59	32.52	6.65	32.19	6.00	128	136	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2389.95	58.42	74.00	-15.58	45.52	32.48	6.00	32.18	6.00	128	136	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2412.00	109.57	-----	-----	96.59	32.52	6.65	32.19	6.00	128	136	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>45.88</td> <td>54.00</td> <td>-8.12</td> <td>32.98</td> <td>32.48</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>128</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	45.88	54.00	-8.12	32.98	32.48	6.00	32.18	6.00	128	136	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.36</td> <td>-----</td> <td>-----</td> <td>87.38</td> <td>32.52</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>128</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	100.36	-----	-----	87.38	32.52	6.65	32.19	6.00	128	136	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2389.95	45.88	54.00	-8.12	32.98	32.48	6.00	32.18	6.00	128	136	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2412.00	100.36	-----	-----	87.38	32.52	6.65	32.19	6.00	128	136	AVERAGE																																																																														



Mode	85																																																																																						
	Co-location Band Edge																																																																																						
	802.11BE EHT20_CH01_2412MHz																																																																																						
ANT	CDD 1+2																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>61.00</td> <td>-13.00</td> <td>48.11</td> <td>32.47</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>224</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.30	61.00	-13.00	48.11	32.47	6.00	32.18	6.00	224	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>110.47</td> <td>-----</td> <td>97.48</td> <td>32.54</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>224</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	110.47	-----	97.48	32.54	6.64	32.19	6.00	224	360	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	2389.30	61.00	-13.00	48.11	32.47	6.00	32.18	6.00	224	360	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	2412.00	110.47	-----	97.48	32.54	6.64	32.19	6.00	224	360	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>47.37</td> <td>54.00</td> <td>-6.63</td> <td>34.47</td> <td>32.48</td> <td>6.00</td> <td>32.18</td> <td>6.00</td> <td>224</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	47.37	54.00	-6.63	34.47	32.48	6.00	32.18	6.00	224	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.17</td> <td>-----</td> <td>87.19</td> <td>32.52</td> <td>6.65</td> <td>32.19</td> <td>6.00</td> <td>224</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	100.17	-----	87.19	32.52	6.65	32.19	6.00	224	360	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	2389.95	47.37	54.00	-6.63	34.47	32.48	6.00	32.18	6.00	224	360	AVERAGE																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	2412.00	100.17	-----	87.19	32.52	6.65	32.19	6.00	224	360	AVERAGE																																																																												







Mode	85																																																																																																																			
	Co-location Harmonic																																																																																																																			
	802.11BE EHT20_CH01_2412MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.40</td> <td>74.00</td> <td>-33.60</td> <td>58.00</td> <td>34.20</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>47.56</td> <td>74.00</td> <td>-26.44</td> <td>62.51</td> <td>35.22</td> <td>10.54</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.40	74.00	-33.60	58.00	34.20	9.47	61.27	0.00	---	---	PEAK	2	5955.00	47.56	74.00	-26.44	62.51	35.22	10.54	60.71	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.77</td> <td>74.00</td> <td>-33.23</td> <td>58.37</td> <td>34.20</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>44.87</td> <td>74.00</td> <td>-29.13</td> <td>59.82</td> <td>35.22</td> <td>10.54</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.77	74.00	-33.23	58.37	34.20	9.47	61.27	0.00	---	---	PEAK	2	5955.00	44.87	74.00	-29.13	59.82	35.22	10.54	60.71	0.00	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4824.00	40.40	74.00	-33.60	58.00	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																																								
2	5955.00	47.56	74.00	-26.44	62.51	35.22	10.54	60.71	0.00	---	---	Peak																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4824.00	40.77	74.00	-33.23	58.37	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																																								
2	5955.00	44.87	74.00	-29.13	59.82	35.22	10.54	60.71	0.00	---	---	Peak																																																																																																								



		85																																																																																																					
Mode		Co-location Band Edge																																																																																																					
		802.11BE EHT20_CH1_5955MHz																																																																																																					
ANT		CDD 1+2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5834.62</td> <td>56.04</td> <td>88.20</td> <td>-32.16</td> <td>43.04</td> <td>34.67</td> <td>10.44</td> <td>32.11</td> <td>0.00</td> <td>177</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5834.62	56.04	88.20	-32.16	43.04	34.67	10.44	32.11	0.00	177	105	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>107.73</td> <td>-----</td> <td>-----</td> <td>100.71</td> <td>32.58</td> <td>6.62</td> <td>32.18</td> <td>0.00</td> <td>177</td> <td>105</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5968.00</td> <td>101.91</td> <td>-----</td> <td>-----</td> <td>88.26</td> <td>35.27</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>177</td> <td>105</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2404.00	107.73	-----	-----	100.71	32.58	6.62	32.18	0.00	177	105	Peak	2	5968.00	101.91	-----	-----	88.26	35.27	10.55	32.17	0.00	177	105	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5834.62	56.04	88.20	-32.16	43.04	34.67	10.44	32.11	0.00	177	105	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2404.00	107.73	-----	-----	100.71	32.58	6.62	32.18	0.00	177	105	Peak																																																																																											
2	5968.00	101.91	-----	-----	88.26	35.27	10.55	32.17	0.00	177	105	Peak																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.54</td> <td>44.43</td> <td>68.20</td> <td>-23.77</td> <td>31.04</td> <td>35.04</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>177</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.54	44.43	68.20	-23.77	31.04	35.04	10.51	32.16	0.00	177	105	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>96.81</td> <td>-----</td> <td>-----</td> <td>89.84</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>177</td> <td>105</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5968.00</td> <td>92.31</td> <td>-----</td> <td>-----</td> <td>78.66</td> <td>35.27</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>177</td> <td>105</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	96.81	-----	-----	89.84	32.51	6.65	32.19	0.00	177	105	Average	2	5968.00	92.31	-----	-----	78.66	35.27	10.55	32.17	0.00	177	105	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5923.54	44.43	68.20	-23.77	31.04	35.04	10.51	32.16	0.00	177	105	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2422.00	96.81	-----	-----	89.84	32.51	6.65	32.19	0.00	177	105	Average																																																																																											
2	5968.00	92.31	-----	-----	78.66	35.27	10.55	32.17	0.00	177	105	Average																																																																																											



		85																																																																																																					
Mode		Co-location Band Edge																																																																																																					
		802.11BE EHT20_CH1_5955MHz																																																																																																					
ANT		CDD 1+2																																																																																																					
Pol.		Vertical	Fundamental																																																																																																				
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows a peak at 5916.78 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.78</td> <td>56.33</td> <td>88.20</td> <td>-31.87</td> <td>42.98</td> <td>35.00</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>304</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5916.78	56.33	88.20	-31.87	42.98	35.00	10.51	32.16	0.00	304	360	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows peaks at 2413.00 MHz and 5959.00 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2413.00</td> <td>106.72</td> <td>-----</td> <td>-----</td> <td>99.72</td> <td>32.55</td> <td>6.64</td> <td>32.19</td> <td>0.00</td> <td>304</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5959.00</td> <td>96.38</td> <td>-----</td> <td>-----</td> <td>82.76</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>304</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2413.00	106.72	-----	-----	99.72	32.55	6.64	32.19	0.00	304	360	Peak	2	5959.00	96.38	-----	-----	82.76	35.24	10.55	32.17	0.00	304	360	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5916.78	56.33	88.20	-31.87	42.98	35.00	10.51	32.16	0.00	304	360	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2413.00	106.72	-----	-----	99.72	32.55	6.64	32.19	0.00	304	360	Peak																																																																																											
2	5959.00	96.38	-----	-----	82.76	35.24	10.55	32.17	0.00	304	360	Peak																																																																																											
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows an average peak at 5909.63 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.63</td> <td>44.23</td> <td>68.20</td> <td>-23.97</td> <td>30.93</td> <td>34.96</td> <td>10.50</td> <td>32.16</td> <td>0.00</td> <td>304</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5909.63	44.23	68.20	-23.97	30.93	34.96	10.50	32.16	0.00	304	360	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows average peaks at 2422.00 MHz and 5959.00 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>94.99</td> <td>-----</td> <td>-----</td> <td>88.02</td> <td>32.51</td> <td>6.65</td> <td>32.19</td> <td>0.00</td> <td>304</td> <td>360</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5959.00</td> <td>85.30</td> <td>-----</td> <td>-----</td> <td>71.68</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>304</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	94.99	-----	-----	88.02	32.51	6.65	32.19	0.00	304	360	Average	2	5959.00	85.30	-----	-----	71.68	35.24	10.55	32.17	0.00	304	360	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5909.63	44.23	68.20	-23.97	30.93	34.96	10.50	32.16	0.00	304	360	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2422.00	94.99	-----	-----	88.02	32.51	6.65	32.19	0.00	304	360	Average																																																																																											
2	5959.00	85.30	-----	-----	71.68	35.24	10.55	32.17	0.00	304	360	Average																																																																																											







Mode	85																																																																																							
	Co-location Harmonic																																																																																							
	802.11BE EHT20_CH1_5955MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak	<p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Shows peak levels for WiFi 6E (PEAK and AVG) and a blue noise floor. A vertical blue arrow points to a peak at 11910 MHz.</p>	<p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows peak levels for WiFi 6E (PEAK and AVG) and a blue noise floor. A vertical blue arrow points to a peak at 11910 MHz.</p>																																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>46.61</td> <td>74.00</td> <td>-27.39</td> <td>53.99</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	46.61	74.00	-27.39	53.99	38.70	15.21	61.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>54.07</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	46.69	74.00	-27.31	54.07	38.70	15.21	61.29	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11910.00	46.61	74.00	-27.39	53.99	38.70	15.21	61.29	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11910.00	46.69	74.00	-27.31	54.07	38.70	15.21	61.29	0.00	---	---	PEAK																																																																													



	86																																																																																									
Mode	Co-location Band Edge																																																																																									
	Bluetooth-LE_GSKF_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>59.34</td> <td>74.00</td> <td>-14.66</td> <td>46.24</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	59.34	74.00	-14.66	46.24	32.60	6.73	32.23	6.00	100	118	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>98.20</td> <td>-----</td> <td>-----</td> <td>85.12</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	98.20	-----	-----	85.12	32.58	6.73	32.23	6.00	100	118	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.50	59.34	74.00	-14.66	46.24	32.60	6.73	32.23	6.00	100	118	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2480.00	98.20	-----	-----	85.12	32.58	6.73	32.23	6.00	100	118	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>33.76</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	46.86	54.00	-7.14	33.76	32.60	6.73	32.23	6.00	100	118	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.34</td> <td>-----</td> <td>-----</td> <td>83.26</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.34	-----	-----	83.26	32.58	6.73	32.23	6.00	100	118	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.50	46.86	54.00	-7.14	33.76	32.60	6.73	32.23	6.00	100	118	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2480.00	96.34	-----	-----	83.26	32.58	6.73	32.23	6.00	100	118	AVERAGE																																																																														



	86																																																																																							
Mode	Co-location Band Edge																																																																																							
	Bluetooth-LE_GSKF_CH39_2480MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 16.3</p> <p>2440 2452 2464 2476 2488 2500</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>61.00</td> <td>74.00</td> <td>-13.00</td> <td>47.90</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	61.00	74.00	-13.00	47.90	32.60	6.73	32.23	6.00	100	319	PEAK	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 16.3</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.11</td> <td>-----</td> <td>-----</td> <td>86.03</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.11	-----	-----	86.03	32.58	6.73	32.23	6.00	100	319	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2483.50	61.00	74.00	-13.00	47.90	32.60	6.73	32.23	6.00	100	319	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2480.00	99.11	-----	-----	86.03	32.58	6.73	32.23	6.00	100	319	PEAK																																																																												
Avg	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3</p> <p>2440 2452 2464 2476 2488 2500</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>46.88</td> <td>54.00</td> <td>-7.12</td> <td>33.78</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	46.88	54.00	-7.12	33.78	32.60	6.73	32.23	6.00	100	319	AVERAGE	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.96</td> <td>-----</td> <td>-----</td> <td>83.88</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.96	-----	-----	83.88	32.58	6.73	32.23	6.00	100	319	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2483.56	46.88	54.00	-7.12	33.78	32.60	6.73	32.23	6.00	100	319	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2480.00	96.96	-----	-----	83.88	32.58	6.73	32.23	6.00	100	319	AVERAGE																																																																												







Mode	86																																																																																																																																													
	Co-location Harmonic																																																																																																																																													
	Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.88</td> <td>74.00</td> <td>-33.12</td> <td>58.43</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>68.43</td> <td>74.00</td> <td>-5.57</td> <td>84.79</td> <td>34.54</td> <td>9.90</td> <td>60.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5955.20</td> <td>44.89</td> <td>74.00</td> <td>-29.11</td> <td>59.84</td> <td>35.22</td> <td>10.54</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.88	74.00	-33.12	58.43	34.00	9.61	61.16	0.00	---	---	PEAK	2	5320.00	68.43	74.00	-5.57	84.79	34.54	9.90	60.00	0.00	---	---	Peak	3	5955.20	44.89	74.00	-29.11	59.84	35.22	10.54	60.71	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.00</td> <td>74.00</td> <td>-33.00</td> <td>58.55</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>57.87</td> <td>74.00</td> <td>-16.13</td> <td>74.23</td> <td>34.54</td> <td>9.90</td> <td>60.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5955.20</td> <td>44.52</td> <td>74.00</td> <td>-29.48</td> <td>59.47</td> <td>35.22</td> <td>10.54</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.00	74.00	-33.00	58.55	34.00	9.61	61.16	0.00	---	---	PEAK	2	5320.00	57.87	74.00	-16.13	74.23	34.54	9.90	60.00	0.00	---	---	Peak	3	5955.20	44.52	74.00	-29.48	59.47	35.22	10.54	60.71	0.00	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4960.00	40.88	74.00	-33.12	58.43	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																																																		
2	5320.00	68.43	74.00	-5.57	84.79	34.54	9.90	60.00	0.00	---	---	Peak																																																																																																																																		
3	5955.20	44.89	74.00	-29.11	59.84	35.22	10.54	60.71	0.00	---	---	Peak																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4960.00	41.00	74.00	-33.00	58.55	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																																																		
2	5320.00	57.87	74.00	-16.13	74.23	34.54	9.90	60.00	0.00	---	---	Peak																																																																																																																																		
3	5955.20	44.52	74.00	-29.48	59.47	35.22	10.54	60.71	0.00	---	---	Peak																																																																																																																																		

Note: #2 is WLAN 5G_CH64 co-location signal.



		86																																																																																																																		
Mode	Co-location Band Edge																																																																																																																			
	802.11a_CH64_5320MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.90</td> <td>55.31</td> <td>74.00</td> <td>-18.69</td> <td>42.58</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.90	55.31	74.00	-18.69	42.58	34.60	9.91	31.78	0.00	300	270	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>76.57</td> <td>-----</td> <td>-----</td> <td>69.48</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>300</td> <td>270</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>103.53</td> <td>-----</td> <td>-----</td> <td>90.88</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5956.00</td> <td>90.44</td> <td>-----</td> <td>-----</td> <td>76.85</td> <td>35.22</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>300</td> <td>270</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	76.57	-----	-----	69.48	32.59	6.73	32.23	0.00	300	270	Peak	2	5320.00	103.53	-----	-----	90.88	34.55	9.90	31.80	0.00	300	270	PEAK	3	5956.00	90.44	-----	-----	76.85	35.22	10.54	32.17	0.00	300	270	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5351.90	55.31	74.00	-18.69	42.58	34.60	9.91	31.78	0.00	300	270	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2482.00	76.57	-----	-----	69.48	32.59	6.73	32.23	0.00	300	270	Peak																																																																																																								
2	5320.00	103.53	-----	-----	90.88	34.55	9.90	31.80	0.00	300	270	PEAK																																																																																																								
3	5956.00	90.44	-----	-----	76.85	35.22	10.54	32.17	0.00	300	270	Peak																																																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.70</td> <td>45.04</td> <td>54.00</td> <td>-8.96</td> <td>32.31</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.70	45.04	54.00	-8.96	32.31	34.60	9.91	31.78	0.00	300	270	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>72.44</td> <td>-----</td> <td>-----</td> <td>65.35</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>300</td> <td>270</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>95.42</td> <td>-----</td> <td>-----</td> <td>82.78</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>270</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>5956.00</td> <td>80.55</td> <td>-----</td> <td>-----</td> <td>66.96</td> <td>35.22</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>300</td> <td>270</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	72.44	-----	-----	65.35	32.59	6.73	32.23	0.00	300	270	Average	2	5320.00	95.42	-----	-----	82.78	34.54	9.90	31.80	0.00	300	270	AVERAGE	3	5956.00	80.55	-----	-----	66.96	35.22	10.54	32.17	0.00	300	270	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5350.70	45.04	54.00	-8.96	32.31	34.60	9.91	31.78	0.00	300	270	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2482.00	72.44	-----	-----	65.35	32.59	6.73	32.23	0.00	300	270	Average																																																																																																								
2	5320.00	95.42	-----	-----	82.78	34.54	9.90	31.80	0.00	300	270	AVERAGE																																																																																																								
3	5956.00	80.55	-----	-----	66.96	35.22	10.54	32.17	0.00	300	270	Average																																																																																																								







		86																																																																																																														
Mode	Co-location Band Edge																																																																																																															
	802.11a_CH64_5320MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal between 5300 and 5400 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. A peak is observed at 5351.80 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.80</td> <td>64.14</td> <td>74.00</td> <td>-9.86</td> <td>51.41</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>335</td> <td>3 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.80	64.14	74.00	-9.86	51.41	34.60	9.91	31.78	0.00	335	3 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. Three peaks are observed at 2482.00 MHz, 5320.00 MHz, and 5956.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>87.02</td> <td>-----</td> <td>79.93</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>335</td> <td>3</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>112.22</td> <td>-----</td> <td>99.58</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>335</td> <td>3</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5956.00</td> <td>97.35</td> <td>-----</td> <td>83.76</td> <td>35.22</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>335</td> <td>3</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	87.02	-----	79.93	32.59	6.73	32.23	0.00	335	3	Peak	2	5320.00	112.22	-----	99.58	34.54	9.90	31.80	0.00	335	3	PEAK	3	5956.00	97.35	-----	83.76	35.22	10.54	32.17	0.00	335	3	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5351.80	64.14	74.00	-9.86	51.41	34.60	9.91	31.78	0.00	335	3 PEAK																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	87.02	-----	79.93	32.59	6.73	32.23	0.00	335	3	Peak																																																																																																					
2	5320.00	112.22	-----	99.58	34.54	9.90	31.80	0.00	335	3	PEAK																																																																																																					
3	5956.00	97.35	-----	83.76	35.22	10.54	32.17	0.00	335	3	Peak																																																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal between 5300 and 5400 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The average level is 50.37 dBuV/m at 5350.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>50.37</td> <td>54.00</td> <td>-3.63</td> <td>37.64</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>335</td> <td>3 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	50.37	54.00	-3.63	37.64	34.60	9.91	31.78	0.00	335	3 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The average level is 89.24 dBuV/m at 5956.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>83.28</td> <td>-----</td> <td>76.19</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>335</td> <td>3</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>104.58</td> <td>-----</td> <td>91.96</td> <td>34.53</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>335</td> <td>3</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>5956.00</td> <td>89.24</td> <td>-----</td> <td>75.65</td> <td>35.22</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>335</td> <td>3</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	83.28	-----	76.19	32.59	6.73	32.23	0.00	335	3	Average	2	5320.00	104.58	-----	91.96	34.53	9.89	31.80	0.00	335	3	AVERAGE	3	5956.00	89.24	-----	75.65	35.22	10.54	32.17	0.00	335	3	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5350.00	50.37	54.00	-3.63	37.64	34.60	9.91	31.78	0.00	335	3 AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	83.28	-----	76.19	32.59	6.73	32.23	0.00	335	3	Average																																																																																																					
2	5320.00	104.58	-----	91.96	34.53	9.89	31.80	0.00	335	3	AVERAGE																																																																																																					
3	5956.00	89.24	-----	75.65	35.22	10.54	32.17	0.00	335	3	Average																																																																																																					



		86																																																																																																													
Mode	Co-location Band Edge																																																																																																														
	802.11BE EHT20_CH1_5955MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5856.33</td> <td>56.15</td> <td>88.20</td> <td>-32.05</td> <td>43.13</td> <td>34.73</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>194</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5856.33	56.15	88.20	-32.05	43.13	34.73	10.45	32.16	0.00	194	103	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>94.02</td> <td>-----</td> <td>86.97</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>194</td> <td>103</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5311.00</td> <td>108.29</td> <td>-----</td> <td>95.68</td> <td>34.52</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>194</td> <td>103</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5950.00</td> <td>102.00</td> <td>-----</td> <td>88.51</td> <td>35.20</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>194</td> <td>103</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2476.00	94.02	-----	86.97	32.56	6.72	32.23	0.00	194	103	Peak	2	5311.00	108.29	-----	95.68	34.52	9.89	31.80	0.00	194	103	Peak	3	5950.00	102.00	-----	88.51	35.20	10.54	32.17	0.00	194	103
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																						
1	5856.33	56.15	88.20	-32.05	43.13	34.73	10.45	32.16	0.00	194	103	PEAK																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																						
1	2476.00	94.02	-----	86.97	32.56	6.72	32.23	0.00	194	103	Peak																																																																																																				
2	5311.00	108.29	-----	95.68	34.52	9.89	31.80	0.00	194	103	Peak																																																																																																				
3	5950.00	102.00	-----	88.51	35.20	10.54	32.17	0.00	194	103	Peak																																																																																																				
Avg																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.24</td> <td>44.40</td> <td>68.20</td> <td>-23.80</td> <td>31.10</td> <td>34.96</td> <td>10.50</td> <td>32.16</td> <td>0.00</td> <td>194</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5909.24	44.40	68.20	-23.80	31.10	34.96	10.50	32.16	0.00	194	103	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>90.26</td> <td>-----</td> <td>83.21</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>194</td> <td>103</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5329.00</td> <td>99.40</td> <td>-----</td> <td>86.74</td> <td>34.56</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>194</td> <td>103</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5950.00</td> <td>92.54</td> <td>-----</td> <td>78.97</td> <td>35.20</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>194</td> <td>103</td> <td>Average</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2476.00	90.26	-----	83.21	32.56	6.72	32.23	0.00	194	103	Average	2	5329.00	99.40	-----	86.74	34.56	9.90	31.80	0.00	194	103	Average	3	5950.00	92.54	-----	78.97	35.20	10.54	32.17	0.00	194	103
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																						
1	5909.24	44.40	68.20	-23.80	31.10	34.96	10.50	32.16	0.00	194	103	AVERAGE																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																						
1	2476.00	90.26	-----	83.21	32.56	6.72	32.23	0.00	194	103	Average																																																																																																				
2	5329.00	99.40	-----	86.74	34.56	9.90	31.80	0.00	194	103	Average																																																																																																				
3	5950.00	92.54	-----	78.97	35.20	10.54	32.17	0.00	194	103	Average																																																																																																				



		86																																																																																																															
Mode	Co-location Band Edge																																																																																																																
	802.11BE EHT20_CH1_5955MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Vertical	Fundamental																																																																																																															
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows a sharp peak at 5955 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5847.36</td> <td>55.81</td> <td>88.20</td> <td>-32.39</td> <td>42.81</td> <td>34.69</td> <td>10.45</td> <td>32.14</td> <td>0.00</td> <td>303</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5847.36	55.81	88.20	-32.39	42.81	34.69	10.45	32.14	0.00	303	360	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows multiple peaks, with the highest at 5955 MHz labeled 'WIFI 6E PEAK'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.00</td> <td>101.54</td> <td>-----</td> <td>94.43</td> <td>32.61</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>303</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5329.00</td> <td>99.13</td> <td>-----</td> <td>86.47</td> <td>34.56</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>303</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5959.00</td> <td>94.40</td> <td>-----</td> <td>80.86</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>303</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.00	101.54	-----	94.43	32.61	6.73	32.23	0.00	303	360	Peak	2	5329.00	99.13	-----	86.47	34.56	9.90	31.80	0.00	303	360	Peak	3	5959.00	94.40	-----	80.86	35.24	10.55	32.17	0.00	303	360	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5847.36	55.81	88.20	-32.39	42.81	34.69	10.45	32.14	0.00	303	360	PEAK																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2485.00	101.54	-----	94.43	32.61	6.73	32.23	0.00	303	360	Peak																																																																																																						
2	5329.00	99.13	-----	86.47	34.56	9.90	31.80	0.00	303	360	Peak																																																																																																						
3	5959.00	94.40	-----	80.86	35.24	10.55	32.17	0.00	303	360	Peak																																																																																																						
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Shows a peak at 5955 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.24</td> <td>44.21</td> <td>68.20</td> <td>-23.99</td> <td>30.91</td> <td>34.96</td> <td>10.50</td> <td>32.16</td> <td>0.00</td> <td>303</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5909.24	44.21	68.20	-23.99	30.91	34.96	10.50	32.16	0.00	303	360	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Shows multiple peaks, with the highest at 5955 MHz labeled 'WIFI 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>97.61</td> <td>-----</td> <td>90.56</td> <td>32.56</td> <td>6.72</td> <td>32.23</td> <td>0.00</td> <td>303</td> <td>360</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>90.37</td> <td>-----</td> <td>77.73</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>303</td> <td>360</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5959.00</td> <td>84.76</td> <td>-----</td> <td>71.14</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>303</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	97.61	-----	90.56	32.56	6.72	32.23	0.00	303	360	Average	2	5320.00	90.37	-----	77.73	34.54	9.90	31.80	0.00	303	360	Average	3	5959.00	84.76	-----	71.14	35.24	10.55	32.17	0.00	303	360	Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5909.24	44.21	68.20	-23.99	30.91	34.96	10.50	32.16	0.00	303	360	AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2476.00	97.61	-----	90.56	32.56	6.72	32.23	0.00	303	360	Average																																																																																																						
2	5320.00	90.37	-----	77.73	34.54	9.90	31.80	0.00	303	360	Average																																																																																																						
3	5959.00	84.76	-----	71.14	35.24	10.55	32.17	0.00	303	360	Average																																																																																																						



	86																																																																																																																													
Mode	Co-location Harmonic																																																																																																																													
	802.11BE EHT20_CH1_5955MHz / 802.11a_CH64_5320MHz																																																																																																																													
ANT	CDD 1+2																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																												
Peak Avg																																																																																																																														
	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>42.47</td> <td>74.00</td> <td>-31.53</td> <td>51.54</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11910.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>54.01</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10640.00	42.47	74.00	-31.53	51.54	37.86	14.32	61.25	0.00	---	---	Peak	2	11910.00	46.63	74.00	-27.37	54.01	38.70	15.21	61.29	0.00	---	---	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>50.49</td> <td>74.00</td> <td>-23.51</td> <td>59.56</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>17</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>43.59</td> <td>54.00</td> <td>-10.41</td> <td>52.66</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>17</td> <td>Average</td> </tr> <tr> <td>3</td> <td>11910.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>54.40</td> <td>38.70</td> <td>15.21</td> <td>61.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10640.00	50.49	74.00	-23.51	59.56	37.86	14.32	61.25	0.00	100	17	Peak	2	10640.00	43.59	54.00	-10.41	52.66	37.86	14.32	61.25	0.00	100	17	Average	3	11910.00	47.02	74.00	-26.98	54.40	38.70	15.21	61.29	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																					
1	10640.00	42.47	74.00	-31.53	51.54	37.86	14.32	61.25	0.00	---	---	Peak																																																																																																																		
2	11910.00	46.63	74.00	-27.37	54.01	38.70	15.21	61.29	0.00	---	---	PEAK																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																					
1	10640.00	50.49	74.00	-23.51	59.56	37.86	14.32	61.25	0.00	100	17	Peak																																																																																																																		
2	10640.00	43.59	54.00	-10.41	52.66	37.86	14.32	61.25	0.00	100	17	Average																																																																																																																		
3	11910.00	47.02	74.00	-26.98	54.40	38.70	15.21	61.29	0.00	---	---	PEAK																																																																																																																		




Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11be EHT20	100.00	-	-	10Hz
11be EHT40	100.00	-	-	10Hz
11be EHT80	100.00	-	-	10Hz
11be EHT160	100.00	-	-	10Hz
11be EHT320	97.54	0.862	1.160	1.2K
11be EHT20 Single RU 26	100	-	-	10Hz
11be EHT20 Single RU 52	100	-	-	10Hz
11be EHT20 Single RU 106	100	-	-	10Hz
11be EHT20 Small RU 52+26	100	-	-	10Hz
11be EHT20 Small RU 106+26	100	-	-	10Hz
11be EHT80 Large RU484+242	98.72	-	-	10Hz
11be EHT160 Large RU996+484	97.71	0.928	1.078	1.1K
11be EHT320 Large RU996*2+484	96.85	0.580	1.725	1.8K
11be EHT320 Large RU996*3+484	95.82	0.432	2.315	2.4K
11be EHT320 Large RU996*3	96.30	0.490	2.041	2.2K
11be EHT80 Puncturing 20M	98.16	-	-	10Hz
11be EHT160 Puncturing 20M	97.67	0.788	1.268	1.3K
11be EHT160 Puncturing 40M	97.81	0.841	1.190	1.2K
11be EHT320 Puncturing 40M	97.12	0.635	1.575	1.6K
11be EHT320 Puncturing 80M	97.24	0.664	1.507	1.6K
11be EHT320 Puncturing 80M+40M	97.36	0.696	1.438	1.5K



802.11be EHT20




802.11be EHT40






802.11be EHT80




802.11be EHT160






802.11be EHT320




802.11be EHT20 Single RU 26






802.11be EHT20 Single RU 52




802.11be EHT20 Single RU 106






802.11be EHT20 Small RU 52+26




802.11be EHT20 Small RU 106+26






802.11be EHT80 Large RU484+242




802.11be EHT160 Large RU996+484






802.11be EHT320 Large RU996*3




802.11be EHT320 Large RU996*2+484






802.11be EHT320 Large RU996*3+484




802.11be EHT80 Puncturing 20M






802.11be EHT160 Puncturing 20M




802.11be EHT160 Puncturing 40M






802.11be EHT320 Puncturing 40M



802.11be EHT320 Puncturing 80M





802.11be EHT320 Puncturing 80M+40M

