





DH5_Ant2_2402_30~1000




DH5_Ant2_2402_1000~26500






DH5_Ant1_2441_0~Reference



Date: 10.SEP.2024 16:31:34


DH5_Ant1_2441_30~1000



Date: 10.SEP.2024 16:31:39




DH5_Ant1_2441_1000~26500



Date: 10.SEP.2024 16:31:54


DH5_Ant2_2441_0~Reference




Date: 10.SEP.2024 00:55:08



DH5_Ant2_2441_30~1000




DH5_Ant2_2441_1000~26500






DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000







DH5_Ant1_2480_1000~26500




DH5_Ant2_2480_0~Reference








2DH1_Ant1_2402_0~Reference



Date: 10.SEP.2024 16:34:51


2DH1_Ant1_2402_30~1000



Date: 10.SEP.2024 16:34:56




2DH1_Ant1_2402_1000~26500




Date: 10.SEP.2024 16:35:12

2DH1_Ant2_2402_0~Reference




Date: 10.SEP.2024 00:58:00






2DH1_Ant1_2441_0~Reference




Date: 10.SEP.2024 16:36:07

2DH1_Ant1_2441_30~1000




Date: 10.SEP.2024 16:36:13






2DH1_Ant2_2441_30~1000




2DH1_Ant2_2441_1000~26500






2DH1_Ant1_2480_0~Reference



Date: 10.SEP.2024 16:36:46


2DH1_Ant1_2480_30~1000



Date: 10.SEP.2024 16:36:51




2DH1_Ant1_2480_1000~26500



Date: 10.SEP.2024 16:37:06


2DH1_Ant2_2480_0~Reference




Date: 10.SEP.2024 01:00:35





2DH1_Ant2_2480_30~1000




2DH1_Ant2_2480_1000~26500









3DH1_Ant1_2402_1000~26500




3DH1_Ant2_2402_0~Reference









3DH1_Ant1_2441_0~Reference




3DH1_Ant1_2441_30~1000








3DH1_Ant2_2441_30~1000



Date: 10.SEP.2024 01:03:15


3DH1_Ant2_2441_1000~26500



Date: 10.SEP.2024 01:03:30




3DH1_Ant1_2480_0~Reference



Date: 10.SEP.2024 16:41:29


3DH1_Ant1_2480_30~1000




Date: 10.SEP.2024 16:41:34



3DH1_Ant1_2480_1000~26500




3DH1_Ant2_2480_0~Reference






3DH1_Ant2_2480_30~1000



Date: 10.SEP.2024 01:04:41

3DH1_Ant2_2480_1000~26500




Date: 10.SEP.2024 01:04:57



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.369	48.50	-10.02	58.52	38.20	0.01	10.29	QP
2	0.369	33.20	-15.32	48.52	22.90	0.01	10.29	Average
3	0.521	50.30	-6.70	56.00	40.20	-0.11	10.21	QP
4	0.521	35.00	-11.00	46.00	24.90	-0.11	10.21	Average
5	0.654	49.62	-6.38	56.00	39.60	-0.14	10.16	QP
6	0.654	31.22	-14.78	46.00	21.20	-0.14	10.16	Average
7	0.763	49.16	-6.84	56.00	39.20	-0.16	10.12	QP
8	0.763	31.16	-14.84	46.00	21.20	-0.16	10.12	Average
9	0.968	50.42	-5.58	56.00	40.51	-0.18	10.09	QP
10	0.968	30.82	-15.18	46.00	20.91	-0.18	10.09	Average
11	1.197	51.20	-4.80	56.00	41.30	-0.19	10.09	QP
12	1.197	35.10	-10.90	46.00	25.20	-0.19	10.09	Average
13 *	1.511	51.78	-4.22	56.00	41.90	-0.20	10.08	QP
14	1.511	34.78	-11.22	46.00	24.90	-0.20	10.08	Average
15	1.800	50.07	-5.93	56.00	40.20	-0.21	10.08	QP
16	1.800	34.77	-11.23	46.00	24.90	-0.21	10.08	Average
17	2.594	48.49	-7.51	56.00	38.60	-0.18	10.07	QP
18	2.594	33.79	-12.21	46.00	23.90	-0.18	10.07	Average
19	2.978	47.21	-8.79	56.00	37.30	-0.16	10.07	QP
20	2.978	32.51	-13.49	46.00	22.60	-0.16	10.07	Average
21	3.528	46.49	-9.51	56.00	36.60	-0.18	10.07	QP
22	3.528	32.49	-13.51	46.00	22.60	-0.18	10.07	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	1.054	43.51	-12.49	56.00	33.60	-0.18	10.09	QP
2	1.054	26.71	-19.29	46.00	16.80	-0.18	10.09	Average
3 *	1.381	44.70	-11.30	56.00	34.80	-0.18	10.08	QP
4	1.381	26.80	-19.20	46.00	16.90	-0.18	10.08	Average
5	1.725	44.19	-11.81	56.00	34.30	-0.19	10.08	QP
6	1.725	28.49	-17.51	46.00	18.60	-0.19	10.08	Average
7	3.417	43.36	-12.64	56.00	33.50	-0.21	10.07	QP
8	3.417	29.16	-16.84	46.00	19.30	-0.21	10.07	Average
9	12.188	46.37	-13.63	60.00	35.59	-0.23	11.01	QP
10	12.188	38.67	-11.33	50.00	27.89	-0.23	11.01	Average
11	13.479	47.50	-12.50	60.00	36.60	-0.21	11.11	QP
12	13.479	38.10	-11.90	50.00	27.20	-0.21	11.11	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	0	2402	DH5	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	DH5	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	DH5	-	-
Mode 10	2400-2483.5	2	Bluetooth BR_GFSK	0	2402	DH5	-	-
Mode 11	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	DH5	-	-
Mode 12	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	DH5	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Po l.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2365.51	55.73	74.00	-18.27	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	42.16	74.00	-31.84	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	44.14	74.00	-29.86	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.72	56.04	74.00	-17.96	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	44.06	74.00	-29.94	H	PEAK	Pass	Harmonic
10	Bluetooth BR_GFSK	0	2323.13	56.09	74.00	-17.91	H	PEAK	Pass	Band Edge
10	Bluetooth BR_GFSK	0	4804.00	42.03	74.00	-31.97	H	PEAK	Pass	Harmonic
11	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
11	Bluetooth BR_GFSK	39	7323.00	44.73	74.00	-29.27	V	PEAK	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2483.78	59.41	74.00	-14.59	H	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	7440.00	44.25	74.00	-29.75	V	PEAK	Pass	Harmonic



Mode	1																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2365.51</td> <td>55.73</td> <td>74.00</td> <td>-18.27</td> <td>43.16</td> <td>32.19</td> <td>6.57</td> <td>32.19</td> <td>6.00</td> <td>105</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2365.51</td> <td>30.94</td> <td>54.00</td> <td>-23.06</td> <td>18.37</td> <td>32.19</td> <td>6.57</td> <td>32.19</td> <td>6.00</td> <td>105</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2365.51	55.73	74.00	-18.27	43.16	32.19	6.57	32.19	6.00	105	340	PEAK	2	2365.51	30.94	54.00	-23.06	18.37	32.19	6.57	32.19	6.00	105	340	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>108.61</td> <td>-----</td> <td>-----</td> <td>95.58</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>105</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>83.82</td> <td>-----</td> <td>-----</td> <td>70.79</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>105</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	108.61	-----	-----	95.58	32.59	6.62	32.18	6.00	105	340	PEAK	2	2402.00	83.82	-----	-----	70.79	32.59	6.62	32.18	6.00	105	340	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2365.51	55.73	74.00	-18.27	43.16	32.19	6.57	32.19	6.00	105	340	PEAK																																																																																																								
2	2365.51	30.94	54.00	-23.06	18.37	32.19	6.57	32.19	6.00	105	340	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2402.00	108.61	-----	-----	95.58	32.59	6.62	32.18	6.00	105	340	PEAK																																																																																																								
2	2402.00	83.82	-----	-----	70.79	32.59	6.62	32.18	6.00	105	340	AVERAGE																																																																																																								



Mode	1																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.04</td> <td>55.72</td> <td>74.00</td> <td>-18.28</td> <td>42.83</td> <td>32.47</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>197</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2389.04</td> <td>30.93</td> <td>54.00</td> <td>-23.07</td> <td>18.04</td> <td>32.47</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>197</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.04	55.72	74.00	-18.28	42.83	32.47	6.60	32.18	6.00	197	0 PEAK	2	2389.04	30.93	54.00	-23.07	18.04	32.47	6.60	32.18	6.00	197	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>109.55</td> <td>74.00</td> <td>35.55</td> <td>96.52</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>197</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>84.76</td> <td>54.00</td> <td>30.76</td> <td>71.73</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>197</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	109.55	74.00	35.55	96.52	32.59	6.62	32.18	6.00	197	0 PEAK	2	2402.00	84.76	54.00	30.76	71.73	32.59	6.62	32.18	6.00	197
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2389.04	55.72	74.00	-18.28	42.83	32.47	6.60	32.18	6.00	197	0 PEAK																																																																																																				
2	2389.04	30.93	54.00	-23.07	18.04	32.47	6.60	32.18	6.00	197	0 AVERAGE																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2402.00	109.55	74.00	35.55	96.52	32.59	6.62	32.18	6.00	197	0 PEAK																																																																																																				
2	2402.00	84.76	54.00	30.76	71.73	32.59	6.62	32.18	6.00	197	0 AVERAGE																																																																																																				



Mode	1																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.58</td> <td>74.00</td> <td>-32.42</td> <td>59.22</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.58	74.00	-32.42	59.22	34.20	9.44	61.28	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.16</td> <td>74.00</td> <td>-31.84</td> <td>59.80</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.16	74.00	-31.84	59.80	34.20	9.44	61.28	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	41.58	74.00	-32.42	59.22	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	42.16	74.00	-31.84	59.80	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>41.21</td> <td>74.00</td> <td>-32.79</td> <td>58.76</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>44.14</td> <td>74.00</td> <td>-29.86</td> <td>57.50</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	41.21	74.00	-32.79	58.76	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	44.14	74.00	-29.86	57.50	35.70	11.69	60.75	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>41.58</td> <td>74.00</td> <td>-32.42</td> <td>59.13</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>43.90</td> <td>74.00</td> <td>-30.10</td> <td>57.26</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	41.58	74.00	-32.42	59.13	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	43.90	74.00	-30.10	57.26	35.70	11.69	60.75	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	41.21	74.00	-32.79	58.76	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																								
2	7323.00	44.14	74.00	-29.86	57.50	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	41.58	74.00	-32.42	59.13	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																								
2	7323.00	43.90	74.00	-30.10	57.26	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																								



Mode	3																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.67</td> <td>55.61</td> <td>74.00</td> <td>-18.39</td> <td>42.48</td> <td>32.63</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>102</td> <td>335</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2488.67</td> <td>30.82</td> <td>54.00</td> <td>-23.18</td> <td>17.69</td> <td>32.63</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>102</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.67	55.61	74.00	-18.39	42.48	32.63	6.74	32.24	6.00	102	335	PEAK	2	2488.67	30.82	54.00	-23.18	17.69	32.63	6.74	32.24	6.00	102	335	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>107.33</td> <td>-----</td> <td>-----</td> <td>94.25</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>102</td> <td>335</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>82.54</td> <td>-----</td> <td>-----</td> <td>69.46</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>102</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	107.33	-----	-----	94.25	32.58	6.73	32.23	6.00	102	335	PEAK	2	2480.00	82.54	-----	-----	69.46	32.58	6.73	32.23	6.00	102	335	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2488.67	55.61	74.00	-18.39	42.48	32.63	6.74	32.24	6.00	102	335	PEAK																																																																																																								
2	2488.67	30.82	54.00	-23.18	17.69	32.63	6.74	32.24	6.00	102	335	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2480.00	107.33	-----	-----	94.25	32.58	6.73	32.23	6.00	102	335	PEAK																																																																																																								
2	2480.00	82.54	-----	-----	69.46	32.58	6.73	32.23	6.00	102	335	AVERAGE																																																																																																								



Mode	3																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.72</td> <td>56.04</td> <td>74.00</td> <td>-17.96</td> <td>42.93</td> <td>32.61</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>241</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2484.72</td> <td>31.25</td> <td>54.00</td> <td>-22.75</td> <td>18.14</td> <td>32.61</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>241</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.72	56.04	74.00	-17.96	42.93	32.61	6.73	32.23	6.00	241	0 PEAK	2	2484.72	31.25	54.00	-22.75	18.14	32.61	6.73	32.23	6.00	241	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>110.10</td> <td>-----</td> <td>-----</td> <td>97.02</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>241</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>85.31</td> <td>-----</td> <td>-----</td> <td>72.23</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>241</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	110.10	-----	-----	97.02	32.58	6.73	32.23	6.00	241	0 PEAK	2	2480.00	85.31	-----	-----	72.23	32.58	6.73	32.23	6.00	241	0 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2484.72	56.04	74.00	-17.96	42.93	32.61	6.73	32.23	6.00	241	0 PEAK																																																																																																					
2	2484.72	31.25	54.00	-22.75	18.14	32.61	6.73	32.23	6.00	241	0 AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2480.00	110.10	-----	-----	97.02	32.58	6.73	32.23	6.00	241	0 PEAK																																																																																																					
2	2480.00	85.31	-----	-----	72.23	32.58	6.73	32.23	6.00	241	0 AVERAGE																																																																																																					



Mode	3																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.67</td> <td>74.00</td> <td>-32.33</td> <td>59.22</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.06</td> <td>74.00</td> <td>-29.94</td> <td>57.61</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.67	74.00	-32.33	59.22	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	44.06	74.00	-29.94	57.61	35.70	11.77	61.02	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.11</td> <td>74.00</td> <td>-32.89</td> <td>58.66</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.91</td> <td>74.00</td> <td>-30.09</td> <td>57.46</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.11	74.00	-32.89	58.66	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	43.91	74.00	-30.09	57.46	35.70	11.77	61.02	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4960.00	41.67	74.00	-32.33	59.22	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																							
2	7440.00	44.06	74.00	-29.94	57.61	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4960.00	41.11	74.00	-32.89	58.66	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																							
2	7440.00	43.91	74.00	-30.09	57.46	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																							



Mode	10																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2323.13</td> <td>56.09</td> <td>74.00</td> <td>-17.91</td> <td>44.07</td> <td>31.73</td> <td>6.50</td> <td>32.21</td> <td>6.00</td> <td>314</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2323.13</td> <td>31.30</td> <td>54.00</td> <td>-22.70</td> <td>19.28</td> <td>31.73</td> <td>6.50</td> <td>32.21</td> <td>6.00</td> <td>314</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2323.13	56.09	74.00	-17.91	44.07	31.73	6.50	32.21	6.00	314	128	PEAK	2	2323.13	31.30	54.00	-22.70	19.28	31.73	6.50	32.21	6.00	314	128	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>105.26</td> <td>-----</td> <td>-----</td> <td>92.23</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>314</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>80.47</td> <td>-----</td> <td>-----</td> <td>67.44</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>314</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	105.26	-----	-----	92.23	32.59	6.62	32.18	6.00	314	128	PEAK	2	2402.00	80.47	-----	-----	67.44	32.59	6.62	32.18	6.00	314	128
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2323.13	56.09	74.00	-17.91	44.07	31.73	6.50	32.21	6.00	314	128	PEAK																																																																																																							
2	2323.13	31.30	54.00	-22.70	19.28	31.73	6.50	32.21	6.00	314	128	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2402.00	105.26	-----	-----	92.23	32.59	6.62	32.18	6.00	314	128	PEAK																																																																																																							
2	2402.00	80.47	-----	-----	67.44	32.59	6.62	32.18	6.00	314	128	AVERAGE																																																																																																							



Mode	10																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2373.96</td> <td>55.23</td> <td>74.00</td> <td>-18.77</td> <td>42.55</td> <td>32.29</td> <td>6.58</td> <td>32.19</td> <td>6.00</td> <td>107</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2373.96</td> <td>30.44</td> <td>54.00</td> <td>-23.56</td> <td>17.76</td> <td>32.29</td> <td>6.58</td> <td>32.19</td> <td>6.00</td> <td>107</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2373.96	55.23	74.00	-18.77	42.55	32.29	6.58	32.19	6.00	107	102	PEAK	2	2373.96	30.44	54.00	-23.56	17.76	32.29	6.58	32.19	6.00	107	102	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>96.72</td> <td>-----</td> <td>-----</td> <td>83.69</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>107</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>71.93</td> <td>-----</td> <td>-----</td> <td>58.90</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>107</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	96.72	-----	-----	83.69	32.59	6.62	32.18	6.00	107	102	PEAK	2	2402.00	71.93	-----	-----	58.90	32.59	6.62	32.18	6.00	107	102
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2373.96	55.23	74.00	-18.77	42.55	32.29	6.58	32.19	6.00	107	102	PEAK																																																																																																							
2	2373.96	30.44	54.00	-23.56	17.76	32.29	6.58	32.19	6.00	107	102	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2402.00	96.72	-----	-----	83.69	32.59	6.62	32.18	6.00	107	102	PEAK																																																																																																							
2	2402.00	71.93	-----	-----	58.90	32.59	6.62	32.18	6.00	107	102	AVERAGE																																																																																																							



Mode	10																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																									
ANT	2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.03</td> <td>74.00</td> <td>-31.97</td> <td>59.67</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.03	74.00	-31.97	59.67	34.20	9.44	61.28	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.01</td> <td>74.00</td> <td>-31.99</td> <td>59.65</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.01	74.00	-31.99	59.65	34.20	9.44	61.28	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	42.03	74.00	-31.97	59.67	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	42.01	74.00	-31.99	59.65	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														



Mode	11																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.90</td> <td>74.00</td> <td>-33.10</td> <td>58.45</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>44.03</td> <td>74.00</td> <td>-29.97</td> <td>57.39</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	40.90	74.00	-33.10	58.45	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	44.03	74.00	-29.97	57.39	35.70	11.69	60.75	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>41.73</td> <td>74.00</td> <td>-32.27</td> <td>59.28</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>44.73</td> <td>74.00</td> <td>-29.27</td> <td>58.09</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	41.73	74.00	-32.27	59.28	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	44.73	74.00	-29.27	58.09	35.70	11.69	60.75	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4882.00	40.90	74.00	-33.10	58.45	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																							
2	7323.00	44.03	74.00	-29.97	57.39	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4882.00	41.73	74.00	-32.27	59.28	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																							
2	7323.00	44.73	74.00	-29.27	58.09	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																							



Mode	12																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.78</td> <td>59.41</td> <td>74.00</td> <td>-14.59</td> <td>46.31</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>119</td> <td>129 PEAK</td> </tr> <tr> <td>2</td> <td>2483.78</td> <td>34.62</td> <td>54.00</td> <td>-19.38</td> <td>21.52</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>119</td> <td>129 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.78	59.41	74.00	-14.59	46.31	32.60	6.73	32.23	6.00	119	129 PEAK	2	2483.78	34.62	54.00	-19.38	21.52	32.60	6.73	32.23	6.00	119	129 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>110.33</td> <td>-----</td> <td>-----</td> <td>97.25</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>119</td> <td>129 PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>85.54</td> <td>-----</td> <td>-----</td> <td>72.46</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>119</td> <td>129 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	110.33	-----	-----	97.25	32.58	6.73	32.23	6.00	119	129 PEAK	2	2480.00	85.54	-----	-----	72.46	32.58	6.73	32.23	6.00	119
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2483.78	59.41	74.00	-14.59	46.31	32.60	6.73	32.23	6.00	119	129 PEAK																																																																																																				
2	2483.78	34.62	54.00	-19.38	21.52	32.60	6.73	32.23	6.00	119	129 AVERAGE																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2480.00	110.33	-----	-----	97.25	32.58	6.73	32.23	6.00	119	129 PEAK																																																																																																				
2	2480.00	85.54	-----	-----	72.46	32.58	6.73	32.23	6.00	119	129 AVERAGE																																																																																																				







Mode	12																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																
ANT	2																																																																																																																
Pol.	Vertical	Fundamental																																																																																																															
Peak																																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.27</td> <td>55.90</td> <td>74.00</td> <td>-18.10</td> <td>42.75</td> <td>32.65</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2492.27</td> <td>31.11</td> <td>54.00</td> <td>-22.89</td> <td>17.96</td> <td>32.65</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2492.27	55.90	74.00	-18.10	42.75	32.65	6.74	32.24	6.00	100	PEAK	2	2492.27	31.11	54.00	-22.89	17.96	32.65	6.74	32.24	6.00	100	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.19</td> <td>76.40</td> <td>24.79</td> <td>24.79</td> <td>88.11</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>76.40</td> <td>76.40</td> <td>0.00</td> <td>0.00</td> <td>63.32</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.19	76.40	24.79	24.79	88.11	32.58	6.73	32.23	6.00	100	PEAK	2	2480.00	76.40	76.40	0.00	0.00	63.32	32.58	6.73	32.23	6.00	100
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2492.27	55.90	74.00	-18.10	42.75	32.65	6.74	32.24	6.00	100	PEAK																																																																																																						
2	2492.27	31.11	54.00	-22.89	17.96	32.65	6.74	32.24	6.00	100	AVERAGE																																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2480.00	101.19	76.40	24.79	24.79	88.11	32.58	6.73	32.23	6.00	100	PEAK																																																																																																					
2	2480.00	76.40	76.40	0.00	0.00	63.32	32.58	6.73	32.23	6.00	100	AVERAGE																																																																																																					





Mode	12																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.35</td> <td>74.00</td> <td>-32.65</td> <td>58.90</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.87</td> <td>74.00</td> <td>-30.13</td> <td>57.42</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.35	74.00	-32.65	58.90	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	43.87	74.00	-30.13	57.42	35.70	11.77	61.02	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.31</td> <td>74.00</td> <td>-32.69</td> <td>58.06</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.25</td> <td>74.00</td> <td>-29.75</td> <td>57.80</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.31	74.00	-32.69	58.06	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	44.25	74.00	-29.75	57.80	35.70	11.77	61.02	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4960.00	41.35	74.00	-32.65	58.90	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																							
2	7440.00	43.87	74.00	-30.13	57.42	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4960.00	41.31	74.00	-32.69	58.06	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																							
2	7440.00	44.25	74.00	-29.75	57.80	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																							



Mode	12	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak		
Avg		




Mode	12																																																																																																																																																																																							
	30-1G																																																																																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																							
ANT	2																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>24.40</td><td>40.00</td><td>-15.60</td><td>31.51</td><td>25.09</td><td>0.76</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>73.65</td><td>13.98</td><td>40.00</td><td>-26.02</td><td>30.11</td><td>14.86</td><td>1.20</td><td>32.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>163.86</td><td>20.96</td><td>43.50</td><td>-22.54</td><td>35.55</td><td>16.25</td><td>1.86</td><td>32.70</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>273.47</td><td>22.37</td><td>46.00</td><td>-23.63</td><td>33.85</td><td>19.16</td><td>2.31</td><td>32.95</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>497.54</td><td>21.27</td><td>46.00</td><td>-24.73</td><td>27.51</td><td>23.98</td><td>3.14</td><td>33.36</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>812.79</td><td>26.36</td><td>46.00</td><td>-19.64</td><td>26.98</td><td>28.31</td><td>4.23</td><td>33.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	30.97	24.40	40.00	-15.60	31.51	25.09	0.76	32.96	0.00	---	---	Peak	2	73.65	13.98	40.00	-26.02	30.11	14.86	1.20	32.19	0.00	---	---	Peak	3	163.86	20.96	43.50	-22.54	35.55	16.25	1.86	32.70	0.00	---	---	Peak	4	273.47	22.37	46.00	-23.63	33.85	19.16	2.31	32.95	0.00	---	---	Peak	5	497.54	21.27	46.00	-24.73	27.51	23.98	3.14	33.36	0.00	---	---	Peak	6	812.79	26.36	46.00	-19.64	26.98	28.31	4.23	33.16	0.00	---	---	Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>27.16</td><td>40.00</td><td>-12.84</td><td>34.27</td><td>25.09</td><td>0.76</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>50.37</td><td>27.76</td><td>40.00</td><td>-12.24</td><td>45.18</td><td>14.49</td><td>0.99</td><td>32.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>127.00</td><td>17.23</td><td>43.50</td><td>-26.27</td><td>30.74</td><td>17.55</td><td>1.67</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>266.68</td><td>16.21</td><td>46.00</td><td>-29.79</td><td>27.53</td><td>19.42</td><td>2.25</td><td>32.99</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>449.04</td><td>21.38</td><td>46.00</td><td>-24.62</td><td>28.43</td><td>22.93</td><td>3.14</td><td>33.12</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>737.13</td><td>24.69</td><td>46.00</td><td>-21.31</td><td>26.73</td><td>27.27</td><td>4.04</td><td>33.35</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	30.97	27.16	40.00	-12.84	34.27	25.09	0.76	32.96	0.00	---	---	Peak	2	50.37	27.76	40.00	-12.24	45.18	14.49	0.99	32.90	0.00	---	---	Peak	3	127.00	17.23	43.50	-26.27	30.74	17.55	1.67	32.73	0.00	---	---	Peak	4	266.68	16.21	46.00	-29.79	27.53	19.42	2.25	32.99	0.00	---	---	Peak	5	449.04	21.38	46.00	-24.62	28.43	22.93	3.14	33.12	0.00	---	---	Peak	6	737.13	24.69	46.00	-21.31	26.73	27.27	4.04	33.35	0.00	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																											
1	30.97	24.40	40.00	-15.60	31.51	25.09	0.76	32.96	0.00	---	---	Peak																																																																																																																																																																												
2	73.65	13.98	40.00	-26.02	30.11	14.86	1.20	32.19	0.00	---	---	Peak																																																																																																																																																																												
3	163.86	20.96	43.50	-22.54	35.55	16.25	1.86	32.70	0.00	---	---	Peak																																																																																																																																																																												
4	273.47	22.37	46.00	-23.63	33.85	19.16	2.31	32.95	0.00	---	---	Peak																																																																																																																																																																												
5	497.54	21.27	46.00	-24.73	27.51	23.98	3.14	33.36	0.00	---	---	Peak																																																																																																																																																																												
6	812.79	26.36	46.00	-19.64	26.98	28.31	4.23	33.16	0.00	---	---	Peak																																																																																																																																																																												
Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																												
1	30.97	27.16	40.00	-12.84	34.27	25.09	0.76	32.96	0.00	---	---	Peak																																																																																																																																																																												
2	50.37	27.76	40.00	-12.24	45.18	14.49	0.99	32.90	0.00	---	---	Peak																																																																																																																																																																												
3	127.00	17.23	43.50	-26.27	30.74	17.55	1.67	32.73	0.00	---	---	Peak																																																																																																																																																																												
4	266.68	16.21	46.00	-29.79	27.53	19.42	2.25	32.99	0.00	---	---	Peak																																																																																																																																																																												
5	449.04	21.38	46.00	-24.62	28.43	22.93	3.14	33.12	0.00	---	---	Peak																																																																																																																																																																												
6	737.13	24.69	46.00	-21.31	26.73	27.27	4.04	33.35	0.00	---	---	Peak																																																																																																																																																																												


Appendix D. Duty Cycle Plots

For Ant.1

DH5 on time (One Pulse) Plot



DH5 on time (Count Pulses) Plot




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.




For Ant.2

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.