





		106																																																																																											
Mode		Co-location Band Edge																																																																																											
		Bluetooth-LE_CH39_2480MHz																																																																																											
ANT		1																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>58.41</td> <td>74.00</td> <td>-15.59</td> <td>45.31</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>382</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	58.41	74.00	-15.59	45.31	32.60	6.73	32.23	6.00	382	347	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.86</td> <td>-----</td> <td>-----</td> <td>84.78</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>382</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	97.86	-----	-----	84.78	32.58	6.73	32.23	6.00	382	347
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2483.62	58.41	74.00	-15.59	45.31	32.60	6.73	32.23	6.00	382	347	PEAK																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2480.00	97.86	-----	-----	84.78	32.58	6.73	32.23	6.00	382	347	PEAK																																																																																	
Avg																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>46.14</td> <td>54.00</td> <td>-7.86</td> <td>33.04</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>382</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	46.14	54.00	-7.86	33.04	32.60	6.73	32.23	6.00	382	347	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.02</td> <td>-----</td> <td>-----</td> <td>82.94</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>382</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.02	-----	-----	82.94	32.58	6.73	32.23	6.00	382	347
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2483.62	46.14	54.00	-7.86	33.04	32.60	6.73	32.23	6.00	382	347	AVERAGE																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2480.00	96.02	-----	-----	82.94	32.58	6.73	32.23	6.00	382	347	AVERAGE																																																																																	



Mode	106																																																																																																													
	Co-location Harmonic																																																																																																													
	Bluetooth-LE _CH39_2480MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.76</td> <td>74.00</td> <td>-33.24</td> <td>61.43</td> <td>34.54</td> <td>10.44</td> <td>65.65</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>57.70</td> <td>74.00</td> <td>-16.30</td> <td>77.92</td> <td>34.80</td> <td>10.81</td> <td>65.83</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.76	74.00	-33.24	61.43	34.54	10.44	65.65	0.00	--	--	PEAK	2	5320.00	57.70	74.00	-16.30	77.92	34.80	10.81	65.83	0.00	--	--	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>39.68</td> <td>74.00</td> <td>-34.32</td> <td>60.35</td> <td>34.54</td> <td>10.44</td> <td>65.65</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>65.62</td> <td>74.00</td> <td>-8.38</td> <td>85.84</td> <td>34.80</td> <td>10.81</td> <td>65.83</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.68	74.00	-34.32	60.35	34.54	10.44	65.65	0.00	--	--	PEAK	2	5320.00	65.62	74.00	-8.38	85.84	34.80	10.81	65.83	0.00	--	--	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	40.76	74.00	-33.24	61.43	34.54	10.44	65.65	0.00	--	--	PEAK																																																																																																		
2	5320.00	57.70	74.00	-16.30	77.92	34.80	10.81	65.83	0.00	--	--	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	39.68	74.00	-34.32	60.35	34.54	10.44	65.65	0.00	--	--	PEAK																																																																																																		
2	5320.00	65.62	74.00	-8.38	85.84	34.80	10.81	65.83	0.00	--	--	Peak																																																																																																		

Note: #2 is WLAN 5G_CH64 Co-location fundamental signal.



		106																																																																																																																						
Mode		Co-location Band Edge																																																																																																																						
		802.11be EHT20_CH64_5320MHz_Full																																																																																																																						
ANT		1+2																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																						
Peak																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>62.98</td> <td>74.00</td> <td>-11.02</td> <td>50.25</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.80	62.98	74.00	-11.02	50.25	34.60	9.91	31.78	0.00	300	12	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>93.81</td> <td>-----</td> <td>-----</td> <td>86.72</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>300</td> <td>12</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>112.39</td> <td>-----</td> <td>-----</td> <td>99.74</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5692.00</td> <td>109.48</td> <td>-----</td> <td>-----</td> <td>96.32</td> <td>34.60</td> <td>10.32</td> <td>31.76</td> <td>0.00</td> <td>300</td> <td>12</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	93.81	-----	-----	86.72	32.59	6.73	32.23	0.00	300	12	Peak	2	5320.00	112.39	-----	-----	99.74	34.55	9.90	31.80	0.00	300	12	PEAK	3	5692.00	109.48	-----	-----	96.32	34.60	10.32	31.76	0.00	300	12
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5350.80	62.98	74.00	-11.02	50.25	34.60	9.91	31.78	0.00	300	12	PEAK																																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2482.00	93.81	-----	-----	86.72	32.59	6.73	32.23	0.00	300	12	Peak																																																																																																												
2	5320.00	112.39	-----	-----	99.74	34.55	9.90	31.80	0.00	300	12	PEAK																																																																																																												
3	5692.00	109.48	-----	-----	96.32	34.60	10.32	31.76	0.00	300	12	Peak																																																																																																												
Avg																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>50.87</td> <td>54.00</td> <td>-3.13</td> <td>38.14</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>12</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	50.87	54.00	-3.13	38.14	34.60	9.91	31.78	0.00	300	12	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>89.97</td> <td>-----</td> <td>-----</td> <td>82.88</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>300</td> <td>12</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>103.82</td> <td>-----</td> <td>-----</td> <td>91.18</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>12</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>5692.00</td> <td>102.37</td> <td>-----</td> <td>-----</td> <td>89.21</td> <td>34.60</td> <td>10.32</td> <td>31.76</td> <td>0.00</td> <td>300</td> <td>12</td> <td>Average</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	89.97	-----	-----	82.88	32.59	6.73	32.23	0.00	300	12	Average	2	5320.00	103.82	-----	-----	91.18	34.54	9.90	31.80	0.00	300	12	AVERAGE	3	5692.00	102.37	-----	-----	89.21	34.60	10.32	31.76	0.00	300	12
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5350.00	50.87	54.00	-3.13	38.14	34.60	9.91	31.78	0.00	300	12	AVERAGE																																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2482.00	89.97	-----	-----	82.88	32.59	6.73	32.23	0.00	300	12	Average																																																																																																												
2	5320.00	103.82	-----	-----	91.18	34.54	9.90	31.80	0.00	300	12	AVERAGE																																																																																																												
3	5692.00	102.37	-----	-----	89.21	34.60	10.32	31.76	0.00	300	12	Average																																																																																																												



Mode	106																																																																																										
	Co-location Harmonic																																																																																										
	802.11be EHT20_CH64_5320MHz_Full																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>46.10</td> <td>74.00</td> <td>-27.90</td> <td>59.26</td> <td>37.74</td> <td>15.50</td> <td>66.40</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	46.10	74.00	-27.90	59.26	37.74	15.50	66.40	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>50.54</td> <td>74.00</td> <td>-23.46</td> <td>63.73</td> <td>37.73</td> <td>15.49</td> <td>66.41</td> <td>0.00</td> <td>116</td> <td>57 PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>47.11</td> <td>54.00</td> <td>-6.89</td> <td>60.27</td> <td>37.74</td> <td>15.50</td> <td>66.40</td> <td>0.00</td> <td>116</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	50.54	74.00	-23.46	63.73	37.73	15.49	66.41	0.00	116	57 PEAK	2 10640.00	47.11	54.00	-6.89	60.27	37.74	15.50	66.40	0.00	116	57 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 10640.00	46.10	74.00	-27.90	59.26	37.74	15.50	66.40	0.00	--	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 10640.00	50.54	74.00	-23.46	63.73	37.73	15.49	66.41	0.00	116	57 PEAK																																																																																	
2 10640.00	47.11	54.00	-6.89	60.27	37.74	15.50	66.40	0.00	116	57 AVERAGE																																																																																	



Mode	106																																																																																																										
	Co-location Band Edge																																																																																																										
	802.11a_CH140_5700MHz_Full																																																																																																										
ANT	1+2																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.80</td> <td>58.88</td> <td>68.20</td> <td>-9.32</td> <td>45.77</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>316</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.80	58.88	68.20	-9.32	45.77	34.60	10.35	31.84	0.00	316	101	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>87.13</td> <td>-----</td> <td>80.04</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>316</td> <td>101</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5314.00</td> <td>100.00</td> <td>-----</td> <td>87.46</td> <td>34.53</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>316</td> <td>101</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>104.43</td> <td>-----</td> <td>91.29</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>316</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	87.13	-----	80.04	32.59	6.73	32.23	0.00	316	101	Peak	2	5314.00	100.00	-----	87.46	34.53	9.89	31.80	0.00	316	101	Peak	3	5700.00	104.43	-----	91.29	34.60	10.33	31.79	0.00	316	101	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5725.80	58.88	68.20	-9.32	45.77	34.60	10.35	31.84	0.00	316	101	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2482.00	87.13	-----	80.04	32.59	6.73	32.23	0.00	316	101	Peak																																																																																																
2	5314.00	100.00	-----	87.46	34.53	9.89	31.80	0.00	316	101	Peak																																																																																																
3	5700.00	104.43	-----	91.29	34.60	10.33	31.79	0.00	316	101	PEAK																																																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>83.25</td> <td>-----</td> <td>76.16</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>316</td> <td>101</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5314.00</td> <td>91.10</td> <td>-----</td> <td>78.48</td> <td>34.53</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>316</td> <td>101</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>96.72</td> <td>-----</td> <td>83.58</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>316</td> <td>101</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	83.25	-----	76.16	32.59	6.73	32.23	0.00	316	101	Average	2	5314.00	91.10	-----	78.48	34.53	9.89	31.80	0.00	316	101	Average	3	5700.00	96.72	-----	83.58	34.60	10.33	31.79	0.00	316	101	AVERAGE																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2482.00	83.25	-----	76.16	32.59	6.73	32.23	0.00	316	101	Average																																																																																																
2	5314.00	91.10	-----	78.48	34.53	9.89	31.80	0.00	316	101	Average																																																																																																
3	5700.00	96.72	-----	83.58	34.60	10.33	31.79	0.00	316	101	AVERAGE																																																																																																



Mode	106																																																																																																															
	Co-location Band Edge																																																																																																															
	802.11a_CH140_5700MHz_Full																																																																																																															
ANT	1+2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.00</td> <td>64.50</td> <td>68.20</td> <td>-3.70</td> <td>51.40</td> <td>34.60</td> <td>10.34</td> <td>31.84</td> <td>0.00</td> <td>300</td> <td>6 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.00	64.50	68.20	-3.70	51.40	34.60	10.34	31.84	0.00	300	6 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>87.11</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>300</td> <td>6 Peak</td> </tr> <tr> <td>2</td> <td>5314.00</td> <td>112.93</td> <td>-----</td> <td>-----</td> <td>100.31</td> <td>34.53</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>6 Peak</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>112.93</td> <td>-----</td> <td>-----</td> <td>100.31</td> <td>34.53</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>6 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	94.20	-----	-----	87.11	32.59	6.73	32.23	0.00	300	6 Peak	2	5314.00	112.93	-----	-----	100.31	34.53	9.89	31.80	0.00	300	6 Peak	3	5700.00	112.93	-----	-----	100.31	34.53	9.89	31.80	0.00	300	6 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5725.00	64.50	68.20	-3.70	51.40	34.60	10.34	31.84	0.00	300	6 PEAK																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	94.20	-----	-----	87.11	32.59	6.73	32.23	0.00	300	6 Peak																																																																																																					
2	5314.00	112.93	-----	-----	100.31	34.53	9.89	31.80	0.00	300	6 Peak																																																																																																					
3	5700.00	112.93	-----	-----	100.31	34.53	9.89	31.80	0.00	300	6 PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>90.33</td> <td>-----</td> <td>-----</td> <td>83.24</td> <td>32.59</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>300</td> <td>6 Average</td> </tr> <tr> <td>2</td> <td>5314.00</td> <td>103.56</td> <td>-----</td> <td>-----</td> <td>90.94</td> <td>34.53</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>6 Average</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>103.59</td> <td>-----</td> <td>-----</td> <td>90.43</td> <td>34.60</td> <td>10.32</td> <td>31.76</td> <td>0.00</td> <td>300</td> <td>6 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	90.33	-----	-----	83.24	32.59	6.73	32.23	0.00	300	6 Average	2	5314.00	103.56	-----	-----	90.94	34.53	9.89	31.80	0.00	300	6 Average	3	5700.00	103.59	-----	-----	90.43	34.60	10.32	31.76	0.00	300	6 AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	90.33	-----	-----	83.24	32.59	6.73	32.23	0.00	300	6 Average																																																																																																					
2	5314.00	103.56	-----	-----	90.94	34.53	9.89	31.80	0.00	300	6 Average																																																																																																					
3	5700.00	103.59	-----	-----	90.43	34.60	10.32	31.76	0.00	300	6 AVERAGE																																																																																																					



Mode	105																																																																											
	Co-location Harmonic																																																																											
	802.11a_CH140_5700MHz_Full																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>57.05</td> <td>38.00</td> <td>16.05</td> <td>64.45</td> <td>0.00</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	46.65	74.00	-27.35	57.05	38.00	16.05	64.45	0.00	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>49.63</td> <td>74.00</td> <td>-24.37</td> <td>60.00</td> <td>38.00</td> <td>16.06</td> <td>64.43</td> <td>0.00</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	49.63	74.00	-24.37	60.00	38.00	16.06	64.43	0.00	-- -- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11400.00	46.65	74.00	-27.35	57.05	38.00	16.05	64.45	0.00	-- -- Peak																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11400.00	49.63	74.00	-24.37	60.00	38.00	16.06	64.43	0.00	-- -- Peak																																																																			




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1	802.11a	99.32	-	-	10Hz
1	802.11be EHT20	100	-	-	10Hz
1	802.11be EHT40	100	-	-	10Hz
1	802.11be EHT80	100	-	-	10Hz
1	802.11be EHT160	98.92	-	-	10Hz
1	802.11be EHT20- Single RU26	100	-	-	10Hz
1	802.11be EHT20- Single RU52	100	-	-	10Hz
1	802.11be EHT20- Single RU106	100	-	-	10Hz
1	802.11be EHT80- Large RU484+242	98.07	-	-	10Hz
1	802.11be EHT160- Large RU996+484	97.7	0.928	1.078	1.1KHz
1	802.11be EHT20- Small RU52	100	-	-	10Hz
1	802.11be EHT20- Small RU106	100	-	-	10Hz
1	802.11be EHT80 Puncturing 20M	98.16	-	-	10Hz
1	802.11be EHT160 Puncturing 20M	97.67	0.788	1.268	1.6KHz
1	802.11be EHT160 Puncturing 40M	97.81	0.841	1.189	1.6KHz




802.11a



Date: 28.JUL.2024 14:49:49


802.11be EHT20



Date: 28.JUL.2024 14:53:32




802.11be EHT40



Date: 28.JUL.2024 14:54:29


802.11be EHT80



Date: 28.JUL.2024 14:59:14




802.11be EHT160



Date: 28.JUL.2024 15:03:43


802.11be EHT20-Single RU 26



Date: 3.AUG.2024 19:50:33




802.11be EHT20-Single RU52



Date: 3.AUG.2024 19:52:43


802.11be EHT20-Single RU106



Date: 3.AUG.2024 19:53:58




802.11be EHT20-Small RU52



Date: 3.AUG.2024 19:46:11


802.11be EHT20-Small RU106



Date: 3.AUG.2024 19:44:49




802.11be EHT80-Large RU484+242



Date: 3.AUG.2024 20:00:23


802.11be EHT160-Large RU996+484



Date: 3.AUG.2024 20:03:13




802.11be EHT80-Puncturing 20M



Date: 3.AUG.2024 20:47:46


802.11be EHT160-Puncturing 20M



Date: 3.AUG.2024 20:50:11



802.11be EHT160-Puncturing 40M



Date: 3.AUG.2024 20:51:27