







Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHZ																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.48</td> <td>55.70</td> <td>74.00</td> <td>-18.30</td> <td>39.81</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>367</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.52</td> <td>54.98</td> <td>68.30</td> <td>-13.32</td> <td>39.08</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>367</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.48	55.70	74.00	-18.30	39.81	34.53	10.98	29.62	0.00	367	107	PEAK	2	5467.52	54.98	68.30	-13.32	39.08	34.53	10.99	29.62	0.00	367	107	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>105.30</td> <td>-----</td> <td>-----</td> <td>89.36</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>367</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.30	-----	-----	89.36	34.55	11.04	29.65	0.00	367	107	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.48	55.70	74.00	-18.30	39.81	34.53	10.98	29.62	0.00	367	107	PEAK																																																																																					
2	5467.52	54.98	68.30	-13.32	39.08	34.53	10.99	29.62	0.00	367	107	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	105.30	-----	-----	89.36	34.55	11.04	29.65	0.00	367	107	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.82</td> <td>45.61</td> <td>54.00</td> <td>-8.39</td> <td>29.72</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>367</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.82	45.61	54.00	-8.39	29.72	34.53	10.98	29.62	0.00	367	107	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>96.47</td> <td>-----</td> <td>-----</td> <td>80.53</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>367</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.47	-----	-----	80.53	34.55	11.04	29.65	0.00	367	107	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.82	45.61	54.00	-8.39	29.72	34.53	10.98	29.62	0.00	367	107	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	96.47	-----	-----	80.53	34.55	11.04	29.65	0.00	367	107	AVERAGE																																																																																					



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHZ																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.58</td> <td>56.33</td> <td>74.00</td> <td>-17.67</td> <td>40.44</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>178</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.68</td> <td>57.75</td> <td>68.30</td> <td>-10.55</td> <td>41.85</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>178</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.58	56.33	74.00	-17.67	40.44	34.53	10.97	29.61	0.00	178	360	PEAK	2	5467.68	57.75	68.30	-10.55	41.85	34.53	10.99	29.62	0.00	178	360	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.37</td> <td>-----</td> <td>-----</td> <td>93.43</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>178</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.37	-----	-----	93.43	34.55	11.04	29.65	0.00	178	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5453.58	56.33	74.00	-17.67	40.44	34.53	10.97	29.61	0.00	178	360	PEAK																																																																																					
2	5467.68	57.75	68.30	-10.55	41.85	34.53	10.99	29.62	0.00	178	360	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	109.37	-----	-----	93.43	34.55	11.04	29.65	0.00	178	360	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.18</td> <td>46.25</td> <td>54.00</td> <td>-7.75</td> <td>30.36</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>178</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.18	46.25	54.00	-7.75	30.36	34.53	10.90	29.62	0.00	178	360	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.00</td> <td>-----</td> <td>-----</td> <td>85.06</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>178</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.00	-----	-----	85.06	34.55	11.04	29.65	0.00	178	360	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.18	46.25	54.00	-7.75	30.36	34.53	10.90	29.62	0.00	178	360	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	101.00	-----	-----	85.06	34.55	11.04	29.65	0.00	178	360	AVERAGE																																																																																					



Mode	16																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>45.01</td> <td>74.00</td> <td>-28.99</td> <td>56.74</td> <td>38.10</td> <td>15.90</td> <td>65.73</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	45.01	74.00	-28.99	56.74	38.10	15.90	65.73	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>46.38</td> <td>74.00</td> <td>-27.62</td> <td>58.11</td> <td>38.10</td> <td>15.90</td> <td>65.73</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	46.38	74.00	-27.62	58.11	38.10	15.90	65.73	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11000.00	45.01	74.00	-28.99	56.74	38.10	15.90	65.73	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11000.00	46.38	74.00	-27.62	58.11	38.10	15.90	65.73	0.00	100	0	PEAK																																																																							






Mode	17																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>45.89</td> <td>74.00</td> <td>-28.11</td> <td>57.35</td> <td>38.20</td> <td>15.98</td> <td>65.64</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	45.89	74.00	-28.11	57.35	38.20	15.98	65.64	0.00	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>46.10</td> <td>74.00</td> <td>-27.90</td> <td>57.56</td> <td>38.20</td> <td>15.98</td> <td>65.64</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	46.10	74.00	-27.90	57.56	38.20	15.98	65.64	0.00	100	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11160.00	45.89	74.00	-28.11	57.35	38.20	15.98	65.64	0.00	300	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11160.00	46.10	74.00	-27.90	57.56	38.20	15.98	65.64	0.00	100	360	PEAK																																																																							



Mode	18																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHZ																																																																																																																	
ANT	ANT 4A+5A																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.66</td> <td>58.57</td> <td>68.30</td> <td>-9.73</td> <td>42.21</td> <td>34.84</td> <td>11.31</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>295</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>106</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5727.66	58.57	68.30	-9.73	42.21	34.84	11.31	29.79							0.00	295								106								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.70</td> <td>-----</td> <td>-----</td> <td>86.45</td> <td>34.77</td> <td>11.28</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>295</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>106</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	102.70	-----	-----	86.45	34.77	11.28	29.80							0.00	295								106								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5727.66	58.57	68.30	-9.73	42.21	34.84	11.31	29.79																																																																																																											
						0.00	295																																																																																																											
							106																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5700.00	102.70	-----	-----	86.45	34.77	11.28	29.80																																																																																																											
						0.00	295																																																																																																											
							106																																																																																																											
							PEAK																																																																																																											
Avg	-	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>92.82</td> <td>-----</td> <td>-----</td> <td>76.56</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>295</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>106</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	92.82	-----	-----	76.56	34.78	11.28	29.80							0.00	295								106								AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5700.00	92.82	-----	-----	76.56	34.78	11.28	29.80																																																																																																											
						0.00	295																																																																																																											
							106																																																																																																											
							AVERAGE																																																																																																											







Mode	18																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHZ																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.13</td> <td>64.40</td> <td>68.30</td> <td>-3.90</td> <td>48.04</td> <td>34.84</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>183</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.13	64.40	68.30	-3.90	48.04	34.84	11.31	29.79	0.00	183	16	PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.96</td> <td>-----</td> <td>-----</td> <td>93.71</td> <td>34.77</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>183</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	109.96	-----	-----	93.71	34.77	11.28	29.80	0.00	183	16	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5725.13	64.40	68.30	-3.90	48.04	34.84	11.31	29.79	0.00	183	16	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	109.96	-----	-----	93.71	34.77	11.28	29.80	0.00	183	16	PEAK																																																																
Avg		 <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.52</td> <td>-----</td> <td>-----</td> <td>85.27</td> <td>34.77</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>183</td> <td>16</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	101.52	-----	-----	85.27	34.77	11.28	29.80	0.00	183	16	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	101.52	-----	-----	85.27	34.77	11.28	29.80	0.00	183	16	AVERAGE																																																																



Mode	18																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>44.72</td> <td>74.00</td> <td>-29.28</td> <td>55.79</td> <td>38.34</td> <td>16.10</td> <td>65.51</td> <td>0.00</td> <td>200</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	44.72	74.00	-29.28	55.79	38.34	16.10	65.51	0.00	200	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>49.51</td> <td>74.00</td> <td>-24.49</td> <td>60.58</td> <td>38.34</td> <td>16.10</td> <td>65.51</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	49.51	74.00	-24.49	60.58	38.34	16.10	65.51	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11400.00	44.72	74.00	-29.28	55.79	38.34	16.10	65.51	0.00	200	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11400.00	49.51	74.00	-24.49	60.58	38.34	16.10	65.51	0.00	100	0 PEAK																																																																						



Mode	19																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU26/0_5180MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1" data-bbox="268 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5147.73</td> <td>58.77</td> <td>74.00</td> <td>-15.23</td> <td>43.06</td> <td>34.40</td> <td>10.62</td> <td>29.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>370</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5147.73	58.77	74.00	-15.23	43.06	34.40	10.62	29.31							0.00	370								114 PEAK	 <table border="1" data-bbox="906 1131 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>106.61</td> <td>-----</td> <td>-----</td> <td>90.87</td> <td>34.44</td> <td>10.63</td> <td>29.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>370</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5180.00	106.61	-----	-----	90.87	34.44	10.63	29.33							0.00	370								114 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5147.73	58.77	74.00	-15.23	43.06	34.40	10.62	29.31																																																																																											
						0.00	370																																																																																											
							114 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5180.00	106.61	-----	-----	90.87	34.44	10.63	29.33																																																																																											
						0.00	370																																																																																											
							114 PEAK																																																																																											
Avg	 <table border="1" data-bbox="268 1818 774 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5102.54</td> <td>46.33</td> <td>54.00</td> <td>-7.67</td> <td>30.68</td> <td>34.31</td> <td>10.60</td> <td>29.26</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>370</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5102.54	46.33	54.00	-7.67	30.68	34.31	10.60	29.26							0.00	370								114 AVERAGE	 <table border="1" data-bbox="906 1818 1412 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>100.82</td> <td>-----</td> <td>-----</td> <td>85.08</td> <td>34.44</td> <td>10.63</td> <td>29.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>370</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5180.00	100.82	-----	-----	85.08	34.44	10.63	29.33							0.00	370								114 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5102.54	46.33	54.00	-7.67	30.68	34.31	10.60	29.26																																																																																											
						0.00	370																																																																																											
							114 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5180.00	100.82	-----	-----	85.08	34.44	10.63	29.33																																																																																											
						0.00	370																																																																																											
							114 AVERAGE																																																																																											



Mode	19																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU26/0_5180MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5119.44</td> <td>58.78</td> <td>74.00</td> <td>-15.22</td> <td>43.11</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>101</td> <td>356</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.44	58.78	74.00	-15.22	43.11	34.34	10.61	29.28	0.00	101	356	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.84</td> <td>-----</td> <td>-----</td> <td>96.10</td> <td>34.44</td> <td>10.63</td> <td>29.33</td> <td>0.00</td> <td>101</td> <td>356</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.84	-----	-----	96.10	34.44	10.63	29.33	0.00	101	356	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5119.44	58.78	74.00	-15.22	43.11	34.34	10.61	29.28	0.00	101	356	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	111.84	-----	-----	96.10	34.44	10.63	29.33	0.00	101	356	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5135.87</td> <td>46.45</td> <td>54.00</td> <td>-7.55</td> <td>30.77</td> <td>34.37</td> <td>10.61</td> <td>29.30</td> <td>0.00</td> <td>101</td> <td>356</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.87	46.45	54.00	-7.55	30.77	34.37	10.61	29.30	0.00	101	356	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.61</td> <td>-----</td> <td>-----</td> <td>88.87</td> <td>34.44</td> <td>10.63</td> <td>29.33</td> <td>0.00</td> <td>101</td> <td>356</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.61	-----	-----	88.87	34.44	10.63	29.33	0.00	101	356	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5135.87	46.45	54.00	-7.55	30.77	34.37	10.61	29.30	0.00	101	356	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	104.61	-----	-----	88.87	34.44	10.63	29.33	0.00	101	356	AVERAGE																																																																				







		20																																																																
Mode	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU26/8_5320MHz																																																																	
ANT	ANT 4A+5A																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5400.29 55.75 74.00 -18.25</td> <td>39.93 34.50 10.89 29.57</td> <td>0.00</td> <td>300</td> <td>126</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5400.29 55.75 74.00 -18.25	39.93 34.50 10.89 29.57	0.00	300	126	PEAK			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 102.67 -</td> <td>86.87 34.50 10.80 29.50</td> <td>0.00</td> <td>300</td> <td>126</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5320.00 102.67 -	86.87 34.50 10.80 29.50	0.00	300	126	PEAK		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5400.29 55.75 74.00 -18.25	39.93 34.50 10.89 29.57	0.00	300	126	PEAK																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5320.00 102.67 -	86.87 34.50 10.80 29.50	0.00	300	126	PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.06 44.56 54.00 -9.44</td> <td>28.67 34.53 10.90 29.62</td> <td>0.00</td> <td>300</td> <td>126</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5458.06 44.56 54.00 -9.44	28.67 34.53 10.90 29.62	0.00	300	126	AVERAGE			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 95.64 -</td> <td>79.84 34.50 10.80 29.50</td> <td>0.00</td> <td>300</td> <td>126</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg		1 5320.00 95.64 -	79.84 34.50 10.80 29.50	0.00	300	126	AVERAGE		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5458.06 44.56 54.00 -9.44	28.67 34.53 10.90 29.62	0.00	300	126	AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm deg																																																												
1 5320.00 95.64 -	79.84 34.50 10.80 29.50	0.00	300	126	AVERAGE																																																													







		20																																																																
Mode	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU26/8_5320MHz																																																																	
ANT	ANT 4A+5A																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5412.75 55.45 74.00 -18.55</td> <td>39.61 34.51</td> <td>10.91</td> <td>29.58</td> <td>0.00</td> <td>100</td> <td>6</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5412.75 55.45 74.00 -18.55	39.61 34.51	10.91	29.58	0.00	100	6	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00 107.23 -----</td> <td>91.43 34.50</td> <td>10.80</td> <td>29.50</td> <td>0.00</td> <td>100</td> <td>6</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5320.00 107.23 -----	91.43 34.50	10.80	29.50	0.00	100	6	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5412.75 55.45 74.00 -18.55	39.61 34.51	10.91	29.58	0.00	100	6	PEAK																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5320.00 107.23 -----	91.43 34.50	10.80	29.50	0.00	100	6	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.97 44.61 54.00 -9.39</td> <td>28.72 34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>6</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5458.97 44.61 54.00 -9.39	28.72 34.53	10.90	29.62	0.00	100	6	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00 101.82 -----</td> <td>86.02 34.50</td> <td>10.80</td> <td>29.50</td> <td>0.00</td> <td>100</td> <td>6</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5320.00 101.82 -----	86.02 34.50	10.80	29.50	0.00	100	6	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5458.97 44.61 54.00 -9.39	28.72 34.53	10.90	29.62	0.00	100	6	AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5320.00 101.82 -----	86.02 34.50	10.80	29.50	0.00	100	6	AVERAGE																																																											






Mode	21																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU26/0_5500MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5441.08</td> <td>56.77</td> <td>74.00</td> <td>-17.23</td> <td>40.90</td> <td>34.52</td> <td>10.95</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.40</td> <td>55.97</td> <td>68.30</td> <td>-12.33</td> <td>40.07</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.08	56.77	74.00	-17.23	40.90	34.52	10.95	29.60	0.00	100	222	PEAK	2	5463.40	55.97	68.30	-12.33	40.07	34.53	10.99	29.62	0.00	100	222	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.79</td> <td>-----</td> <td>-----</td> <td>85.85</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.79	-----	-----	85.85	34.55	11.03	29.64	0.00	100	222	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5441.08	56.77	74.00	-17.23	40.90	34.52	10.95	29.60	0.00	100	222	PEAK																																																																																					
2	5463.40	55.97	68.30	-12.33	40.07	34.53	10.99	29.62	0.00	100	222	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	101.79	-----	-----	85.85	34.55	11.03	29.64	0.00	100	222	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.65</td> <td>44.66</td> <td>54.00</td> <td>-9.34</td> <td>28.77</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.65	44.66	54.00	-9.34	28.77	34.53	10.90	29.62	0.00	100	222	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>93.63</td> <td>-----</td> <td>-----</td> <td>77.69</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.63	-----	-----	77.69	34.55	11.03	29.64	0.00	100	222	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.65	44.66	54.00	-9.34	28.77	34.53	10.90	29.62	0.00	100	222	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	93.63	-----	-----	77.69	34.55	11.03	29.64	0.00	100	222	AVERAGE																																																																																					



Mode	21																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU26/0_5500MHz																																																																																													
ANT	ANT 4A+5A																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5368.42</td> <td>57.25</td> <td>74.00</td> <td>-16.75</td> <td>41.44</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>159</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5461.88</td> <td>55.35</td> <td>68.30</td> <td>-12.95</td> <td>39.46</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>159</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.42	57.25	74.00	-16.75	41.44	34.50	10.85	29.54	0.00	159	0 PEAK	2	5461.88	55.35	68.30	-12.95	39.46	34.53	10.98	29.62	0.00	159	0 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.71</td> <td>-----</td> <td>-----</td> <td>91.77</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>159</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.71	-----	-----	91.77	34.55	11.03	29.64	0.00	159	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5368.42	57.25	74.00	-16.75	41.44	34.50	10.85	29.54	0.00	159	0 PEAK																																																																																			
2	5461.88	55.35	68.30	-12.95	39.46	34.53	10.98	29.62	0.00	159	0 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	107.71	-----	-----	91.77	34.55	11.03	29.64	0.00	159	0 PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.50</td> <td>44.86</td> <td>54.00</td> <td>-9.14</td> <td>28.97</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>159</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.50	44.86	54.00	-9.14	28.97	34.53	10.98	29.62	0.00	159	0 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.76</td> <td>-----</td> <td>-----</td> <td>86.82</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>159</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.76	-----	-----	86.82	34.55	11.03	29.64	0.00	159	0 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5457.50	44.86	54.00	-9.14	28.97	34.53	10.98	29.62	0.00	159	0 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	102.76	-----	-----	86.82	34.55	11.03	29.64	0.00	159	0 AVERAGE																																																																																			







Mode	22																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU26/8_5700MHz																																																																																																																	
ANT	ANT 4A+5A																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	 <table border="1" data-bbox="263 1131 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5749.82</td> <td>56.96</td> <td>68.30</td> <td>-11.34</td> <td>40.53</td> <td>34.89</td> <td>11.33</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> <td>110</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5749.82	56.96	68.30	-11.34	40.53	34.89	11.33	29.79							0.00								100	110								PEAK	 <table border="1" data-bbox="909 1131 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>100.70</td> <td>-----</td> <td>-----</td> <td>84.41</td> <td>34.80</td> <td>11.29</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> <td>110</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	100.70	-----	-----	84.41	34.80	11.29	29.80							0.00								100	110								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5749.82	56.96	68.30	-11.34	40.53	34.89	11.33	29.79																																																																																																											
						0.00																																																																																																												
						100	110																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5700.00	100.70	-----	-----	84.41	34.80	11.29	29.80																																																																																																											
						0.00																																																																																																												
						100	110																																																																																																											
							PEAK																																																																																																											
Avg	Blank	 <table border="1" data-bbox="909 1803 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.16</td> <td>-----</td> <td>-----</td> <td>78.87</td> <td>34.80</td> <td>11.29</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> <td>110</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	95.16	-----	-----	78.87	34.80	11.29	29.80							0.00								100	110								AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5700.00	95.16	-----	-----	78.87	34.80	11.29	29.80																																																																																																											
						0.00																																																																																																												
						100	110																																																																																																											
							AVERAGE																																																																																																											







Mode	22																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU26/8_5700MHz																																																																																											
ANT	ANT 4A+5A																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5757.36</td> <td>57.79</td> <td>68.30</td> <td>-10.51</td> <td>41.32</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100 9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5757.36	57.79	68.30	-10.51	41.32	34.91	11.34	29.78	0.00									100 9 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.21</td> <td>-----</td> <td>-----</td> <td>91.92</td> <td>34.80</td> <td>11.29</td> <td>29.80</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100 9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	108.21	-----	-----	91.92	34.80	11.29	29.80	0.00									100 9 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5757.36	57.79	68.30	-10.51	41.32	34.91	11.34	29.78	0.00																																																																																				
								100 9 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5700.00	108.21	-----	-----	91.92	34.80	11.29	29.80	0.00																																																																																				
								100 9 PEAK																																																																																				
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.55</td> <td>-----</td> <td>-----</td> <td>86.26</td> <td>34.80</td> <td>11.29</td> <td>29.80</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100 9 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	102.55	-----	-----	86.26	34.80	11.29	29.80	0.00									100 9 AVERAGE																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5700.00	102.55	-----	-----	86.26	34.80	11.29	29.80	0.00																																																																																				
								100 9 AVERAGE																																																																																				







		23																																																																																																																																
Mode	Band Edge																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU52/37_5180MHz																																																																																																																																	
ANT	ANT 4A+5A																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100</p> <p>5120</p> <p>5140</p> <p>5160</p> <p>5180</p> <p>5200</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5104.22</td> <td>57.29</td> <td>74.00</td> <td>-16.71</td> <td>41.64</td> <td>34.31</td> <td>10.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.26</td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>371</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5104.22	57.29	74.00	-16.71	41.64	34.31	10.60						29.26	0.00									371								113								PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.65</td> <td>-----</td> <td>-----</td> <td>90.91</td> <td>34.44</td> <td>10.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.33</td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>371</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	106.65	-----	-----	90.91	34.44	10.63						29.33	0.00									371								113								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1	5104.22	57.29	74.00	-16.71	41.64	34.31	10.60																																																																																																																											
					29.26	0.00																																																																																																																												
							371																																																																																																																											
							113																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1	5180.00	106.65	-----	-----	90.91	34.44	10.63																																																																																																																											
					29.33	0.00																																																																																																																												
							371																																																																																																																											
							113																																																																																																																											
							PEAK																																																																																																																											
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100</p> <p>5120</p> <p>5140</p> <p>5160</p> <p>5180</p> <p>5200</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.35</td> <td>46.21</td> <td>54.00</td> <td>-7.79</td> <td>30.57</td> <td>34.30</td> <td>10.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.26</td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>371</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5101.35	46.21	54.00	-7.79	30.57	34.30	10.60						29.26	0.00									371								113								AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.47</td> <td>-----</td> <td>-----</td> <td>83.73</td> <td>34.44</td> <td>10.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.33</td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>371</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	99.47	-----	-----	83.73	34.44	10.63						29.33	0.00									371								113								AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1	5101.35	46.21	54.00	-7.79	30.57	34.30	10.60																																																																																																																											
					29.26	0.00																																																																																																																												
							371																																																																																																																											
							113																																																																																																																											
							AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1	5180.00	99.47	-----	-----	83.73	34.44	10.63																																																																																																																											
					29.33	0.00																																																																																																																												
							371																																																																																																																											
							113																																																																																																																											
							AVERAGE																																																																																																																											



		23																																																																										
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU52/37_5180MHz																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100 5120 5140 5160 5180 5200</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.71</td> <td>58.10</td> <td>74.00</td> <td>-15.90</td> <td>42.42</td> <td>34.37</td> <td>10.61</td> <td>29.30</td> <td>0.00</td> <td>196</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5136.71	58.10	74.00	-15.90	42.42	34.37	10.61	29.30	0.00	196	360	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.17</td> <td>-----</td> <td>-----</td> <td>95.43</td> <td>34.44</td> <td>10.63</td> <td>29.33</td> <td>0.00</td> <td>196</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	111.17	-----	-----	95.43	34.44	10.63	29.33	0.00	196	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5136.71	58.10	74.00	-15.90	42.42	34.37	10.61	29.30	0.00	196	360	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	111.17	-----	-----	95.43	34.44	10.63	29.33	0.00	196	360	PEAK																																																																
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100 5120 5140 5160 5180 5200</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.59</td> <td>46.36</td> <td>54.00</td> <td>-7.64</td> <td>30.69</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>196</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5112.59	46.36	54.00	-7.64	30.69	34.33	10.61	29.27	0.00	196	360	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.21</td> <td>-----</td> <td>-----</td> <td>88.47</td> <td>34.44</td> <td>10.63</td> <td>29.33</td> <td>0.00</td> <td>196</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	104.21	-----	-----	88.47	34.44	10.63	29.33	0.00	196	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5112.59	46.36	54.00	-7.64	30.69	34.33	10.61	29.27	0.00	196	360	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	104.21	-----	-----	88.47	34.44	10.63	29.33	0.00	196	360	AVERAGE																																																																



24																																																																																																	
Mode	Band Edge																																																																																																
U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU52/40_5320MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal																																																																																																
Peak	Fundamental																																																																																																
 <p>Level (dBuV/m) vs Frequency (MHz) for Peak Horizontal. The plot shows a peak at 5406.04 MHz with a level of 130 dBuV/m. A red limit line is shown at 81.3 dBuV/m. The x-axis ranges from 5320 to 5460 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5406.04</td> <td>130.00</td> <td>81.30</td> <td>-48.70</td> <td>40.37</td> <td>34.50</td> <td>10.90</td> <td>29.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>130 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5406.04	130.00	81.30	-48.70	40.37	34.50	10.90	29.57							0.00	300								130 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Peak Fundamental. The plot shows a peak at 5320.00 MHz with a level of 105.50 dBuV/m. A red limit line is shown at 81.3 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>105.50</td> <td>81.30</td> <td>-24.20</td> <td>89.70</td> <td>34.50</td> <td>10.80</td> <td>29.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>130 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	105.50	81.30	-24.20	89.70	34.50	10.80	29.50							0.00	300								130 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 5406.04	130.00	81.30	-48.70	40.37	34.50	10.90	29.57																																																																																										
						0.00	300																																																																																										
							130 PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 5320.00	105.50	81.30	-24.20	89.70	34.50	10.80	29.50																																																																																										
						0.00	300																																																																																										
							130 PEAK																																																																																										
Avg	Fundamental																																																																																																
 <p>Level (dBuV/m) vs Frequency (MHz) for Avg Horizontal. The plot shows an average level of 44.57 dBuV/m at 5459.08 MHz. A red limit line is shown at 81.3 dBuV/m. The x-axis ranges from 5320 to 5460 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5459.08</td> <td>44.57</td> <td>81.30</td> <td>-36.73</td> <td>28.68</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>130 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5459.08	44.57	81.30	-36.73	28.68	34.53	10.90	29.62							0.00	300								130 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Avg Fundamental. The plot shows an average level of 96.83 dBuV/m at 5320.00 MHz. A red limit line is shown at 81.3 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>96.83</td> <td>81.30</td> <td>-15.53</td> <td>81.03</td> <td>34.50</td> <td>10.80</td> <td>29.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>130 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	96.83	81.30	-15.53	81.03	34.50	10.80	29.50							0.00	300								130 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 5459.08	44.57	81.30	-36.73	28.68	34.53	10.90	29.62																																																																																										
						0.00	300																																																																																										
							130 AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 5320.00	96.83	81.30	-15.53	81.03	34.50	10.80	29.50																																																																																										
						0.00	300																																																																																										
							130 AVERAGE																																																																																										







		24																																																																										
Mode	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU52/40_5320MHz																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.20</td> <td>56.61</td> <td>74.00</td> <td>-17.39</td> <td>40.77</td> <td>34.51</td> <td>10.91</td> <td>29.58</td> <td>0.00</td> <td>165</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5415.20	56.61	74.00	-17.39	40.77	34.51	10.91	29.58	0.00	165	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.30</td> <td>-----</td> <td>-----</td> <td>94.50</td> <td>34.50</td> <td>10.80</td> <td>29.50</td> <td>0.00</td> <td>165</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	110.30	-----	-----	94.50	34.50	10.80	29.50	0.00	165	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5415.20	56.61	74.00	-17.39	40.77	34.51	10.91	29.58	0.00	165	360	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	110.30	-----	-----	94.50	34.50	10.80	29.50	0.00	165	360	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.78</td> <td>44.68</td> <td>54.00</td> <td>-9.32</td> <td>28.87</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> <td>0.00</td> <td>165</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5355.78	44.68	54.00	-9.32	28.87	34.50	10.84	29.53	0.00	165	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.66</td> <td>-----</td> <td>-----</td> <td>86.86</td> <td>34.50</td> <td>10.80</td> <td>29.50</td> <td>0.00</td> <td>165</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.66	-----	-----	86.86	34.50	10.80	29.50	0.00	165	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5355.78	44.68	54.00	-9.32	28.87	34.50	10.84	29.53	0.00	165	360	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	102.66	-----	-----	86.86	34.50	10.80	29.50	0.00	165	360	AVERAGE																																																																






Mode	25																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU52/37_5500MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5368.57</td> <td>56.04</td> <td>74.00</td> <td>-17.96</td> <td>40.23</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.38</td> <td>54.91</td> <td>68.30</td> <td>-13.39</td> <td>39.01</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.57	56.04	74.00	-17.96	40.23	34.50	10.85	29.54	0.00	100	224	PEAK	2	5463.38	54.91	68.30	-13.39	39.01	34.53	10.99	29.62	0.00	100	224	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.73</td> <td>-----</td> <td>-----</td> <td>86.79</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.73	-----	-----	86.79	34.55	11.03	29.64	0.00	100	224	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5368.57	56.04	74.00	-17.96	40.23	34.50	10.85	29.54	0.00	100	224	PEAK																																																																																					
2	5463.38	54.91	68.30	-13.39	39.01	34.53	10.99	29.62	0.00	100	224	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	102.73	-----	-----	86.79	34.55	11.03	29.64	0.00	100	224	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.37</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>28.71</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.37	44.60	54.00	-9.40	28.71	34.53	10.98	29.62	0.00	100	224	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>94.43</td> <td>-----</td> <td>-----</td> <td>78.49</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.43	-----	-----	78.49	34.55	11.03	29.64	0.00	100	224	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.37	44.60	54.00	-9.40	28.71	34.53	10.98	29.62	0.00	100	224	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	94.43	-----	-----	78.49	34.55	11.03	29.64	0.00	100	224	AVERAGE																																																																																					



Mode	25																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU52/37_5500MHz																																																																																													
ANT	ANT 4A+5A																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.06</td> <td>57.53</td> <td>74.00</td> <td>-16.47</td> <td>41.66</td> <td>34.52</td> <td>10.96</td> <td>29.61</td> <td>0.00</td> <td>152</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5461.72</td> <td>55.80</td> <td>68.30</td> <td>-12.50</td> <td>39.91</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>152</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.06	57.53	74.00	-16.47	41.66	34.52	10.96	29.61	0.00	152	0 PEAK	2	5461.72	55.80	68.30	-12.50	39.91	34.53	10.98	29.62	0.00	152	0 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.62</td> <td>-----</td> <td>-----</td> <td>93.69</td> <td>34.55</td> <td>11.03</td> <td>29.65</td> <td>0.00</td> <td>152</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.62	-----	-----	93.69	34.55	11.03	29.65	0.00	152	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5449.06	57.53	74.00	-16.47	41.66	34.52	10.96	29.61	0.00	152	0 PEAK																																																																																			
2	5461.72	55.80	68.30	-12.50	39.91	34.53	10.98	29.62	0.00	152	0 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	109.62	-----	-----	93.69	34.55	11.03	29.65	0.00	152	0 PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.66</td> <td>44.95</td> <td>54.00</td> <td>-9.05</td> <td>29.06</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>152</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.66	44.95	54.00	-9.05	29.06	34.53	10.98	29.62	0.00	152	0 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.31</td> <td>-----</td> <td>-----</td> <td>86.37</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>152</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.31	-----	-----	86.37	34.55	11.03	29.64	0.00	152	0 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5457.66	44.95	54.00	-9.05	29.06	34.53	10.98	29.62	0.00	152	0 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	102.31	-----	-----	86.37	34.55	11.03	29.64	0.00	152	0 AVERAGE																																																																																			



Mode	26																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU52/40_5700MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5746.49</td> <td>57.41</td> <td>68.30</td> <td>-10.89</td> <td>40.99</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5746.49	57.41	68.30	-10.89	40.99	34.88	11.33	29.79							0.00	100								105 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>86.79</td> <td>34.80</td> <td>11.29</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	103.00	-----	-----	86.79	34.80	11.29	29.80							0.00	100								105 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5746.49	57.41	68.30	-10.89	40.99	34.88	11.33	29.79																																																																																											
						0.00	100																																																																																											
							105 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	103.00	-----	-----	86.79	34.80	11.29	29.80																																																																																											
						0.00	100																																																																																											
							105 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.99</td> <td>-----</td> <td>-----</td> <td>79.71</td> <td>34.79</td> <td>11.29</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	95.99	-----	-----	79.71	34.79	11.29	29.80							0.00	100								105 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	95.99	-----	-----	79.71	34.79	11.29	29.80																																																																																											
						0.00	100																																																																																											
							105 AVERAGE																																																																																											



Mode	26																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU52/40_5700MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5746.69</td> <td>57.22</td> <td>68.30</td> <td>-11.08</td> <td>40.80</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5746.69	57.22	68.30	-11.08	40.80	34.88	11.33	29.79							0.00	113								11 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.67</td> <td>-----</td> <td>-----</td> <td>92.38</td> <td>34.80</td> <td>11.29</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	108.67	-----	-----	92.38	34.80	11.29	29.80							0.00	113								11 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5746.69	57.22	68.30	-11.08	40.80	34.88	11.33	29.79																																																																																											
						0.00	113																																																																																											
							11 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	108.67	-----	-----	92.38	34.80	11.29	29.80																																																																																											
						0.00	113																																																																																											
							11 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.88</td> <td>-----</td> <td>-----</td> <td>86.59</td> <td>34.80</td> <td>11.29</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	102.88	-----	-----	86.59	34.80	11.29	29.80							0.00	113								11 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	102.88	-----	-----	86.59	34.80	11.29	29.80																																																																																											
						0.00	113																																																																																											
							11 AVERAGE																																																																																											







Mode	27																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU106/53_5180MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.55</td> <td>57.95</td> <td>74.00</td> <td>-16.05</td> <td>42.27</td> <td>34.35</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>393</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.55	57.95	74.00	-16.05	42.27	34.35	10.61	29.28	0.00	393	66	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.37</td> <td>-----</td> <td>-----</td> <td>93.62</td> <td>34.45</td> <td>10.63</td> <td>29.33</td> <td>0.00</td> <td>393</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.37	-----	-----	93.62	34.45	10.63	29.33	0.00	393	66	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5123.55	57.95	74.00	-16.05	42.27	34.35	10.61	29.28	0.00	393	66	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	109.37	-----	-----	93.62	34.45	10.63	29.33	0.00	393	66	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.65</td> <td>47.58</td> <td>54.00</td> <td>-6.42</td> <td>31.87</td> <td>34.40</td> <td>10.62</td> <td>29.31</td> <td>0.00</td> <td>393</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.65	47.58	54.00	-6.42	31.87	34.40	10.62	29.31	0.00	393	66	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.89</td> <td>-----</td> <td>-----</td> <td>86.15</td> <td>34.44</td> <td>10.63</td> <td>29.33</td> <td>0.00</td> <td>393</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.89	-----	-----	86.15	34.44	10.63	29.33	0.00	393	66	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.65	47.58	54.00	-6.42	31.87	34.40	10.62	29.31	0.00	393	66	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	101.89	-----	-----	86.15	34.44	10.63	29.33	0.00	393	66	AVERAGE																																																																				







		27																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU106/53_5180MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5148.95</td> <td>57.97</td> <td>74.00</td> <td>-16.03</td> <td>42.26</td> <td>34.40</td> <td>10.62</td> <td>29.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5148.95	57.97	74.00	-16.03	42.26	34.40	10.62	29.31							0.00	100								0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>111.09</td> <td>-----</td> <td>-----</td> <td>95.34</td> <td>34.45</td> <td>10.63</td> <td>29.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5180.00	111.09	-----	-----	95.34	34.45	10.63	29.33							0.00	100							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5148.95	57.97	74.00	-16.03	42.26	34.40	10.62	29.31																																																																																											
						0.00	100																																																																																											
							0 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5180.00	111.09	-----	-----	95.34	34.45	10.63	29.33																																																																																											
						0.00	100																																																																																											
							0 PEAK																																																																																											
Avg																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5125.65</td> <td>47.73</td> <td>54.00</td> <td>-6.27</td> <td>32.06</td> <td>34.35</td> <td>10.61</td> <td>29.29</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5125.65	47.73	54.00	-6.27	32.06	34.35	10.61	29.29							0.00	100								0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>104.78</td> <td>-----</td> <td>-----</td> <td>89.03</td> <td>34.45</td> <td>10.63</td> <td>29.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5180.00	104.78	-----	-----	89.03	34.45	10.63	29.33							0.00	100							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5125.65	47.73	54.00	-6.27	32.06	34.35	10.61	29.29																																																																																											
						0.00	100																																																																																											
							0 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5180.00	104.78	-----	-----	89.03	34.45	10.63	29.33																																																																																											
						0.00	100																																																																																											
							0 AVERAGE																																																																																											



	28																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU106/54_5320MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and dropping to a noise floor around 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 74.00 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5390.50</td> <td>56.60</td> <td>74.00</td> <td>-17.40</td> <td>40.78</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>393</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>82 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5390.50	56.60	74.00	-17.40	40.78	34.50	10.88	29.56							0.00	393								82 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and dropping to a noise floor around 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 74.00 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>108.47</td> <td>-----</td> <td>-----</td> <td>92.66</td> <td>34.50</td> <td>10.80</td> <td>29.49</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>393</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>82 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	108.47	-----	-----	92.66	34.50	10.80	29.49							0.00	393								82 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5390.50	56.60	74.00	-17.40	40.78	34.50	10.88	29.56																																																																																											
						0.00	393																																																																																											
							82 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5320.00	108.47	-----	-----	92.66	34.50	10.80	29.49																																																																																											
						0.00	393																																																																																											
							82 PEAK																																																																																											
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Average Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and dropping to a noise floor around 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 74.00 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5426.76</td> <td>45.98</td> <td>54.00</td> <td>-8.02</td> <td>30.13</td> <td>34.51</td> <td>10.93</td> <td>29.59</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>393</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>82 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5426.76	45.98	54.00	-8.02	30.13	34.51	10.93	29.59							0.00	393								82 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Average Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and dropping to a noise floor around 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 74.00 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>100.05</td> <td>-----</td> <td>-----</td> <td>84.25</td> <td>34.50</td> <td>10.79</td> <td>29.49</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>393</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>82 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	100.05	-----	-----	84.25	34.50	10.79	29.49							0.00	393								82 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5426.76	45.98	54.00	-8.02	30.13	34.51	10.93	29.59																																																																																											
						0.00	393																																																																																											
							82 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5320.00	100.05	-----	-----	84.25	34.50	10.79	29.49																																																																																											
						0.00	393																																																																																											
							82 AVERAGE																																																																																											







		28																																																																										
Mode	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU106/54_5320MHz																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and dropping to a noise floor of about 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.56</td> <td>56.58</td> <td>74.00</td> <td>-17.42</td> <td>40.76</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> <td>0.00</td> <td>287</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5394.56	56.58	74.00	-17.42	40.76	34.50	10.88	29.56	0.00	287	360	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and dropping to a noise floor of about 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.59</td> <td>-----</td> <td>-----</td> <td>94.78</td> <td>34.50</td> <td>10.80</td> <td>29.49</td> <td>0.00</td> <td>287</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	110.59	-----	-----	94.78	34.50	10.80	29.49	0.00	287	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5394.56	56.58	74.00	-17.42	40.76	34.50	10.88	29.56	0.00	287	360	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	110.59	-----	-----	94.78	34.50	10.80	29.49	0.00	287	360	PEAK																																																																
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization, Average. The plot shows a signal level starting at approximately 97.5 dBuV/m at 5320 MHz and dropping to a noise floor of about 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.04</td> <td>45.94</td> <td>54.00</td> <td>-8.06</td> <td>30.13</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>287</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.04	45.94	54.00	-8.06	30.13	34.50	10.83	29.52	0.00	287	360	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization, Average. The plot shows a signal level starting at approximately 97.5 dBuV/m at 5320 MHz and dropping to a noise floor of about 48.8 dBuV/m by 5340 MHz. A red horizontal line indicates the 5G BAND 1-3 (AVG) limit at approximately 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>86.27</td> <td>34.50</td> <td>10.80</td> <td>29.49</td> <td>0.00</td> <td>287</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.00	-----	-----	86.27	34.50	10.80	29.49	0.00	287	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5350.04	45.94	54.00	-8.06	30.13	34.50	10.83	29.52	0.00	287	360	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	102.00	-----	-----	86.27	34.50	10.80	29.49	0.00	287	360	AVERAGE																																																																






		29																																																																								
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU106/53_5500MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1 5360.88 57.47 74.00 -16.53</td> <td>41.66</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> <td>0.00</td> <td>361</td> <td>290 PEAK</td> </tr> <tr> <td>2 5469.63 55.67 68.30 -12.63</td> <td>39.78</td> <td>34.53</td> <td>10.99</td> <td>29.63</td> <td>0.00</td> <td>361</td> <td>290 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg				1 5360.88 57.47 74.00 -16.53	41.66	34.50	10.84	29.53	0.00	361	290 PEAK	2 5469.63 55.67 68.30 -12.63	39.78	34.53	10.99	29.63	0.00	361	290 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 105.66 -----</td> <td>89.72</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>361</td> <td>290 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg				1 5500.00 105.66 -----	89.72	34.55	11.03	29.64	0.00	361	290 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg																																																																						
1 5360.88 57.47 74.00 -16.53	41.66	34.50	10.84	29.53	0.00	361	290 PEAK																																																																			
2 5469.63 55.67 68.30 -12.63	39.78	34.53	10.99	29.63	0.00	361	290 PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg																																																																						
1 5500.00 105.66 -----	89.72	34.55	11.03	29.64	0.00	361	290 PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1 5454.18 46.79 54.00 -7.21</td> <td>30.90</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>361</td> <td>290 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg				1 5454.18 46.79 54.00 -7.21	30.90	34.53	10.97	29.61	0.00	361	290 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 97.66 -----</td> <td>81.72</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>361</td> <td>290 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg				1 5500.00 97.66 -----	81.72	34.55	11.03	29.64	0.00	361	290 AVERAGE								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg																																																																						
1 5454.18 46.79 54.00 -7.21	30.90	34.53	10.97	29.61	0.00	361	290 AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm	deg																																																																						
1 5500.00 97.66 -----	81.72	34.55	11.03	29.64	0.00	361	290 AVERAGE																																																																			



		29																																																																																											
Mode	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU106/53_5500MHz																																																																																												
ANT	ANT 4A+5A																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal level around 48.8 dBuV/m with a sharp peak at 5461.53 MHz reaching approximately 113.8 dBuV/m. A red limit line for 5G BAND 1-3 is shown at 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.33</td> <td>57.36</td> <td>74.00</td> <td>-16.64</td> <td>41.55</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>103</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.53</td> <td>55.54</td> <td>68.30</td> <td>-12.76</td> <td>39.65</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>103</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.33	57.36	74.00	-16.64	41.55	34.50	10.83	29.52	0.00	103	0	PEAK	2	5461.53	55.54	68.30	-12.76	39.65	34.53	10.98	29.62	0.00	103	0	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level around 48.8 dBuV/m with a sharp peak at 5500.00 MHz reaching approximately 113.8 dBuV/m. A red limit line for 5G BAND 1-3 is shown at 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.61</td> <td>-----</td> <td>-----</td> <td>93.67</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>103</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.61	-----	-----	93.67	34.55	11.03	29.64	0.00	103	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5352.33	57.36	74.00	-16.64	41.55	34.50	10.83	29.52	0.00	103	0	PEAK																																																																																	
2	5461.53	55.54	68.30	-12.76	39.65	34.53	10.98	29.62	0.00	103	0	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	109.61	-----	-----	93.67	34.55	11.03	29.64	0.00	103	0	PEAK																																																																																	
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows an average signal level around 48.8 dBuV/m with a peak at 5460.00 MHz reaching approximately 113.8 dBuV/m. A red limit line for 5G BAND 1-3 (AVG) is shown at 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>46.01</td> <td>54.00</td> <td>-7.99</td> <td>30.12</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>103</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	46.01	54.00	-7.99	30.12	34.53	10.90	29.62	0.00	103	0	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows an average signal level around 48.8 dBuV/m with a peak at 5500.00 MHz reaching approximately 113.8 dBuV/m. A red limit line for 5G BAND 1-3 (AVG) is shown at 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.76</td> <td>-----</td> <td>-----</td> <td>85.82</td> <td>34.55</td> <td>11.03</td> <td>29.64</td> <td>0.00</td> <td>103</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.76	-----	-----	85.82	34.55	11.03	29.64	0.00	103	0	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5460.00	46.01	54.00	-7.99	30.12	34.53	10.90	29.62	0.00	103	0	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	101.76	-----	-----	85.82	34.55	11.03	29.64	0.00	103	0	AVERAGE																																																																																	







Mode	30																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU106/54_5700MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.99</td> <td>58.72</td> <td>68.30</td> <td>-9.58</td> <td>42.36</td> <td>34.84</td> <td>11.31</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>316</td> <td>255 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5727.99	58.72	68.30	-9.58	42.36	34.84	11.31	29.79							0.00								316	255 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.91</td> <td>-----</td> <td>-----</td> <td>87.65</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>316</td> <td>255 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	103.91	-----	-----	87.65	34.78	11.28	29.80							0.00								316	255 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5727.99	58.72	68.30	-9.58	42.36	34.84	11.31	29.79																																																																																											
						0.00																																																																																												
						316	255 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	103.91	-----	-----	87.65	34.78	11.28	29.80																																																																																											
						0.00																																																																																												
						316	255 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.22</td> <td>-----</td> <td>-----</td> <td>78.94</td> <td>34.79</td> <td>11.29</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>316</td> <td>255 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	95.22	-----	-----	78.94	34.79	11.29	29.80							0.00								316	255 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	95.22	-----	-----	78.94	34.79	11.29	29.80																																																																																											
						0.00																																																																																												
						316	255 AVERAGE																																																																																											





Mode	30																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU106/54_5700MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5743.72</td> <td>57.95</td> <td>68.30</td> <td>-10.35</td> <td>41.53</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>104</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>343 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5743.72	57.95	68.30	-10.35	41.53	34.88	11.33	29.79							0.00	104								343 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>111.25</td> <td>-----</td> <td>-----</td> <td>94.99</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>104</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>343 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	111.25	-----	-----	94.99	34.78	11.28	29.80							0.00	104								343 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5743.72	57.95	68.30	-10.35	41.53	34.88	11.33	29.79																																																																																											
						0.00	104																																																																																											
							343 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	111.25	-----	-----	94.99	34.78	11.28	29.80																																																																																											
						0.00	104																																																																																											
							343 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.44</td> <td>-----</td> <td>-----</td> <td>86.18</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>104</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>343 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	102.44	-----	-----	86.18	34.78	11.28	29.80							0.00	104								343 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	102.44	-----	-----	86.18	34.78	11.28	29.80																																																																																											
						0.00	104																																																																																											
							343 AVERAGE																																																																																											







Mode	31																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.85</td> <td>58.53</td> <td>74.00</td> <td>-15.47</td> <td>42.84</td> <td>34.37</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>300</td> <td>133</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.85	58.53	74.00	-15.47	42.84	34.37	10.61	29.29	0.00	300	133	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>97.91</td> <td>-----</td> <td>-----</td> <td>82.14</td> <td>34.48</td> <td>10.64</td> <td>29.35</td> <td>0.00</td> <td>300</td> <td>133</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.91	-----	-----	82.14	34.48	10.64	29.35	0.00	300	133	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5133.85	58.53	74.00	-15.47	42.84	34.37	10.61	29.29	0.00	300	133	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5190.00	97.91	-----	-----	82.14	34.48	10.64	29.35	0.00	300	133	PEAK																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.65</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>31.95</td> <td>34.40</td> <td>10.62</td> <td>29.31</td> <td>0.00</td> <td>300</td> <td>133</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.65	47.66	54.00	-6.34	31.95	34.40	10.62	29.31	0.00	300	133	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>89.54</td> <td>-----</td> <td>-----</td> <td>73.79</td> <td>34.47</td> <td>10.63</td> <td>29.35</td> <td>0.00</td> <td>300</td> <td>133</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	89.54	-----	-----	73.79	34.47	10.63	29.35	0.00	300	133	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.65	47.66	54.00	-6.34	31.95	34.40	10.62	29.31	0.00	300	133	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5190.00	89.54	-----	-----	73.79	34.47	10.63	29.35	0.00	300	133	AVERAGE																																																																				



Mode	31																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																							
ANT	ANT 4A+5A																																							
Pol.	Horizontal	Fundamental																																						
Peak	 <table border="1" data-bbox="268 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5370.50</td> <td>55.34</td> <td>74.00</td> <td>-18.66</td> <td>39.53</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>300 133 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5370.50	55.34	74.00	-18.66	39.53	34.50	10.85	29.54	0.00	300 133 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5370.50	55.34	74.00	-18.66	39.53	34.50	10.85	29.54	0.00	300 133 PEAK																															
Avg	 <table border="1" data-bbox="268 1809 774 1933"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.55</td> <td>45.75</td> <td>54.00</td> <td>-8.25</td> <td>29.86</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>300 133 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.55	45.75	54.00	-8.25	29.86	34.53	10.97	29.61	0.00	300 133 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5455.55	45.75	54.00	-8.25	29.86	34.53	10.97	29.61	0.00	300 133 AVERAGE																															



Mode	31																																																																														
	Band Edge - L																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																														
ANT	ANT 4A+5A																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.05</td> <td>60.94</td> <td>74.00</td> <td>-13.06</td> <td>45.23</td> <td>34.40</td> <td>10.62</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.05	60.94	74.00	-13.06	45.23	34.40	10.62	29.31	0.00	100	360	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>104.17</td> <td>-----</td> <td>88.40</td> <td>34.48</td> <td>10.64</td> <td>29.35</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	104.17	-----	88.40	34.48	10.64	29.35	0.00	100	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5148.05	60.94	74.00	-13.06	45.23	34.40	10.62	29.31	0.00	100	360	PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5190.00	104.17	-----	88.40	34.48	10.64	29.35	0.00	100	360	PEAK																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.05</td> <td>49.52</td> <td>54.00</td> <td>-4.48</td> <td>33.82</td> <td>34.39</td> <td>10.62</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.05	49.52	54.00	-4.48	33.82	34.39	10.62	29.31	0.00	100	360	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>96.88</td> <td>-----</td> <td>81.11</td> <td>34.48</td> <td>10.64</td> <td>29.35</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.88	-----	81.11	34.48	10.64	29.35	0.00	100	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5147.05	49.52	54.00	-4.48	33.82	34.39	10.62	29.31	0.00	100	360	AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5190.00	96.88	-----	81.11	34.48	10.64	29.35	0.00	100	360	AVERAGE																																																																				



Mode	31																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																									
ANT	ANT 4A+5A																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5423.42</td> <td>55.33</td> <td>74.00</td> <td>-18.67</td> <td>39.48</td> <td>34.51</td> <td>10.93</td> <td>29.59</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5423.42	55.33	74.00	-18.67	39.48	34.51	10.93	29.59	0.00	100	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5423.42	55.33	74.00	-18.67	39.48	34.51	10.93	29.59	0.00	100	360	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5362.40</td> <td>45.94</td> <td>54.00</td> <td>-8.06</td> <td>30.13</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5362.40	45.94	54.00	-8.06	30.13	34.50	10.84	29.53	0.00	100	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5362.40	45.94	54.00	-8.06	30.13	34.50	10.84	29.53	0.00	100	360	AVERAGE																															





Mode	31																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>44.15</td> <td>68.30</td> <td>-24.15</td> <td>57.62</td> <td>37.42</td> <td>15.57</td> <td>66.46</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	44.15	68.30	-24.15	57.62	37.42	15.57	66.46	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>44.23</td> <td>68.30</td> <td>-24.07</td> <td>57.70</td> <td>37.42</td> <td>15.57</td> <td>66.46</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	44.23	68.30	-24.07	57.70	37.42	15.57	66.46	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10380.00	44.15	68.30	-24.15	57.62	37.42	15.57	66.46	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10380.00	44.23	68.30	-24.07	57.70	37.42	15.57	66.46	0.00	100	0	PEAK																																																																							



Mode	32																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5081.31</td> <td>59.55</td> <td>74.00</td> <td>-14.45</td> <td>43.95</td> <td>34.26</td> <td>10.59</td> <td>29.25</td> <td>0.00</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5081.31	59.55	74.00	-14.45	43.95	34.26	10.59	29.25	0.00	100	306	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>99.43</td> <td>-----</td> <td>-----</td> <td>83.65</td> <td>34.50</td> <td>10.68</td> <td>29.40</td> <td>0.00</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	99.43	-----	-----	83.65	34.50	10.68	29.40	0.00	100	306	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5081.31	59.55	74.00	-14.45	43.95	34.26	10.59	29.25	0.00	100	306	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5230.00	99.43	-----	-----	83.65	34.50	10.68	29.40	0.00	100	306	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5027.26</td> <td>48.09</td> <td>54.00</td> <td>-5.91</td> <td>32.59</td> <td>34.15</td> <td>10.57</td> <td>29.22</td> <td>0.00</td> <td>100</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5027.26	48.09	54.00	-5.91	32.59	34.15	10.57	29.22	0.00	100	306	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>91.82</td> <td>-----</td> <td>-----</td> <td>76.03</td> <td>34.50</td> <td>10.68</td> <td>29.39</td> <td>0.00</td> <td>100</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	91.82	-----	-----	76.03	34.50	10.68	29.39	0.00	100	306	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5027.26	48.09	54.00	-5.91	32.59	34.15	10.57	29.22	0.00	100	306	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5230.00	91.82	-----	-----	76.03	34.50	10.68	29.39	0.00	100	306	AVERAGE																																																																



Mode	32																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																												
ANT	ANT 4A+5A																																												
Pol.	Horizontal	Fundamental																																											
Peak	 <table border="1" data-bbox="268 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5369.96</td> <td>55.13</td> <td>74.00</td> <td>-18.87</td> <td>39.32</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5369.96	55.13	74.00	-18.87	39.32	34.50	10.85	29.54	0.00	100	306	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5369.96	55.13	74.00	-18.87	39.32	34.50	10.85	29.54	0.00	100	306	PEAK																																		
Avg	 <table border="1" data-bbox="268 1812 774 1935"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5434.13</td> <td>45.86</td> <td>54.00</td> <td>-8.14</td> <td>30.00</td> <td>34.52</td> <td>10.94</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5434.13	45.86	54.00	-8.14	30.00	34.52	10.94	29.60	0.00	100	306	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5434.13	45.86	54.00	-8.14	30.00	34.52	10.94	29.60	0.00	100	306	AVERAGE																																		





Mode	32																																																																													
	Band Edge - L																																																																													
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																													
ANT	ANT 4A+5A																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5046.81</td> <td>59.07</td> <td>74.00</td> <td>-14.93</td> <td>43.53</td> <td>34.19</td> <td>10.58</td> <td>29.23</td> <td>0.00</td> <td>204 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5046.81	59.07	74.00	-14.93	43.53	34.19	10.58	29.23	0.00	204 360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>106.88</td> <td>-----</td> <td>-----</td> <td>91.10</td> <td>34.50</td> <td>10.67</td> <td>29.39</td> <td>0.00</td> <td>204 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	106.88	-----	-----	91.10	34.50	10.67	29.39	0.00	204 360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5046.81	59.07	74.00	-14.93	43.53	34.19	10.58	29.23	0.00	204 360 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5230.00	106.88	-----	-----	91.10	34.50	10.67	29.39	0.00	204 360 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5141.57</td> <td>47.87</td> <td>54.00</td> <td>-6.13</td> <td>32.17</td> <td>34.38</td> <td>10.62</td> <td>29.30</td> <td>0.00</td> <td>204 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5141.57	47.87	54.00	-6.13	32.17	34.38	10.62	29.30	0.00	204 360 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>100.23</td> <td>-----</td> <td>-----</td> <td>84.44</td> <td>34.50</td> <td>10.68</td> <td>29.39</td> <td>0.00</td> <td>204 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	100.23	-----	-----	84.44	34.50	10.68	29.39	0.00	204 360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5141.57	47.87	54.00	-6.13	32.17	34.38	10.62	29.30	0.00	204 360 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5230.00	100.23	-----	-----	84.44	34.50	10.68	29.39	0.00	204 360 AVERAGE																																																																					



	32																																							
Mode	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																							
ANT	ANT 4A+5A																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5390.66</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>40.19</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> <td>0.00</td> <td>204 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5390.66	56.01	74.00	-17.99	40.19	34.50	10.88	29.56	0.00	204 360 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5390.66	56.01	74.00	-17.99	40.19	34.50	10.88	29.56	0.00	204 360 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5375.24</td> <td>45.82</td> <td>54.00</td> <td>-8.18</td> <td>30.01</td> <td>34.50</td> <td>10.86</td> <td>29.55</td> <td>0.00</td> <td>204 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5375.24	45.82	54.00	-8.18	30.01	34.50	10.86	29.55	0.00	204 360 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5375.24	45.82	54.00	-8.18	30.01	34.50	10.86	29.55	0.00	204 360 AVERAGE																															





Mode	32																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>43.95</td> <td>68.30</td> <td>-24.35</td> <td>57.19</td> <td>37.51</td> <td>15.61</td> <td>66.36</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	43.95	68.30	-24.35	57.19	37.51	15.61	66.36	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>45.23</td> <td>68.30</td> <td>-23.07</td> <td>58.47</td> <td>37.51</td> <td>15.61</td> <td>66.36</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	45.23	68.30	-23.07	58.47	37.51	15.61	66.36	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10460.00	43.95	68.30	-24.35	57.19	37.51	15.61	66.36	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10460.00	45.23	68.30	-23.07	58.47	37.51	15.61	66.36	0.00	100	0	PEAK																																																																							



Mode	33																																																																													
	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																													
ANT	ANT 4A+5A																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5046.04</td> <td>57.89</td> <td>74.00</td> <td>-16.11</td> <td>42.35</td> <td>34.19</td> <td>10.58</td> <td>29.23</td> <td>0.00</td> <td>301 230 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5046.04	57.89	74.00	-16.11	42.35	34.19	10.58	29.23	0.00	301 230 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>100.33</td> <td>-----</td> <td>-----</td> <td>84.54</td> <td>34.50</td> <td>10.72</td> <td>29.43</td> <td>0.00</td> <td>301 230 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	100.33	-----	-----	84.54	34.50	10.72	29.43	0.00	301 230 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5046.04	57.89	74.00	-16.11	42.35	34.19	10.58	29.23	0.00	301 230 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5270.00	100.33	-----	-----	84.54	34.50	10.72	29.43	0.00	301 230 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5033.89</td> <td>47.53</td> <td>54.00</td> <td>-6.47</td> <td>32.01</td> <td>34.17</td> <td>10.57</td> <td>29.22</td> <td>0.00</td> <td>301 230 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5033.89	47.53	54.00	-6.47	32.01	34.17	10.57	29.22	0.00	301 230 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>91.91</td> <td>-----</td> <td>-----</td> <td>76.12</td> <td>34.50</td> <td>10.73</td> <td>29.44</td> <td>0.00</td> <td>301 230 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	91.91	-----	-----	76.12	34.50	10.73	29.44	0.00	301 230 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5033.89	47.53	54.00	-6.47	32.01	34.17	10.57	29.22	0.00	301 230 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5270.00	91.91	-----	-----	76.12	34.50	10.73	29.44	0.00	301 230 AVERAGE																																																																					





Mode	33																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																					
ANT	ANT 4A+5A																																					
Pol.	Horizontal	Fundamental																																				
Peak	 <table border="1" data-bbox="268 1131 794 1254"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5416.59</td> <td>55.36</td> <td>74.00</td> <td>-18.64</td> <td>39.52</td> <td>34.51</td> <td>10.91</td> <td>29.58</td> <td>0.00</td> <td>301</td> <td>230 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5416.59	55.36	74.00	-18.64	39.52	34.51	10.91	29.58	0.00	301	230 PEAK	Blank
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Loss	APos	TPos	Remark																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																												
1	5416.59	55.36	74.00	-18.64	39.52	34.51	10.91	29.58	0.00	301	230 PEAK																											
Avg	 <table border="1" data-bbox="268 1814 794 1937"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.54</td> <td>45.74</td> <td>54.00</td> <td>-8.26</td> <td>29.85</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>301</td> <td>230 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.54	45.74	54.00	-8.26	29.85	34.53	10.97	29.61	0.00	301	230 AVERAGE	Blank
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Loss	APos	TPos	Remark																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																												
1	5455.54	45.74	54.00	-8.26	29.85	34.53	10.97	29.61	0.00	301	230 AVERAGE																											



Mode	33																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5081.95</td> <td>58.08</td> <td>74.00</td> <td>-15.92</td> <td>42.48</td> <td>34.26</td> <td>10.59</td> <td>29.25</td> <td>0.00</td> <td>236</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5081.95	58.08	74.00	-15.92	42.48	34.26	10.59	29.25	0.00	236	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>106.13</td> <td>-----</td> <td>-----</td> <td>90.34</td> <td>34.50</td> <td>10.72</td> <td>29.43</td> <td>0.00</td> <td>236</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	106.13	-----	-----	90.34	34.50	10.72	29.43	0.00	236	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5081.95	58.08	74.00	-15.92	42.48	34.26	10.59	29.25	0.00	236	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5270.00	106.13	-----	-----	90.34	34.50	10.72	29.43	0.00	236	0 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5073.31</td> <td>47.83</td> <td>54.00</td> <td>-6.17</td> <td>32.23</td> <td>34.25</td> <td>10.59</td> <td>29.24</td> <td>0.00</td> <td>236</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5073.31	47.83	54.00	-6.17	32.23	34.25	10.59	29.24	0.00	236	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>99.54</td> <td>-----</td> <td>-----</td> <td>83.75</td> <td>34.50</td> <td>10.73</td> <td>29.44</td> <td>0.00</td> <td>236</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	99.54	-----	-----	83.75	34.50	10.73	29.44	0.00	236	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5073.31	47.83	54.00	-6.17	32.23	34.25	10.59	29.24	0.00	236	0 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5270.00	99.54	-----	-----	83.75	34.50	10.73	29.44	0.00	236	0 AVERAGE																																																																						



Mode	33																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																													
ANT	ANT 4A+5A																																													
Pol.	Vertical	Fundamental																																												
Peak	 <table border="1" data-bbox="268 1131 794 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.91</td> <td>56.17</td> <td>74.00</td> <td>-17.83</td> <td>40.28</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>236</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.91	56.17	74.00	-17.83	40.28	34.53	10.98	29.62	0.00	236	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5459.91	56.17	74.00	-17.83	40.28	34.53	10.98	29.62	0.00	236	0	PEAK																																		
Avg	 <table border="1" data-bbox="268 1812 794 1935"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.35</td> <td>46.07</td> <td>54.00</td> <td>-7.93</td> <td>30.26</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> <td>0.00</td> <td>236</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.35	46.07	54.00	-7.93	30.26	34.50	10.84	29.53	0.00	236	0	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5360.35	46.07	54.00	-7.93	30.26	34.50	10.84	29.53	0.00	236	0	AVERAGE																																		



Mode	33																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.01</td> <td>68.30</td> <td>-24.29</td> <td>57.04</td> <td>37.59</td> <td>15.65</td> <td>66.27</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	44.01	68.30	-24.29	57.04	37.59	15.65	66.27	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.05</td> <td>68.30</td> <td>-24.25</td> <td>57.08</td> <td>37.59</td> <td>15.65</td> <td>66.27</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	44.05	68.30	-24.25	57.08	37.59	15.65	66.27	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	44.01	68.30	-24.29	57.04	37.59	15.65	66.27	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	44.05	68.30	-24.25	57.08	37.59	15.65	66.27	0.00	100	0	PEAK																																																																							



Mode	34																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5086.66</td> <td>58.03</td> <td>74.00</td> <td>-15.97</td> <td>42.42</td> <td>34.27</td> <td>10.59</td> <td>29.25</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5086.66	58.03	74.00	-15.97	42.42	34.27	10.59	29.25	0.00	100	305	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.63</td> <td>-----</td> <td>-----</td> <td>81.83</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	97.63	-----	-----	81.83	34.50	10.78	29.48	0.00	100	305	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5086.66	58.03	74.00	-15.97	42.42	34.27	10.59	29.25	0.00	100	305	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	97.63	-----	-----	81.83	34.50	10.78	29.48	0.00	100	305	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5087.90</td> <td>47.65</td> <td>54.00</td> <td>-6.35</td> <td>32.02</td> <td>34.28</td> <td>10.60</td> <td>29.25</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5087.90	47.65	54.00	-6.35	32.02	34.28	10.60	29.25	0.00	100	305	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>90.16</td> <td>-----</td> <td>-----</td> <td>74.36</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	90.16	-----	-----	74.36	34.50	10.78	29.48	0.00	100	305	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5087.90	47.65	54.00	-6.35	32.02	34.28	10.60	29.25	0.00	100	305	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	90.16	-----	-----	74.36	34.50	10.78	29.48	0.00	100	305	AVERAGE																																																																						





Mode	34																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																								
ANT	ANT 4A+5A																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.73</td> <td>57.39</td> <td>74.00</td> <td>-16.61</td> <td>41.58</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>305 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.73	57.39	74.00	-16.61	41.58	34.50	10.83	29.52	0.00	100	305 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.73	57.39	74.00	-16.61	41.58	34.50	10.83	29.52	0.00	100	305 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.28</td> <td>46.92</td> <td>54.00</td> <td>-7.08</td> <td>31.11</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>305 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5353.28	46.92	54.00	-7.08	31.11	34.50	10.83	29.52	0.00	100	305 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5353.28	46.92	54.00	-7.08	31.11	34.50	10.83	29.52	0.00	100	305 AVERAGE																															



Mode	34																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																			
ANT	ANT 4A+5A																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5120.14</td> <td>57.48</td> <td>74.00</td> <td>-16.52</td> <td>41.81</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>188</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.14	57.48	74.00	-16.52	41.81	34.34	10.61	29.28	0.00	188	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>105.89</td> <td>-----</td> <td>-----</td> <td>90.09</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>188</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.89	-----	-----	90.09	34.50	10.78	29.48	0.00	188	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5120.14	57.48	74.00	-16.52	41.81	34.34	10.61	29.28	0.00	188	0	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	105.89	-----	-----	90.09	34.50	10.78	29.48	0.00	188	0	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.34</td> <td>47.99</td> <td>54.00</td> <td>-6.01</td> <td>32.32</td> <td>34.35</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>188</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.34	47.99	54.00	-6.01	32.32	34.35	10.61	29.29	0.00	188	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.88</td> <td>-----</td> <td>-----</td> <td>82.08</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>188</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.88	-----	-----	82.08	34.50	10.78	29.48	0.00	188	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5126.34	47.99	54.00	-6.01	32.32	34.35	10.61	29.29	0.00	188	0	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	97.88	-----	-----	82.08	34.50	10.78	29.48	0.00	188	0	AVERAGE																																																																								



Mode	34																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																								
ANT	ANT 4A+5A																																								
Pol.	Vertical	Fundamental																																							
Peak	 <table border="1" data-bbox="268 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.38</td> <td>64.88</td> <td>74.00</td> <td>-9.12</td> <td>49.07</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>188</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5352.38	64.88	74.00	-9.12	49.07	34.50	10.83	29.52	0.00	188	0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5352.38	64.88	74.00	-9.12	49.07	34.50	10.83	29.52	0.00	188	0 PEAK																															
Avg	 <table border="1" data-bbox="268 1803 774 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.08</td> <td>49.98</td> <td>54.00</td> <td>-4.02</td> <td>34.17</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>188</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5352.08	49.98	54.00	-4.02	34.17	34.50	10.83	29.52	0.00	188	0 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5352.08	49.98	54.00	-4.02	34.17	34.50	10.83	29.52	0.00	188	0 AVERAGE																															



Mode	34																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>43.82</td> <td>74.00</td> <td>-30.18</td> <td>56.62</td> <td>37.68</td> <td>15.69</td> <td>66.17</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	43.82	74.00	-30.18	56.62	37.68	15.69	66.17	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>44.77</td> <td>74.00</td> <td>-29.23</td> <td>57.57</td> <td>37.68</td> <td>15.69</td> <td>66.17</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	44.77	74.00	-29.23	57.57	37.68	15.69	66.17	0.00	100	0	PEAK
Limit	Read		Ant	Cable								Preamp	Aux	APos	TPos	Remark																																																												
	Freq	Level			Line Margin																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	10620.00	43.82	74.00	-30.18	56.62	37.68	15.69	66.17	0.00	100	360	PEAK																																																																
Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level								Line Margin																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	10620.00	44.77	74.00	-29.23	57.57	37.68	15.69	66.17	0.00	100	0	PEAK																																																																







Mode	35																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.05</td> <td>55.78</td> <td>74.00</td> <td>-18.22</td> <td>39.96</td> <td>34.50</td> <td>10.89</td> <td>29.57</td> <td>0.00</td> <td>399</td> <td>112</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.73</td> <td>58.96</td> <td>68.30</td> <td>-9.34</td> <td>43.06</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>399</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.05	55.78	74.00	-18.22	39.96	34.50	10.89	29.57	0.00	399	112	PEAK	2	5466.73	58.96	68.30	-9.34	43.06	34.53	10.99	29.62	0.00	399	112	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>101.44</td> <td>-----</td> <td>-----</td> <td>85.50</td> <td>34.55</td> <td>11.05</td> <td>29.66</td> <td>0.00</td> <td>399</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.44	-----	-----	85.50	34.55	11.05	29.66	0.00	399	112	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5399.05	55.78	74.00	-18.22	39.96	34.50	10.89	29.57	0.00	399	112	PEAK																																																																																					
2	5466.73	58.96	68.30	-9.34	43.06	34.53	10.99	29.62	0.00	399	112	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	101.44	-----	-----	85.50	34.55	11.05	29.66	0.00	399	112	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.37</td> <td>46.48</td> <td>54.00</td> <td>-7.52</td> <td>30.59</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>399</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.37	46.48	54.00	-7.52	30.59	34.53	10.90	29.62	0.00	399	112	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>93.89</td> <td>-----</td> <td>-----</td> <td>77.95</td> <td>34.55</td> <td>11.05</td> <td>29.66</td> <td>0.00</td> <td>399</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.89	-----	-----	77.95	34.55	11.05	29.66	0.00	399	112	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.37	46.48	54.00	-7.52	30.59	34.53	10.90	29.62	0.00	399	112	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	93.89	-----	-----	77.95	34.55	11.05	29.66	0.00	399	112	AVERAGE																																																																																					



Mode	35																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																													
ANT	ANT 4A+5A																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.38</td> <td>57.07</td> <td>68.30</td> <td>-11.23</td> <td>40.71</td> <td>34.84</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>399</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.38	57.07	68.30	-11.23	40.71	34.84	11.31	29.79	0.00	399	112	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5726.38	57.07	68.30	-11.23	40.71	34.84	11.31	29.79	0.00	399	112	PEAK																																		





Mode	35																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.33</td> <td>58.83</td> <td>74.00</td> <td>-15.17</td> <td>42.95</td> <td>34.53</td> <td>10.97</td> <td>29.62</td> <td>0.00</td> <td>155</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.93</td> <td>64.71</td> <td>68.30</td> <td>-3.59</td> <td>48.82</td> <td>34.53</td> <td>10.99</td> <td>29.63</td> <td>0.00</td> <td>155</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.33	58.83	74.00	-15.17	42.95	34.53	10.97	29.62	0.00	155	360	PEAK	2	5469.93	64.71	68.30	-3.59	48.82	34.53	10.99	29.63	0.00	155	360	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>106.76</td> <td>-----</td> <td>-----</td> <td>90.82</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>155</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.76	-----	-----	90.82	34.55	11.04	29.65	0.00	155	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.33	58.83	74.00	-15.17	42.95	34.53	10.97	29.62	0.00	155	360	PEAK																																																																																					
2	5469.93	64.71	68.30	-3.59	48.82	34.53	10.99	29.63	0.00	155	360	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	106.76	-----	-----	90.82	34.55	11.04	29.65	0.00	155	360	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>49.70</td> <td>54.00</td> <td>-4.30</td> <td>33.81</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>155</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	49.70	54.00	-4.30	33.81	34.53	10.90	29.62	0.00	155	360	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.49</td> <td>-----</td> <td>-----</td> <td>82.55</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>155</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.49	-----	-----	82.55	34.55	11.04	29.65	0.00	155	360	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5460.00	49.70	54.00	-4.30	33.81	34.53	10.90	29.62	0.00	155	360	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	98.49	-----	-----	82.55	34.55	11.04	29.65	0.00	155	360	AVERAGE																																																																																					



Mode	35																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																						
ANT	ANT 4A+5A																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5757.74</td> <td>56.67</td> <td>68.30</td> <td>-11.63</td> <td>40.20</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>155</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5757.74	56.67	68.30	-11.63	40.20	34.91	11.34	29.78	0.00	155	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5757.74	56.67	68.30	-11.63	40.20	34.91	11.34	29.78	0.00	155	360	PEAK																											



Mode	35																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>57.26</td> <td>38.11</td> <td>15.91</td> <td>65.72</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	45.56	74.00	-28.44	57.26	38.11	15.91	65.72	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.06</td> <td>74.00</td> <td>-27.94</td> <td>57.76</td> <td>38.11</td> <td>15.91</td> <td>65.72</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	46.06	74.00	-27.94	57.76	38.11	15.91	65.72	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	45.56	74.00	-28.44	57.26	38.11	15.91	65.72	0.00	100	360 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	46.06	74.00	-27.94	57.76	38.11	15.91	65.72	0.00	100	0 PEAK																																																																						



Mode	36																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																													
ANT	ANT 4A+5A																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>57.35</td> <td>38.16</td> <td>15.95</td> <td>65.67</td> <td>0.00</td> <td>300 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	45.79	74.00	-28.21	57.35	38.16	15.95	65.67	0.00	300 360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.28</td> <td>74.00</td> <td>-28.72</td> <td>56.84</td> <td>38.16</td> <td>15.95</td> <td>65.67</td> <td>0.00</td> <td>100 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	45.28	74.00	-28.72	56.84	38.16	15.95	65.67	0.00	100 360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11100.00	45.79	74.00	-28.21	57.35	38.16	15.95	65.67	0.00	300 360 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11100.00	45.28	74.00	-28.72	56.84	38.16	15.95	65.67	0.00	100 360 PEAK																																																																					



Mode	37																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5370.97</td> <td>55.35</td> <td>74.00</td> <td>-18.65</td> <td>39.53</td> <td>34.50</td> <td>10.86</td> <td>29.54</td> <td>0.00</td> <td>395</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.57</td> <td>53.52</td> <td>68.30</td> <td>-14.78</td> <td>37.63</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>395</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.97	55.35	74.00	-18.65	39.53	34.50	10.86	29.54	0.00	395	110	PEAK	2	5460.57	53.52	68.30	-14.78	37.63	34.53	10.98	29.62	0.00	395	110	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>101.54</td> <td>-----</td> <td>-----</td> <td>85.36</td> <td>34.72</td> <td>11.25</td> <td>29.79</td> <td>0.00</td> <td>395</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.54	-----	-----	85.36	34.72	11.25	29.79	0.00	395	110	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5370.97	55.35	74.00	-18.65	39.53	34.50	10.86	29.54	0.00	395	110	PEAK																																																																																					
2	5460.57	53.52	68.30	-14.78	37.63	34.53	10.98	29.62	0.00	395	110	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	101.54	-----	-----	85.36	34.72	11.25	29.79	0.00	395	110	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.07</td> <td>45.73</td> <td>54.00</td> <td>-8.27</td> <td>29.84</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>395</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.07	45.73	54.00	-8.27	29.84	34.53	10.97	29.61	0.00	395	110	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>91.42</td> <td>-----</td> <td>-----</td> <td>75.24</td> <td>34.72</td> <td>11.25</td> <td>29.79</td> <td>0.00</td> <td>395</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.42	-----	-----	75.24	34.72	11.25	29.79	0.00	395	110	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.07	45.73	54.00	-8.27	29.84	34.53	10.97	29.61	0.00	395	110	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	91.42	-----	-----	75.24	34.72	11.25	29.79	0.00	395	110	AVERAGE																																																																																					



Mode	37																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																	
ANT	ANT 4A+5A																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5731.23</td> <td>57.87</td> <td>68.30</td> <td>-10.43</td> <td>41.50</td> <td>34.85</td> <td>11.31</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>395</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5731.23	57.87	68.30	-10.43	41.50	34.85	11.31	29.79							0.00	395								110	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5731.23	57.87	68.30	-10.43	41.50	34.85	11.31	29.79																																											
						0.00	395																																											
							110																																											



37																																																						
Mode																																																						
Band Edge - L																																																						
U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																						
ANT																																																						
ANT 4A+5A																																																						
Pol.	Vertical																																																					
Pol.	Fundamental																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5396.25</td> <td>55.40</td> <td>74.00</td> <td>-18.60</td> <td>39.58</td> <td>34.50</td> <td>10.89</td> <td>29.57</td> <td>0.00</td> <td>194</td> <td>24</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.93</td> <td>54.91</td> <td>68.30</td> <td>-13.39</td> <td>39.01</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>194</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5396.25	55.40	74.00	-18.60	39.58	34.50	10.89	29.57	0.00	194	24	PEAK	2	5467.93	54.91	68.30	-13.39	39.01	34.53	10.99	29.62	0.00	194	24	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																														
1	5396.25	55.40	74.00	-18.60	39.58	34.50	10.89	29.57	0.00	194	24	PEAK																																										
2	5467.93	54.91	68.30	-13.39	39.01	34.53	10.99	29.62	0.00	194	24	PEAK																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>106.63</td> <td>-----</td> <td>-----</td> <td>90.44</td> <td>34.73</td> <td>11.25</td> <td>29.79</td> <td>0.00</td> <td>194</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5670.00	106.63	-----	-----	90.44	34.73	11.25	29.79	0.00	194	24	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																														
1	5670.00	106.63	-----	-----	90.44	34.73	11.25	29.79	0.00	194	24	PEAK																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.29</td> <td>46.02</td> <td>54.00</td> <td>-7.98</td> <td>30.13</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>194</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.29	46.02	54.00	-7.98	30.13	34.53	10.90	29.62	0.00	194	24	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																														
1	5459.29	46.02	54.00	-7.98	30.13	34.53	10.90	29.62	0.00	194	24	AVERAGE																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>99.26</td> <td>-----</td> <td>-----</td> <td>83.08</td> <td>34.72</td> <td>11.25</td> <td>29.79</td> <td>0.00</td> <td>194</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5670.00	99.26	-----	-----	83.08	34.72	11.25	29.79	0.00	194	24	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																														
1	5670.00	99.26	-----	-----	83.08	34.72	11.25	29.79	0.00	194	24	AVERAGE																																										



Mode	37																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																	
ANT	ANT 4A+5A																																																	
Pol.	Vertical	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5740.83</td> <td>58.35</td> <td>68.30</td> <td>-9.95</td> <td>41.95</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>194</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>24 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5740.83	58.35	68.30	-9.95	41.95	34.87	11.32	29.79							0.00	194								24 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5740.83	58.35	68.30	-9.95	41.95	34.87	11.32	29.79																																											
						0.00	194																																											
							24 PEAK																																											



Mode	37																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.17</td> <td>74.00</td> <td>-29.83</td> <td>55.34</td> <td>38.30</td> <td>16.07</td> <td>65.54</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.17	74.00	-29.83	55.34	38.30	16.07	65.54	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.24</td> <td>74.00</td> <td>-28.76</td> <td>56.41</td> <td>38.30</td> <td>16.07</td> <td>65.54</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.24	74.00	-28.76	56.41	38.30	16.07	65.54	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11340.00	44.17	74.00	-29.83	55.34	38.30	16.07	65.54	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11340.00	45.24	74.00	-28.76	56.41	38.30	16.07	65.54	0.00	100	0	PEAK																																																																							



Mode	38																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.97</td> <td>57.65</td> <td>74.00</td> <td>-16.35</td> <td>41.95</td> <td>34.38</td> <td>10.62</td> <td>29.30</td> <td>0.00</td> <td>399</td> <td>135</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5139.97	57.65	74.00	-16.35	41.95	34.38	10.62	29.30	0.00	399	135	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>94.29</td> <td>-----</td> <td>-----</td> <td>78.52</td> <td>34.48</td> <td>10.64</td> <td>29.35</td> <td>0.00</td> <td>399</td> <td>135</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5210.00	94.29	-----	-----	78.52	34.48	10.64	29.35	0.00	399	135	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5139.97	57.65	74.00	-16.35	41.95	34.38	10.62	29.30	0.00	399	135	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5210.00	94.29	-----	-----	78.52	34.48	10.64	29.35	0.00	399	135	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5118.76</td> <td>47.47</td> <td>54.00</td> <td>-6.53</td> <td>31.80</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>399</td> <td>135</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5118.76	47.47	54.00	-6.53	31.80	34.34	10.61	29.28	0.00	399	135	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>86.40</td> <td>-----</td> <td>-----</td> <td>70.63</td> <td>34.49</td> <td>10.64</td> <td>29.36</td> <td>0.00</td> <td>399</td> <td>135</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5210.00	86.40	-----	-----	70.63	34.49	10.64	29.36	0.00	399	135	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5118.76	47.47	54.00	-6.53	31.80	34.34	10.61	29.28	0.00	399	135	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5210.00	86.40	-----	-----	70.63	34.49	10.64	29.36	0.00	399	135	AVERAGE																																																																



Mode	38																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																												
ANT	ANT 4A+5A																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1" data-bbox="268 1131 778 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5451.13</td> <td>54.58</td> <td>74.00</td> <td>-19.42</td> <td>38.69</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>399</td> <td>135</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5451.13	54.58	74.00	-19.42	38.69	34.53	10.97	29.61	0.00	399	135	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5451.13	54.58	74.00	-19.42	38.69	34.53	10.97	29.61	0.00	399	135	PEAK																																		
Avg	<table border="1" data-bbox="268 1803 778 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5433.13</td> <td>45.70</td> <td>54.00</td> <td>-8.30</td> <td>29.84</td> <td>34.52</td> <td>10.94</td> <td>29.60</td> <td>0.00</td> <td>399</td> <td>135</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5433.13	45.70	54.00	-8.30	29.84	34.52	10.94	29.60	0.00	399	135	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5433.13	45.70	54.00	-8.30	29.84	34.52	10.94	29.60	0.00	399	135	AVERAGE																																		



Mode	38																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																									
ANT	ANT 4A+5A																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.06</td> <td>62.50</td> <td>74.00</td> <td>-11.50</td> <td>46.80</td> <td>34.39</td> <td>10.62</td> <td>29.31</td> <td>0.00</td> <td>173</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5146.06	62.50	74.00	-11.50	46.80	34.39	10.62	29.31	0.00	173	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>101.63</td> <td>-----</td> <td>-----</td> <td>85.85</td> <td>34.50</td> <td>10.64</td> <td>29.36</td> <td>0.00</td> <td>173</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5210.00	101.63	-----	-----	85.85	34.50	10.64	29.36	0.00	173	360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5146.06	62.50	74.00	-11.50	46.80	34.39	10.62	29.31	0.00	173	360 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5210.00	101.63	-----	-----	85.85	34.50	10.64	29.36	0.00	173	360 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.58</td> <td>50.45</td> <td>54.00</td> <td>-3.55</td> <td>34.74</td> <td>34.40</td> <td>10.62</td> <td>29.31</td> <td>0.00</td> <td>173</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5148.58	50.45	54.00	-3.55	34.74	34.40	10.62	29.31	0.00	173	360 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>92.44</td> <td>-----</td> <td>-----</td> <td>76.66</td> <td>34.50</td> <td>10.66</td> <td>29.30</td> <td>0.00</td> <td>173</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5210.00	92.44	-----	-----	76.66	34.50	10.66	29.30	0.00	173	360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5148.58	50.45	54.00	-3.55	34.74	34.40	10.62	29.31	0.00	173	360 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5210.00	92.44	-----	-----	76.66	34.50	10.66	29.30	0.00	173	360 AVERAGE																																																																															







	38																																							
Mode	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																							
ANT	ANT 4A+5A																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5421.88</td> <td>56.08</td> <td>74.00</td> <td>-17.92</td> <td>40.24</td> <td>34.51</td> <td>10.92</td> <td>29.59</td> <td>0.00</td> <td>173 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5421.88	56.08	74.00	-17.92	40.24	34.51	10.92	29.59	0.00	173 360 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5421.88	56.08	74.00	-17.92	40.24	34.51	10.92	29.59	0.00	173 360 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.38</td> <td>45.77</td> <td>54.00</td> <td>-8.23</td> <td>29.88</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>173 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5458.38	45.77	54.00	-8.23	29.88	34.53	10.98	29.62	0.00	173 360 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5458.38	45.77	54.00	-8.23	29.88	34.53	10.98	29.62	0.00	173 360 AVERAGE																															



Mode	38																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>43.24</td> <td>68.30</td> <td>-25.06</td> <td>56.60</td> <td>37.46</td> <td>15.59</td> <td>66.41</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	43.24	68.30	-25.06	56.60	37.46	15.59	66.41	0.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>43.77</td> <td>68.30</td> <td>-24.53</td> <td>57.13</td> <td>37.46</td> <td>15.59</td> <td>66.41</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	43.77	68.30	-24.53	57.13	37.46	15.59	66.41	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	43.24	68.30	-25.06	56.60	37.46	15.59	66.41	0.00	100	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	43.77	68.30	-24.53	57.13	37.46	15.59	66.41	0.00	100	0	PEAK																																																																							



		39																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																											
ANT	ANT 4A+5A																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with a red limit line labeled '5G BAND 1---3'. A peak is marked at 5086.25 MHz with a level of 57.88 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5086.25</td> <td>57.88</td> <td>74.00</td> <td>-16.12</td> <td>42.41</td> <td>34.11</td> <td>10.56</td> <td>29.20</td> <td>0.00</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5086.25	57.88	74.00	-16.12	42.41	34.11	10.56	29.20	0.00	100	301	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a red limit line labeled '5G BAND 1---3'. A peak is marked at 5290.00 MHz with a level of 94.01 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.01</td> <td>-----</td> <td>-----</td> <td>78.22</td> <td>34.50</td> <td>10.72</td> <td>29.43</td> <td>0.00</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	94.01	-----	-----	78.22	34.50	10.72	29.43	0.00	100	301	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Level	Loss	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5086.25	57.88	74.00	-16.12	42.41	34.11	10.56	29.20	0.00	100	301	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Level	Loss	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	94.01	-----	-----	78.22	34.50	10.72	29.43	0.00	100	301	PEAK																																																																
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization, Average. The plot shows a blue signal line with a red limit line labeled '5G BAND 1---3 (AVG)'. A peak is marked at 5072.95 MHz with a level of 47.68 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5072.95</td> <td>47.68</td> <td>54.00</td> <td>-6.32</td> <td>32.00</td> <td>34.25</td> <td>10.59</td> <td>29.24</td> <td>0.00</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5072.95	47.68	54.00	-6.32	32.00	34.25	10.59	29.24	0.00	100	301	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization, Average. The plot shows a blue signal line with a red limit line labeled '5G BAND 1---3 (AVG)'. A peak is marked at 5290.00 MHz with a level of 85.42 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>85.42</td> <td>-----</td> <td>-----</td> <td>69.62</td> <td>34.50</td> <td>10.75</td> <td>29.45</td> <td>0.00</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	85.42	-----	-----	69.62	34.50	10.75	29.45	0.00	100	301	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Level	Loss	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5072.95	47.68	54.00	-6.32	32.00	34.25	10.59	29.24	0.00	100	301	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Level	Loss	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	85.42	-----	-----	69.62	34.50	10.75	29.45	0.00	100	301	AVERAGE																																																																




Mode	39																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																												
ANT	ANT 4A+5A																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1" data-bbox="271 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.63</td> <td>56.30</td> <td>74.00</td> <td>-17.70</td> <td>40.49</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.63	56.30	74.00	-17.70	40.49	34.50	10.83	29.52	0.00	100	301	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5351.63	56.30	74.00	-17.70	40.49	34.50	10.83	29.52	0.00	100	301	PEAK																																		
Avg	<table border="1" data-bbox="271 1803 774 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.61</td> <td>47.16</td> <td>54.00</td> <td>-6.84</td> <td>31.35</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.61	47.16	54.00	-6.84	31.35	34.50	10.83	29.52	0.00	100	301	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.61	47.16	54.00	-6.84	31.35	34.50	10.83	29.52	0.00	100	301	AVERAGE																																		



39																																																									
Mode	Band Edge - L																																																								
U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																									
ANT	ANT 4A+5A																																																								
Pol.	Vertical																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5107.17</td> <td>57.68</td> <td>74.00</td> <td>-16.32</td> <td>42.04</td> <td>34.31</td> <td>10.60</td> <td>29.27</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>168</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>360</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5107.17	57.68	74.00	-16.32	42.04	34.31	10.60	29.27							0.00	168								360								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																		
1 5107.17	57.68	74.00	-16.32	42.04	34.31	10.60	29.27																																																		
						0.00	168																																																		
							360																																																		
							PEAK																																																		
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>101.96</td> <td>-----</td> <td>-----</td> <td>86.16</td> <td>34.50</td> <td>10.77</td> <td>29.47</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>168</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>360</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5290.00	101.96	-----	-----	86.16	34.50	10.77	29.47							0.00	168								360								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																		
1 5290.00	101.96	-----	-----	86.16	34.50	10.77	29.47																																																		
						0.00	168																																																		
							360																																																		
							PEAK																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5092.96</td> <td>47.73</td> <td>54.00</td> <td>-6.27</td> <td>32.10</td> <td>34.29</td> <td>10.60</td> <td>29.26</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>168</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>360</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5092.96	47.73	54.00	-6.27	32.10	34.29	10.60	29.26							0.00	168								360								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																		
1 5092.96	47.73	54.00	-6.27	32.10	34.29	10.60	29.26																																																		
						0.00	168																																																		
							360																																																		
							AVERAGE																																																		
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>93.70</td> <td>-----</td> <td>-----</td> <td>77.90</td> <td>34.50</td> <td>10.75</td> <td>29.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>168</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>360</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5290.00	93.70	-----	-----	77.90	34.50	10.75	29.45							0.00	168								360								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																		
1 5290.00	93.70	-----	-----	77.90	34.50	10.75	29.45																																																		
						0.00	168																																																		
							360																																																		
							AVERAGE																																																		



Mode	39																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																													
ANT	ANT 4A+5A																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.35</td> <td>59.00</td> <td>74.00</td> <td>-15.00</td> <td>43.18</td> <td>34.50</td> <td>10.84</td> <td>29.52</td> <td>0.00</td> <td>168</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5354.35	59.00	74.00	-15.00	43.18	34.50	10.84	29.52	0.00	168	360	PEAK	Blank	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 5354.35	59.00	74.00	-15.00	43.18	34.50	10.84	29.52	0.00	168	360	PEAK																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.73</td> <td>50.95</td> <td>54.00</td> <td>-3.05</td> <td>35.14</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> <td>0.00</td> <td>168</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5356.73	50.95	54.00	-3.05	35.14	34.50	10.84	29.53	0.00	168	360	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 5356.73	50.95	54.00	-3.05	35.14	34.50	10.84	29.53	0.00	168	360	AVERAGE																																			









Mode	40																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5436.32</td> <td>56.44</td> <td>74.00</td> <td>-17.56</td> <td>40.58</td> <td>34.52</td> <td>10.94</td> <td>29.60</td> <td>0.00</td> <td>362</td> <td>113</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.04</td> <td>55.01</td> <td>68.30</td> <td>-13.29</td> <td>39.11</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>362</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.32	56.44	74.00	-17.56	40.58	34.52	10.94	29.60	0.00	362	113	PEAK	2	5464.04	55.01	68.30	-13.29	39.11	34.53	10.99	29.62	0.00	362	113	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>98.63</td> <td>-----</td> <td>-----</td> <td>82.68</td> <td>34.56</td> <td>11.06</td> <td>29.67</td> <td>0.00</td> <td>362</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.63	-----	-----	82.68	34.56	11.06	29.67	0.00	362	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5436.32	56.44	74.00	-17.56	40.58	34.52	10.94	29.60	0.00	362	113	PEAK																																																																																					
2	5464.04	55.01	68.30	-13.29	39.11	34.53	10.99	29.62	0.00	362	113	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	98.63	-----	-----	82.68	34.56	11.06	29.67	0.00	362	113	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.60</td> <td>46.25</td> <td>54.00</td> <td>-7.75</td> <td>30.36</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>362</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.60	46.25	54.00	-7.75	30.36	34.53	10.97	29.61	0.00	362	113	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.68</td> <td>-----</td> <td>-----</td> <td>71.72</td> <td>34.56</td> <td>11.07</td> <td>29.67</td> <td>0.00</td> <td>362</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.68	-----	-----	71.72	34.56	11.07	29.67	0.00	362	113	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5453.60	46.25	54.00	-7.75	30.36	34.53	10.97	29.61	0.00	362	113	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	87.68	-----	-----	71.72	34.56	11.07	29.67	0.00	362	113	AVERAGE																																																																																					



Mode	40																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																								
ANT	ANT 4A+5A																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5764.89</td> <td>57.93</td> <td>68.30</td> <td>-10.37</td> <td>41.44</td> <td>34.92</td> <td>11.35</td> <td>29.78</td> <td>0.00</td> <td>362 113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5764.89	57.93	68.30	-10.37	41.44	34.92	11.35	29.78	0.00	362 113	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5764.89	57.93	68.30	-10.37	41.44	34.92	11.35	29.78	0.00	362 113	PEAK																															



		40																																																																																															
Mode		Band Edge - L																																																																																															
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																															
ANT		ANT 4A+5A																																																																																															
Pol.		Vertical	Fundamental																																																																																														
Peak	 <table border="1" data-bbox="268 1108 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.68</td> <td>58.47</td> <td>74.00</td> <td>-15.53</td> <td>42.58</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>186</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.56</td> <td>60.45</td> <td>68.30</td> <td>-7.85</td> <td>44.55</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>186</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.68	58.47	74.00	-15.53	42.58	34.53	10.97	29.61	0.00	186	360	PEAK	2	5466.56	60.45	68.30	-7.85	44.55	34.53	10.99	29.62	0.00	186	360	PEAK	 <table border="1" data-bbox="906 1108 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.00</td> <td>-----</td> <td>-----</td> <td>84.03</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>186</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.00	-----	-----	84.03	34.57	11.09	29.69	0.00	186	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5454.68	58.47	74.00	-15.53	42.58	34.53	10.97	29.61	0.00	186	360	PEAK																																																																																					
2	5466.56	60.45	68.30	-7.85	44.55	34.53	10.99	29.62	0.00	186	360	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	100.00	-----	-----	84.03	34.57	11.09	29.69	0.00	186	360	PEAK																																																																																					
Avg	 <table border="1" data-bbox="268 1785 774 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.34</td> <td>49.33</td> <td>54.00</td> <td>-4.67</td> <td>33.44</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>186</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.34	49.33	54.00	-4.67	33.44	34.53	10.90	29.62	0.00	186	360	AVERAGE	 <table border="1" data-bbox="906 1785 1412 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>92.48</td> <td>-----</td> <td>-----</td> <td>76.52</td> <td>34.56</td> <td>11.08</td> <td>29.68</td> <td>0.00</td> <td>186</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.48	-----	-----	76.52	34.56	11.08	29.68	0.00	186	360	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.34	49.33	54.00	-4.67	33.44	34.53	10.90	29.62	0.00	186	360	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	92.48	-----	-----	76.52	34.56	11.08	29.68	0.00	186	360	AVERAGE																																																																																					



Mode	40																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																							
ANT	ANT 4A+5A																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>The plot shows a signal level starting at approximately 97.5 dBuV/m at 5530 MHz, dropping sharply to about 48.8 dBuV/m by 5577 MHz, and remaining relatively flat with noise until 5765 MHz. A red horizontal line indicates a limit at 65.0 dBuV/m. A peak is marked at 5762.07 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5762.07</td> <td>57.51</td> <td>68.30</td> <td>-10.79</td> <td>41.02</td> <td>34.92</td> <td>11.35</td> <td>29.78</td> <td>0.00</td> <td>186 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5762.07	57.51	68.30	-10.79	41.02	34.92	11.35	29.78	0.00	186 360 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5762.07	57.51	68.30	-10.79	41.02	34.92	11.35	29.78	0.00	186 360 PEAK																															



Mode	40																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.96</td> <td>74.00</td> <td>-29.04</td> <td>56.59</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	44.96	74.00	-29.04	56.59	38.14	15.93	65.70	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.41</td> <td>74.00</td> <td>-29.59</td> <td>56.04</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	44.41	74.00	-29.59	56.04	38.14	15.93	65.70	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11060.00	44.96	74.00	-29.04	56.59	38.14	15.93	65.70	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11060.00	44.41	74.00	-29.59	56.04	38.14	15.93	65.70	0.00	100	0 PEAK																																																																						







Mode	41																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5450.54 55.10 74.00 -18.90 39.21 34.53 10.97 29.61 0.00 101 298 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5467.64 54.73 68.30 -13.57 38.83 34.53 10.99 29.62 0.00 101 298 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5450.54 55.10 74.00 -18.90 39.21 34.53 10.97 29.61 0.00 101 298 PEAK								2 5467.64 54.73 68.30 -13.57 38.83 34.53 10.99 29.62 0.00 101 298 PEAK								<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5610.00 95.31 ----- 79.30 34.59 11.15 29.73 0.00 101 298 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5610.00 95.31 ----- 79.30 34.59 11.15 29.73 0.00 101 298 PEAK							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5450.54 55.10 74.00 -18.90 39.21 34.53 10.97 29.61 0.00 101 298 PEAK																																																																										
2 5467.64 54.73 68.30 -13.57 38.83 34.53 10.99 29.62 0.00 101 298 PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5610.00 95.31 ----- 79.30 34.59 11.15 29.73 0.00 101 298 PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5454.32 45.84 54.00 -8.16 29.95 34.53 10.97 29.61 0.00 101 298 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5454.32 45.84 54.00 -8.16 29.95 34.53 10.97 29.61 0.00 101 298 AVERAGE								<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5610.00 85.98 ----- 69.91 34.63 11.21 29.77 0.00 101 298 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5610.00 85.98 ----- 69.91 34.63 11.21 29.77 0.00 101 298 AVERAGE															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5454.32 45.84 54.00 -8.16 29.95 34.53 10.97 29.61 0.00 101 298 AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5610.00 85.98 ----- 69.91 34.63 11.21 29.77 0.00 101 298 AVERAGE																																																																										



Mode	41																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																	
ANT	ANT 4A+5A																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5758.31</td> <td>58.24</td> <td>68.30</td> <td>-10.06</td> <td>41.77</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5758.31	58.24	68.30	-10.06	41.77	34.91	11.34	29.78							0.00	101								298 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5758.31	58.24	68.30	-10.06	41.77	34.91	11.34	29.78																																											
						0.00	101																																											
							298 PEAK																																											



41																																																							
Band Edge - L																																																							
U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																							
ANT 4A+5A																																																							
Mode																																																							
ANT																																																							
Pol.	Vertical																																																						
Pol.	Fundamental																																																						
Peak	 <table border="1" data-bbox="268 1108 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.78</td> <td>56.25</td> <td>74.00</td> <td>-17.75</td> <td>40.36</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>199</td> <td>11</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.08</td> <td>55.81</td> <td>68.30</td> <td>-12.49</td> <td>39.92</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>199</td> <td>11</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.78	56.25	74.00	-17.75	40.36	34.53	10.97	29.61	0.00	199	11	PEAK	2	5460.08	55.81	68.30	-12.49	39.92	34.53	10.98	29.62	0.00	199	11	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5453.78	56.25	74.00	-17.75	40.36	34.53	10.97	29.61	0.00	199	11	PEAK																																											
2	5460.08	55.81	68.30	-12.49	39.92	34.53	10.98	29.62	0.00	199	11	PEAK																																											
Peak	 <table border="1" data-bbox="906 1108 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>103.98</td> <td>-----</td> <td>-----</td> <td>87.94</td> <td>34.61</td> <td>11.19</td> <td>29.76</td> <td>0.00</td> <td>199</td> <td>11</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.98	-----	-----	87.94	34.61	11.19	29.76	0.00	199	11	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5610.00	103.98	-----	-----	87.94	34.61	11.19	29.76	0.00	199	11	PEAK																																											
Avg	 <table border="1" data-bbox="268 1796 774 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.28</td> <td>46.07</td> <td>54.00</td> <td>-7.93</td> <td>30.26</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> <td>0.00</td> <td>199</td> <td>11</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.28	46.07	54.00	-7.93	30.26	34.50	10.84	29.53	0.00	199	11	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5359.28	46.07	54.00	-7.93	30.26	34.50	10.84	29.53	0.00	199	11	AVERAGE																																											
Avg	 <table border="1" data-bbox="906 1796 1412 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>95.01</td> <td>-----</td> <td>-----</td> <td>78.98</td> <td>34.60</td> <td>11.19</td> <td>29.76</td> <td>0.00</td> <td>199</td> <td>11</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.01	-----	-----	78.98	34.60	11.19	29.76	0.00	199	11	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5610.00	95.01	-----	-----	78.98	34.60	11.19	29.76	0.00	199	11	AVERAGE																																											



Mode	41																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																								
ANT	ANT 4A+5A																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.18</td> <td>59.29</td> <td>68.30</td> <td>-9.01</td> <td>42.93</td> <td>34.84</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>199</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.18	59.29	68.30	-9.01	42.93	34.84	11.31	29.79	0.00	199	11 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5725.18	59.29	68.30	-9.01	42.93	34.84	11.31	29.79	0.00	199	11 PEAK																															



Mode	41																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>44.35</td> <td>74.00</td> <td>-29.65</td> <td>55.72</td> <td>38.23</td> <td>16.01</td> <td>65.61</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	44.35	74.00	-29.65	55.72	38.23	16.01	65.61	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>44.51</td> <td>74.00</td> <td>-29.49</td> <td>55.88</td> <td>38.23</td> <td>16.01</td> <td>65.61</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	44.51	74.00	-29.49	55.88	38.23	16.01	65.61	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11220.00	44.35	74.00	-29.65	55.72	38.23	16.01	65.61	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11220.00	44.51	74.00	-29.49	55.88	38.23	16.01	65.61	0.00	100	0 PEAK																																																																						







Mode	42																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5040.13</td> <td>57.27</td> <td>74.00</td> <td>-16.73</td> <td>41.73</td> <td>34.18</td> <td>10.58</td> <td>29.22</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>314</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>134 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5040.13	57.27	74.00	-16.73	41.73	34.18	10.58	29.22							0.00	314								134 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>88.96</td> <td>-----</td> <td>-----</td> <td>73.17</td> <td>34.50</td> <td>10.67</td> <td>29.38</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>314</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>134 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5250.00	88.96	-----	-----	73.17	34.50	10.67	29.38							0.00	314								134 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5040.13	57.27	74.00	-16.73	41.73	34.18	10.58	29.22																																																																																											
						0.00	314																																																																																											
							134 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5250.00	88.96	-----	-----	73.17	34.50	10.67	29.38																																																																																											
						0.00	314																																																																																											
							134 PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5077.63</td> <td>48.78</td> <td>54.00</td> <td>-5.22</td> <td>33.18</td> <td>34.26</td> <td>10.59</td> <td>29.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>314</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>134 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5077.63	48.78	54.00	-5.22	33.18	34.26	10.59	29.25							0.00	314								134 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>81.10</td> <td>-----</td> <td>-----</td> <td>65.32</td> <td>34.50</td> <td>10.66</td> <td>29.38</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>314</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>134 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5250.00	81.10	-----	-----	65.32	34.50	10.66	29.38							0.00	314								134 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5077.63	48.78	54.00	-5.22	33.18	34.26	10.59	29.25																																																																																											
						0.00	314																																																																																											
							134 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5250.00	81.10	-----	-----	65.32	34.50	10.66	29.38																																																																																											
						0.00	314																																																																																											
							134 AVERAGE																																																																																											



Mode	42																																							
	Band Edge - R																																							
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																							
ANT	ANT 4A+5A																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5418.13</td> <td>55.11</td> <td>74.00</td> <td>-18.89</td> <td>39.27</td> <td>34.51</td> <td>10.91</td> <td>29.58</td> <td>0.00</td> <td>314 134 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5418.13	55.11	74.00	-18.89	39.27	34.51	10.91	29.58	0.00	314 134 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5418.13	55.11	74.00	-18.89	39.27	34.51	10.91	29.58	0.00	314 134 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5456.33</td> <td>46.77</td> <td>54.00</td> <td>-7.23</td> <td>30.89</td> <td>34.53</td> <td>10.97</td> <td>29.62</td> <td>0.00</td> <td>314 134 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5456.33	46.77	54.00	-7.23	30.89	34.53	10.97	29.62	0.00	314 134 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5456.33	46.77	54.00	-7.23	30.89	34.53	10.97	29.62	0.00	314 134 AVERAGE																															



Mode	42																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.13</td> <td>61.60</td> <td>74.00</td> <td>-12.40</td> <td>45.93</td> <td>34.35</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>169</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.13	61.60	74.00	-12.40	45.93	34.35	10.61	29.29	0.00	169	360	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>96.67</td> <td>-----</td> <td>-----</td> <td>80.88</td> <td>34.50</td> <td>10.71</td> <td>29.42</td> <td>0.00</td> <td>169</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.67	-----	-----	80.88	34.50	10.71	29.42	0.00	169	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5127.13	61.60	74.00	-12.40	45.93	34.35	10.61	29.29	0.00	169	360	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	96.67	-----	-----	80.88	34.50	10.71	29.42	0.00	169	360	PEAK																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.38</td> <td>50.93</td> <td>54.00</td> <td>-3.07</td> <td>35.26</td> <td>34.35</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>169</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.38	50.93	54.00	-3.07	35.26	34.35	10.61	29.29	0.00	169	360	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>89.01</td> <td>-----</td> <td>-----</td> <td>73.22</td> <td>34.50</td> <td>10.70</td> <td>29.41</td> <td>0.00</td> <td>169</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.01	-----	-----	73.22	34.50	10.70	29.41	0.00	169	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5127.38	50.93	54.00	-3.07	35.26	34.35	10.61	29.29	0.00	169	360	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5250.00	89.01	-----	-----	73.22	34.50	10.70	29.41	0.00	169	360	AVERAGE																																																																				







Mode	42																																												
	Band Edge - R																																												
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																												
ANT	ANT 4A+5A																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1" data-bbox="268 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5366.03</td> <td>57.00</td> <td>74.00</td> <td>-17.00</td> <td>41.19</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>169</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5366.03	57.00	74.00	-17.00	41.19	34.50	10.85	29.54	0.00	169	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5366.03	57.00	74.00	-17.00	41.19	34.50	10.85	29.54	0.00	169	360	PEAK																																		
Avg	<table border="1" data-bbox="268 1803 774 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5305.77</td> <td>49.12</td> <td>54.00</td> <td>-4.88</td> <td>33.31</td> <td>34.50</td> <td>10.87</td> <td>29.56</td> <td>0.00</td> <td>169</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5305.77	49.12	54.00	-4.88	33.31	34.50	10.87	29.56	0.00	169	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5305.77	49.12	54.00	-4.88	33.31	34.50	10.87	29.56	0.00	169	360	AVERAGE																																		



Mode	42																																																																															
	Harmonic																																																																															
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																															
ANT	ANT 4A+5A																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>42.98</td> <td>68.30</td> <td>-25.32</td> <td>56.12</td> <td>37.55</td> <td>15.63</td> <td>66.32</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	42.98	68.30	-25.32	56.12	37.55	15.63	66.32	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>43.57</td> <td>68.30</td> <td>-24.73</td> <td>56.71</td> <td>37.55</td> <td>15.63</td> <td>66.32</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	43.57	68.30	-24.73	56.71	37.55	15.63	66.32	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10500.00	42.98	68.30	-25.32	56.12	37.55	15.63	66.32	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10500.00	43.57	68.30	-24.73	56.71	37.55	15.63	66.32	0.00	100	0 PEAK																																																																						







Mode	43																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="263 1108 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5417.66</td> <td>55.57</td> <td>74.00</td> <td>-18.43</td> <td>39.72</td> <td>34.51</td> <td>10.92</td> <td>29.58</td> <td>0.00</td> <td>361</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.80</td> <td>55.31</td> <td>68.30</td> <td>-12.99</td> <td>39.42</td> <td>34.53</td> <td>10.99</td> <td>29.63</td> <td>0.00</td> <td>361</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.66	55.57	74.00	-18.43	39.72	34.51	10.92	29.58	0.00	361	104	PEAK	2	5469.80	55.31	68.30	-12.99	39.42	34.53	10.99	29.63	0.00	361	104	PEAK	 <table border="1" data-bbox="901 1108 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>92.78</td> <td>-----</td> <td>-----</td> <td>76.80</td> <td>34.57</td> <td>11.11</td> <td>29.70</td> <td>0.00</td> <td>361</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.78	-----	-----	76.80	34.57	11.11	29.70	0.00	361	104	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5417.66	55.57	74.00	-18.43	39.72	34.51	10.92	29.58	0.00	361	104	PEAK																																																																																					
2	5469.80	55.31	68.30	-12.99	39.42	34.53	10.99	29.63	0.00	361	104	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	92.78	-----	-----	76.80	34.57	11.11	29.70	0.00	361	104	PEAK																																																																																					
Avg	 <table border="1" data-bbox="263 1792 774 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.00</td> <td>48.03</td> <td>54.00</td> <td>-5.97</td> <td>32.19</td> <td>34.51</td> <td>10.91</td> <td>29.58</td> <td>0.00</td> <td>361</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.00	48.03	54.00	-5.97	32.19	34.51	10.91	29.58	0.00	361	104	AVERAGE	 <table border="1" data-bbox="901 1792 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>82.85</td> <td>-----</td> <td>-----</td> <td>66.88</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>361</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	82.85	-----	-----	66.88	34.57	11.09	29.69	0.00	361	104	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5414.00	48.03	54.00	-5.97	32.19	34.51	10.91	29.58	0.00	361	104	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	82.85	-----	-----	66.88	34.57	11.09	29.69	0.00	361	104	AVERAGE																																																																																					



Mode	43																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																											
ANT	ANT 4A+5A																																											
Pol.	Horizontal	Fundamental																																										
Peak	<p>The plot shows a signal level starting around 81.3 dBuV/m at 5570 MHz, dropping to a noise floor of approximately 48.8 dBuV/m after 5640 MHz. A sharp peak is observed at 5732.73 MHz, reaching a level of 56.96 dBuV/m. A red horizontal line at 65.0 dBuV/m is labeled '5G BAND 1---3'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5732.73</td> <td>56.96</td> <td>68.30</td> <td>-11.34</td> <td>40.58</td> <td>34.85</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>361</td> <td>104</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5732.73	56.96	68.30	-11.34	40.58	34.85	11.32	29.79	0.00	361	104	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																				
1 5732.73	56.96	68.30	-11.34	40.58	34.85	11.32	29.79	0.00	361	104																																		



Mode	43																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																
ANT	ANT 4A+5A																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.36</td> <td>57.78</td> <td>74.00</td> <td>-16.22</td> <td>41.91</td> <td>34.52</td> <td>10.96</td> <td>29.61</td> <td>0.00</td> <td>200</td> <td>10</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.20</td> <td>57.74</td> <td>68.30</td> <td>-10.56</td> <td>41.85</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>200</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.36	57.78	74.00	-16.22	41.91	34.52	10.96	29.61	0.00	200	10	PEAK	2	5463.20	57.74	68.30	-10.56	41.85	34.53	10.98	29.62	0.00	200	10	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>96.78</td> <td>-----</td> <td>-----</td> <td>80.77</td> <td>34.59</td> <td>11.17</td> <td>29.75</td> <td>0.00</td> <td>200</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.78	-----	-----	80.77	34.59	11.17	29.75	0.00	200	10	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5447.36	57.78	74.00	-16.22	41.91	34.52	10.96	29.61	0.00	200	10	PEAK																																																																																					
2	5463.20	57.74	68.30	-10.56	41.85	34.53	10.98	29.62	0.00	200	10	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	96.78	-----	-----	80.77	34.59	11.17	29.75	0.00	200	10	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.46</td> <td>50.05</td> <td>54.00</td> <td>-3.95</td> <td>34.18</td> <td>34.52</td> <td>10.96</td> <td>29.61</td> <td>0.00</td> <td>200</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.46	50.05	54.00	-3.95	34.18	34.52	10.96	29.61	0.00	200	10	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>88.54</td> <td>-----</td> <td>-----</td> <td>72.55</td> <td>34.58</td> <td>11.14</td> <td>29.73</td> <td>0.00</td> <td>200</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.54	-----	-----	72.55	34.58	11.14	29.73	0.00	200	10	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5448.46	50.05	54.00	-3.95	34.18	34.52	10.96	29.61	0.00	200	10	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	88.54	-----	-----	72.55	34.58	11.14	29.73	0.00	200	10	AVERAGE																																																																																					






Mode	43																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																						
ANT	ANT 4A+5A																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5763.93</td> <td>56.58</td> <td>68.30</td> <td>-11.72</td> <td>40.09</td> <td>34.92</td> <td>11.35</td> <td>29.78</td> <td>0.00</td> <td>200</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5763.93	56.58	68.30	-11.72	40.09	34.92	11.35	29.78	0.00	200	10 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5763.93	56.58	68.30	-11.72	40.09	34.92	11.35	29.78	0.00	200	10 PEAK																													






Mode	43																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>43.20</td> <td>74.00</td> <td>-30.80</td> <td>54.70</td> <td>38.18</td> <td>15.97</td> <td>65.65</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	43.20	74.00	-30.80	54.70	38.18	15.97	65.65	0.00	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>44.71</td> <td>74.00</td> <td>-29.29</td> <td>56.21</td> <td>38.18</td> <td>15.97</td> <td>65.65</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	44.71	74.00	-29.29	56.21	38.18	15.97	65.65	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	43.20	74.00	-30.80	54.70	38.18	15.97	65.65	0.00	300	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	44.71	74.00	-29.29	56.21	38.18	15.97	65.65	0.00	100	0	PEAK																																																																							



Mode	44																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																										
ANT	ANT 4A+5A																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	 <table border="1" data-bbox="271 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.27</td> <td>57.02</td> <td>68.30</td> <td>-11.28</td> <td>40.88</td> <td>34.69</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>321</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.04</td> <td>54.66</td> <td>68.33</td> <td>-13.67</td> <td>38.51</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>321</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.75</td> <td>65.35</td> <td>110.83</td> <td>-45.48</td> <td>49.02</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>321</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.17</td> <td>68.75</td> <td>111.28</td> <td>-42.53</td> <td>52.42</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>321</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5648.27	57.02	68.30	-11.28	40.88	34.69	11.23	29.78	0.00	321	248	PEAK	2	5650.04	54.66	68.33	-13.67	38.51	34.69	11.24	29.78	0.00	321	248	PEAK	3	5719.75	65.35	110.83	-45.48	49.02	34.82	11.30	29.79	0.00	321	248	PEAK	4	5720.17	68.75	111.28	-42.53	52.42	34.82	11.30	29.79	0.00	321	248	PEAK	 <table border="1" data-bbox="917 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.56</td> <td>-----</td> <td>-----</td> <td>90.14</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>321</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	106.56	-----	-----	90.14	34.88	11.33	29.79	0.00	321	248	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5648.27	57.02	68.30	-11.28	40.88	34.69	11.23	29.78	0.00	321	248	PEAK																																																																																															
2	5650.04	54.66	68.33	-13.67	38.51	34.69	11.24	29.78	0.00	321	248	PEAK																																																																																															
3	5719.75	65.35	110.83	-45.48	49.02	34.82	11.30	29.79	0.00	321	248	PEAK																																																																																															
4	5720.17	68.75	111.28	-42.53	52.42	34.82	11.30	29.79	0.00	321	248	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	106.56	-----	-----	90.14	34.88	11.33	29.79	0.00	321	248	PEAK																																																																																															
Avg	Blank	 <table border="1" data-bbox="917 1803 1420 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.10</td> <td>-----</td> <td>-----</td> <td>81.68</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>321</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	98.10	-----	-----	81.68	34.88	11.33	29.79	0.00	321	248	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	98.10	-----	-----	81.68	34.88	11.33	29.79	0.00	321	248	AVERAGE																																																																																															






Mode	44																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																												
ANT	ANT 4A+5A																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5641.62</td> <td>57.42</td> <td>68.30</td> <td>-10.88</td> <td>41.30</td> <td>34.67</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.43</td> <td>56.93</td> <td>69.36</td> <td>-12.43</td> <td>40.78</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.38</td> <td>62.43</td> <td>110.45</td> <td>-48.02</td> <td>46.10</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>67.46</td> <td>114.54</td> <td>-47.08</td> <td>51.12</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5641.62	57.42	68.30	-10.88	41.30	34.67	11.23	29.78	0.00	100	350	PEAK	2	5651.43	56.93	69.36	-12.43	40.78	34.69	11.24	29.78	0.00	100	350	PEAK	3	5718.38	62.43	110.45	-48.02	46.10	34.82	11.30	29.79	0.00	100	350	PEAK	4	5721.60	67.46	114.54	-47.08	51.12	34.83	11.30	29.79	0.00	100	350	PEAK	 <table border="1" data-bbox="904 1120 1415 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.70</td> <td>-----</td> <td>-----</td> <td>96.29</td> <td>34.87</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	112.70	-----	-----	96.29	34.87	11.33	29.79	0.00	100	350	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5641.62	57.42	68.30	-10.88	41.30	34.67	11.23	29.78	0.00	100	350	PEAK																																																																																	
2	5651.43	56.93	69.36	-12.43	40.78	34.69	11.24	29.78	0.00	100	350	PEAK																																																																																	
3	5718.38	62.43	110.45	-48.02	46.10	34.82	11.30	29.79	0.00	100	350	PEAK																																																																																	
4	5721.60	67.46	114.54	-47.08	51.12	34.83	11.30	29.79	0.00	100	350	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	112.70	-----	-----	96.29	34.87	11.33	29.79	0.00	100	350	PEAK																																																																																	
Avg	Blank	 <table border="1" data-bbox="904 1792 1415 1926"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.96</td> <td>-----</td> <td>-----</td> <td>86.55</td> <td>34.87</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	102.96	-----	-----	86.55	34.87	11.33	29.79	0.00	100	350	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	102.96	-----	-----	86.55	34.87	11.33	29.79	0.00	100	350	AVERAGE																																																																																	



Mode	44																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																		
ANT	ANT 4A+5A																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>49.70</td> <td>74.00</td> <td>-24.30</td> <td>60.62</td> <td>38.39</td> <td>16.15</td> <td>65.46</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>39.18</td> <td>54.00</td> <td>-14.82</td> <td>50.08</td> <td>38.40</td> <td>16.15</td> <td>65.45</td> <td>0.00</td> <td>300</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	49.70	74.00	-24.30	60.62	38.39	16.15	65.46	0.00	300	0 PEAK	2 11490.00	39.18	54.00	-14.82	50.08	38.40	16.15	65.45	0.00	300	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>51.01</td> <td>74.00</td> <td>-22.99</td> <td>61.93</td> <td>38.39</td> <td>16.15</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>40.16</td> <td>54.00</td> <td>-13.84</td> <td>51.06</td> <td>38.40</td> <td>16.15</td> <td>65.45</td> <td>0.00</td> <td>100</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	51.01	74.00	-22.99	61.93	38.39	16.15	65.46	0.00	100	0 PEAK	2 11490.00	40.16	54.00	-13.84	51.06	38.40	16.15	65.45	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																											
1 11490.00	49.70	74.00	-24.30	60.62	38.39	16.15	65.46	0.00	300	0 PEAK																																																																																									
2 11490.00	39.18	54.00	-14.82	50.08	38.40	16.15	65.45	0.00	300	0 AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																											
1 11490.00	51.01	74.00	-22.99	61.93	38.39	16.15	65.46	0.00	100	0 PEAK																																																																																									
2 11490.00	40.16	54.00	-13.84	51.06	38.40	16.15	65.45	0.00	100	0 AVERAGE																																																																																									






Mode	45																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																						
ANT	ANT 4A+5A																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5616.00</td> <td>56.44</td> <td>68.30</td> <td>-11.86</td> <td>40.38</td> <td>34.63</td> <td>11.20</td> <td>29.77</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.02</td> <td>55.12</td> <td>69.80</td> <td>-14.68</td> <td>38.97</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.48</td> <td>55.94</td> <td>106.28</td> <td>-50.34</td> <td>39.67</td> <td>34.79</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.15</td> <td>54.03</td> <td>111.24</td> <td>-57.21</td> <td>37.70</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5616.00	56.44	68.30	-11.86	40.38	34.63	11.20	29.77	0.00	345	286	PEAK	2	5652.02	55.12	69.80	-14.68	38.97	34.69	11.24	29.78	0.00	345	286	PEAK	3	5703.48	55.94	106.28	-50.34	39.67	34.79	11.28	29.80	0.00	345	286	PEAK	4	5720.15	54.03	111.24	-57.21	37.70	34.82	11.30	29.79	0.00	345	286	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>105.67</td> <td>-----</td> <td>-----</td> <td>89.09</td> <td>34.97</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5785.00	105.67	-----	-----	89.09	34.97	11.38	29.77	0.00	345	286	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5616.00	56.44	68.30	-11.86	40.38	34.63	11.20	29.77	0.00	345	286	PEAK																																																																																																											
2	5652.02	55.12	69.80	-14.68	38.97	34.69	11.24	29.78	0.00	345	286	PEAK																																																																																																											
3	5703.48	55.94	106.28	-50.34	39.67	34.79	11.28	29.80	0.00	345	286	PEAK																																																																																																											
4	5720.15	54.03	111.24	-57.21	37.70	34.82	11.30	29.79	0.00	345	286	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5785.00	105.67	-----	-----	89.09	34.97	11.38	29.77	0.00	345	286	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1803 1420 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>98.92</td> <td>-----</td> <td>-----</td> <td>82.35</td> <td>34.97</td> <td>11.37</td> <td>29.77</td> <td>0.00</td> <td>345</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5785.00	98.92	-----	-----	82.35	34.97	11.37	29.77	0.00	345	286	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5785.00	98.92	-----	-----	82.35	34.97	11.37	29.77	0.00	345	286	AVERAGE																																																																																																											



Mode	45																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.96</td> <td>54.87</td> <td>110.99</td> <td>-56.12</td> <td>38.15</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.58</td> <td>56.40</td> <td>105.42</td> <td>-49.02</td> <td>39.64</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.10</td> <td>55.97</td> <td>68.97</td> <td>-13.00</td> <td>39.13</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.77</td> <td>58.95</td> <td>68.30</td> <td>-9.35</td> <td>42.10</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>345</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.96	54.87	110.99	-56.12	38.15	35.08	11.43	29.79	0.00	345	286	PEAK	2	5874.58	56.40	105.42	-49.02	39.64	35.11	11.44	29.79	0.00	345	286	PEAK	3	5924.10	55.97	68.97	-13.00	39.13	35.19	11.47	29.82	0.00	345	286	PEAK	4	5938.77	58.95	68.30	-9.35	42.10	35.20	11.48	29.83	0.00	345	286	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.96	54.87	110.99	-56.12	38.15	35.08	11.43	29.79	0.00	345	286	PEAK																																																														
2	5874.58	56.40	105.42	-49.02	39.64	35.11	11.44	29.79	0.00	345	286	PEAK																																																														
3	5924.10	55.97	68.97	-13.00	39.13	35.19	11.47	29.82	0.00	345	286	PEAK																																																														
4	5938.77	58.95	68.30	-9.35	42.10	35.20	11.48	29.83	0.00	345	286	PEAK																																																														



Mode	45																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																								
ANT	ANT 4A+5A																																																																																																								
Pol.	Vertical	Fundamental																																																																																																							
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.39</td> <td>57.52</td> <td>68.30</td> <td>-10.78</td> <td>41.39</td> <td>34.68</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.09</td> <td>56.00</td> <td>68.36</td> <td>-12.27</td> <td>39.94</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.96</td> <td>57.12</td> <td>105.57</td> <td>-48.45</td> <td>40.86</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.08</td> <td>53.78</td> <td>111.08</td> <td>-57.30</td> <td>37.45</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5643.39	57.52	68.30	-10.78	41.39	34.68	11.23	29.78	0.00	100	351	PEAK	2	5650.09	56.00	68.36	-12.27	39.94	34.69	11.24	29.78	0.00	100	351	PEAK	3	5700.96	57.12	105.57	-48.45	40.86	34.78	11.28	29.80	0.00	100	351	PEAK	4	5720.08	53.78	111.08	-57.30	37.45	34.82	11.30	29.79	0.00	100	351	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>111.09</td> <td>-----</td> <td>-----</td> <td>94.52</td> <td>34.97</td> <td>11.37</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5785.00	111.09	-----	-----	94.52	34.97	11.37	29.77	0.00	100	351	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																
1	5643.39	57.52	68.30	-10.78	41.39	34.68	11.23	29.78	0.00	100	351	PEAK																																																																																													
2	5650.09	56.00	68.36	-12.27	39.94	34.69	11.24	29.78	0.00	100	351	PEAK																																																																																													
3	5700.96	57.12	105.57	-48.45	40.86	34.78	11.28	29.80	0.00	100	351	PEAK																																																																																													
4	5720.08	53.78	111.08	-57.30	37.45	34.82	11.30	29.79	0.00	100	351	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																
1	5785.00	111.09	-----	-----	94.52	34.97	11.37	29.77	0.00	100	351	PEAK																																																																																													
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>103.17</td> <td>-----</td> <td>-----</td> <td>86.60</td> <td>34.97</td> <td>11.37</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>351</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5785.00	103.17	-----	-----	86.60	34.97	11.37	29.77	0.00	100	351	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																
1	5785.00	103.17	-----	-----	86.60	34.97	11.37	29.77	0.00	100	351	AVERAGE																																																																																													






Mode	45																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.60</td> <td>56.85</td> <td>111.82</td> <td>-54.97</td> <td>40.13</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.76</td> <td>57.55</td> <td>106.21</td> <td>-48.66</td> <td>40.79</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.77</td> <td>55.40</td> <td>68.47</td> <td>-13.07</td> <td>38.56</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5947.76</td> <td>57.37</td> <td>68.30</td> <td>-10.93</td> <td>40.50</td> <td>35.22</td> <td>11.49</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>351</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.60	56.85	111.82	-54.97	40.13	35.08	11.43	29.79	0.00	100	351	PEAK	2	5871.76	57.55	106.21	-48.66	40.79	35.11	11.44	29.79	0.00	100	351	PEAK	3	5924.77	55.40	68.47	-13.07	38.56	35.19	11.47	29.82	0.00	100	351	PEAK	4	5947.76	57.37	68.30	-10.93	40.50	35.22	11.49	29.84	0.00	100	351	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.60	56.85	111.82	-54.97	40.13	35.08	11.43	29.79	0.00	100	351	PEAK																																																														
2	5871.76	57.55	106.21	-48.66	40.79	35.11	11.44	29.79	0.00	100	351	PEAK																																																														
3	5924.77	55.40	68.47	-13.07	38.56	35.19	11.47	29.82	0.00	100	351	PEAK																																																														
4	5947.76	57.37	68.30	-10.93	40.50	35.22	11.49	29.84	0.00	100	351	PEAK																																																														



Mode	45																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																						
ANT	ANT 4A+5A																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>55.30</td> <td>74.00</td> <td>-18.70</td> <td>66.09</td> <td>38.44</td> <td>16.18</td> <td>65.41</td> <td>0.00</td> <td>105</td> <td>20</td> <td>PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>42.92</td> <td>54.00</td> <td>-11.08</td> <td>53.70</td> <td>38.44</td> <td>16.19</td> <td>65.41</td> <td>0.00</td> <td>105</td> <td>20</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	55.30	74.00	-18.70	66.09	38.44	16.18	65.41	0.00	105	20	PEAK	2 11570.00	42.92	54.00	-11.08	53.70	38.44	16.19	65.41	0.00	105	20	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>56.43</td> <td>74.00</td> <td>-17.57</td> <td>67.22</td> <td>38.44</td> <td>16.18</td> <td>65.41</td> <td>0.00</td> <td>101</td> <td>169</td> <td>PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>45.08</td> <td>54.00</td> <td>-8.92</td> <td>55.86</td> <td>38.44</td> <td>16.19</td> <td>65.41</td> <td>0.00</td> <td>101</td> <td>169</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	56.43	74.00	-17.57	67.22	38.44	16.18	65.41	0.00	101	169	PEAK	2 11570.00	45.08	54.00	-8.92	55.86	38.44	16.19	65.41	0.00	101	169
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																															
1 11570.00	55.30	74.00	-18.70	66.09	38.44	16.18	65.41	0.00	105	20	PEAK																																																																																												
2 11570.00	42.92	54.00	-11.08	53.70	38.44	16.19	65.41	0.00	105	20	AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																															
1 11570.00	56.43	74.00	-17.57	67.22	38.44	16.18	65.41	0.00	101	169	PEAK																																																																																												
2 11570.00	45.08	54.00	-8.92	55.86	38.44	16.19	65.41	0.00	101	169	AVERAGE																																																																																												



Mode	46																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																
ANT	ANT 4A+5A																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.36</td> <td>110.90</td> <td>-55.54</td> <td>38.64</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>361</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.38</td> <td>56.42</td> <td>106.03</td> <td>-49.61</td> <td>39.66</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>361</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>57.27</td> <td>68.30</td> <td>-11.03</td> <td>40.42</td> <td>35.19</td> <td>11.48</td> <td>29.82</td> <td>0.00</td> <td>361</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5939.63</td> <td>57.56</td> <td>68.30</td> <td>-10.74</td> <td>40.71</td> <td>35.21</td> <td>11.48</td> <td>29.84</td> <td>0.00</td> <td>361</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	55.36	110.90	-55.54	38.64	35.00	11.43	29.79	0.00	361	285	PEAK	2	5872.38	56.42	106.03	-49.61	39.66	35.11	11.44	29.79	0.00	361	285	PEAK	3	5925.00	57.27	68.30	-11.03	40.42	35.19	11.48	29.82	0.00	361	285	PEAK	4	5939.63	57.56	68.30	-10.74	40.71	35.21	11.48	29.84	0.00	361	285	PEAK	 <table border="1" data-bbox="904 1120 1415 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.42</td> <td>-----</td> <td>-----</td> <td>88.75</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>361</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.42	-----	-----	88.75	35.04	11.41	29.78	0.00	361	285	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg																																																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5855.00	55.36	110.90	-55.54	38.64	35.00	11.43	29.79	0.00	361	285	PEAK																																																																																																																					
2	5872.38	56.42	106.03	-49.61	39.66	35.11	11.44	29.79	0.00	361	285	PEAK																																																																																																																					
3	5925.00	57.27	68.30	-11.03	40.42	35.19	11.48	29.82	0.00	361	285	PEAK																																																																																																																					
4	5939.63	57.56	68.30	-10.74	40.71	35.21	11.48	29.84	0.00	361	285	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg																																																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	105.42	-----	-----	88.75	35.04	11.41	29.78	0.00	361	285	PEAK																																																																																																																					
Avg	Blank	 <table border="1" data-bbox="904 1792 1415 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.36</td> <td>-----</td> <td>-----</td> <td>82.69</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>361</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.36	-----	-----	82.69	35.04	11.41	29.78	0.00	361	285	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	cm	deg																																																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	99.36	-----	-----	82.69	35.04	11.41	29.78	0.00	361	285	AVERAGE																																																																																																																					






Mode	46																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																								
ANT	ANT 4A+5A																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>56.31</td> <td>110.90</td> <td>-54.59</td> <td>39.59</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>56.11</td> <td>105.30</td> <td>-49.19</td> <td>39.35</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>56.24</td> <td>68.39</td> <td>-12.15</td> <td>39.40</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.50</td> <td>58.02</td> <td>68.30</td> <td>-10.28</td> <td>41.17</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5855.00	56.31	110.90	-54.59	39.59	35.00	11.43	29.79	0.00	100	347	PEAK	2	5875.00	56.11	105.30	-49.19	39.35	35.11	11.44	29.79	0.00	100	347	PEAK	3	5924.88	56.24	68.39	-12.15	39.40	35.19	11.47	29.82	0.00	100	347	PEAK	4	5933.50	58.02	68.30	-10.28	41.17	35.20	11.48	29.83	0.00	100	347	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.95</td> <td>-----</td> <td>-----</td> <td>94.28</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	110.95	-----	-----	94.28	35.04	11.41	29.78	0.00	100	347	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5855.00	56.31	110.90	-54.59	39.59	35.00	11.43	29.79	0.00	100	347	PEAK																																																																																																													
2	5875.00	56.11	105.30	-49.19	39.35	35.11	11.44	29.79	0.00	100	347	PEAK																																																																																																													
3	5924.88	56.24	68.39	-12.15	39.40	35.19	11.47	29.82	0.00	100	347	PEAK																																																																																																													
4	5933.50	58.02	68.30	-10.28	41.17	35.20	11.48	29.83	0.00	100	347	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	110.95	-----	-----	94.28	35.04	11.41	29.78	0.00	100	347	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.75</td> <td>-----</td> <td>-----</td> <td>86.00</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	102.75	-----	-----	86.00	35.04	11.41	29.78	0.00	100	347	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	102.75	-----	-----	86.00	35.04	11.41	29.78	0.00	100	347	AVERAGE																																																																																																													






Mode	46																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																													
ANT	ANT 4A+5A																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>52.09</td> <td>74.00</td> <td>-21.91</td> <td>62.74</td> <td>38.49</td> <td>16.23</td> <td>65.37</td> <td>0.00</td> <td>250</td> <td>25</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>40.69</td> <td>54.00</td> <td>-13.31</td> <td>51.35</td> <td>38.49</td> <td>16.22</td> <td>65.37</td> <td>0.00</td> <td>250</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	52.09	74.00	-21.91	62.74	38.49	16.23	65.37	0.00	250	25	PEAK	2	11650.00	40.69	54.00	-13.31	51.35	38.49	16.22	65.37	0.00	250	25	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>56.29</td> <td>74.00</td> <td>-17.71</td> <td>66.94</td> <td>38.49</td> <td>16.23</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>336</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>55.25</td> <td>38.49</td> <td>16.23</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	56.29	74.00	-17.71	66.94	38.49	16.23	65.37	0.00	100	336	PEAK	2	11650.00	44.60	54.00	-9.40	55.25	38.49	16.23	65.37	0.00	100	336	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11650.00	52.09	74.00	-21.91	62.74	38.49	16.23	65.37	0.00	250	25	PEAK																																																																																																		
2	11650.00	40.69	54.00	-13.31	51.35	38.49	16.22	65.37	0.00	250	25	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11650.00	56.29	74.00	-17.71	66.94	38.49	16.23	65.37	0.00	100	336	PEAK																																																																																																		
2	11650.00	44.60	54.00	-9.40	55.25	38.49	16.23	65.37	0.00	100	336	AVERAGE																																																																																																		



Mode	47																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHZ																																																																																																														
ANT	ANT 4A+5A																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.79</td> <td>56.32</td> <td>68.30</td> <td>-11.98</td> <td>40.26</td> <td>34.63</td> <td>11.20</td> <td>29.77</td> <td>0.00</td> <td>344</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>55.03</td> <td>68.32</td> <td>-13.29</td> <td>38.88</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>344</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.63</td> <td>63.01</td> <td>110.80</td> <td>-47.79</td> <td>46.68</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>344</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>58.57</td> <td>111.04</td> <td>-52.47</td> <td>42.24</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>344</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5614.79	56.32	68.30	-11.98	40.26	34.63	11.20	29.77	0.00	344	255	PEAK	2	5650.03	55.03	68.32	-13.29	38.88	34.69	11.24	29.78	0.00	344	255	PEAK	3	5719.63	63.01	110.80	-47.79	46.68	34.82	11.30	29.79	0.00	344	255	PEAK	4	5720.06	58.57	111.04	-52.47	42.24	34.82	11.30	29.79	0.00	344	255	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.39</td> <td>-----</td> <td>-----</td> <td>88.99</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>344</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	105.39	-----	-----	88.99	34.87	11.32	29.79	0.00	344	255	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5614.79	56.32	68.30	-11.98	40.26	34.63	11.20	29.77	0.00	344	255	PEAK																																																																																																			
2	5650.03	55.03	68.32	-13.29	38.88	34.69	11.24	29.78	0.00	344	255	PEAK																																																																																																			
3	5719.63	63.01	110.80	-47.79	46.68	34.82	11.30	29.79	0.00	344	255	PEAK																																																																																																			
4	5720.06	58.57	111.04	-52.47	42.24	34.82	11.30	29.79	0.00	344	255	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	105.39	-----	-----	88.99	34.87	11.32	29.79	0.00	344	255	PEAK																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>94.95</td> <td>-----</td> <td>-----</td> <td>78.53</td> <td>34.80</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>344</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	94.95	-----	-----	78.53	34.80	11.33	29.79	0.00	344	255	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	94.95	-----	-----	78.53	34.80	11.33	29.79	0.00	344	255	AVERAGE																																																																																																			



Mode	47																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHZ																																																																																																																		
ANT	ANT 4A+5A																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.47</td> <td>56.99</td> <td>68.30</td> <td>-11.31</td> <td>40.96</td> <td>34.60</td> <td>11.19</td> <td>29.76</td> <td>0.00</td> <td>153</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>55.35</td> <td>68.53</td> <td>-13.18</td> <td>39.20</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>153</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.96</td> <td>64.08</td> <td>108.93</td> <td>-44.85</td> <td>47.78</td> <td>34.81</td> <td>11.29</td> <td>29.80</td> <td>0.00</td> <td>153</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.51</td> <td>66.10</td> <td>114.34</td> <td>-48.24</td> <td>49.76</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>153</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5602.47	56.99	68.30	-11.31	40.96	34.60	11.19	29.76	0.00	153	347	PEAK	2	5650.32	55.35	68.53	-13.18	39.20	34.69	11.24	29.78	0.00	153	347	PEAK	3	5712.96	64.08	108.93	-44.85	47.78	34.81	11.29	29.80	0.00	153	347	PEAK	4	5721.51	66.10	114.34	-48.24	49.76	34.83	11.30	29.79	0.00	153	347	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.35</td> <td>-----</td> <td>-----</td> <td>93.93</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>153</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	110.35	-----	-----	93.93	34.88	11.33	29.79	0.00	153	347	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5602.47	56.99	68.30	-11.31	40.96	34.60	11.19	29.76	0.00	153	347	PEAK																																																																																																							
2	5650.32	55.35	68.53	-13.18	39.20	34.69	11.24	29.78	0.00	153	347	PEAK																																																																																																							
3	5712.96	64.08	108.93	-44.85	47.78	34.81	11.29	29.80	0.00	153	347	PEAK																																																																																																							
4	5721.51	66.10	114.34	-48.24	49.76	34.83	11.30	29.79	0.00	153	347	PEAK																																																																																																							
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5745.00	110.35	-----	-----	93.93	34.88	11.33	29.79	0.00	153	347	PEAK																																																																																																							
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.64</td> <td>-----</td> <td>-----</td> <td>85.22</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>153</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	101.64	-----	-----	85.22	34.88	11.33	29.79	0.00	153	347	AVERAGE																																																																												
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5745.00	101.64	-----	-----	85.22	34.88	11.33	29.79	0.00	153	347	AVERAGE																																																																																																							



Mode	47																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHZ																																																																																																			
ANT	ANT 4A+5A																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>50.03</td> <td>74.00</td> <td>-23.97</td> <td>60.95</td> <td>38.39</td> <td>16.15</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>39.15</td> <td>54.00</td> <td>-14.85</td> <td>50.07</td> <td>38.39</td> <td>16.15</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	50.03	74.00	-23.97	60.95	38.39	16.15	65.46	0.00	100	0 PEAK	2 11490.00	39.15	54.00	-14.85	50.07	38.39	16.15	65.46	0.00	100	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>50.66</td> <td>74.00</td> <td>-23.34</td> <td>61.58</td> <td>38.39</td> <td>16.15</td> <td>65.46</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>40.07</td> <td>54.00</td> <td>-13.93</td> <td>51.00</td> <td>38.39</td> <td>16.14</td> <td>65.46</td> <td>0.00</td> <td>300</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	50.66	74.00	-23.34	61.58	38.39	16.15	65.46	0.00	300	0 PEAK	2 11490.00	40.07	54.00	-13.93	51.00	38.39	16.14	65.46	0.00	300	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 11490.00	50.03	74.00	-23.97	60.95	38.39	16.15	65.46	0.00	100	0 PEAK																																																																																										
2 11490.00	39.15	54.00	-14.85	50.07	38.39	16.15	65.46	0.00	100	0 AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 11490.00	50.66	74.00	-23.34	61.58	38.39	16.15	65.46	0.00	300	0 PEAK																																																																																										
2 11490.00	40.07	54.00	-13.93	51.00	38.39	16.14	65.46	0.00	300	0 AVERAGE																																																																																										






Mode	48																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																											
ANT	ANT 4A+5A																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>53.78</td> <td>74.00</td> <td>-20.22</td> <td>64.57</td> <td>38.44</td> <td>16.18</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>42.06</td> <td>54.00</td> <td>-11.94</td> <td>52.85</td> <td>38.44</td> <td>16.18</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	53.78	74.00	-20.22	64.57	38.44	16.18	65.41	0.00	100	13	PEAK	2	11570.00	42.06	54.00	-11.94	52.85	38.44	16.18	65.41	0.00	100	13	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>51.44</td> <td>74.00</td> <td>-22.56</td> <td>62.23</td> <td>38.44</td> <td>16.18</td> <td>65.41</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>39.98</td> <td>54.00</td> <td>-14.02</td> <td>50.76</td> <td>38.44</td> <td>16.19</td> <td>65.41</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	51.44	74.00	-22.56	62.23	38.44	16.18	65.41	0.00	300	0	PEAK	2	11570.00	39.98	54.00	-14.02	50.76	38.44	16.19	65.41	0.00	300	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11570.00	53.78	74.00	-20.22	64.57	38.44	16.18	65.41	0.00	100	13	PEAK																																																																																																
2	11570.00	42.06	54.00	-11.94	52.85	38.44	16.18	65.41	0.00	100	13	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11570.00	51.44	74.00	-22.56	62.23	38.44	16.18	65.41	0.00	300	0	PEAK																																																																																																
2	11570.00	39.98	54.00	-14.02	50.76	38.44	16.19	65.41	0.00	300	0	AVERAGE																																																																																																



Mode	49																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHZ																																																																																																														
ANT	ANT 4A+5A																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.50</td> <td>58.40</td> <td>112.04</td> <td>-53.64</td> <td>41.68</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>400</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.63</td> <td>56.79</td> <td>105.68</td> <td>-48.89</td> <td>40.03</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>400</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>56.45</td> <td>68.48</td> <td>-12.03</td> <td>39.61</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>400</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.63</td> <td>57.37</td> <td>68.30</td> <td>-10.93</td> <td>40.52</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>400</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark	1	5854.50	58.40	112.04	-53.64	41.68	35.08	11.43	29.79	0.00	400	289	PEAK	2	5873.63	56.79	105.68	-48.89	40.03	35.11	11.44	29.79	0.00	400	289	PEAK	3	5924.75	56.45	68.48	-12.03	39.61	35.19	11.47	29.82	0.00	400	289	PEAK	4	5931.63	57.37	68.30	-10.93	40.52	35.20	11.48	29.83	0.00	400	289	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.95</td> <td>-----</td> <td>-----</td> <td>88.28</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>400</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark	1	5825.00	104.95	-----	-----	88.28	35.04	11.41	29.78	0.00	400	289	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark																																																																																																			
1	5854.50	58.40	112.04	-53.64	41.68	35.08	11.43	29.79	0.00	400	289	PEAK																																																																																																			
2	5873.63	56.79	105.68	-48.89	40.03	35.11	11.44	29.79	0.00	400	289	PEAK																																																																																																			
3	5924.75	56.45	68.48	-12.03	39.61	35.19	11.47	29.82	0.00	400	289	PEAK																																																																																																			
4	5931.63	57.37	68.30	-10.93	40.52	35.20	11.48	29.83	0.00	400	289	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark																																																																																																			
1	5825.00	104.95	-----	-----	88.28	35.04	11.41	29.78	0.00	400	289	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>96.04</td> <td>-----</td> <td>-----</td> <td>80.17</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>400</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark	1	5825.00	96.04	-----	-----	80.17	35.04	11.41	29.78	0.00	400	289	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark																																																																																																			
1	5825.00	96.04	-----	-----	80.17	35.04	11.41	29.78	0.00	400	289	AVERAGE																																																																																																			



Mode	49																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHZ																																																																																												
ANT	ANT 4A+5A																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>56.14</td> <td>110.90</td> <td>-54.76</td> <td>39.42</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>105</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.50</td> <td>56.18</td> <td>105.44</td> <td>-49.26</td> <td>39.42</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>105</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.13</td> <td>57.05</td> <td>68.94</td> <td>-11.89</td> <td>40.21</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>105</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.63</td> <td>58.42</td> <td>68.30</td> <td>-9.88</td> <td>41.57</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>105</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5855.00	56.14	110.90	-54.76	39.42	35.08	11.43	29.79	0.00	105	347	PEAK	2	5874.50	56.18	105.44	-49.26	39.42	35.11	11.44	29.79	0.00	105	347	PEAK	3	5924.13	57.05	68.94	-11.89	40.21	35.19	11.47	29.82	0.00	105	347	PEAK	4	5934.63	58.42	68.30	-9.88	41.57	35.20	11.48	29.83	0.00	105	347	PEAK	 <table border="1" data-bbox="914 1133 1420 1256"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.22</td> <td>-----</td> <td>-----</td> <td>92.55</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>105</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	109.22	-----	-----	92.55	35.04	11.41	29.78	0.00	105	347	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5855.00	56.14	110.90	-54.76	39.42	35.08	11.43	29.79	0.00	105	347	PEAK																																																																																	
2	5874.50	56.18	105.44	-49.26	39.42	35.11	11.44	29.79	0.00	105	347	PEAK																																																																																	
3	5924.13	57.05	68.94	-11.89	40.21	35.19	11.47	29.82	0.00	105	347	PEAK																																																																																	
4	5934.63	58.42	68.30	-9.88	41.57	35.20	11.48	29.83	0.00	105	347	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	109.22	-----	-----	92.55	35.04	11.41	29.78	0.00	105	347	PEAK																																																																																	
Avg	Blank																																																																																												
		 <table border="1" data-bbox="914 1816 1420 1939"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.68</td> <td>-----</td> <td>-----</td> <td>84.01</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>105</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	100.68	-----	-----	84.01	35.04	11.41	29.78	0.00	105	347	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	100.68	-----	-----	84.01	35.04	11.41	29.78	0.00	105	347	AVERAGE																																																																																	



Mode	49																																																																																		
	Harmonic																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHZ																																																																																		
ANT	ANT 4A+5A																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>48.79</td> <td>74.00</td> <td>-25.21</td> <td>59.44</td> <td>38.49</td> <td>16.23</td> <td>65.37</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	48.79	74.00	-25.21	59.44	38.49	16.23	65.37	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>58.52</td> <td>74.00</td> <td>-15.48</td> <td>69.17</td> <td>38.49</td> <td>16.23</td> <td>65.37</td> <td>0.00</td> </tr> <tr> <td>2 11650.00</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>57.08</td> <td>38.49</td> <td>16.23</td> <td>65.36</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	58.52	74.00	-15.48	69.17	38.49	16.23	65.37	0.00	2 11650.00	46.44	54.00	-7.56	57.08	38.49	16.23	65.36	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11650.00	48.79	74.00	-25.21	59.44	38.49	16.23	65.37	0.00																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 11650.00	58.52	74.00	-15.48	69.17	38.49	16.23	65.37	0.00																																																																											
2 11650.00	46.44	54.00	-7.56	57.08	38.49	16.23	65.36	0.00																																																																											



Mode	50																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHZ																																																																																																																										
ANT	ANT 4A+5A																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5604.03</td> <td>56.77</td> <td>68.30</td> <td>-11.53</td> <td>40.73</td> <td>34.61</td> <td>11.19</td> <td>29.76</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.24</td> <td>56.04</td> <td>69.96</td> <td>-13.92</td> <td>39.89</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.11</td> <td>65.89</td> <td>110.37</td> <td>-44.48</td> <td>49.56</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.06</td> <td>69.95</td> <td>113.31</td> <td>-43.36</td> <td>53.61</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.03	56.77	68.30	-11.53	40.73	34.61	11.19	29.76	0.00	330	250	PEAK	2	5652.24	56.04	69.96	-13.92	39.89	34.69	11.24	29.78	0.00	330	250	PEAK	3	5718.11	65.89	110.37	-44.48	49.56	34.82	11.30	29.79	0.00	330	250	PEAK	4	5721.06	69.95	113.31	-43.36	53.61	34.83	11.30	29.79	0.00	330	250	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>103.10</td> <td>-----</td> <td>-----</td> <td>86.65</td> <td>34.89</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.10	-----	-----	86.65	34.89	11.34	29.78	0.00	330	250	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5604.03	56.77	68.30	-11.53	40.73	34.61	11.19	29.76	0.00	330	250	PEAK																																																																																																															
2	5652.24	56.04	69.96	-13.92	39.89	34.69	11.24	29.78	0.00	330	250	PEAK																																																																																																															
3	5718.11	65.89	110.37	-44.48	49.56	34.82	11.30	29.79	0.00	330	250	PEAK																																																																																																															
4	5721.06	69.95	113.31	-43.36	53.61	34.83	11.30	29.79	0.00	330	250	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	103.10	-----	-----	86.65	34.89	11.34	29.78	0.00	330	250	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.76</td> <td>-----</td> <td>-----</td> <td>77.29</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>330</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.76	-----	-----	77.29	34.91	11.34	29.78	0.00	330	250	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	93.76	-----	-----	77.29	34.91	11.34	29.78	0.00	330	250	AVERAGE																																																																																																															



Mode	50																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>53.80</td> <td>111.26</td> <td>-57.46</td> <td>37.08</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.81</td> <td>57.84</td> <td>106.19</td> <td>-48.35</td> <td>41.08</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.89</td> <td>57.47</td> <td>69.71</td> <td>-12.24</td> <td>40.64</td> <td>35.18</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.35</td> <td>57.89</td> <td>68.30</td> <td>-10.41</td> <td>41.04</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>330</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	53.80	111.26	-57.46	37.08	35.08	11.43	29.79	0.00	330	250	PEAK	2	5871.81	57.84	106.19	-48.35	41.08	35.11	11.44	29.79	0.00	330	250	PEAK	3	5923.89	57.47	69.71	-12.24	40.64	35.18	11.47	29.82	0.00	330	250	PEAK	4	5936.35	57.89	68.30	-10.41	41.04	35.20	11.48	29.83	0.00	330	250	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	53.80	111.26	-57.46	37.08	35.08	11.43	29.79	0.00	330	250	PEAK																																																														
2	5871.81	57.84	106.19	-48.35	41.08	35.11	11.44	29.79	0.00	330	250	PEAK																																																														
3	5923.89	57.47	69.71	-12.24	40.64	35.18	11.47	29.82	0.00	330	250	PEAK																																																														
4	5936.35	57.89	68.30	-10.41	41.04	35.20	11.48	29.83	0.00	330	250	PEAK																																																														





Mode	50																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHZ																																																																																																	
ANT	ANT 4A+5A																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5631.16</td> <td>56.65</td> <td>68.30</td> <td>-11.65</td> <td>40.54</td> <td>34.66</td> <td>11.22</td> <td>29.77</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> <tr> <td>2 5650.84</td> <td>56.39</td> <td>68.92</td> <td>-12.53</td> <td>40.24</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> <tr> <td>3 5711.91</td> <td>66.96</td> <td>108.64</td> <td>-41.68</td> <td>50.66</td> <td>34.81</td> <td>11.29</td> <td>29.80</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> <tr> <td>4 5720.28</td> <td>68.93</td> <td>111.54</td> <td>-42.61</td> <td>52.60</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	1 5631.16	56.65	68.30	-11.65	40.54	34.66	11.22	29.77	0.00	101	346	PEAK	2 5650.84	56.39	68.92	-12.53	40.24	34.69	11.24	29.78	0.00	101	346	PEAK	3 5711.91	66.96	108.64	-41.68	50.66	34.81	11.29	29.80	0.00	101	346	PEAK	4 5720.28	68.93	111.54	-42.61	52.60	34.82	11.30	29.79	0.00	101	346	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>106.82</td> <td>-----</td> <td>-----</td> <td>90.35</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	1 5755.00	106.82	-----	-----	90.35	34.91	11.34	29.78	0.00	101	346	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																																										
1 5631.16	56.65	68.30	-11.65	40.54	34.66	11.22	29.77	0.00	101	346	PEAK																																																																																							
2 5650.84	56.39	68.92	-12.53	40.24	34.69	11.24	29.78	0.00	101	346	PEAK																																																																																							
3 5711.91	66.96	108.64	-41.68	50.66	34.81	11.29	29.80	0.00	101	346	PEAK																																																																																							
4 5720.28	68.93	111.54	-42.61	52.60	34.82	11.30	29.79	0.00	101	346	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																																										
1 5755.00	106.82	-----	-----	90.35	34.91	11.34	29.78	0.00	101	346	PEAK																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>98.86</td> <td>-----</td> <td>-----</td> <td>82.41</td> <td>34.89</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>101</td> <td>346</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	1 5755.00	98.86	-----	-----	82.41	34.89	11.34	29.78	0.00	101	346	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																																										
1 5755.00	98.86	-----	-----	82.41	34.89	11.34	29.78	0.00	101	346	AVERAGE																																																																																							



Mode	50																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>55.85</td> <td>111.71</td> <td>-55.86</td> <td>39.13</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.93</td> <td>56.14</td> <td>105.32</td> <td>-49.18</td> <td>39.38</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>54.45</td> <td>68.85</td> <td>-14.40</td> <td>37.61</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.01</td> <td>57.16</td> <td>68.30</td> <td>-11.14</td> <td>40.31</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>101</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	55.85	111.71	-55.86	39.13	35.08	11.43	29.79	0.00	101	346	PEAK	2	5874.93	56.14	105.32	-49.18	39.38	35.11	11.44	29.79	0.00	101	346	PEAK	3	5924.26	54.45	68.85	-14.40	37.61	35.19	11.47	29.82	0.00	101	346	PEAK	4	5934.01	57.16	68.30	-11.14	40.31	35.20	11.48	29.83	0.00	101	346	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.65	55.85	111.71	-55.86	39.13	35.08	11.43	29.79	0.00	101	346	PEAK																																																																						
2	5874.93	56.14	105.32	-49.18	39.38	35.11	11.44	29.79	0.00	101	346	PEAK																																																																						
3	5924.26	54.45	68.85	-14.40	37.61	35.19	11.47	29.82	0.00	101	346	PEAK																																																																						
4	5934.01	57.16	68.30	-11.14	40.31	35.20	11.48	29.83	0.00	101	346	PEAK																																																																						



Mode	50																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.59</td> <td>74.00</td> <td>-28.41</td> <td>56.47</td> <td>38.41</td> <td>16.15</td> <td>65.44</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	45.59	74.00	-28.41	56.47	38.41	16.15	65.44	0.00	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.60</td> <td>74.00</td> <td>-28.40</td> <td>56.48</td> <td>38.41</td> <td>16.15</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	45.60	74.00	-28.40	56.48	38.41	16.15	65.44	0.00	100	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	45.59	74.00	-28.41	56.47	38.41	16.15	65.44	0.00	300	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	45.60	74.00	-28.40	56.48	38.41	16.15	65.44	0.00	100	360	PEAK																																																																							






Mode	51																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																												
ANT	ANT 4A+5A																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.05</td> <td>57.62</td> <td>68.30</td> <td>-10.68</td> <td>41.49</td> <td>34.68</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.70</td> <td>54.92</td> <td>68.82</td> <td>-13.90</td> <td>38.77</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.79</td> <td>56.10</td> <td>105.80</td> <td>-49.70</td> <td>39.84</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.51</td> <td>55.08</td> <td>112.06</td> <td>-56.98</td> <td>38.74</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5645.05	57.62	68.30	-10.68	41.49	34.68	11.23	29.78	0.00	385	289	PEAK	2	5650.70	54.92	68.82	-13.90	38.77	34.69	11.24	29.78	0.00	385	289	PEAK	3	5701.79	56.10	105.80	-49.70	39.84	34.78	11.28	29.80	0.00	385	289	PEAK	4	5720.51	55.08	112.06	-56.98	38.74	34.83	11.30	29.79	0.00	385	289	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.11</td> <td>-----</td> <td>-----</td> <td>87.49</td> <td>35.00</td> <td>11.39</td> <td>29.77</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	104.11	-----	-----	87.49	35.00	11.39	29.77	0.00	385	289	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5645.05	57.62	68.30	-10.68	41.49	34.68	11.23	29.78	0.00	385	289	PEAK																																																																																	
2	5650.70	54.92	68.82	-13.90	38.77	34.69	11.24	29.78	0.00	385	289	PEAK																																																																																	
3	5701.79	56.10	105.80	-49.70	39.84	34.78	11.28	29.80	0.00	385	289	PEAK																																																																																	
4	5720.51	55.08	112.06	-56.98	38.74	34.83	11.30	29.79	0.00	385	289	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	104.11	-----	-----	87.49	35.00	11.39	29.77	0.00	385	289	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>94.86</td> <td>-----</td> <td>-----</td> <td>78.26</td> <td>34.99</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>385</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	94.86	-----	-----	78.26	34.99	11.38	29.77	0.00	385	289	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	94.86	-----	-----	78.26	34.99	11.38	29.77	0.00	385	289	AVERAGE																																																																																	



Mode	51																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>55.99</td> <td>111.29</td> <td>-55.30</td> <td>39.27</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.83</td> <td>56.13</td> <td>105.35</td> <td>-49.22</td> <td>39.37</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.65</td> <td>55.82</td> <td>69.29</td> <td>-13.47</td> <td>38.98</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5942.72</td> <td>57.62</td> <td>68.30</td> <td>-10.68</td> <td>40.76</td> <td>35.21</td> <td>11.49</td> <td>29.84</td> <td>0.00</td> <td>385</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.83	55.99	111.29	-55.30	39.27	35.08	11.43	29.79	0.00	385	289	PEAK	2	5874.83	56.13	105.35	-49.22	39.37	35.11	11.44	29.79	0.00	385	289	PEAK	3	5923.65	55.82	69.29	-13.47	38.98	35.19	11.47	29.82	0.00	385	289	PEAK	4	5942.72	57.62	68.30	-10.68	40.76	35.21	11.49	29.84	0.00	385	289	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.83	55.99	111.29	-55.30	39.27	35.08	11.43	29.79	0.00	385	289	PEAK																																																														
2	5874.83	56.13	105.35	-49.22	39.37	35.11	11.44	29.79	0.00	385	289	PEAK																																																														
3	5923.65	55.82	69.29	-13.47	38.98	35.19	11.47	29.82	0.00	385	289	PEAK																																																														
4	5942.72	57.62	68.30	-10.68	40.76	35.21	11.49	29.84	0.00	385	289	PEAK																																																														





Mode	51																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																												
ANT	ANT 4A+5A																																																																																																												
Pol.	Vertical	Fundamental																																																																																																											
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.47</td> <td>56.20</td> <td>68.30</td> <td>-12.10</td> <td>40.10</td> <td>34.65</td> <td>11.22</td> <td>29.77</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>54.71</td> <td>68.97</td> <td>-14.26</td> <td>38.56</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5782.77</td> <td>56.31</td> <td>106.08</td> <td>-49.77</td> <td>40.04</td> <td>34.79</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.32</td> <td>55.65</td> <td>111.62</td> <td>-55.97</td> <td>39.32</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5628.47	56.20	68.30	-12.10	40.10	34.65	11.22	29.77	0.00	147	343	PEAK	2	5650.90	54.71	68.97	-14.26	38.56	34.69	11.24	29.78	0.00	147	343	PEAK	3	5782.77	56.31	106.08	-49.77	40.04	34.79	11.28	29.80	0.00	147	343	PEAK	4	5720.32	55.65	111.62	-55.97	39.32	34.82	11.30	29.79	0.00	147	343	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>107.42</td> <td>-----</td> <td>-----</td> <td>90.82</td> <td>34.99</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5795.00	107.42	-----	-----	90.82	34.99	11.38	29.77	0.00	147	343	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5628.47	56.20	68.30	-12.10	40.10	34.65	11.22	29.77	0.00	147	343	PEAK																																																																																																	
2	5650.90	54.71	68.97	-14.26	38.56	34.69	11.24	29.78	0.00	147	343	PEAK																																																																																																	
3	5782.77	56.31	106.08	-49.77	40.04	34.79	11.28	29.80	0.00	147	343	PEAK																																																																																																	
4	5720.32	55.65	111.62	-55.97	39.32	34.82	11.30	29.79	0.00	147	343	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5795.00	107.42	-----	-----	90.82	34.99	11.38	29.77	0.00	147	343	PEAK																																																																																																	
Avg	Blank																																																																																																												
		 <table border="1" data-bbox="909 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>99.54</td> <td>-----</td> <td>-----</td> <td>82.94</td> <td>34.99</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>147</td> <td>343</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5795.00	99.54	-----	-----	82.94	34.99	11.38	29.77	0.00	147	343	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5795.00	99.54	-----	-----	82.94	34.99	11.38	29.77	0.00	147	343	AVERAGE																																																																																																	



Mode	51																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>55.85</td> <td>110.93</td> <td>-55.08</td> <td>39.13</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.67</td> <td>56.64</td> <td>105.39</td> <td>-48.75</td> <td>39.88</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>54.91</td> <td>68.72</td> <td>-13.81</td> <td>38.07</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.80</td> <td>58.34</td> <td>68.30</td> <td>-9.96</td> <td>41.49</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>147</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.99	55.85	110.93	-55.08	39.13	35.08	11.43	29.79	0.00	147	343	PEAK	2	5874.67	56.64	105.39	-48.75	39.88	35.11	11.44	29.79	0.00	147	343	PEAK	3	5924.43	54.91	68.72	-13.81	38.07	35.19	11.47	29.82	0.00	147	343	PEAK	4	5932.80	58.34	68.30	-9.96	41.49	35.20	11.48	29.83	0.00	147	343	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.99	55.85	110.93	-55.08	39.13	35.08	11.43	29.79	0.00	147	343	PEAK																																																														
2	5874.67	56.64	105.39	-48.75	39.88	35.11	11.44	29.79	0.00	147	343	PEAK																																																														
3	5924.43	54.91	68.72	-13.81	38.07	35.19	11.47	29.82	0.00	147	343	PEAK																																																														
4	5932.80	58.34	68.30	-9.96	41.49	35.20	11.48	29.83	0.00	147	343	PEAK																																																														



Mode	51																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>57.42</td> <td>38.45</td> <td>16.19</td> <td>65.40</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	46.66	74.00	-27.34	57.42	38.45	16.19	65.40	0.00	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.00</td> <td>74.00</td> <td>-28.00</td> <td>56.76</td> <td>38.45</td> <td>16.19</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	46.00	74.00	-28.00	56.76	38.45	16.19	65.40	0.00	100	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	46.66	74.00	-27.34	57.42	38.45	16.19	65.40	0.00	300	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	46.00	74.00	-28.00	56.76	38.45	16.19	65.40	0.00	100	360	PEAK																																																																							






Mode	52																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHZ																																																																																																																								
ANT	ANT 4A+5A																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5613.65</td> <td>54.42</td> <td>68.30</td> <td>-13.88</td> <td>40.00</td> <td>35.04</td> <td>12.29</td> <td>32.99</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.23</td> <td>53.73</td> <td>68.47</td> <td>-14.74</td> <td>39.30</td> <td>35.00</td> <td>12.32</td> <td>32.97</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.70</td> <td>60.95</td> <td>110.82</td> <td>-49.87</td> <td>46.37</td> <td>35.15</td> <td>12.38</td> <td>32.95</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>59.09</td> <td>111.81</td> <td>-52.72</td> <td>44.51</td> <td>35.15</td> <td>12.38</td> <td>32.95</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5613.65	54.42	68.30	-13.88	40.00	35.04	12.29	32.99	0.00	388	237	PEAK	2	5650.23	53.73	68.47	-14.74	39.30	35.00	12.32	32.97	0.00	388	237	PEAK	3	5719.70	60.95	110.82	-49.87	46.37	35.15	12.38	32.95	0.00	388	237	PEAK	4	5720.40	59.09	111.81	-52.72	44.51	35.15	12.38	32.95	0.00	388	237	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>99.41</td> <td>-----</td> <td>-----</td> <td>84.71</td> <td>35.21</td> <td>12.43</td> <td>32.94</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5775.00	99.41	-----	-----	84.71	35.21	12.43	32.94	0.00	388	237	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5613.65	54.42	68.30	-13.88	40.00	35.04	12.29	32.99	0.00	388	237	PEAK																																																																																																													
2	5650.23	53.73	68.47	-14.74	39.30	35.00	12.32	32.97	0.00	388	237	PEAK																																																																																																													
3	5719.70	60.95	110.82	-49.87	46.37	35.15	12.38	32.95	0.00	388	237	PEAK																																																																																																													
4	5720.40	59.09	111.81	-52.72	44.51	35.15	12.38	32.95	0.00	388	237	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5775.00	99.41	-----	-----	84.71	35.21	12.43	32.94	0.00	388	237	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.35</td> <td>-----</td> <td>-----</td> <td>76.64</td> <td>35.21</td> <td>12.44</td> <td>32.94</td> <td>0.00</td> <td>388</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5775.00	91.35	-----	-----	76.64	35.21	12.44	32.94	0.00	388	237	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5775.00	91.35	-----	-----	76.64	35.21	12.44	32.94	0.00	388	237	AVERAGE																																																																																																													



Mode	52																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>55.38</td> <td>111.36</td> <td>-55.98</td> <td>40.51</td> <td>35.32</td> <td>12.52</td> <td>32.97</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>55.56</td> <td>105.47</td> <td>-49.91</td> <td>40.65</td> <td>35.35</td> <td>12.54</td> <td>32.98</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>52.29</td> <td>68.58</td> <td>-16.29</td> <td>37.30</td> <td>35.41</td> <td>12.59</td> <td>33.01</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.85</td> <td>54.55</td> <td>68.30</td> <td>-13.75</td> <td>39.55</td> <td>35.42</td> <td>12.60</td> <td>33.02</td> <td>0.00</td> <td>388</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.80	55.38	111.36	-55.98	40.51	35.32	12.52	32.97	0.00	388	237	PEAK	2	5874.40	55.56	105.47	-49.91	40.65	35.35	12.54	32.98	0.00	388	237	PEAK	3	5924.63	52.29	68.58	-16.29	37.30	35.41	12.59	33.01	0.00	388	237	PEAK	4	5932.85	54.55	68.30	-13.75	39.55	35.42	12.60	33.02	0.00	388	237	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.80	55.38	111.36	-55.98	40.51	35.32	12.52	32.97	0.00	388	237	PEAK																																																														
2	5874.40	55.56	105.47	-49.91	40.65	35.35	12.54	32.98	0.00	388	237	PEAK																																																														
3	5924.63	52.29	68.58	-16.29	37.30	35.41	12.59	33.01	0.00	388	237	PEAK																																																														
4	5932.85	54.55	68.30	-13.75	39.55	35.42	12.60	33.02	0.00	388	237	PEAK																																																														





Mode	52																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHZ																																																																																																														
ANT	ANT 4A+5A																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.43</td> <td>56.09</td> <td>68.30</td> <td>-12.21</td> <td>41.68</td> <td>35.07</td> <td>12.32</td> <td>32.98</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.28</td> <td>56.24</td> <td>69.25</td> <td>-13.01</td> <td>41.81</td> <td>35.08</td> <td>12.32</td> <td>32.97</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.95</td> <td>63.53</td> <td>106.41</td> <td>-42.88</td> <td>49.00</td> <td>35.13</td> <td>12.36</td> <td>32.96</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>62.42</td> <td>111.01</td> <td>-48.59</td> <td>47.84</td> <td>35.15</td> <td>12.38</td> <td>32.95</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5647.43	56.09	68.30	-12.21	41.68	35.07	12.32	32.98	0.00	300	207	PEAK	2	5651.28	56.24	69.25	-13.01	41.81	35.08	12.32	32.97	0.00	300	207	PEAK	3	5703.95	63.53	106.41	-42.88	49.00	35.13	12.36	32.96	0.00	300	207	PEAK	4	5720.05	62.42	111.01	-48.59	47.84	35.15	12.38	32.95	0.00	300	207	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>104.35</td> <td>-----</td> <td>-----</td> <td>89.58</td> <td>35.24</td> <td>12.46</td> <td>32.93</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5775.00	104.35	-----	-----	89.58	35.24	12.46	32.93	0.00	300	207	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5647.43	56.09	68.30	-12.21	41.68	35.07	12.32	32.98	0.00	300	207	PEAK																																																																																																			
2	5651.28	56.24	69.25	-13.01	41.81	35.08	12.32	32.97	0.00	300	207	PEAK																																																																																																			
3	5703.95	63.53	106.41	-42.88	49.00	35.13	12.36	32.96	0.00	300	207	PEAK																																																																																																			
4	5720.05	62.42	111.01	-48.59	47.84	35.15	12.38	32.95	0.00	300	207	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5775.00	104.35	-----	-----	89.58	35.24	12.46	32.93	0.00	300	207	PEAK																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.62</td> <td>-----</td> <td>-----</td> <td>81.88</td> <td>35.23</td> <td>12.45</td> <td>32.94</td> <td>0.00</td> <td>300</td> <td>207</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5775.00	96.62	-----	-----	81.88	35.23	12.45	32.94	0.00	300	207	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5775.00	96.62	-----	-----	81.88	35.23	12.45	32.94	0.00	300	207	AVERAGE																																																																																																			



Mode	52																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																									
ANT	ANT 4A+5A																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.10</td> <td>60.55</td> <td>112.95</td> <td>-52.40</td> <td>45.68</td> <td>35.32</td> <td>12.52</td> <td>32.97</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5865.83</td> <td>60.28</td> <td>107.87</td> <td>-47.59</td> <td>45.38</td> <td>35.34</td> <td>12.54</td> <td>32.98</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.88</td> <td>55.06</td> <td>69.87</td> <td>-14.81</td> <td>40.07</td> <td>35.41</td> <td>12.59</td> <td>33.01</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.73</td> <td>57.08</td> <td>68.30</td> <td>-11.22</td> <td>42.06</td> <td>35.43</td> <td>12.61</td> <td>33.02</td> <td>0.00</td> <td>300</td> <td>207</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.10	60.55	112.95	-52.40	45.68	35.32	12.52	32.97	0.00	300	207	PEAK	2	5865.83	60.28	107.87	-47.59	45.38	35.34	12.54	32.98	0.00	300	207	PEAK	3	5922.88	55.06	69.87	-14.81	40.07	35.41	12.59	33.01	0.00	300	207	PEAK	4	5940.73	57.08	68.30	-11.22	42.06	35.43	12.61	33.02	0.00	300	207	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.10	60.55	112.95	-52.40	45.68	35.32	12.52	32.97	0.00	300	207	PEAK																																																														
2	5865.83	60.28	107.87	-47.59	45.38	35.34	12.54	32.98	0.00	300	207	PEAK																																																														
3	5922.88	55.06	69.87	-14.81	40.07	35.41	12.59	33.01	0.00	300	207	PEAK																																																														
4	5940.73	57.08	68.30	-11.22	42.06	35.43	12.61	33.02	0.00	300	207	PEAK																																																														



Mode	52																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																	
ANT	ANT 4A+5A																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>56.69</td> <td>38.43</td> <td>16.17</td> <td>65.42</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	45.87	74.00	-28.13	56.69	38.43	16.17	65.42	0.00	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>44.96</td> <td>74.00</td> <td>-29.04</td> <td>55.78</td> <td>38.43</td> <td>16.17</td> <td>65.42</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	44.96	74.00	-29.04	55.78	38.43	16.17	65.42	0.00	100	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11550.00	45.87	74.00	-28.13	56.69	38.43	16.17	65.42	0.00	300	360	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11550.00	44.96	74.00	-29.04	55.78	38.43	16.17	65.42	0.00	100	360	PEAK																																																																							






Mode	53																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU26/0_5745MHz																																																																																																																										
ANT	ANT 4A+5A																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.08</td> <td>57.12</td> <td>68.30</td> <td>-11.18</td> <td>40.99</td> <td>34.68</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>316</td> <td>292</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>54.44</td> <td>68.32</td> <td>-13.88</td> <td>38.29</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>316</td> <td>292</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.24</td> <td>56.19</td> <td>106.21</td> <td>-50.02</td> <td>39.92</td> <td>34.79</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>316</td> <td>292</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>55.31</td> <td>111.04</td> <td>-55.73</td> <td>38.98</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>316</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.08	57.12	68.30	-11.18	40.99	34.68	11.23	29.78	0.00	316	292	PEAK	2	5650.03	54.44	68.32	-13.88	38.29	34.69	11.24	29.78	0.00	316	292	PEAK	3	5703.24	56.19	106.21	-50.02	39.92	34.79	11.28	29.80	0.00	316	292	PEAK	4	5720.06	55.31	111.04	-55.73	38.98	34.82	11.30	29.79	0.00	316	292	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.79</td> <td>-----</td> <td>-----</td> <td>87.41</td> <td>34.85</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>316</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.79	-----	-----	87.41	34.85	11.32	29.79	0.00	316	292	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5644.08	57.12	68.30	-11.18	40.99	34.68	11.23	29.78	0.00	316	292	PEAK																																																																																																															
2	5650.03	54.44	68.32	-13.88	38.29	34.69	11.24	29.78	0.00	316	292	PEAK																																																																																																															
3	5703.24	56.19	106.21	-50.02	39.92	34.79	11.28	29.80	0.00	316	292	PEAK																																																																																																															
4	5720.06	55.31	111.04	-55.73	38.98	34.82	11.30	29.79	0.00	316	292	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	103.79	-----	-----	87.41	34.85	11.32	29.79	0.00	316	292	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.32</td> <td>-----</td> <td>-----</td> <td>79.94</td> <td>34.85</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>316</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.32	-----	-----	79.94	34.85	11.32	29.79	0.00	316	292	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	96.32	-----	-----	79.94	34.85	11.32	29.79	0.00	316	292	AVERAGE																																																																																																															



Mode	53																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU26/0_5745MHz																																																																																																																										
ANT	ANT 4A+5A																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.65</td> <td>56.82</td> <td>68.30</td> <td>-11.48</td> <td>40.69</td> <td>34.68</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>102</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>55.39</td> <td>68.32</td> <td>-12.93</td> <td>39.24</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>102</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.07</td> <td>56.43</td> <td>105.60</td> <td>-49.17</td> <td>40.17</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>102</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>55.66</td> <td>111.04</td> <td>-55.38</td> <td>39.33</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.65	56.82	68.30	-11.48	40.69	34.68	11.23	29.78	0.00	102	343	PEAK	2	5650.03	55.39	68.32	-12.93	39.24	34.69	11.24	29.78	0.00	102	343	PEAK	3	5701.07	56.43	105.60	-49.17	40.17	34.78	11.28	29.80	0.00	102	343	PEAK	4	5720.06	55.66	111.04	-55.38	39.33	34.82	11.30	29.79	0.00	102	343	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.43</td> <td>-----</td> <td>-----</td> <td>95.05</td> <td>34.85</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.43	-----	-----	95.05	34.85	11.32	29.79	0.00	102	343	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5643.65	56.82	68.30	-11.48	40.69	34.68	11.23	29.78	0.00	102	343	PEAK																																																																																																															
2	5650.03	55.39	68.32	-12.93	39.24	34.69	11.24	29.78	0.00	102	343	PEAK																																																																																																															
3	5701.07	56.43	105.60	-49.17	40.17	34.78	11.28	29.80	0.00	102	343	PEAK																																																																																																															
4	5720.06	55.66	111.04	-55.38	39.33	34.82	11.30	29.79	0.00	102	343	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	111.43	-----	-----	95.05	34.85	11.32	29.79	0.00	102	343	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.17</td> <td>-----</td> <td>-----</td> <td>86.79</td> <td>34.85</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>102</td> <td>343</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.17	-----	-----	86.79	34.85	11.32	29.79	0.00	102	343	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	103.17	-----	-----	86.79	34.85	11.32	29.79	0.00	102	343	AVERAGE																																																																																																															






Mode	54																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU26/8_5825MHz																																																																																																																						
ANT	ANT 4A+5A																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>55.03</td> <td>111.18</td> <td>-56.15</td> <td>38.31</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>265</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>57.81</td> <td>105.30</td> <td>-47.49</td> <td>41.05</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>265</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.75</td> <td>56.42</td> <td>69.22</td> <td>-12.80</td> <td>39.58</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>265</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.75</td> <td>57.30</td> <td>68.30</td> <td>-11.00</td> <td>40.43</td> <td>35.22</td> <td>11.49</td> <td>29.84</td> <td>0.00</td> <td>265</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.88	55.03	111.18	-56.15	38.31	35.08	11.43	29.79	0.00	265	258	PEAK	2	5875.00	57.81	105.30	-47.49	41.05	35.11	11.44	29.79	0.00	265	258	PEAK	3	5923.75	56.42	69.22	-12.80	39.58	35.19	11.47	29.82	0.00	265	258	PEAK	4	5946.75	57.30	68.30	-11.00	40.43	35.22	11.49	29.84	0.00	265	258	PEAK	 <table border="1" data-bbox="904 1120 1415 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.49</td> <td>-----</td> <td>-----</td> <td>85.80</td> <td>35.05</td> <td>11.42</td> <td>29.78</td> <td>0.00</td> <td>265</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.49	-----	-----	85.80	35.05	11.42	29.78	0.00	265	258	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.88	55.03	111.18	-56.15	38.31	35.08	11.43	29.79	0.00	265	258	PEAK																																																																																																											
2	5875.00	57.81	105.30	-47.49	41.05	35.11	11.44	29.79	0.00	265	258	PEAK																																																																																																											
3	5923.75	56.42	69.22	-12.80	39.58	35.19	11.47	29.82	0.00	265	258	PEAK																																																																																																											
4	5946.75	57.30	68.30	-11.00	40.43	35.22	11.49	29.84	0.00	265	258	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	102.49	-----	-----	85.80	35.05	11.42	29.78	0.00	265	258	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="904 1792 1415 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>94.67</td> <td>-----</td> <td>-----</td> <td>77.98</td> <td>35.05</td> <td>11.42</td> <td>29.78</td> <td>0.00</td> <td>265</td> <td>258</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	94.67	-----	-----	77.98	35.05	11.42	29.78	0.00	265	258	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	94.67	-----	-----	77.98	35.05	11.42	29.78	0.00	265	258	AVERAGE																																																																																																											



Mode	54																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU26/8_5825MHz																																																																																												
ANT	ANT 4A+5A																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>56.35</td> <td>112.32</td> <td>-55.97</td> <td>39.63</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>135</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.88</td> <td>55.55</td> <td>105.33</td> <td>-49.78</td> <td>38.79</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>135</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>56.39</td> <td>68.48</td> <td>-12.09</td> <td>39.55</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>135</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.25</td> <td>57.46</td> <td>68.30</td> <td>-10.84</td> <td>40.59</td> <td>35.22</td> <td>11.49</td> <td>29.84</td> <td>0.00</td> <td>135</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5854.38	56.35	112.32	-55.97	39.63	35.08	11.43	29.79	0.00	135	352	PEAK	2	5874.88	55.55	105.33	-49.78	38.79	35.11	11.44	29.79	0.00	135	352	PEAK	3	5924.75	56.39	68.48	-12.09	39.55	35.19	11.47	29.82	0.00	135	352	PEAK	4	5945.25	57.46	68.30	-10.84	40.59	35.22	11.49	29.84	0.00	135	352	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.13</td> <td>108.13</td> <td>0.00</td> <td>91.44</td> <td>35.05</td> <td>11.42</td> <td>29.78</td> <td>0.00</td> <td>135</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	108.13	108.13	0.00	91.44	35.05	11.42	29.78	0.00	135	352	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5854.38	56.35	112.32	-55.97	39.63	35.08	11.43	29.79	0.00	135	352	PEAK																																																																																	
2	5874.88	55.55	105.33	-49.78	38.79	35.11	11.44	29.79	0.00	135	352	PEAK																																																																																	
3	5924.75	56.39	68.48	-12.09	39.55	35.19	11.47	29.82	0.00	135	352	PEAK																																																																																	
4	5945.25	57.46	68.30	-10.84	40.59	35.22	11.49	29.84	0.00	135	352	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	108.13	108.13	0.00	91.44	35.05	11.42	29.78	0.00	135	352	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.09</td> <td>102.09</td> <td>0.00</td> <td>85.40</td> <td>35.05</td> <td>11.42</td> <td>29.78</td> <td>0.00</td> <td>135</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	102.09	102.09	0.00	85.40	35.05	11.42	29.78	0.00	135	352	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	102.09	102.09	0.00	85.40	35.05	11.42	29.78	0.00	135	352	AVERAGE																																																																																	






Mode	55																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU52/37_5745MHz																																																																																																																		
ANT	ANT 4A+5A																																																																																																																		
Pol.	Horizontal	Fundamental																																																																																																																	
Peak	 <table border="1" data-bbox="271 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5619.72</td> <td>56.76</td> <td>68.30</td> <td>-11.54</td> <td>40.68</td> <td>34.64</td> <td>11.21</td> <td>29.77</td> <td>0.00</td> <td>314</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>56.06</td> <td>68.53</td> <td>-12.47</td> <td>39.91</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>314</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.20</td> <td>54.93</td> <td>105.35</td> <td>-50.42</td> <td>38.67</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>314</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>55.72</td> <td>111.37</td> <td>-55.65</td> <td>39.39</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>314</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5619.72	56.76	68.30	-11.54	40.68	34.64	11.21	29.77	0.00	314	252	PEAK	2	5650.32	56.06	68.53	-12.47	39.91	34.69	11.24	29.78	0.00	314	252	PEAK	3	5700.20	54.93	105.35	-50.42	38.67	34.78	11.28	29.80	0.00	314	252	PEAK	4	5720.21	55.72	111.37	-55.65	39.39	34.82	11.30	29.79	0.00	314	252	PEAK	 <table border="1" data-bbox="909 1120 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.48</td> <td>-----</td> <td>-----</td> <td>90.08</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>314</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	106.48	-----	-----	90.08	34.87	11.32	29.79	0.00	314	252	PEAK
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Loss	Factor	Factor	Factor																																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																												
1	5619.72	56.76	68.30	-11.54	40.68	34.64	11.21	29.77	0.00	314	252	PEAK																																																																																																							
2	5650.32	56.06	68.53	-12.47	39.91	34.69	11.24	29.78	0.00	314	252	PEAK																																																																																																							
3	5700.20	54.93	105.35	-50.42	38.67	34.78	11.28	29.80	0.00	314	252	PEAK																																																																																																							
4	5720.21	55.72	111.37	-55.65	39.39	34.82	11.30	29.79	0.00	314	252	PEAK																																																																																																							
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Loss	Factor	Factor	Factor																																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																												
1	5745.00	106.48	-----	-----	90.08	34.87	11.32	29.79	0.00	314	252	PEAK																																																																																																							
Avg	Blank																																																																																																																		
		 <table border="1" data-bbox="909 1792 1412 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.14</td> <td>-----</td> <td>-----</td> <td>79.74</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>314</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	96.14	-----	-----	79.74	34.87	11.32	29.79	0.00	314	252	AVERAGE																																																																												
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Loss	Factor	Factor	Factor																																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																												
1	5745.00	96.14	-----	-----	79.74	34.87	11.32	29.79	0.00	314	252	AVERAGE																																																																																																							






Mode	55																																																																																																							
	Band Edge																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU52/37_5745MHz																																																																																																							
ANT	ANT 4A+5A																																																																																																							
Pol.	Vertical	Fundamental																																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5628.28</td> <td>58.14</td> <td>68.30</td> <td>-10.16</td> <td>42.04</td> <td>34.65</td> <td>11.22</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>2 5650.17</td> <td>56.05</td> <td>68.43</td> <td>-12.38</td> <td>39.90</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>3 5701.07</td> <td>56.99</td> <td>105.60</td> <td>-48.61</td> <td>40.73</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>4 5720.35</td> <td>55.73</td> <td>111.70</td> <td>-55.97</td> <td>39.40</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1 5628.28	58.14	68.30	-10.16	42.04	34.65	11.22	29.77	0.00	100	352	PEAK	2 5650.17	56.05	68.43	-12.38	39.90	34.69	11.24	29.78	0.00	100	352	PEAK	3 5701.07	56.99	105.60	-48.61	40.73	34.78	11.28	29.80	0.00	100	352	PEAK	4 5720.35	55.73	111.70	-55.97	39.40	34.82	11.30	29.79	0.00	100	352	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>108.49</td> <td>-----</td> <td>-----</td> <td>92.11</td> <td>34.85</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1 5745.00	108.49	-----	-----	92.11	34.85	11.32	29.79	0.00	100	352	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																													
1 5628.28	58.14	68.30	-10.16	42.04	34.65	11.22	29.77	0.00	100	352	PEAK																																																																																													
2 5650.17	56.05	68.43	-12.38	39.90	34.69	11.24	29.78	0.00	100	352	PEAK																																																																																													
3 5701.07	56.99	105.60	-48.61	40.73	34.78	11.28	29.80	0.00	100	352	PEAK																																																																																													
4 5720.35	55.73	111.70	-55.97	39.40	34.82	11.30	29.79	0.00	100	352	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																													
1 5745.00	108.49	-----	-----	92.11	34.85	11.32	29.79	0.00	100	352	PEAK																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>102.47</td> <td>-----</td> <td>-----</td> <td>86.07</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1 5745.00	102.47	-----	-----	86.07	34.87	11.32	29.79	0.00	100	352	AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																													
1 5745.00	102.47	-----	-----	86.07	34.87	11.32	29.79	0.00	100	352	AVERAGE																																																																																													



Mode	56																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU52/40_5825MHz																																																																																																										
ANT	ANT 4A+5A																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.81</td> <td>110.90</td> <td>-55.09</td> <td>39.09</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>355</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.63</td> <td>57.36</td> <td>105.40</td> <td>-48.04</td> <td>40.60</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>355</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.88</td> <td>57.35</td> <td>69.13</td> <td>-11.78</td> <td>40.51</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>355</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.38</td> <td>58.13</td> <td>68.30</td> <td>-10.17</td> <td>41.26</td> <td>35.22</td> <td>11.49</td> <td>29.84</td> <td>0.00</td> <td>355</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5855.00	55.81	110.90	-55.09	39.09	35.00	11.43	29.79	0.00	355	289	PEAK	2	5874.63	57.36	105.40	-48.04	40.60	35.11	11.44	29.79	0.00	355	289	PEAK	3	5923.88	57.35	69.13	-11.78	40.51	35.19	11.47	29.82	0.00	355	289	PEAK	4	5944.38	58.13	68.30	-10.17	41.26	35.22	11.49	29.84	0.00	355	289	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.21</td> <td>-----</td> <td>-----</td> <td>87.54</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>355</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	104.21	-----	-----	87.54	35.04	11.41	29.78	0.00	355	289	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5855.00	55.81	110.90	-55.09	39.09	35.00	11.43	29.79	0.00	355	289	PEAK																																																																																															
2	5874.63	57.36	105.40	-48.04	40.60	35.11	11.44	29.79	0.00	355	289	PEAK																																																																																															
3	5923.88	57.35	69.13	-11.78	40.51	35.19	11.47	29.82	0.00	355	289	PEAK																																																																																															
4	5944.38	58.13	68.30	-10.17	41.26	35.22	11.49	29.84	0.00	355	289	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	104.21	-----	-----	87.54	35.04	11.41	29.78	0.00	355	289	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.27</td> <td>-----</td> <td>-----</td> <td>80.60</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>355</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.27	-----	-----	80.60	35.04	11.41	29.78	0.00	355	289	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	97.27	-----	-----	80.60	35.04	11.41	29.78	0.00	355	289	AVERAGE																																																																																															






Mode	56																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU52/40_5825MHz																																																																																																														
ANT	ANT 4A+5A																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.25</td> <td>110.90</td> <td>-55.65</td> <td>38.53</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>353</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.25</td> <td>56.49</td> <td>105.79</td> <td>-49.30</td> <td>39.73</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>353</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>56.90</td> <td>68.39</td> <td>-11.49</td> <td>40.06</td> <td>35.19</td> <td>11.47</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>353</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.50</td> <td>57.69</td> <td>68.30</td> <td>-10.61</td> <td>40.84</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>353</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg		1	5855.00	55.25	110.90	-55.65	38.53	35.08	11.43	29.79	0.00	100	353	PEAK	2	5873.25	56.49	105.79	-49.30	39.73	35.11	11.44	29.79	0.00	100	353	PEAK	3	5924.88	56.90	68.39	-11.49	40.06	35.19	11.47	29.82	0.00	100	353	PEAK	4	5932.50	57.69	68.30	-10.61	40.84	35.20	11.48	29.83	0.00	100	353	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.12</td> <td>-----</td> <td>-----</td> <td>93.43</td> <td>35.05</td> <td>11.42</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>353</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg		1	5825.00	110.12	-----	-----	93.43	35.05	11.42	29.78	0.00	100	353	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg																																																																																																				
1	5855.00	55.25	110.90	-55.65	38.53	35.08	11.43	29.79	0.00	100	353	PEAK																																																																																																			
2	5873.25	56.49	105.79	-49.30	39.73	35.11	11.44	29.79	0.00	100	353	PEAK																																																																																																			
3	5924.88	56.90	68.39	-11.49	40.06	35.19	11.47	29.82	0.00	100	353	PEAK																																																																																																			
4	5932.50	57.69	68.30	-10.61	40.84	35.20	11.48	29.83	0.00	100	353	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																																																																																																				
1	5825.00	110.12	-----	-----	93.43	35.05	11.42	29.78	0.00	100	353	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="909 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.73</td> <td>-----</td> <td>-----</td> <td>85.06</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>353</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg		1	5825.00	101.73	-----	-----	85.06	35.04	11.41	29.78	0.00	100	353	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																																																																																																				
1	5825.00	101.73	-----	-----	85.06	35.04	11.41	29.78	0.00	100	353	AVERAGE																																																																																																			



Mode	57																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU106/53_5745MHz																																																																																																				
ANT	ANT 4A+5A																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5637.99</td> <td>57.02</td> <td>68.30</td> <td>-11.28</td> <td>40.91</td> <td>34.67</td> <td>11.22</td> <td>29.78</td> <td>0.00</td> </tr> <tr> <td>2 5651.77</td> <td>55.55</td> <td>69.61</td> <td>-14.06</td> <td>39.40</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> </tr> <tr> <td>3 5701.50</td> <td>56.48</td> <td>105.72</td> <td>-49.24</td> <td>40.22</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> </tr> <tr> <td>4 5721.08</td> <td>57.21</td> <td>113.35</td> <td>-56.14</td> <td>40.87</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5637.99	57.02	68.30	-11.28	40.91	34.67	11.22	29.78	0.00	2 5651.77	55.55	69.61	-14.06	39.40	34.69	11.24	29.78	0.00	3 5701.50	56.48	105.72	-49.24	40.22	34.78	11.28	29.80	0.00	4 5721.08	57.21	113.35	-56.14	40.87	34.83	11.30	29.79	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>105.67</td> <td>-----</td> <td>-----</td> <td>89.25</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5745.00	105.67	-----	-----	89.25	34.88	11.33	29.79	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5637.99	57.02	68.30	-11.28	40.91	34.67	11.22	29.78	0.00																																																																																													
2 5651.77	55.55	69.61	-14.06	39.40	34.69	11.24	29.78	0.00																																																																																													
3 5701.50	56.48	105.72	-49.24	40.22	34.78	11.28	29.80	0.00																																																																																													
4 5721.08	57.21	113.35	-56.14	40.87	34.83	11.30	29.79	0.00																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5745.00	105.67	-----	-----	89.25	34.88	11.33	29.79	0.00																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>97.44</td> <td>-----</td> <td>-----</td> <td>81.04</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5745.00	97.44	-----	-----	81.04	34.87	11.32	29.79	0.00																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5745.00	97.44	-----	-----	81.04	34.87	11.32	29.79	0.00																																																																																													



Mode	57																																																																																																												
	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU106/53_5745MHz																																																																																																												
ANT	ANT 4A+5A																																																																																																												
Pol.	Vertical	Fundamental																																																																																																											
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.66</td> <td>57.22</td> <td>68.30</td> <td>-11.08</td> <td>41.09</td> <td>34.68</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>104</td> <td>344</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.04</td> <td>55.00</td> <td>69.07</td> <td>-14.07</td> <td>38.85</td> <td>34.69</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>104</td> <td>344</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.65</td> <td>56.03</td> <td>105.76</td> <td>-49.73</td> <td>39.77</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>104</td> <td>344</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>55.86</td> <td>111.04</td> <td>-55.18</td> <td>39.53</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>104</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5644.66	57.22	68.30	-11.08	41.09	34.68	11.23	29.78	0.00	104	344	PEAK	2	5651.04	55.00	69.07	-14.07	38.85	34.69	11.24	29.78	0.00	104	344	PEAK	3	5701.65	56.03	105.76	-49.73	39.77	34.78	11.28	29.80	0.00	104	344	PEAK	4	5720.06	55.86	111.04	-55.18	39.53	34.82	11.30	29.79	0.00	104	344	PEAK	 <table border="1" data-bbox="901 1120 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.17</td> <td>-----</td> <td>-----</td> <td>94.77</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>104</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5745.00	111.17	-----	-----	94.77	34.87	11.32	29.79	0.00	104	344	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5644.66	57.22	68.30	-11.08	41.09	34.68	11.23	29.78	0.00	104	344	PEAK																																																																																																	
2	5651.04	55.00	69.07	-14.07	38.85	34.69	11.24	29.78	0.00	104	344	PEAK																																																																																																	
3	5701.65	56.03	105.76	-49.73	39.77	34.78	11.28	29.80	0.00	104	344	PEAK																																																																																																	
4	5720.06	55.86	111.04	-55.18	39.53	34.82	11.30	29.79	0.00	104	344	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5745.00	111.17	-----	-----	94.77	34.87	11.32	29.79	0.00	104	344	PEAK																																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1803 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.41</td> <td>-----</td> <td>-----</td> <td>87.01</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>104</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5745.00	103.41	-----	-----	87.01	34.87	11.32	29.79	0.00	104	344	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5745.00	103.41	-----	-----	87.01	34.87	11.32	29.79	0.00	104	344	AVERAGE																																																																																																	