

Fig.44. Conducted spurious emission: 8DPSK, Channel 0, 30MHz - 1GHz




Fig.45. Conducted spurious emission: 8DPSK, Channel 0, 1GHz - 3GHz




Fig.46. Conducted spurious emission: 8DPSK, Channel 0, 3GHz - 10GHz




Fig.47. Conducted spurious emission: 8DPSK, Channel 0,10GHz - 26GHz




Fig.48. Conducted spurious emission: 8DPSK, Channel 39, 2441MHz




Fig.49. Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz




Fig.50. Conducted spurious emission: 8DPSK, Channel 39, 1GHz - 3GHz




Fig.51. Conducted spurious emission: 8DPSK, Channel 39, 3GHz - 10GHz




Fig.52. Conducted spurious emission: 8DPSK, Channel 39, 10GHz – 26GHz




Fig.53. Conducted spurious emission: 8DPSK, Channel 78, 2480MHz




Fig.54. Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz




Fig.55. Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 3GHz




Fig.56. Conducted spurious emission: 8DPSK, Channel 78, 3GHz - 10GHz




Fig.57. Conducted spurious emission: 8DPSK, Channel 78, 10GHz - 26GHz

A.5. Transmitter Spurious Emission - Radiated

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to ANSI C63.10

Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

Measurement Results:

$$\text{Result} = P_{\text{Mea}} + \text{ARPL}$$

For GFSK

Channel	Frequency Range	Test Results	Conclusion
Power	2.38GHz~2.4GHz---L	Fig.58	P
Power	2.45GHz~2.5GHz---H	Fig.59	P

Forπ/4 DQPSK

Channel	Frequency Range	Test Results	Conclusion
Power	2.38GHz~2.4GHz---L	Fig.60	P
Power	2.45GHz~2.5GHz---H	Fig.61	P

For 8DPSK

Channel	Frequency Range	Test Results	Conclusion
Power	2.38GHz~2.4GHz---L	Fig.62	P
Power	2.45GHz~2.5GHz---H	Fig.63	P

GFSK Ch 0 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2388.200	46.31	2.9	32.0	11.45	H
2389.800	46.29	2.9	32.0	11.45	H
4804.500	35.11	-32.8	34.5	33.46	V
7206.000	37.87	-31.6	36.1	33.40	H
9607.500	40.52	-30.0	37.0	33.57	H
12010.500	43.17	-29.8	39.3	33.70	H

GFSK Ch 39 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2384.560	46.45	2.9	32.0	11.57	H
2485.670	46.60	2.9	32.7	10.97	H
4882.500	35.46	-32.7	34.5	33.67	V
7323.000	37.58	-31.9	36.1	33.42	H
9763.500	40.06	-30.6	37.2	33.44	H
12205.500	43.65	-29.4	39.2	33.86	H

GFSK Ch 78 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2483.500	47.26	2.9	32.8	11.56	H
2483.700	47.14	2.9	32.8	11.45	H
4960.500	34.92	-33.4	34.5	33.80	V
7440.000	37.68	-31.8	36.0	33.42	H
9919.500	40.96	-29.9	37.4	33.49	H
12400.500	43.83	-29.5	39.1	34.20	H

$\pi/4$ DQPSK Ch 0 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2385.900	46.30	2.9	32.0	11.42	H
2387.500	46.31	2.9	32.0	11.45	H
4804.500	35.11	-32.8	34.5	33.46	V
7206.000	37.93	-31.6	36.1	33.46	H
9607.500	40.54	-30.0	37.0	33.59	H
12010.500	43.25	-29.8	39.3	33.78	H

$\pi/4$ DQPSK Ch 39 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2388.520	46.50	2.9	32.0	11.64	H
2486.790	46.69	2.9	32.7	11.08	H
4882.500	35.40	-32.7	34.5	33.62	V
7323.000	37.65	-31.9	36.1	33.49	H
9763.500	40.04	-30.6	37.2	33.42	H
12205.500	43.65	-29.4	39.2	33.87	H

$\pi/4$ DQPSK Ch 78 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2483.500	47.03	2.9	32.8	11.34	H
2484.400	47.05	2.9	32.7	11.38	H
4960.500	34.94	-33.4	34.5	33.81	V
7440.000	37.68	-31.8	36.0	33.42	H
9919.500	40.96	-29.9	37.4	33.48	H
12400.500	43.74	-29.5	39.1	34.11	H

8DPSK Ch 0 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2382.200	46.34	2.9	32.0	11.44	H
2386.000	46.38	2.9	32.0	11.51	H
4804.500	35.10	-32.8	34.5	33.44	V
7206.000	37.88	-31.6	36.1	33.41	H
9607.500	40.59	-30.0	37.0	33.64	H
12010.500	43.34	-29.8	39.3	33.87	H

8DPSK Ch 39 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2385.320	46.54	2.9	32.0	11.66	H
2487.890	46.87	2.9	32.6	11.30	H
4882.500	35.44	-32.7	34.5	33.65	V
7323.000	37.63	-31.9	36.1	33.47	H
9763.500	40.05	-30.6	37.2	33.42	H
12205.500	43.58	-29.4	39.2	33.80	H

8DPSK Ch 78 - Average

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2483.500	47.43	2.9	32.8	11.74	H
2484.100	47.19	2.9	32.7	11.51	H
4960.500	34.92	-33.4	34.5	33.80	V
7440.000	37.68	-31.8	36.0	33.42	H
9919.500	40.99	-29.9	37.4	33.51	H
12400.500	43.83	-29.5	39.1	34.20	H

GFSK Ch 0 – Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2381.946	59.02	2.9	32.0	24.12	H
2383.402	59.19	2.9	32.0	24.30	H
4803.750	41.23	-32.9	34.5	39.58	V
7206.000	40.92	-31.6	36.1	36.45	H
9608.250	44.51	-30.0	37.0	37.55	H
12009.750	46.29	-29.8	39.3	36.82	H

GFSK Ch 39 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2372.610	51.17	-26.8	32.1	45.93	H
2897.450	53.26	-25.4	34.0	44.71	H
4881.750	39.56	-32.7	34.5	37.77	V
7323.000	41.89	-31.9	36.1	37.74	H
9764.250	45.33	-30.6	37.2	38.70	H
12204.750	46.03	-29.4	39.2	36.24	H

GFSK Ch 78 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2484.250	60.08	2.9	32.7	24.40	H
2491.350	60.02	2.9	32.5	24.54	H
4959.750	40.00	-33.4	34.5	38.87	V
7440.000	43.10	-31.8	36.0	38.84	H
9920.250	44.05	-29.9	37.4	36.58	H
12399.750	45.15	-29.5	39.1	35.52	H

$\pi/4$ DQPSK Ch 0 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2384.424	59.57	2.9	32.0	24.68	H
2389.030	59.33	2.9	32.0	24.47	H
4803.750	39.78	-32.9	34.5	38.14	V
7206.000	41.64	-31.6	36.1	37.17	H
9608.250	44.83	-30.0	37.0	37.87	H
12009.750	45.89	-29.8	39.3	36.42	H

$\pi/4$ DQPSK Ch 39 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2360.230	49.21	-27.6	31.8	44.95	H
2644.210	52.04	-26.7	33.6	45.18	H
4881.750	39.57	-32.7	34.5	37.78	V
7323.000	42.89	-31.9	36.1	38.74	H
9764.250	43.44	-30.6	37.2	36.81	H
12204.750	47.67	-29.4	39.2	37.88	H

$\pi/4$ DQPSK Ch 78 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2483.670	60.72	2.9	32.8	25.03	H
2485.670	60.13	2.9	32.7	24.49	H
4959.750	38.42	-33.4	34.5	37.29	V
7440.000	40.84	-31.8	36.0	36.58	H
9920.250	44.08	-29.9	37.4	36.61	H
12399.750	45.85	-29.5	39.1	36.23	H

8DPSK Ch 0 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2384.200	59.22	2.9	32.0	24.33	H
2386.118	59.41	2.9	32.0	24.54	H
4803.750	41.91	-32.9	34.5	40.26	V
7206.000	41.99	-31.6	36.1	37.52	H
9608.250	44.77	-30.0	37.0	37.81	H
12009.750	46.23	-29.8	39.3	36.76	H



8DPSK Ch 39 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2371.430	49.90	-26.9	32.0	44.76	H
2784.256	52.72	-26.2	33.3	45.63	H
4881.750	39.39	-32.7	34.5	37.61	V
7323.000	41.63	-31.9	36.1	37.47	H
9764.250	44.97	-30.6	37.2	38.34	H
12204.750	47.72	-29.4	39.2	37.93	H

8DPSK Ch 78 - Peak

Frequency(MHz)	Result(dBuV/m)	Cable loss(dB)	Antenna Factor (dB/m)	PMea(dBuV/m)	Polarity
2482.630	60.49	2.9	32.8	24.77	H
2497.090	60.50	2.9	32.4	25.18	H
4959.750	41.59	-33.4	34.5	40.46	V
7440.000	41.37	-31.8	36.0	37.11	H
9920.250	45.37	-29.9	37.4	37.90	H
12399.750	46.05	-29.5	39.1	36.42	H

Conclusion: PASS

Test graphs as below:

RE - Power-2.38GHz-2.45GHz




Fig.58. Radiated emission (Power): GFSK, low channel

RE - Power-2.45GHz-2.5GHz




Fig.59. Radiated emission (Power) GFSK, high channel

RE - Power-2.38GHz-2.45GHz




Fig.60. Radiated emission (Power): $\pi/4$ DQPSK, low channel

RE - Power-2.45GHz-2.5GHz




Fig.61. Radiated emission (Power): $\pi/4$ DQPSK, high channel

RE - Power-2.38GHz-2.45GHz





Fig.62. Radiated emission (Power): 8DPSK, low channel

RE - Power-2.45GHz-2.5GHz



Radiated emission (Power): 8DPSK, high channel

A.6. Time of Occupancy (Dwell Time)

Method of Measurement: See ANSI C63.10-clause 7.8.4

The EUT must have its hopping function enabled. Use the following spectrum analyzer settings:

- Span = zero span, centered on a hopping channel
- RBW = 1 MHz
- VBW \geq RBW
- Sweep = as necessary to capture the entire dwell time per hopping channel
- Detector function = peak
- Trace = max hold

Measure a pulse time in time domain at middle frequency and then count the hopping number in 31.6s(which equals with 0.4 multiply 79) of middle frequency ,then multiply the pulse time and hopping number and record them.

Measurement Limit:

Standard	Limit (ms)
FCC 47 CFR Part 15.247(a) (1)(iii)	< 400

Measurement Result:

For GFSK

Channel	Packet	Dwell Time (ms)		Conclusion
		Fig.	Value	
39	DH1	Fig.64	118.01	P
		Fig.65		
	DH3	Fig.66	151.22	P
		Fig.67		
	DH5	Fig.68	166.71	P
		Fig.69		

For $\pi/4$ DQPSK

Channel	Packet	Dwell Time (ms)		Conclusion
		Fig.	Value	
39	DH1	Fig.70	119.89	P
		Fig.71		
	DH3	Fig.72	154.77	P
		Fig.73		
	DH5	Fig.74	201.41	P
		Fig.75		

For 8DPSK

Channel	Packet	Dwell Time (ms)		Conclusion
		Fig.	Value	
39	DH1	Fig.76	120.80	P
		Fig.77		
	DH3	Fig.78	169.37	P

		Fig.79		
	DH5	Fig.80	187.17	P
		Fig.81		

Conclusion: PASS

Test graphs as below:




Fig.63. Time of occupancy (Dwell Time): Channel 39, Packet DH1




Fig.64. Number of Transmissions Measurement: Channel 39,Packet DH1




Fig.65. Time of occupancy (Dwell Time): Channel 39, Packet DH3




Fig.66. Number of Transmissions Measurement: Channel 39,Packet DH3




Fig.67. Time of occupancy (Dwell Time): Channel 39, Packet DH5




Fig.68. Number of Transmissions Measurement: Channel 39,Packet DH5