

The Photos of SAR test

No. I17Z61109-SEM02

For

Lenovo PC HK Limited

Portable Tablet Computer

Model Name: Lenovo TB-7304X

With

Hardware Version: Lenovo Tablet TB-7304X

Software Version: TB-7304X_RF01_170728_ROW

FCC ID: O57TB7304X



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S.Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: cttl terminals@caict.ac.cn, website: www.caict.ac.cn




Picture - 1 Constituents of the sample




Picture - 2 Left Hand Touch Cheek Position



Picture - 3 Left Hand Tilt 15° Position




Picture - 4 Right Hand Touch Cheek Position




Picture - 5 Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 4 test positions all with the distance =0/19mm between the EUT and the phantom bottom:



Picture - 6 Rear 0mm




Picture - 7 Left edge 0mm




Picture - 8 Bottom edge 0mm



Picture - 9 Rear 19mm



Picture - 10 Left edge 19mm



Picture - 11 Bottom edge 19mm



Picture - 12 Top edge 0mm