



# The Photos of SAR test

No. I17Z61065-SEM02

For

**Lenovo PC HK Limited**

**Portable Tablet Computer**

**Model Name: Lenovo TB-7504F**

With

**Hardware Version: Lenovo Tablet TB-7504F**

**Software Version: TB-7504F\_RF01\_170712**

**FCC ID: O57TB7504F**



**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)



**Picture 1: Constituents of the sample**

**Test positions for body:**


The Body SAR is tested at the following 4 test positions all with the distance = 0mm or 7mm between the EUT and the phantom bottom:




**Picture 2: Rear with 0mm**



**Picture 3: Rear with 7mm**



**Picture 4: Left with 0mm**



**Picture 5: Top with 0mm**