



The Photos of SAR test

No. I17Z61084-SEM02

For

Lenovo PC HK Limited

Portable Tablet Computer

Model name: Lenovo TB-7504X

With

Hardware Version: Lenovo Tablet TB-7504X

Software Version: TB-7504X_RF01_170712

FCC ID: O57TB7504X



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



Picture 1: Constituents of the sample



Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 4 test positions all with the distance = 0/7/15mm between the EUT and the phantom bottom:




Picture 6: Rear with 0mm




Picture 7: Rear with 7mm



Picture 8: Rear with 15mm




Picture 9: Left with 0mm



Picture 10: Bottom with 0mm



Picture 11: Bottom with 15mm



Picture 12: Top with 0mm