





802.11n (HT20) , Channel No.: 52, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11n (HT20) , Channel No.: 52, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11n (HT20) , Channel No.: 56, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.

802.11n (HT20) , Channel No.: 56 N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.




802.11n (HT20) , Channel No.: 64, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11n (HT20) , Channel No.: 64, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11n (HT20) , Channel No.: 100, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.

802.11n (HT20) , Channel No.: 100, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.




802.11n (HT20) , Channel No.: 116, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 116, L Line.


802.11n (HT20) , Channel No.: 116, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 116, N Line.


802.11n (HT20) , Channel No.: 140, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 140, L Line.

802.11n (HT20) , Channel No.: 140, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 140, N Line.




802.11n (HT20) , Channel No.: 149, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.86	55.40	32.54	1000.0	9.000	L1	ON	19.1
0.413250	28.08	---	57.58	29.50	1000.0	9.000	L1	ON	19.2
0.415500	28.65	---	57.54	28.89	1000.0	9.000	L1	ON	19.2
0.422250	---	22.49	47.40	24.91	1000.0	9.000	L1	ON	19.2
2.123250	---	20.19	46.00	25.81	1000.0	9.000	L1	ON	19.1
2.166000	32.86	---	56.00	23.14	1000.0	9.000	L1	ON	19.1
2.640750	32.28	---	56.00	23.72	1000.0	9.000	L1	ON	19.0
2.746500	---	21.05	46.00	24.95	1000.0	9.000	L1	ON	19.0
5.084250	29.15	---	60.00	30.85	1000.0	9.000	L1	ON	19.1
5.084250	---	19.94	50.00	30.06	1000.0	9.000	L1	ON	19.1
28.657500	26.42	---	60.00	33.58	1000.0	9.000	L1	ON	19.8
29.978250	---	19.95	50.00	30.05	1000.0	9.000	L1	ON	19.8


802.11n (HT20) , Channel No.: 149, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.159000	34.78	---	65.52	30.74	1000.0	9.000	N	ON	19.1
0.201750	---	18.16	53.54	35.38	1000.0	9.000	N	ON	19.2
0.870000	31.67	---	56.00	24.33	1000.0	9.000	N	ON	19.2
0.910500	---	19.98	46.00	26.02	1000.0	9.000	N	ON	19.2
1.574250	---	21.87	46.00	24.13	1000.0	9.000	N	ON	19.2
1.815000	33.44	---	56.00	22.56	1000.0	9.000	N	ON	19.2
2.040000	---	21.66	46.00	24.34	1000.0	9.000	N	ON	19.1
2.204250	33.89	---	56.00	22.11	1000.0	9.000	N	ON	19.1
5.311500	---	17.49	50.00	32.51	1000.0	9.000	N	ON	19.1
5.516250	22.96	---	60.00	37.04	1000.0	9.000	N	ON	19.1
28.646250	27.10	---	60.00	32.90	1000.0	9.000	N	ON	19.7
29.931000	---	20.08	50.00	29.92	1000.0	9.000	N	ON	19.7


802.11n (HT20) , Channel No.: 157, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.86	55.40	32.54	1000.0	9.000	L1	ON	19.1
0.246750	28.46	---	61.87	33.41	1000.0	9.000	L1	ON	19.1
0.420000	28.26	---	57.45	29.19	1000.0	9.000	L1	ON	19.2
0.422250	---	22.34	47.40	25.06	1000.0	9.000	L1	ON	19.2
2.145750	---	19.52	46.00	26.48	1000.0	9.000	L1	ON	19.1
2.166000	33.03	---	56.00	22.97	1000.0	9.000	L1	ON	19.1
2.481000	31.90	---	56.00	24.10	1000.0	9.000	L1	ON	19.0
2.757750	---	20.81	46.00	25.19	1000.0	9.000	L1	ON	19.0
5.118000	29.32	---	60.00	30.68	1000.0	9.000	L1	ON	19.1
5.151750	---	19.79	50.00	30.21	1000.0	9.000	L1	ON	19.1
28.527000	26.50	---	60.00	33.50	1000.0	9.000	L1	ON	19.8
29.971500	---	20.04	50.00	29.96	1000.0	9.000	L1	ON	19.8

802.11n (HT20) , Channel No.: 157, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	17.66	55.40	37.74	1000.0	9.000	N	ON	19.1
0.273750	27.49	---	61.00	33.51	1000.0	9.000	N	ON	19.1
0.865500	---	19.03	46.00	26.97	1000.0	9.000	N	ON	19.2
0.964500	29.92	---	56.00	26.08	1000.0	9.000	N	ON	19.2
1.808250	---	21.65	46.00	24.35	1000.0	9.000	N	ON	19.2
1.893750	33.20	---	56.00	22.80	1000.0	9.000	N	ON	19.2
2.055750	32.38	---	56.00	23.62	1000.0	9.000	N	ON	19.1
2.134500	---	21.18	46.00	24.82	1000.0	9.000	N	ON	19.1
4.650000	---	20.19	46.00	25.81	1000.0	9.000	N	ON	19.1
5.109000	24.74	---	60.00	35.26	1000.0	9.000	N	ON	19.1
28.790250	26.98	---	60.00	33.02	1000.0	9.000	N	ON	19.7
29.978250	---	19.82	50.00	30.18	1000.0	9.000	N	ON	19.7




802.11n (HT20) , Channel No.: 165, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.150000	---	19.69	56.00	36.31	1000.0	9.000	L1	ON	19.1
0.172500	25.56	---	64.84	39.28	1000.0	9.000	L1	ON	19.2
0.422250	28.19	---	57.40	29.22	1000.0	9.000	L1	ON	19.2
0.444750	---	20.37	46.97	26.60	1000.0	9.000	L1	ON	19.2
2.080500	31.07	---	56.00	24.93	1000.0	9.000	L1	ON	19.1
2.094000	---	19.33	46.00	26.67	1000.0	9.000	L1	ON	19.1
2.719500	32.44	---	56.00	23.56	1000.0	9.000	L1	ON	19.0
2.721750	---	20.64	46.00	25.36	1000.0	9.000	L1	ON	19.0
5.113500	28.54	---	60.00	31.46	1000.0	9.000	L1	ON	19.1
6.747000	---	17.71	50.00	32.29	1000.0	9.000	L1	ON	19.1
28.772250	25.25	---	60.00	34.75	1000.0	9.000	L1	ON	19.8
29.942250	---	19.84	50.00	30.16	1000.0	9.000	L1	ON	19.8


802.11n (HT20) , Channel No.: 165, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	19.21	55.06	35.85	1000.0	9.000	N	ON	19.2
0.269250	28.54	---	61.14	32.60	1000.0	9.000	N	ON	19.1
0.906000	---	18.62	46.00	27.38	1000.0	9.000	N	ON	19.2
0.955500	29.25	---	56.00	26.75	1000.0	9.000	N	ON	19.2
1.776750	---	20.76	46.00	25.24	1000.0	9.000	N	ON	19.2
1.932000	31.62	---	56.00	24.38	1000.0	9.000	N	ON	19.2
2.035500	---	20.28	46.00	25.72	1000.0	9.000	N	ON	19.1
2.109750	31.48	---	56.00	24.52	1000.0	9.000	N	ON	19.1
4.744500	---	19.18	46.00	26.82	1000.0	9.000	N	ON	19.1
5.102250	23.70	---	60.00	36.30	1000.0	9.000	N	ON	19.1
28.522500	---	18.08	50.00	31.92	1000.0	9.000	N	ON	19.7
28.952250	25.92	---	60.00	34.08	1000.0	9.000	N	ON	19.7


802.11n (HT40) , Channel No.: 38, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	31.80	55.40	23.60	1000.0	9.000	L1	ON	19.1
0.163500	43.22	---	65.28	22.06	1000.0	9.000	L1	ON	19.1
0.485250	---	19.75	46.25	26.49	1000.0	9.000	L1	ON	19.2
0.528000	29.73	---	56.00	26.27	1000.0	9.000	L1	ON	19.2
1.293000	---	22.30	46.00	23.70	1000.0	9.000	L1	ON	19.2
1.302000	34.01	---	56.00	21.99	1000.0	9.000	L1	ON	19.2
2.127750	34.00	---	56.00	22.00	1000.0	9.000	L1	ON	19.1
2.989500	---	22.68	46.00	23.32	1000.0	9.000	L1	ON	19.1
5.196750	---	19.42	50.00	30.58	1000.0	9.000	L1	ON	19.1
5.286750	25.31	---	60.00	34.69	1000.0	9.000	L1	ON	19.1
29.593500	27.58	---	60.00	32.42	1000.0	9.000	L1	ON	19.8
29.946750	---	19.57	50.00	30.43	1000.0	9.000	L1	ON	19.8

802.11n (HT40) , Channel No.: 38, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.93	55.40	32.47	1000.0	9.000	N	ON	19.1
0.161250	32.54	---	65.40	32.86	1000.0	9.000	N	ON	19.1
0.424500	25.74	---	57.36	31.62	1000.0	9.000	N	ON	19.2
0.447000	---	20.64	46.93	26.29	1000.0	9.000	N	ON	19.2
2.089500	31.80	---	56.00	24.20	1000.0	9.000	N	ON	19.1
2.136750	---	20.89	46.00	25.11	1000.0	9.000	N	ON	19.1
4.620750	29.32	---	56.00	26.68	1000.0	9.000	N	ON	19.1
4.740000	---	20.28	46.00	25.72	1000.0	9.000	N	ON	19.1
11.589000	18.93	---	60.00	41.07	1000.0	9.000	N	ON	19.4
11.703750	---	15.63	50.00	34.37	1000.0	9.000	N	ON	19.4
28.961250	---	16.80	50.00	33.20	1000.0	9.000	N	ON	19.7
29.798250	23.13	---	60.00	36.87	1000.0	9.000	N	ON	19.7




802.11n (HT40) , Channel No.: 46, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.


802.11n (HT40) , Channel No.: 46, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.


802.11n (HT40) , Channel No.: 54, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.

802.11n (HT40) , Channel No.: 54, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.




802.11n (HT40) , Channel No.: 62, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11n (HT40) , Channel No.: 62, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11n (HT40) , Channel No.: 102, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.

802.11n (HT40) , Channel No.: 102, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.




802.11n (HT40) , Channel No.: 118, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.282750	26.91	---	60.74	33.82	1000.0	9.000	L1	ON	19.2
0.458250	---	19.36	46.72	27.36	1000.0	9.000	L1	ON	19.2
0.858750	30.87	---	56.00	25.13	1000.0	9.000	L1	ON	19.2
0.888000	---	19.22	46.00	26.78	1000.0	9.000	L1	ON	19.2
1.635000	---	22.83	46.00	23.17	1000.0	9.000	L1	ON	19.2
2.249250	34.31	---	56.00	21.69	1000.0	9.000	L1	ON	19.1
4.560000	---	20.44	46.00	25.56	1000.0	9.000	L1	ON	19.1
5.077500	26.07	---	60.00	33.93	1000.0	9.000	L1	ON	19.1
10.952250	---	15.70	50.00	34.30	1000.0	9.000	L1	ON	19.4
11.017500	19.52	---	60.00	40.48	1000.0	9.000	L1	ON	19.4
18.917250	---	17.71	50.00	32.29	1000.0	9.000	L1	ON	19.6
29.589000	24.57	---	60.00	35.43	1000.0	9.000	L1	ON	19.8


802.11n (HT40) , Channel No.: 118, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	26.61	55.40	28.79	1000.0	9.000	N	ON	19.1
0.161250	39.16	---	65.40	26.24	1000.0	9.000	N	ON	19.1
0.865500	---	19.94	46.00	26.06	1000.0	9.000	N	ON	19.2
0.912750	29.65	---	56.00	26.35	1000.0	9.000	N	ON	19.2
1.911750	34.56	---	56.00	21.44	1000.0	9.000	N	ON	19.2
2.073750	---	22.93	46.00	23.07	1000.0	9.000	N	ON	19.1
4.312500	30.87	---	56.00	25.13	1000.0	9.000	N	ON	19.1
4.348500	---	20.85	46.00	25.15	1000.0	9.000	N	ON	19.1
10.617000	---	16.54	50.00	33.46	1000.0	9.000	N	ON	19.4
11.141250	21.31	---	60.00	38.69	1000.0	9.000	N	ON	19.4
29.413500	23.79	---	60.00	36.21	1000.0	9.000	N	ON	19.7
29.694750	---	18.52	50.00	31.48	1000.0	9.000	N	ON	19.7


802.11n (HT40) , Channel No.: 134, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.244500	28.55	---	61.94	33.40	1000.0	9.000	L1	ON	19.1
0.404250	---	17.96	47.77	29.80	1000.0	9.000	L1	ON	19.2
0.888000	---	19.28	46.00	26.72	1000.0	9.000	L1	ON	19.2
0.930750	30.35	---	56.00	25.65	1000.0	9.000	L1	ON	19.2
1.635000	---	22.96	46.00	23.04	1000.0	9.000	L1	ON	19.2
1.758750	35.21	---	56.00	20.79	1000.0	9.000	L1	ON	19.2
4.704000	---	19.97	46.00	26.03	1000.0	9.000	L1	ON	19.1
5.142750	25.07	---	60.00	34.93	1000.0	9.000	L1	ON	19.1
10.502250	20.57	---	60.00	39.43	1000.0	9.000	L1	ON	19.4
10.558500	---	16.15	50.00	33.85	1000.0	9.000	L1	ON	19.4
28.898250	---	16.80	50.00	33.20	1000.0	9.000	L1	ON	19.8
29.625000	24.00	---	60.00	36.00	1000.0	9.000	L1	ON	19.8

802.11n (HT40) , Channel No.: 134, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	25.28	55.40	30.12	1000.0	9.000	N	ON	19.1
0.161250	37.82	---	65.40	27.58	1000.0	9.000	N	ON	19.1
0.451500	28.65	---	56.85	28.19	1000.0	9.000	N	ON	19.2
0.460500	---	20.03	46.68	26.65	1000.0	9.000	N	ON	19.2
1.045500	---	20.16	46.00	25.84	1000.0	9.000	N	ON	19.2
1.054500	32.26	---	56.00	23.74	1000.0	9.000	N	ON	19.2
1.864500	34.47	---	56.00	21.53	1000.0	9.000	N	ON	19.2
2.031000	---	23.17	46.00	22.83	1000.0	9.000	N	ON	19.1
4.341750	---	20.77	46.00	25.23	1000.0	9.000	N	ON	19.1
4.627500	29.50	---	56.00	26.50	1000.0	9.000	N	ON	19.1
17.265750	20.16	---	60.00	39.84	1000.0	9.000	N	ON	19.5
17.409750	---	16.28	50.00	33.72	1000.0	9.000	N	ON	19.5




802.11n (HT40) , Channel No.: 151, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.289500	24.57	---	60.54	35.96	1000.0	9.000	L1	ON	19.2
0.404250	---	18.15	47.77	29.62	1000.0	9.000	L1	ON	19.2
0.928500	---	19.56	46.00	26.44	1000.0	9.000	L1	ON	19.2
0.939750	31.27	---	56.00	24.73	1000.0	9.000	L1	ON	19.2
1.632750	---	22.73	46.00	23.27	1000.0	9.000	L1	ON	19.2
1.882500	34.53	---	56.00	21.47	1000.0	9.000	L1	ON	19.2
4.659000	---	20.19	46.00	25.81	1000.0	9.000	L1	ON	19.1
5.158500	25.35	---	60.00	34.65	1000.0	9.000	L1	ON	19.1
10.531500	20.21	---	60.00	39.79	1000.0	9.000	L1	ON	19.4
10.758750	---	16.02	50.00	33.98	1000.0	9.000	L1	ON	19.4
29.280750	---	17.71	50.00	32.29	1000.0	9.000	L1	ON	19.8
29.532750	24.08	---	60.00	35.92	1000.0	9.000	L1	ON	19.8


802.11n (HT40) , Channel No.: 151, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	24.47	55.40	30.93	1000.0	9.000	N	ON	19.1
0.161250	37.05	---	65.40	28.35	1000.0	9.000	N	ON	19.1
0.865500	---	19.43	46.00	26.57	1000.0	9.000	N	ON	19.2
0.935250	31.31	---	56.00	24.69	1000.0	9.000	N	ON	19.2
1.659750	34.03	---	56.00	21.97	1000.0	9.000	N	ON	19.2
1.909500	---	22.68	46.00	23.32	1000.0	9.000	N	ON	19.2
2.033250	34.99	---	56.00	21.01	1000.0	9.000	N	ON	19.1
2.071500	---	22.73	46.00	23.27	1000.0	9.000	N	ON	19.1
4.848000	---	20.26	46.00	25.74	1000.0	9.000	N	ON	19.1
5.154000	26.17	---	60.00	33.83	1000.0	9.000	N	ON	19.1
18.890250	---	17.29	50.00	32.71	1000.0	9.000	N	ON	19.4
29.618250	24.37	---	60.00	35.63	1000.0	9.000	N	ON	19.7


802.11n (HT40) , Channel No.: 159, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.201750	---	19.87	53.54	33.67	1000.0	9.000	L1	ON	19.2
0.204000	30.88	---	63.45	32.56	1000.0	9.000	L1	ON	19.2
0.928500	---	19.49	46.00	26.51	1000.0	9.000	L1	ON	19.2
0.937500	30.67	---	56.00	25.33	1000.0	9.000	L1	ON	19.2
1.632750	---	22.63	46.00	23.37	1000.0	9.000	L1	ON	19.2
1.839750	35.12	---	56.00	20.88	1000.0	9.000	L1	ON	19.2
4.701750	---	20.11	46.00	25.89	1000.0	9.000	L1	ON	19.1
5.109000	25.79	---	60.00	34.21	1000.0	9.000	L1	ON	19.1
10.394250	---	16.50	50.00	33.50	1000.0	9.000	L1	ON	19.4
10.727250	20.49	---	60.00	39.51	1000.0	9.000	L1	ON	19.4
28.812750	---	16.52	50.00	33.48	1000.0	9.000	L1	ON	19.8
29.532750	23.63	---	60.00	36.37	1000.0	9.000	L1	ON	19.8

802.11n (HT40) , Channel No.: 159, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.54	55.40	31.86	1000.0	9.000	N	ON	19.1
0.244500	30.90	---	61.94	31.04	1000.0	9.000	N	ON	19.1
0.460500	---	20.15	46.68	26.53	1000.0	9.000	N	ON	19.2
0.935250	31.50	---	56.00	24.50	1000.0	9.000	N	ON	19.2
1.862250	34.28	---	56.00	21.72	1000.0	9.000	N	ON	19.2
2.028750	---	22.60	46.00	23.40	1000.0	9.000	N	ON	19.1
2.107500	---	22.39	46.00	23.61	1000.0	9.000	N	ON	19.1
2.161500	32.28	---	56.00	23.72	1000.0	9.000	N	ON	19.1
4.692750	---	20.09	46.00	25.91	1000.0	9.000	N	ON	19.1
5.151750	26.12	---	60.00	33.88	1000.0	9.000	N	ON	19.1
18.807000	---	17.39	50.00	32.61	1000.0	9.000	N	ON	19.4
29.406750	23.41	---	60.00	36.59	1000.0	9.000	N	ON	19.7




802.11ac (HT20) , Channel No.: 36, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.154500	24.74	---	65.75	41.01	1000.0	9.000	L1	ON	19.1
0.163500	---	20.37	55.28	34.91	1000.0	9.000	L1	ON	19.1
0.435750	29.18	---	57.14	27.96	1000.0	9.000	L1	ON	19.2
0.440250	---	20.21	47.06	26.85	1000.0	9.000	L1	ON	19.2
2.107500	28.89	---	56.00	27.11	1000.0	9.000	L1	ON	19.1
2.159250	---	18.05	46.00	27.95	1000.0	9.000	L1	ON	19.1
2.537250	---	18.38	46.00	27.62	1000.0	9.000	L1	ON	19.0
2.562000	28.63	---	56.00	27.37	1000.0	9.000	L1	ON	19.0
4.866000	---	16.33	46.00	29.67	1000.0	9.000	L1	ON	19.1
8.067750	17.12	---	60.00	42.88	1000.0	9.000	L1	ON	19.2
19.079250	---	17.44	50.00	32.56	1000.0	9.000	L1	ON	19.6
19.896000	20.38	---	60.00	39.62	1000.0	9.000	L1	ON	19.7


802.11ac (HT20) , Channel No.: 36, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.31	55.40	32.09	1000.0	9.000	N	ON	19.1
0.244500	30.83	---	61.94	31.12	1000.0	9.000	N	ON	19.1
0.460500	---	20.16	46.68	26.52	1000.0	9.000	N	ON	19.2
0.930750	31.18	---	56.00	24.82	1000.0	9.000	N	ON	19.2
1.983750	---	22.08	46.00	23.92	1000.0	9.000	N	ON	19.1
1.986000	34.58	---	56.00	21.42	1000.0	9.000	N	ON	19.1
2.071500	---	22.02	46.00	23.98	1000.0	9.000	N	ON	19.1
2.118750	33.18	---	56.00	22.82	1000.0	9.000	N	ON	19.1
4.683750	---	20.21	46.00	25.79	1000.0	9.000	N	ON	19.1
5.140500	26.27	---	60.00	33.73	1000.0	9.000	N	ON	19.1
18.611250	---	17.25	50.00	32.75	1000.0	9.000	N	ON	19.4
29.636250	24.30	---	60.00	35.70	1000.0	9.000	N	ON	19.7


802.11ac (HT20) , Channel No.: 40, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.150000	41.36	---	66.00	24.64	1000.0	9.000	L1	ON	19.1
0.159000	---	25.44	55.52	30.08	1000.0	9.000	L1	ON	19.1
0.438000	24.54	---	57.10	32.56	1000.0	9.000	L1	ON	19.2
0.453750	---	24.97	46.81	21.84	1000.0	9.000	L1	ON	19.2
1.106250	---	15.25	46.00	30.75	1000.0	9.000	L1	ON	19.2
2.028750	20.16	---	56.00	35.84	1000.0	9.000	L1	ON	19.1
4.089750	---	15.20	46.00	30.80	1000.0	9.000	L1	ON	19.1
4.121250	20.37	---	56.00	35.63	1000.0	9.000	L1	ON	19.1
11.060250	16.07	---	60.00	43.93	1000.0	9.000	L1	ON	19.4
11.310000	---	14.55	50.00	35.45	1000.0	9.000	L1	ON	19.4
20.166000	---	16.23	50.00	33.77	1000.0	9.000	L1	ON	19.7
29.985000	21.02	---	60.00	38.98	1000.0	9.000	L1	ON	19.8

802.11ac (HT20) , Channel No.: 40, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.242250	30.80	---	62.02	31.22	1000.0	9.000	N	ON	19.1
0.460500	---	20.20	46.68	26.49	1000.0	9.000	N	ON	19.2
0.894750	31.59	---	56.00	24.41	1000.0	9.000	N	ON	19.2
1.945500	---	22.28	46.00	23.72	1000.0	9.000	N	ON	19.1
2.031000	34.45	---	56.00	21.55	1000.0	9.000	N	ON	19.1
2.073750	34.21	---	56.00	21.79	1000.0	9.000	N	ON	19.1
2.103000	---	21.79	46.00	24.21	1000.0	9.000	N	ON	19.1
4.895250	---	19.68	46.00	26.32	1000.0	9.000	N	ON	19.1
5.102250	26.67	---	60.00	33.33	1000.0	9.000	N	ON	19.1
10.446000	---	16.49	50.00	33.51	1000.0	9.000	N	ON	19.4
18.984750	---	17.18	50.00	32.82	1000.0	9.000	N	ON	19.4
29.755500	24.40	---	60.00	35.60	1000.0	9.000	N	ON	19.7




802.11ac (HT20) , Channel No.: 48, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	34.76	55.40	20.64	1000.0	9.000	L1	ON	19.1
0.161250	47.35	---	65.40	18.05	1000.0	9.000	L1	ON	19.1
0.417750	27.27	---	57.49	30.22	1000.0	9.000	L1	ON	19.2
0.444750	---	24.24	46.97	22.73	1000.0	9.000	L1	ON	19.2
2.116500	32.34	---	56.00	23.66	1000.0	9.000	L1	ON	19.1
2.204250	---	20.38	46.00	25.62	1000.0	9.000	L1	ON	19.1
2.769000	---	21.88	46.00	24.12	1000.0	9.000	L1	ON	19.0
2.807250	34.85	---	56.00	21.15	1000.0	9.000	L1	ON	19.0
5.374500	---	19.76	50.00	30.25	1000.0	9.000	L1	ON	19.1
5.417250	28.50	---	60.00	31.50	1000.0	9.000	L1	ON	19.1
19.383000	25.40	---	60.00	34.60	1000.0	9.000	L1	ON	19.6
19.392000	---	20.20	50.00	29.80	1000.0	9.000	L1	ON	19.6


802.11ac (HT20) , Channel No.: 48, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.244500	30.71	---	61.94	31.24	1000.0	9.000	N	ON	19.1
0.460500	---	20.14	46.68	26.54	1000.0	9.000	N	ON	19.2
0.933000	31.56	---	56.00	24.44	1000.0	9.000	N	ON	19.2
1.986000	---	22.40	46.00	23.60	1000.0	9.000	N	ON	19.1
1.995000	34.05	---	56.00	21.95	1000.0	9.000	N	ON	19.1
2.067000	---	22.15	46.00	23.85	1000.0	9.000	N	ON	19.1
2.157000	33.87	---	56.00	22.13	1000.0	9.000	N	ON	19.1
4.751250	---	20.07	46.00	25.93	1000.0	9.000	N	ON	19.1
5.235000	25.58	---	60.00	34.42	1000.0	9.000	N	ON	19.1
8.187000	---	16.70	50.00	33.30	1000.0	9.000	N	ON	19.2
18.319500	---	17.17	50.00	32.83	1000.0	9.000	N	ON	19.4
29.460750	23.97	---	60.00	36.03	1000.0	9.000	N	ON	19.7


802.11ac (HT20) , Channel No.: 52, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	30.59	55.40	24.81	1000.0	9.000	L1	ON	19.1
0.161250	42.90	---	65.40	22.50	1000.0	9.000	L1	ON	19.1
0.411000	29.90	---	57.63	27.73	1000.0	9.000	L1	ON	19.2
0.442500	---	23.43	47.02	23.59	1000.0	9.000	L1	ON	19.2
2.082750	32.30	---	56.00	23.70	1000.0	9.000	L1	ON	19.1
2.202000	---	20.39	46.00	25.61	1000.0	9.000	L1	ON	19.1
2.636250	34.12	---	56.00	21.88	1000.0	9.000	L1	ON	19.0
2.645250	---	21.74	46.00	24.26	1000.0	9.000	L1	ON	19.0
5.086500	29.24	---	60.00	30.76	1000.0	9.000	L1	ON	19.1
5.185500	---	20.37	50.00	29.63	1000.0	9.000	L1	ON	19.1
19.252500	24.78	---	60.00	35.22	1000.0	9.000	L1	ON	19.6
19.275000	---	19.73	50.00	30.27	1000.0	9.000	L1	ON	19.6

802.11ac (HT20) , Channel No.: 52, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.92	55.40	32.48	1000.0	9.000	N	ON	19.1
0.249000	29.09	---	61.79	32.70	1000.0	9.000	N	ON	19.1
0.935250	---	19.23	46.00	26.77	1000.0	9.000	N	ON	19.2
0.942000	29.42	---	56.00	26.58	1000.0	9.000	N	ON	19.2
1.947750	---	22.25	46.00	23.75	1000.0	9.000	N	ON	19.1
1.986000	34.62	---	56.00	21.38	1000.0	9.000	N	ON	19.1
2.105250	---	22.23	46.00	23.77	1000.0	9.000	N	ON	19.1
2.145750	34.45	---	56.00	21.55	1000.0	9.000	N	ON	19.1
4.713000	---	20.11	46.00	25.89	1000.0	9.000	N	ON	19.1
5.230500	25.55	---	60.00	34.45	1000.0	9.000	N	ON	19.1
18.388750	---	17.29	50.00	32.71	1000.0	9.000	N	ON	19.4
29.895000	24.37	---	60.00	35.63	1000.0	9.000	N	ON	19.7




802.11ac (HT20) , Channel No.: 56L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	28.05	55.40	27.35	1000.0	9.000	L1	ON	19.1
0.161250	40.27	---	65.40	25.13	1000.0	9.000	L1	ON	19.1
0.402000	---	20.26	47.81	27.55	1000.0	9.000	L1	ON	19.2
0.417750	28.18	---	57.49	29.31	1000.0	9.000	L1	ON	19.2
2.195250	33.89	---	56.00	22.11	1000.0	9.000	L1	ON	19.1
2.195250	---	21.60	46.00	24.40	1000.0	9.000	L1	ON	19.1
2.519250	---	22.22	46.00	23.78	1000.0	9.000	L1	ON	19.0
2.692500	32.83	---	56.00	23.17	1000.0	9.000	L1	ON	19.0
5.183250	---	20.24	50.00	29.76	1000.0	9.000	L1	ON	19.1
5.266500	30.10	---	60.00	29.90	1000.0	9.000	L1	ON	19.1
18.948750	24.60	---	60.00	35.40	1000.0	9.000	L1	ON	19.6
18.991500	---	19.34	50.00	30.66	1000.0	9.000	L1	ON	19.6


802.11ac (HT20) , Channel No.: 56N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.97	55.40	32.43	1000.0	9.000	N	ON	19.1
0.249000	28.98	---	61.79	32.81	1000.0	9.000	N	ON	19.1
0.460500	---	20.08	46.68	26.60	1000.0	9.000	N	ON	19.2
0.890250	31.12	---	56.00	24.88	1000.0	9.000	N	ON	19.2
1.911750	34.51	---	56.00	21.49	1000.0	9.000	N	ON	19.2
2.025500	---	22.42	46.00	23.58	1000.0	9.000	N	ON	19.1
2.062500	---	21.84	46.00	24.16	1000.0	9.000	N	ON	19.1
2.157000	33.97	---	56.00	22.03	1000.0	9.000	N	ON	19.1
4.605000	---	20.12	46.00	25.88	1000.0	9.000	N	ON	19.1
5.178750	26.09	---	60.00	33.91	1000.0	9.000	N	ON	19.1
18.975750	---	17.28	50.00	32.72	1000.0	9.000	N	ON	19.4
29.946750	24.21	---	60.00	35.79	1000.0	9.000	N	ON	19.7


802.11ac (HT20) , Channel No.: 64, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	25.97	55.40	29.43	1000.0	9.000	L1	ON	19.1
0.161250	38.17	---	65.40	27.22	1000.0	9.000	L1	ON	19.1
0.415500	29.20	---	57.54	28.33	1000.0	9.000	L1	ON	19.2
0.442500	---	20.83	47.02	26.18	1000.0	9.000	L1	ON	19.2
2.109750	32.89	---	56.00	23.11	1000.0	9.000	L1	ON	19.1
2.195250	---	21.78	46.00	24.22	1000.0	9.000	L1	ON	19.1
2.517000	34.48	---	56.00	21.52	1000.0	9.000	L1	ON	19.0
2.818500	---	21.77	46.00	24.23	1000.0	9.000	L1	ON	19.0
5.142750	28.98	---	60.00	31.02	1000.0	9.000	L1	ON	19.1
5.172000	---	20.13	50.00	29.87	1000.0	9.000	L1	ON	19.1
19.205250	---	18.80	50.00	31.20	1000.0	9.000	L1	ON	19.6
29.917500	23.48	---	60.00	36.52	1000.0	9.000	L1	ON	19.8

802.11ac (HT20) , Channel No.: 64, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.94	55.40	32.46	1000.0	9.000	N	ON	19.1
0.444750	29.34	---	56.97	27.63	1000.0	9.000	N	ON	19.2
0.930750	31.03	---	56.00	24.97	1000.0	9.000	N	ON	19.2
0.935250	---	19.37	46.00	26.63	1000.0	9.000	N	ON	19.2
1.992750	34.19	---	56.00	21.81	1000.0	9.000	N	ON	19.1
2.028750	---	22.30	46.00	23.70	1000.0	9.000	N	ON	19.1
2.069250	---	22.12	46.00	23.88	1000.0	9.000	N	ON	19.1
2.148000	34.27	---	56.00	21.73	1000.0	9.000	N	ON	19.1
4.978500	---	19.42	46.00	26.58	1000.0	9.000	N	ON	19.1
5.052750	26.82	---	60.00	33.18	1000.0	9.000	N	ON	19.1
19.020750	---	17.25	50.00	32.75	1000.0	9.000	N	ON	19.4
29.784750	23.99	---	60.00	36.01	1000.0	9.000	N	ON	19.7




802.11ac (HT20) , Channel No.: 100, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11ac (HT20) , Channel No.: 100, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11ac (HT20) , Channel No.: 116, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.

802.11ac (HT20) , Channel No.: 116, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.




802.11ac (HT20) , Channel No.: 140, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.201750	---	20.17	53.54	33.36	1000.0	9.000	L1	ON	19.2
0.242250	31.01	---	62.02	31.00	1000.0	9.000	L1	ON	19.1
0.417750	---	20.77	47.49	26.73	1000.0	9.000	L1	ON	19.2
0.420000	29.03	---	57.45	28.41	1000.0	9.000	L1	ON	19.2
2.028750	---	20.69	46.00	25.31	1000.0	9.000	L1	ON	19.1
2.116500	32.58	---	56.00	23.42	1000.0	9.000	L1	ON	19.1
4.960500	---	20.03	46.00	25.97	1000.0	9.000	L1	ON	19.1
5.149500	28.82	---	60.00	31.18	1000.0	9.000	L1	ON	19.1
10.896000	---	15.81	50.00	34.19	1000.0	9.000	L1	ON	19.4
11.537250	18.48	---	60.00	41.52	1000.0	9.000	L1	ON	19.4
28.691250	---	16.01	50.00	33.99	1000.0	9.000	L1	ON	19.8
29.985000	23.14	---	60.00	36.86	1000.0	9.000	L1	ON	19.8


802.11ac (HT20) , Channel No.: 140, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.88	55.40	32.52	1000.0	9.000	N	ON	19.1
0.449250	29.96	---	56.89	26.93	1000.0	9.000	N	ON	19.2
0.460500	---	19.87	46.68	26.81	1000.0	9.000	N	ON	19.2
0.933000	31.48	---	56.00	24.52	1000.0	9.000	N	ON	19.2
1.959000	34.07	---	56.00	21.93	1000.0	9.000	N	ON	19.1
2.028750	---	22.15	46.00	23.85	1000.0	9.000	N	ON	19.1
2.107500	---	22.26	46.00	23.75	1000.0	9.000	N	ON	19.1
2.233500	33.56	---	56.00	22.44	1000.0	9.000	N	ON	19.1
4.776000	---	20.16	46.00	25.84	1000.0	9.000	N	ON	19.1
5.084250	26.36	---	60.00	33.64	1000.0	9.000	N	ON	19.1
18.573000	---	17.29	50.00	32.71	1000.0	9.000	N	ON	19.4
29.494500	23.90	---	60.00	36.10	1000.0	9.000	N	ON	19.7


802.11ac (HT20) , Channel No.: 149, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.24	55.40	32.16	1000.0	9.000	L1	ON	19.1
0.161250	35.35	---	65.40	30.05	1000.0	9.000	L1	ON	19.1
0.415500	28.97	---	57.54	28.57	1000.0	9.000	L1	ON	19.2
0.447000	---	20.35	46.93	26.58	1000.0	9.000	L1	ON	19.2
2.163750	32.42	---	56.00	23.58	1000.0	9.000	L1	ON	19.1
2.188500	---	20.74	46.00	25.26	1000.0	9.000	L1	ON	19.1
2.607000	33.48	---	56.00	22.52	1000.0	9.000	L1	ON	19.0
2.647500	---	21.43	46.00	24.57	1000.0	9.000	L1	ON	19.0
5.064000	---	20.00	50.00	30.00	1000.0	9.000	L1	ON	19.1
5.115750	28.93	---	60.00	31.07	1000.0	9.000	L1	ON	19.1
19.036500	---	18.58	50.00	31.42	1000.0	9.000	L1	ON	19.6
19.153500	23.30	---	60.00	36.70	1000.0	9.000	L1	ON	19.6

802.11ac (HT20) , Channel No.: 149, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.82	55.40	32.58	1000.0	9.000	N	ON	19.1
0.240000	29.18	---	62.10	32.91	1000.0	9.000	N	ON	19.1
0.894750	---	19.45	46.00	26.55	1000.0	9.000	N	ON	19.2
0.937500	31.68	---	56.00	24.32	1000.0	9.000	N	ON	19.2
1.986000	---	22.02	46.00	23.98	1000.0	9.000	N	ON	19.1
2.042250	33.90	---	56.00	22.10	1000.0	9.000	N	ON	19.1
2.067000	---	22.01	46.00	23.99	1000.0	9.000	N	ON	19.1
2.112000	33.97	---	56.00	22.03	1000.0	9.000	N	ON	19.1
4.857000	---	19.95	46.00	26.05	1000.0	9.000	N	ON	19.1
5.291250	24.85	---	60.00	35.15	1000.0	9.000	N	ON	19.1
18.964500	---	17.24	50.00	32.76	1000.0	9.000	N	ON	19.4
29.886000	24.58	---	60.00	35.42	1000.0	9.000	N	ON	19.7




802.11ac (HT20) , Channel No.: 157, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac (HT20) , Channel No.: 157, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac (HT20) , Channel No.: 165, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.

802.11ac (HT20) , Channel No.: 165, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.




802.11ac (HT40) , Channel No.: 38, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac (HT40) , Channel No.: 38, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac (HT40) , Channel No.: 46, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 17 rows of test data.

802.11ac (HT40) , Channel No.: 46, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 17 rows of test data.




802.11ac (HT40) , Channel No.: 54, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11ac (HT40) , Channel No.: 54, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.


802.11ac (HT40) , Channel No.: 62, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.

802.11ac (HT40) , Channel No.: 62, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data.




802.11ac (HT40) , Channel No.: 102, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.


802.11ac (HT40) , Channel No.: 102, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.


802.11ac (HT40) , Channel No.: 118, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.

802.11ac (HT40) , Channel No.: 118, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.




802.11ac (HT40) , Channel No.: 134, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	26.33	55.40	29.07	1000.0	9.000	L1	ON	19.1
0.244500	34.07	---	61.94	27.87	1000.0	9.000	L1	ON	19.1
0.415500	29.81	---	57.54	27.73	1000.0	9.000	L1	ON	19.2
0.447000	---	21.52	46.93	25.41	1000.0	9.000	L1	ON	19.2
2.076000	---	20.26	46.00	25.74	1000.0	9.000	L1	ON	19.1
2.163750	32.51	---	56.00	23.49	1000.0	9.000	L1	ON	19.1
2.613750	33.82	---	56.00	22.18	1000.0	9.000	L1	ON	19.0
2.739750	---	21.97	46.00	24.03	1000.0	9.000	L1	ON	19.0
5.068500	---	20.44	50.00	29.56	1000.0	9.000	L1	ON	19.1
5.070750	29.99	---	60.00	30.01	1000.0	9.000	L1	ON	19.1
19.070250	---	18.85	50.00	31.15	1000.0	9.000	L1	ON	19.6
29.262750	24.81	---	60.00	35.19	1000.0	9.000	L1	ON	19.8


802.11ac (HT40) , Channel No.: 134, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	---	17.61	55.28	37.67	1000.0	9.000	N	ON	19.1
0.246750	28.31	---	61.87	33.56	1000.0	9.000	N	ON	19.1
0.449250	---	18.61	46.89	28.28	1000.0	9.000	N	ON	19.2
0.906000	30.86	---	56.00	25.14	1000.0	9.000	N	ON	19.2
1.684500	---	21.17	46.00	24.83	1000.0	9.000	N	ON	19.2
2.060250	32.73	---	56.00	23.27	1000.0	9.000	N	ON	19.1
4.455500	28.73	---	56.00	27.27	1000.0	9.000	N	ON	19.1
4.686000	---	19.85	46.00	26.15	1000.0	9.000	N	ON	19.1
14.473500	19.57	---	60.00	40.43	1000.0	9.000	N	ON	19.5
14.754750	---	15.61	50.00	34.39	1000.0	9.000	N	ON	19.5
29.076000	23.49	---	60.00	36.51	1000.0	9.000	N	ON	19.7
29.292000	---	18.35	50.00	31.65	1000.0	9.000	N	ON	19.7


802.11ac (HT40) , Channel No.: 151, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	24.94	55.40	30.46	1000.0	9.000	L1	ON	19.1
0.204000	34.14	---	63.45	29.31	1000.0	9.000	L1	ON	19.2
0.415500	29.72	---	57.54	27.82	1000.0	9.000	L1	ON	19.2
0.447000	---	21.35	46.93	25.58	1000.0	9.000	L1	ON	19.2
2.089500	32.79	---	56.00	23.21	1000.0	9.000	L1	ON	19.1
2.190750	---	20.94	46.00	25.06	1000.0	9.000	L1	ON	19.1
2.638500	33.12	---	56.00	22.88	1000.0	9.000	L1	ON	19.0
2.737500	---	21.63	46.00	24.37	1000.0	9.000	L1	ON	19.0
5.167500	---	19.79	50.00	30.21	1000.0	9.000	L1	ON	19.1
5.203500	29.19	---	60.00	30.81	1000.0	9.000	L1	ON	19.1
19.599000	---	18.24	50.00	31.76	1000.0	9.000	L1	ON	19.7
29.343750	25.01	---	60.00	34.99	1000.0	9.000	L1	ON	19.8

802.11ac (HT40) , Channel No.: 151, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	17.07	55.40	38.33	1000.0	9.000	N	ON	19.1
0.444750	---	18.49	46.97	28.48	1000.0	9.000	N	ON	19.2
0.451500	29.07	---	56.85	27.77	1000.0	9.000	N	ON	19.2
0.843000	28.36	---	56.00	27.64	1000.0	9.000	N	ON	19.2
2.031000	32.50	---	56.00	23.50	1000.0	9.000	N	ON	19.1
2.046750	---	19.92	46.00	26.08	1000.0	9.000	N	ON	19.1
4.897500	---	18.29	46.00	27.71	1000.0	9.000	N	ON	19.1
5.086500	25.05	---	60.00	34.95	1000.0	9.000	N	ON	19.1
14.019000	---	15.42	50.00	34.58	1000.0	9.000	N	ON	19.4
14.235000	18.72	---	60.00	41.28	1000.0	9.000	N	ON	19.4
29.118750	22.60	---	60.00	37.40	1000.0	9.000	N	ON	19.7
29.271750	---	17.66	50.00	32.34	1000.0	9.000	N	ON	19.7




802.11ac (HT40) , Channel No.: 159, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	---	15.32	55.17	39.85	1000.0	9.000	L1	ON	19.1
0.233250	26.86	---	62.33	35.47	1000.0	9.000	L1	ON	19.1
0.426750	26.98	---	57.32	30.33	1000.0	9.000	L1	ON	19.2
0.438000	---	19.40	47.10	27.70	1000.0	9.000	L1	ON	19.2
2.064750	28.64	---	56.00	27.36	1000.0	9.000	L1	ON	19.1
2.103000	---	17.87	46.00	28.13	1000.0	9.000	L1	ON	19.1
2.449500	29.55	---	56.00	26.45	1000.0	9.000	L1	ON	19.0
2.517000	---	18.09	46.00	27.91	1000.0	9.000	L1	ON	19.0
4.557750	---	17.24	46.00	28.76	1000.0	9.000	L1	ON	19.1
6.868500	17.90	---	60.00	42.10	1000.0	9.000	L1	ON	19.2
18.726000	---	17.41	50.00	32.59	1000.0	9.000	L1	ON	19.6
19.189500	21.76	---	60.00	38.24	1000.0	9.000	L1	ON	19.6


802.11ac (HT40) , Channel No.: 159, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.456000	---	17.82	46.77	28.94	1000.0	9.000	N	ON	19.2
0.456000	28.31	---	56.77	28.46	1000.0	9.000	N	ON	19.2
0.861000	26.85	---	56.00	29.15	1000.0	9.000	N	ON	19.2
0.962250	---	16.63	46.00	29.37	1000.0	9.000	N	ON	19.2
2.094000	---	18.21	46.00	27.79	1000.0	9.000	N	ON	19.1
2.132250	29.53	---	56.00	26.47	1000.0	9.000	N	ON	19.1
4.204500	---	18.14	46.00	27.86	1000.0	9.000	N	ON	19.1
4.418250	26.26	---	56.00	29.75	1000.0	9.000	N	ON	19.1
10.081500	17.66	---	60.00	42.34	1000.0	9.000	N	ON	19.4
10.110750	---	15.14	50.00	34.86	1000.0	9.000	N	ON	19.4
27.786750	---	15.89	50.00	34.11	1000.0	9.000	N	ON	19.8
28.585500	18.98	---	60.00	41.02	1000.0	9.000	N	ON	19.7


802.11ac HT80, Channel No.: 42, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.94	55.40	31.46	1000.0	9.000	L1	ON	19.1
0.161250	35.91	---	65.40	29.49	1000.0	9.000	L1	ON	19.1
0.422250	29.71	---	57.40	27.70	1000.0	9.000	L1	ON	19.2
0.447000	---	21.14	46.93	25.79	1000.0	9.000	L1	ON	19.2
2.069250	---	20.60	46.00	25.40	1000.0	9.000	L1	ON	19.1
2.168250	32.89	---	56.00	23.11	1000.0	9.000	L1	ON	19.1
2.580000	34.48	---	56.00	21.52	1000.0	9.000	L1	ON	19.0
2.746500	---	21.21	46.00	24.79	1000.0	9.000	L1	ON	19.0
5.082000	---	20.24	50.00	29.76	1000.0	9.000	L1	ON	19.1
5.109000	29.02	---	60.00	30.98	1000.0	9.000	L1	ON	19.1
18.901500	---	18.74	50.00	31.26	1000.0	9.000	L1	ON	19.6
29.427000	24.81	---	60.00	35.19	1000.0	9.000	L1	ON	19.8

802.11ac HT80, Channel No.: 42, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.02	55.40	32.38	1000.0	9.000	N	ON	19.1
0.249000	29.21	---	61.79	32.58	1000.0	9.000	N	ON	19.1
0.460500	---	20.62	46.68	26.06	1000.0	9.000	N	ON	19.2
0.935250	31.54	---	56.00	24.46	1000.0	9.000	N	ON	19.2
1.639500	---	21.94	46.00	24.06	1000.0	9.000	N	ON	19.2
1.806000	34.08	---	56.00	21.92	1000.0	9.000	N	ON	19.2
2.150250	---	21.73	46.00	24.27	1000.0	9.000	N	ON	19.1
2.166000	33.36	---	56.00	22.64	1000.0	9.000	N	ON	19.1
4.992000	---	19.66	46.00	26.34	1000.0	9.000	N	ON	19.1
5.082000	27.37	---	60.00	32.63	1000.0	9.000	N	ON	19.1
19.020750	---	17.34	50.00	32.66	1000.0	9.000	N	ON	19.4
29.337000	25.54	---	60.00	34.46	1000.0	9.000	N	ON	19.7




802.11ac HT80, Channel No.: 58, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.47	55.40	31.93	1000.0	9.000	L1	ON	19.1
0.244500	32.01	---	61.94	29.93	1000.0	9.000	L1	ON	19.1
0.417750	---	21.40	47.49	26.09	1000.0	9.000	L1	ON	19.2
0.417750	29.78	---	57.49	27.71	1000.0	9.000	L1	ON	19.2
2.071500	---	20.25	46.00	25.75	1000.0	9.000	L1	ON	19.1
2.152500	32.26	---	56.00	23.74	1000.0	9.000	L1	ON	19.1
2.415750	34.03	---	56.00	21.97	1000.0	9.000	L1	ON	19.0
2.514750	---	20.80	46.00	25.20	1000.0	9.000	L1	ON	19.0
5.160750	---	20.04	50.00	29.96	1000.0	9.000	L1	ON	19.1
5.232750	28.49	---	60.00	31.51	1000.0	9.000	L1	ON	19.1
18.685500	---	18.76	50.00	31.24	1000.0	9.000	L1	ON	19.6
19.137750	23.37	---	60.00	36.63	1000.0	9.000	L1	ON	19.6


802.11ac HT80, Channel No.: 58, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.88	55.40	32.52	1000.0	9.000	N	ON	19.1
0.204000	33.32	---	63.45	30.12	1000.0	9.000	N	ON	19.2
0.462750	---	20.44	46.64	26.20	1000.0	9.000	N	ON	19.2
0.897000	31.01	---	56.00	24.99	1000.0	9.000	N	ON	19.2
1.599000	---	21.82	46.00	24.18	1000.0	9.000	N	ON	19.2
1.599000	34.74	---	56.00	21.26	1000.0	9.000	N	ON	19.1
2.132250	34.46	---	56.00	21.54	1000.0	9.000	N	ON	19.1
2.150250	---	21.80	46.00	24.20	1000.0	9.000	N	ON	19.1
4.701750	---	20.42	46.00	25.58	1000.0	9.000	N	ON	19.1
5.131500	26.22	---	60.00	33.78	1000.0	9.000	N	ON	19.1
19.398750	---	16.86	50.00	33.14	1000.0	9.000	N	ON	19.5
29.366250	25.44	---	60.00	34.56	1000.0	9.000	N	ON	19.7


802.11ac HT80, Channel No.: 106, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.25	55.40	32.15	1000.0	9.000	L1	ON	19.1
0.249000	29.62	---	61.79	32.17	1000.0	9.000	L1	ON	19.1
0.417750	29.80	---	57.49	27.70	1000.0	9.000	L1	ON	19.2
0.420000	---	21.38	47.45	26.07	1000.0	9.000	L1	ON	19.2
2.069250	---	20.49	46.00	25.51	1000.0	9.000	L1	ON	19.1
2.132250	32.96	---	56.00	23.04	1000.0	9.000	L1	ON	19.1
2.674500	---	21.04	46.00	24.96	1000.0	9.000	L1	ON	19.0
2.706000	33.96	---	56.00	22.04	1000.0	9.000	L1	ON	19.0
5.077500	---	20.27	50.00	29.73	1000.0	9.000	L1	ON	19.1
5.163000	29.33	---	60.00	30.67	1000.0	9.000	L1	ON	19.1
18.924000	---	18.65	50.00	31.35	1000.0	9.000	L1	ON	19.6
29.285250	24.15	---	60.00	35.85	1000.0	9.000	L1	ON	19.8

802.11ac HT80, Channel No.: 106, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.201750	---	19.84	53.54	33.70	1000.0	9.000	N	ON	19.2
0.381750	28.79	---	58.24	29.45	1000.0	9.000	N	ON	19.2
0.460500	---	20.59	46.68	26.09	1000.0	9.000	N	ON	19.2
0.939750	31.26	---	56.00	24.74	1000.0	9.000	N	ON	19.2
1.637250	---	22.10	46.00	23.90	1000.0	9.000	N	ON	19.2
1.844250	34.87	---	56.00	21.13	1000.0	9.000	N	ON	19.2
2.051250	34.21	---	56.00	21.79	1000.0	9.000	N	ON	19.1
2.150250	---	21.66	46.00	24.34	1000.0	9.000	N	ON	19.1
4.879500	---	19.84	46.00	26.16	1000.0	9.000	N	ON	19.1
5.214750	25.70	---	60.00	34.31	1000.0	9.000	N	ON	19.1
19.144500	---	17.20	50.00	32.80	1000.0	9.000	N	ON	19.5
29.375250	25.90	---	60.00	34.10	1000.0	9.000	N	ON	19.7




802.11ac HT80, Channel No.: 138, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.184500	24.74	---	65.75	41.01	1000.0	9.000	L1	ON	19.1
0.183500	---	20.37	55.28	34.91	1000.0	9.000	L1	ON	19.1
0.545750	29.18	---	57.14	27.96	1000.0	9.000	L1	ON	19.2
0.540250	---	20.21	47.06	26.85	1000.0	9.000	L1	ON	19.2
2.107500	28.89	---	56.00	27.11	1000.0	9.000	L1	ON	19.1
2.159250	---	18.05	46.00	27.95	1000.0	9.000	L1	ON	19.1
2.337250	---	18.38	46.00	27.62	1000.0	9.000	L1	ON	19.0
2.362000	28.63	---	56.00	27.37	1000.0	9.000	L1	ON	19.0
4.866000	---	16.33	46.00	29.67	1000.0	9.000	L1	ON	19.1
8.067750	17.12	---	60.00	42.88	1000.0	9.000	L1	ON	19.2
19.079250	---	17.44	50.00	32.56	1000.0	9.000	L1	ON	19.6
19.896000	20.38	---	60.00	39.62	1000.0	9.000	L1	ON	19.7


802.11ac HT80, Channel No.: 138, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.181250	---	22.96	55.40	32.44	1000.0	9.000	N	ON	19.1
0.236750	29.48	---	61.87	32.38	1000.0	9.000	N	ON	19.1
0.462750	---	19.77	46.64	26.87	1000.0	9.000	N	ON	19.2
0.933000	31.43	---	56.00	24.57	1000.0	9.000	N	ON	19.2
1.923000	32.41	---	56.00	23.59	1000.0	9.000	N	ON	19.2
2.069250	---	22.02	46.00	23.98	1000.0	9.000	N	ON	19.1
2.109750	34.12	---	56.00	21.88	1000.0	9.000	N	ON	19.1
2.145750	---	21.97	46.00	24.03	1000.0	9.000	N	ON	19.1
4.645500	---	20.16	46.00	25.84	1000.0	9.000	N	ON	19.1
5.544850	25.27	---	60.00	34.73	1000.0	9.000	N	ON	19.1
19.136000	---	17.10	50.00	32.90	1000.0	9.000	N	ON	19.5
29.895000	24.59	---	60.00	35.41	1000.0	9.000	N	ON	19.7


802.11ac HT80, Channel No.: 155, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	23.18	55.40	32.22	1000.0	9.000	L1	ON	19.1
0.161250	34.97	---	65.40	30.42	1000.0	9.000	L1	ON	19.1
0.417750	---	21.39	47.49	26.11	1000.0	9.000	L1	ON	19.2
0.417750	29.70	---	57.49	27.79	1000.0	9.000	L1	ON	19.2
1.907250	---	19.90	46.00	26.10	1000.0	9.000	L1	ON	19.2
2.177250	31.42	---	56.00	24.58	1000.0	9.000	L1	ON	19.1
2.553000	33.41	---	56.00	22.59	1000.0	9.000	L1	ON	19.0
2.800500	---	21.19	46.00	24.81	1000.0	9.000	L1	ON	19.0
5.167500	---	19.75	50.00	30.25	1000.0	9.000	L1	ON	19.1
5.228250	28.43	---	60.00	31.57	1000.0	9.000	L1	ON	19.1
18.813750	---	18.69	50.00	31.31	1000.0	9.000	L1	ON	19.6
18.858750	23.58	---	60.00	36.42	1000.0	9.000	L1	ON	19.6

802.11ac HT80, Channel No.: 155, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.161250	---	22.89	55.40	32.51	1000.0	9.000	N	ON	19.1
0.208500	30.56	---	63.27	32.70	1000.0	9.000	N	ON	19.2
0.462750	---	20.37	46.64	26.28	1000.0	9.000	N	ON	19.2
0.944250	31.55	---	56.00	24.45	1000.0	9.000	N	ON	19.2
1.639500	---	22.08	46.00	23.92	1000.0	9.000	N	ON	19.2
1.803750	35.10	---	56.00	20.90	1000.0	9.000	N	ON	19.2
2.091750	34.47	---	56.00	21.53	1000.0	9.000	N	ON	19.1
2.998500	---	21.32	46.00	24.68	1000.0	9.000	N	ON	19.1
5.122500	26.68	---	60.00	33.32	1000.0	9.000	N	ON	19.1
8.391750	---	17.04	50.00	32.96	1000.0	9.000	N	ON	19.2
19.338000	---	16.96	50.00	33.04	1000.0	9.000	N	ON	19.5
29.820750	24.76	---	60.00	35.24	1000.0	9.000	N	ON	19.7



6. Main Test Instruments

Name	Type	Manufacturer	Serial Number	Calibration Date	Expiration Time
Spectrum Analyzer	FSV30	R&S	100815	2016-12-16	2017-12-15
EMI Test Receiver	ESCI	R&S	100948	2017-05-20	2018-05-19
Loop Antenna	FMZB1519	SCHWARZBECK	1519-047	2017-02-18	2020-02-17
TRILOG Broadband Antenna	VULB 9163	Schwarzbeck	9163-201	2014-12-06	2017-12-05
Double Ridged Waveguide Horn Antenna	HF907	R&S	100126	2014-12-06	2017-12-05
Standard Gain Horn	3160-09	ETS-Lindgren	00102644	2015-01-30	2018-01-29
Broadband Horn Antenna	BBHA9170	Schwarzbeck	MRTSUE06024	2016-11-24	2019-11-23
EMI Test Receiver	ESCS30	R&S	100138	2016-12-16	2017-12-15
LISN	ENV216	R&S	101171	2016-12-16	2017-12-15
Spectrum Analyzer	N9010A	Agilent	MY47191109	2016-05-21	2017-05-20
RF Cable	SMA 15cm	Agilent	0001	2017-04-03	2017-07-02

*****END OF REPORT *****

ANNEX A: EUT Appearance and Test Setup

A.1 EUT Appearance



a: EUT



Adapter 1



Adapter 2

c: Adapter

Picture 1 EUT and Accessory